

การพัฒนารูปแบบการดูแลสตรีหลังทำแท้ง

Development of care model for women after an abortion

โดย

วัฒนา ศรีพจนารถ
โสเพ็ญ ชูนวล
จิตใส ลาวัลย์ตระกูล
ปราณี พงศ์ใพบูลย์
จิตติ ลาวัลย์ตระกูล
ชุติวรรณ ปุรินทราพิบาล
ศิริรัตน์ โกศัลวัฒน์
สุรีย์พร กฤษเจริญ
ละมูล บุรณศิริ

ได้รับทุนอุดหนุนการวิจัยจากมหาวิทยาลัยสงขลานครินทร์ สัญญาเลขที่ NUR5011990091M

าเทคัดย่อ

การวิจัยครั้งนี้เป็นการวิจัยเชิงปฏิบัติการมี วัตถุประสงค์ 1)เพื่อศึกษาและพัฒนารูปแบบการ ดูแลสตรีหลังทำแท้ง 2)เพื่อศึกษาความพึงพอใจของสตรีที่ได้รับการดูแลหลังทำแท้งภายหลัง พัฒนารูปแบบ และ 3)เพื่อศึกษาปัญหาอุปสรรคในการพัฒนารูปแบบการดูแลสตรีหลังทำแท้ง

การวิจัยแบ่งออกเป็น 4 ขั้นตอนคือ1) การประเมินรูปแบบการดูแลแบบเคิมและวางแผน ร่วมกันเพื่อพัฒนารูปแบบการคูแล 2) การปฏิบัติการโคยนำรูปแบบการคูแลที่สร้างขึ้นไปทคลอง ปฏิบัติ 3) ปรับปรุงรูปแบบการดูแลให้สอคคล้องกับความต้องการของสตรีหลังทำแท้ง และ 4) การ ติคตามและประเมินผลการคูแลตามรูปแบบที่ได้ปรับปรุงใหม่ กลุ่มตัวอย่าง ปฏิบัติงานในหอผู้ป่วยของโรงพยาบาลแห่งหนึ่งในจังหวัคสงขลา จำนวน 12 คน และสตรีหลังทำ แท้งที่ได้รับ การดูแลตามรูปแบบจำนวน 60 คนเครื่องมือที่ใช้ในการเก็บรวบรวมข้อมูลคือแนว คำถามปลายเปิด และแบบสอบถามความพึงพอใจของสตรีหลังทำแท้ง มีค่าความเที่ยงเท่ากับ 0.97 การเก็บข้อมูลใช้แบบสัมภาษณ์เจาะลึก การสนทนากลุ่ม การสังเกตแบบมีส่วนร่วม แบบสอบถาม วิเคราะห์ข้อมูลทั่วไปโดยใช้สถิติเชิงพรรณนา วิเคราะห์ข้อมูลเชิงคุณภาพด้วยการ เปรียบเทียบความพึงพอใจของสตรีหลังทำแท้งต่อคุณภาพการดูแลของ พยาบาลก่อนและหลังพัฒนาใช้สถิติIndependent-Sample t-test เมื่อสิ้นสุดการวิจัยได้ รูปแบบการ คูแลสตรีหลังทำแท้ง คือการดูแลแบบองค์รวม ประกอบค้วย การสร้างสัมพันธภาพที่ประทับใจ การมีทัศนคติเชิงบวก การให้คำแนะนำและคำปรึกษา และให้การคูแลอย่างต่อเนื่องที่สอคคล้องกับ ความต้องการของสตรีหลังทำแท้ง ส่วนความพึงพอใจของสตรีหลังทำแท้งก่อนและหลังการพัฒนา รูปแบบการดูแลมีความแตกต่างอย่างมีนัยสำคัญทางสถิติ (p=.05) ปัญหาอุปสรรคในการพัฒนา รูปแบบพบว่าพยาบาลมีภาระงานมากจึงต้องรีบทำงานให้เสร็จทันเวลา เกิดความเครียดและเหนื่อย หน่ายในการปฏิบัติงาน

สรุปการพัฒนารูปแบบการคูแลสตรีหลังทำแท้งโดยใช้การวิจัยเชิงปฏิบัติการที่เน้นการมี ส่วนร่วมของพยาบาล ทำให้พยาบาลมีความตระหนักในการคูแลแบบองค์รวมมากขึ้น มีทัศนคติ ดีขึ้นต่อสตรีหลังทำแท้ง ปรับปรุงการให้คำแนะนำและคำปรึกษาโดยใช้สื่อการสอน เพื่อให้สตรี หลังทำแท้งนำไปปฏิบัติตามได้

คำสำคัญ: การพัฒนารูปแบบการคูแล สตรีหลังทำแท้ง

Abstract

This participatory action research was aimed to 1) study and develop the care model for women after an abortion; 2) investigate the satisfaction of women receiving post-abortion care after the model was developed; and 3) examine the obstacles in developing the care model for women after an abortion.

The research processes were divided into 4 steps: 1) assessing the existing care model and planning to enhance the model; 2) putting the improved model into practice; 3) improving the model to meet the needs of women after an abortion; and 4) monitoring and evaluating the results. The sample group was consisted of 12 nurses at a hospital in Songkhla province and 60 women receiving post abortive care in the model. Open-ended questions and satisfaction surveys were applied to collect information among these women with the value of reliability of 0.97. In-depth interviews, focus group discussion, participant observations and questionnaires were also used while the general data and qualitative data were analyzed by descriptive statistics and content analysis respectively. The satisfaction of women after an abortion towards the quality of nursing care before and after the development of care model was compared using the Independent-Sample t-test statistics at the end of the research. It revealed that the care model for women after an abortion was holistic care including building impressive relationship, having positive attitudes, giving advice and counsel and providing continuous care to meet the needs of post abortion women. The women's satisfaction after and before the development of care model was different at the statistical significant level (p = 05). The obstacles found during the model development were the nurses' overburden, stress and weariness.

In conclusion, the development of care model for women after an abortion in this participatory action research led nurses to realize more holistic care, have better attitudes towards women after an abortion and improve advice and counsel by using the instructional media in order that women after an abortion can follow.

Keywords: development of care model, women after an abortion.