CONTENTS

	Page
CONTENTS	viii
LIST OF TABLES	ix
LIST OF FIGURES	xi
LIST OF ABBREVIATIONS AND SYMBOLS	xii
1. INTRODUCTION	1
2. LITERATURE REVIEW	
Kaempferia galanga. (Zingiberaceae)	3
Pain	11
Regulation of body temperature	19
Inflammation	27
Aspirin	36
Morphine	42
Naloxone	48
3. MATERIALS AND METHODS	50
4. RESULTS	62
5. DISCUSSION AND CONCLUSION	87
BIBLIOGRAPHY	102
APPENDIX	124
VITAE	168

LIST OF TABLE

Table		Page
1.	Classification of sensory neuron	13
2.	Summary of thermoregulatory effector responses to increase and skin temperature	24
3.	Summary of thermoregulatory effector responses to decrease and skin temperature	25
4.	Main groups of mediators involved in acute inflammation	32
5.	Receptor selectivities for some opioids	44
6.	Opioid receptors, subtypes and physiological effect	46
7.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	63
	acetic acid-induced writhing in mice.	
8.	Effects of the methanol extract of Kaempferia galanga (MEKG), morphine and	66
	aspirin on 2.5% formalin-induced paw licking in mice.	
9.	Effects of the methanol extract of Kaempferia galanga (MEKG) and morphine on	69
	heat-induced pain in mice.	
10.	Antagonistic effects of naloxone on morphine and methanol extract of	71
	Kaempferia galanga (MEKG) on heat-induced pain in mice.	
11.	Effects of the methanol extract of Kaempferia galanga (MEKG) and morphine on	74
	nociceptive responses in the tail flick test in rats.	
12.	Antagonistic effects of naloxone on morphine and methanol extract of	76
	Kaempferia galanga (MEKG) on nociceptive responses in tail flick test in rats.	
13.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on the	79
	brewer's yeast-induced pyrexia in rats.	
14.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	82
	carrageenan-induced paw edema in rats.	
15.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	85
	cotton pellet-induced granuloma formation in rats.	

LIST OF FIGURES

Figu	ure	Page
1.	Kaempferia galanga L., leaves, flower, Rhizomes	5
2.	The molecular structures of various compounds found in <i>Kaempferia galanga</i> L.	7
3.	Pain pathway	15
4.	Pain pathway in peripheral sensitization	18
5.	Pain pathway in central sensitization	19
6.	Simplified diagram of the thermoregulatory system	20
7.	Static discharge frequency of cold and warm nerve fibers as a function of skin	22
	Temperature	
8.	Hypothalamically controlled physiological mechanisms for heat loss or heat gain	23
9.	Pathogenesis of fever	27
10.	The cells and mediators involved in a local acute inflammatory response	34
11.	Structure of aspirin	36
12.	Structure of morphine	42
13.	Illustration of synapse $A\pmb{\delta}$ and C fibers with second-order neurons in the dorsal horn	45
	of the spinal cord and proposed opioid receotor demonstrating the G protein subunits	
	and close approximation to an ion channel	
14.	Structure of naloxone	48
15.	Schematic plan of the writhing test	53
16.	Schematic plan of the formalin test	54
17.	Schematic plan of the hot plate test and tail flick test	57
18.	Schematic plan of the brewer's yeast-induced pyrexia	58
19.	Schematic plan of the carrageenan-induced paw edema	59
20.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	64
	acetic acid-induced writhing in mice.	

LIST OF FIGURES (CONTINUED)

Fig	ure	Page
21.	Effects of the methanol extract of Kaempferia galanga (MEKG), morphine and	67
	aspirin on 2.5% formalin-induced paw licking in mice.	
22.	Effects of the methanol extract of Kaempferia galanga (MEKG) (50, 100 and 200	70
	mg/kg) and morphine, s.c. on heat-induced pain in mice.	
23.	Antagonist effects of naloxone (2 mg/kg, i.p.) on morphine (5 mg/kg, s.c.) and	72
	methanol extract of Kaempferia galanga (MEKG) at the dose of 200 mg/kg orally	
	on heat-induced pain in mice.	
24.	Effects of the methanol extract of <i>Kaempferia galanga</i> (MEKG) (50, 100 and 200	75
	mg/kg) and morphine on nociceptive responses in the tail flick test in rats.	
25.	Antagonist effect of naloxone (2 mg/kg, i.p.) with morphine (5 mg/kg, s.c.) and	77
	methanol extract of Kaempferia galanga MEKG at dose of 200 mg/kg, orally on	
	nociceptive responses in the tail flick test in rats.	
26.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	80
	brewer's yeast induced pyrexia in rats.	
27.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	83
	carrageenan-induced paw edema in rats.	
28.	Effects of the methanol extract of Kaempferia galanga (MEKG) and aspirin on	86
	cotton pellet-induced granuloma formation in rats.	

LIST OF ABBREVIATIONS AND SYMBOLS

Cal = Calorie

etc. = Et cetera

g = Gram

h = Hour

 IC_{50} = 50% Inhibitory concentration

i.c.v. = Intracerebroventricularly

i.p. = Intraperitoneal

kg = Kilogram

L = Liter

 LD_{50} = Lethal dose at 50% of deathly animal

m = Meter

 m^2 = Square meter

MEKG = Methanol extract of *Kaempferia galanga* L.

mg = Milligram

min = Minute

ml = Milliliter

mM = Micro molar

No. = Number

P = P-value

pH = Potential of hydrogen

p.o. = Per os

s = Second

s.c. = Subcutaneously

S.E.M. = Standard error of the Mean

w/v = Weight by volume

LIST OF ABBREVIATIONS AND SYMBOLS (CONTINUED)

w/w = W	eight by weight
---------	-----------------

° C = Degree Celsius

° F = Degree Farenhyde

/ = Per

 μL = Microliter

 $\mu g = Microgram$

% = Percentage

 $\mathbb{R} = \text{Trade name}$