

## REFERENCE

- Cao, S-G., WU, X-H., Sim, K-Y., Tan, B.K.H., Pereira, J.T., Wong, W.H. Hew, N.F. and GOH, S.H. 1998. "Cytotoxic caged tetraprenylated xanthonoids from *Garcinia gaudichaudii* (Guttiferae)", *Tetrahedron Lett.* 39, 3353-3356.
- Chanmahasathien, W., Li, Y., Satake, M., Oshima, Y., Ruangrungsi, N. and Ohizumi, Y. 2003. "Prenylated xanthones with NGF-potentiating activity from *Garcinia xanthochymus*", *Phytochemistry*. 64, 981-986.
- Gopalakrishnan, G., Banumathi, B. and Suresh, G. 1997. "Evaluation of the antifungal activity of natural xanthones from *Garcinia mangostana* and Their Synthetic Derivatives", *J. Nat. Prod.* 60, 519-524.
- Gustafson, K. R., Blunt, J. W., Munro, M. H.G., Fuller, R.W., McKee, T.C., Cardellina II, J. H., McMahon, J.B., Cragg, M.C. and Boyd, M.R. 1992. "The guttiferones, HIV-inhibitory benzophenones from *Sympmania globulifera*, *Garcinia livingstonei*, *Garcinia ovalifolia* and *Clusia roser*", *Tetrahedron*. 48(46), 10093-10102.
- Iinuma, M., Ito, T., Miyake, R., Tosa, H., Tanaka, T. and Chelladura, V. 1998. "A xanthones from *Garcinia cambogia*", *Phytochemistry*. 47(6), 1169-1170.

- Iinuma, M., Tosa, H., Tanaka, T., Shimano, R., Asai, F. and Yonemori, S. 1994. "Two xanthones from root bark of *Garcinia subelliptica*", *Phytochemistry*. 35(5), 1355-1360.
- Ikeya, Y., Sugama, K., Okada, M. and Mitsuhashi, H. 1991. "Two xanthones from *Polygala tenuifolia*", *Phytochemistry*. 30(6), 2061-2065.
- Ito, C., Miyamoto, Y., Nakayama, M., Kawai, Y., RaO, K. S. and Furukawa, H. 1997. "A novel depsidone and some new xanthones from *Garcinia species*", *Chem. Pharm. Bull.* 45(9), 1403-1413.
- Ito, C., Itoigawa, M., Furukawa, H., Rao, K. S., Enjo, F., Bu, P., Takayasu, J., Tokuda, H. and Nishino, H. 1998. "Xanthones as inhibitors of Epstein-Barr virus activation", *Cancer Letters*. 132, 113-117.
- Ito, C., Itoigawa, M., Takakura, T., Ruangrungsi, N., Enjo, F., Tokuda, H., Nishino, H. and Furukawa, H. 2003a. "Chemical constituents of *Garcinia fusca*: structure elucidation of eight new xanthones and their cancer chemopreventive activity", *J. Nat. Prod.* 66, 200-205.
- Ito, C., Itoigawa, M., Takakura, T., Miyamoto, Y., Onoda, S., Rao, S., Mukainaka, T., Tokuda, H., Nishino, H. and Furukawa, H. 2003b. "Polyprenylated benzophenones from *Garcinia assigu* and their potential cancer chemopreventive activities", *J. Nat. Prod.* 66, 206-209.
- Jena, B.S., Javaprakasha, G.K. and Sakariah, K.K. 2002. "Organic acids from leaves, fruits, and rinds of *Garcinia cowa*", *J. Agric. Food. Chem.* 50, 3431-3434.

- Kapadia, G.J., Oguntiemein, B. and Shukla, Y.N. 1994. "High-speed counter-current chromatographic separation of biflavanoids from *Garcinia kola* seeds", *Journal of Chromatography A.* 673, 142-146.
- Kosela, S., Hu, L-H., Rachmatia, T., Hanafi, M. and Sim, K-Y. 2000. "Dulxanthones F-H, three new pyranoxanthones from *Garcinia dulcis*", *J. Nat. Prod.* 63(3), 406-407.
- Krishnamurthy, N., Lewis, Y.S. and Ravindranath, B. 1981. "On the structures of garcinol, isogarcinol and camboginol", *Tetrahedron Letters.* 22, 793-796.
- Lee, H-H. and Chan, H-K. 1977. "1,3,6-Trihydroxy-7-methoxy-8-(3,7-dimethyl-2,6-octadienyl)xanthone from *Garcinia cowa*", *Phytochemistry (Elsevier)*. 16 (12), 2038-2040.
- Likhithwitayawuid, K., Phadungcharoen, T., Mahidol, C. and Ruchirawat, S. 1997. "7-O-Methylgarcinone E from *Garcinia cowa*", *Phytochemistry.* 45(6), 1299-1301.
- Likhithwitayawuid, K., Phadungcharoen, T. and Krungkrai, J. 1998. "Antimalarial xanthones from *Garcinia cowa*", *Planta Med.* 64, 70-72.
- Lu, Z. X., Hasmeda, M., Mahabusarakam, W., Ternai, B., Ternai, P. C. and Polya, G. M. 1998. "Inhibition of eukaryote protein kinases and of a cyclic nucleotide-binding phosphatase by prenylated xanthones", *Chemico-Biological Interactions.* 114, 121-140.

Mahabusarakum, W. and Wiriyachitra, P. 1987. "Chemical constituents of *Garcinia mangostana*", *J. Nat. Prod.* 50(3), 474-478.

Na Pattalung, P., Thongtheeraparp, W., Wiriyachitra, P. and Taylor, W.C. 1994. "Xantones of *Garcinia cowa*", *Planta Med.* 60, 365-368.

Nguyen, L-H. D., Vo, H.T., Pham, H.D., Connolly, J.D. and Harrison, L.J. 2003. "Xanthones from the bark of *Garcinia merguensis*", *Phytochemistry*. 63, 467-470.

Nilar and Harrison, L. J. 2002. "Xanthones from the heartwood of *Garcinia mangostana*", *Phytochemistry*. 60, 541-548.

Palmer, E. and Pitman, N. 1972. Tree of South Africa. V3. AA. Balkema. Cape town, 2235 pp.

Panthong, K. 1999. "Investigations of bioactive compounds from *Callophyllum teysmannii* var. *inophylloide* (Guttiferae), *Ventilago harmandiana* (Rhamnaceae) and *Anogeissus acuminata* var. *lanceolata* (Combretaceae)", Ph.D. Dissertation. Mahidol University, Thailand.

Phengklai, C. and Niyomdham, A. 1991. Flora in peat swamp areas of Narathiwat. Phikul Thong Study Centre. 368 pp. Bangkok: S. Sombun Press (in Thai).

Poomipamorn, S. and Kumkong, A. 1997. Edible multipurpose tree species. 486 pp. Bangkok: FaungFa Printing (in Thai).

Peres, V., Nagem, T.J. and Oliveira, F.F. 2000. "Tetraoxxygenated naturally occurring xanthones", *Phytochemistry*. 55, 683-710.

Rama Rao, A.V., Sarma, M.R., Venkataraman. and Yemul, S.S. 1974. "A benzophenone and xanthone with unusual hydroxylation patterns from the heartwood of *Garcinia pedunculata*", *Phytochemistry*. 13, 1241- 1244.

Rama Rao, A.V., Venkatswamy, G. and Pendse, A.D. 1980, "Camboginol and cambogin", *Tetrahedron Letters*. 21, 1975-1978.

Ritthiwigrom, T. 2002. "Xanthones from the stem bark of *Garcinia nigrolineata*", Master of Science Thesis in Organic Chemistry, Prince of Songkla University, Thailand.

Rukachaisirikul, V., Kaewnok, W., Koysomboon, S., Phongpaichit, S. and Taylor, W.C. 2000. "Caged-tetraprenylated xanthones from *Garcinia scortechini*", *Tetrahedron*. 56, 8539-8543.

Rukachaisirikul, V., Ritthiwigrom, T., Pinsa, A., Sawangchote, P. and Taylor, W.C. 2003, "Xanthones from the stem bark of *Garcinia nigrolineata*", *Phytochemistry*. 64, 1149-1156.

Rukachaisirikul, V., Painuphong, P., Sukpondma, Y., Koysomboon, S., Sawangchote, P. and Taylor, W.C. 2003, "Caged-triprenylated and -tetraprenylated xanthones from the latex of *Garcinia scortechini*", *J. Nat. Prod.* 66, 933-938.

- Sang, S., Pan, M-H., Cheng, X., Bai, N., Stark, R.E., Rosen, R.T., Lin-Shiau, S-Y., Lin, J-K. and Ho, C-T. 2001. "Chemical studies on antioxidant mechanism of garcinol: analysis of radical reaction products of garcinol and their antitumor activities", *Tetrahedron*. 57, 9931-9938.
- Sang, S., Liao, C-H., Pan, M-H., Rosen, R.T., Lin-Shiau, S-Y., Lin, J-K. and Ho, C-T. 2002. "Chemical studies on antioxidant mechanism of garcinol: analysis of radical reaction products of garcinol with peroxy radicals and their antitumor activities", *Tetrahedron*. 58, 10095-10102.
- Sahu, A., Das, B. and Chatterjee, A. 1989. "Polyprenylated benzophenones from *Garcinia pedunculata*", *Phytochemistry*. (28)4, 1233-1235.
- Scheinmann, F. 1967. "Application of benzene-induced solvents shifts in proton magnetic resonance spectra. Structure of dimethylmangostin and mangostin", *Chemical Communications (London)*. (19), 1015-1017.
- Sen, A.K., Sarkar, K.K., Mazumder, P.C., Banerji, N., Uusvuori, R. and Hase, T.A. 1980. "A xanthone from *Garcinia mangostana*", *Phytochemistry*. 19, 2223-2225.
- Sen, A.K., Sarkar, K.K., Mazumder, P.C. and Banerji, N. 1981. "Minor xanthones of *Garcinia mangostana*", *Phytochemistry*. 20, 183-185.
- Sen, A.K., Sarkar, K.K., Mazumder, P.C., Banerji, N., Uusvuori, R. and Hase, T.A. 1982. "The structure of garcinones A, B and C: three new xanthones from *Garcinia mangostana*", *Phytochemistry*. 21(7), 1747-1750.

- Spino, C., Lal, J., Sotheeswaran, S. and Aalbersberg, W. 1995. "Three prenylated phenolic benzophenones from *Garcinia myrtifolia*", *Phytochemistry*. 38(1), 233-236.
- Sukavisite, D. 2003. "Caged-polyprenylated xanthones from the twigs of *Garcinia merguensis*", Master of Science Thesis in Organic Chemistry, Prince of Songkla University, Thailand.
- Terashima, K., Takaya, Y. and Niwa, M. 2002. "Powerful antioxidative agents based on garcinoic acid from *Garcinia kola*", *Bioorganic & Medicinal Chemistry*. 10, 1619-1625.
- Vieira, L.M.M., Kijjoa, A., Silva, A.M.S., Mondranondra, I-O., Kengthong, S., Gales, L., Damas, A.M. and Herz, W. 2004. "Lanostanes and friedolanostanes from the bark of *Garcinia speciosa*", *Phytochemistry*. 65, 393-398.
- Wahyuni, F.S., Byrne, L.T., Dachriyanus, D.R., Jubahar, J., Lajis, N.H. and Sargent, M.V. 2004. "A new ring-reduced tetraprenyltoluquinone and a prenylated xanthone from *Garcinia cowa*", *Australian Journal of Chemistry*. 57(3), 223-226.
- Wu, J., Xu, Y-J., Cheng, X-F., Harrison, L.J., Sim, K-Y. and Goh, S.h. 2001. "A highly rearranged tetraprenylxanthonoid from *Garcinia gaudichaudii* (Guttiferae)", *Tetrahedron Letters*. 42, 727-729.

Zhang, H-Z., Kasibhatla, S., Wang, Y., Herich, J., Guastella, J., Tseng, B., Drewe, J. and Cai, S.X. 2004. "Discovery, characterization and SAR of gambogic acid as a potent apoptosis inducer by a HTS assay", *Bioorganic & Medicinal Chemistry*. 12, 309-317.

เต็ม สมิตินันทน์. 2544. ชื่อพันธุ์ไม้แห่งประเทศไทย. พิมพ์ครั้งที่ 2. กรุงเทพฯ: ประชาชน จำกัด, 246-247.