

BIBLIOGRAPHY

- Archer, B.L., Audley, B.G., McSweeney, G.P. and Tan, C.H. 1969. Studies on composition of latex serum and bottom particles. *J. Rubb. Res. Inst. Malaya* 21: 560-569.
- Archer, B.L. and McMullen, A.I. 1961. Some recent studies of the non-rubber constituents of natural rubber latex. *Proc. Nat. Rubb. Res. Conf. 1960 Kuala Lumpur*. 787-795.
- Backhaus, R.A. and Walsh, S. 1983. The ontogeny of rubber formation in guayule, *Parthenium argentatum* Gray. *Bot. Gaz.* 144: 391-400.
- Balasubramanian, R. and Manocha, M.S. 1992. Cytosolic and membrane-bound chitinases of two *mucoraceous* fungi: a comparative study. *Can. J. Microbiol.* 38: 331-338.
- Blackwell, J. 1988. Physical Methods for the Determination of Chitin Structure and Conformation. *Methods in Enzymology* 161: 435-442.
- Blee, K.A. and Anderson, A.J. 2000. Defense responses in plants to arbuscular mycorrhizal fungi. In current advances in mycorrhizae research (Podila, G.K. and Douds, D.D.Jr., eds.), St.Paul. MN: APS Press: 27-44.
- Bokma, E., Barends, T., Terwisscha van Scheltinga, A.C., Dijkstra, B.W. and Beintema, J.J. 2000. Enzyme kinetics of hevamine, a chitinase from the rubber tree *Hevea brasiliensis*. *FEBS Lett.* 478: 119-122.
- Bokma, E., Van Koningsveld, G.A., Jeronimus-Stratingh, M. and Beintema, J.J. 1997. Hevamine, a chitinase from rubber tree *Hevea brasiliensis*, cleaves peptidoglycan between C-1 of *N*-acetylglucosamine and C-4 of *N*-acetylmuramic acid and therefore is not a lysozyme. *FEBS Lett.* 411: 161-163.
- Boller, T.A., Gehri, F., Mauch, F. and Vogeli, U. 1983. Chitinase in bean leaves: induction by ethylene, purification, properties, and possible function. *Planta* 157: 22-31.
- Bonanomi, A., Wiemken, A., Boller, T. and Salzer, P. 2001. Local induction of a mycorrhiza-specific class III chitinase gene in cortical root cells of *Medicago truncatula* containing developing or mature arbuscules. *Plant Biol.* 3: 194-200.
- Bowles, D.J. 1990. Defense-related proteins in higher plants. *Ann. Rev. Biochem.* 59: 873-907.
- Bradford, M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding. *Anal. Biochem.* 72: 248-254.

- Brameld, K.A. and Goddard III, W.A. 1998. The role of enzyme distortion in the single displacement mechanism of family 19 chitinases. *Proc. Natl. Acad. Sci. USA* 95: 4276-4281.
- Broadway, A.G., Williams, D.L., Kain, W.C., Harman, G.E., Loroto, M. and Labeda, D.P. 1995. Partial characterization of chitinolytic enzymes from *Streptomyces albidoflavus*. *Lett. Appl. Microbiol.* 20: 271-276.
- Brunner, F., Stintzi, A., Fritig, B. and Legrand, M. 1998. Substrate specificities of tobacco chitinases. *Plant J.* 14: 225-234.
- Buchter, R., Stromberg, A., Schmelzer, E. and Kombrink, E. 1997. Primary structure and expression of acidic (class II) chitinase in potato. *Plant Mol. Biol.* 35: 749-761.
- Chen, G., Zhang, Y., Li, J., Dunphy, G.B., Punya, Z.K. and Webster, J.M. 1996. Chitinase activity of *Xenorhabdus* and *Photorhabdus* species, bacterial associates of entomopathogenic nematodes. *J. Invert. Patho.* 68: 101-108.
- Churngchow, N., Suntaro, A. and Wititsuwannakul, R. 1995. β -1,3-Glucanase isozymes from the latex of *Hevea brasiliensis*. *Phytochemistry* 39: 505-509.
- Cohen-Kupiec, R. and Chet, I. 1998. The molecular biology of chitin digestion. *Curr. Opin. Biotechnol.* 9: 270-277.
- Collinge, D.B., Kragh, K.M., Mikkelsen, J.D., Nielsen, K.K., Rasmussen, U. and Vad, K. 1993. Plant chitinases. *Plant J.* 3: 31-40.
- Cook, A.S. and Sekhar, B.C. 1953. Fractions from *Hevea brasiliensis* latex centrifugation at 59,000 g. *J. Rubber. Res. Inst. Malaya* 14: 163-168.
- Cottaz, S., Brasme, B. and Driguez, H. 2000. A fluorescence-quenched chitopentaose for the study of endochitinases and chitobiosidases. *Eur. J. Biochem.* 267: 593-600.
- De Fay, E., Hebant, Ch. and Jacob, J.L. 1989. Cytology and cytochemistry of the laticiferous system, in: *Physiology of rubber tree latex* (d'Auzac J., Jacob, J.L., Chrestin, H., Eds.), pp. 15-30. Florida: CRC Press.
- De Jong, A., Cordewener, J., Lo Schiavo, F., Terzi, M., Vandekerckhove, J., Van Kammen, A. and de Vries, S.C. 1992. A carrot somatic embryo mutant is rescued by chitinase. *Plant Cell* 4: 425-433.

- Derckel, J., Audran, J., Haye, B., Lambert, B. and Legendre, L. 1998. Characterization, induction by wounding and salicylic acid, and activity against *Botrytis cinerea* of chitinases and β -1,3-glucanases of ripening grape berries. *Physiol. Plant.* 104: 56-64.
- Domon, J., Neutelings, G., Roger, D., David, A. and David, H. 2000. A basic chitinase-like protein secreted by embryogenic tissue of *Pinus caribaea* acts on arabinogalactan proteins extracted from the same cell lines. *J. Plant Physiol.* 156: 33-39.
- Flach, J., Pilet, P.E. and Jolles, P. 1992. What's new in chitinase research? *Experientia* 48: 701-716.
- Gerhardt, L.B.A., Sachetto-Martins, G., Contarini, M.G., Sandroni, M., Ferreira, R.P., de Lima, V.M., Cordeiro, M.C., de Oliveira, D.E. and Margis-Pinheir, M. 1997. Arabidopsis thaliana class IV chitinase is early induced during the interaction with *Xanthomonas compestris*. *FEBS Lett.* 419: 69-75.
- Giri, A.P., Harsulkar, A.M., Patankar, A.G., Gupta, V.S., Sainani, M.N., Deshpande, V.V. and Ranjekar, P.K. 1998. Association of induction of protease and chitinase in chickpea roots with resistance to *Fusarium oxysporum* f.sp. ciceri. *Plant Pathol.* 47: 693-699.
- Gooday, G.W. 1991. The Ecology of Chitin Degradation. *Advances in Microbial Ecology* 11: 387-430.
- Grisson, R., Grezes-Besset, B., Schneider, M., Lucante, N., Olsen, L., Leguay, J. and Toppan, A. 1996. Field tolerance to fungal pathogens of *Brassica napus* constitutively expressing a chimeric chitinase gene. *Nature Biotechnol.* 114:643-646.
- Grover, A., Ashpal, Y., Arnab, S., Nidhi, A., Kirti, P.B. and Sherma, R.P. 2001. Removal of vacuolar targeting signal from class I vacuolar chitinase leads to its extracellular secretion in transgenic tobacco. *J. Plant Biochem. Biotechnol.* 10: 139-142.
- Hahn, M., Hennig, M., Schlesier, B. and Hoehne, W. 2000. Structure of jack bean chitinase. *Acta Crystallographica* 56: 1096-1099.
- Hamel, F. and Bellemare, G. 1995. Characterisation of a class I chitinase gene and of wound-inducible, root and flower-specific chitinase expression in *Brassica napus*. *Biochim. Biophys. Acta.* 1263. 212-220.

- Harman, G.E., Hayes, C.K., Lorito, M., Broadway, R.M., Di Pietro, A., Peterbauer, C. and Tronsmo, A. 1993. Chitinolytic enzymes of *Trichoderma harzianum*: purification of chitobiosidase and endochitinase. *Phytopathology* 83: 313-318.
- Hart, C.M., Nagy, F. and Meins, F. Jr. 1993. A 61 bp enhancer element of the tobacco β -1,3-glucanase B gene interacts with one or more regulated nuclear proteins. *Plant Mol. Biol.* 21: 121-131.
- Hart, P.J., Pflunger, H.D., Monzingo, A.F, Hollis, T. and Robertus, J.D. 1995. The refined crystal structure of an endochitinase from *Hordeum vulgare* L. seeds at 1.8Å resolution. *J. Mol. Biol.* 248: 402-413.
- Helenius, A., McCasfin, D.R., Fries, E. and Tanford, C. 1979. Properties of Detergents. *Methods Enzymol.* 56: 734-749.
- Helleboid, S., Hendriks, T., Bauw, G., Inze, D., Vasseur, J. and Hilbert, J. 2000. Three major somatic embryogenesis related proteins in *Cichorium* identified as PR proteins. *J. Exp. Bot.* 51: 1189-1200.
- Iseli, B., Armand, S., Boller, T., Neuhaus, J.M. and Henrissat, B. 1996. Plant chitinases use two different hydrolytic mechanisms. *FEBS Lett.* 382: 186-188.
- Jach, G., Goruhardt, B., Mundy, J., Logemann, J., Pinsdorf, E., Leah, R., Schell, J. and Maas, C. 1995. Enhanced quantitative resistance against fungal disease by combinatorial expression of different barley antifungal proteins in transgenic tobacco. *Plant J.* 8: 97-109.
- Jeuniaux, C. 1966. Chitinases. In: Wood WA, editor. *Methods in Enzymology*, vol. 8. San Diego: Academic Press. 644-650.
- Ji, C., Norton, R.A., Wicklow, D.T. and Dowd, P.F. 2000. Isoform patterns of chitinase and β -1,3-glucanase in maturing corn kernels (*Zea mays* L.) associated with *Aspergillus flavus* milk stage induction. *J. Agric. Food Chem.* 48: 507-511.
- Kang, S.C., Park, S. and Lee, D.G. 1999. Purification and characterization of a novel chitinase from the entomopathogenic fungus, *Metarhizium anisopliae*. *J. Invert. Patho.* 73: 276-281.
- Kassanis, B., Gianinazzi, S. and White, R.F. 1974. A possible explanation of the resistance of virus-infected tobacco to second infection. *J. Gen. Virol.* 23: 11-16.

- Kim, M.G., Lee, K.O., Cheong, N.E., Choi, Y.O., Jeong, J.H., Cho, M.J., Kim, S.C. and Lee, S.Y. 1999. Molecular cloning and characterization of a class III chitinase in pumpkin leaves, which strongly binds to regenerated chitin affinity gel. *Plant Sci.* 147: 157-163.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature (London)* 227: 680-685.
- Lawrence, C.B., Singh, N.P., Qui, J., Gardner, R.G. and Tuzun, S. 2000. Constitutive hydrolytic enzymes are associated with polygenic resistance of tomato to *alternaria solani* and may function as an elicitor release mechanism. *Physiol. Mol. Plant Pathol.* 57: 211-220.
- Mauch, F., Hadwiger, L.A. and Boller, T. 1988a. Antifungal hydrolases in pea tissue. Purification and characterization of two chitinases and two β -1,3-glucanases differentially regulated during development and in response to fungal infection. *Plant Physiol.* 87: 325-333.
- Mauch, F., Mauch-Mani, B. and Boller, T. 1988b. Antifungal hydrolases in pea tissue. II. Inhibition of fungal growth by combinations of chitinase and β -1,3-glucanase. *Plant Physiol.* 88: 936-942.
- McFadden, H.G., Chapple, R., de Feyter, R. and Dennis, E. 2001. Expression of pathogenesis-related genes in cotton stems in response to infection by *Verticillium dahliae*. *Physiol. Mol. Plant Pathol.* 58: 119-131.
- Miller, G.L. 1959. Use of dinitrosalicylic acid reagent for determination of reducing sugars. *Anal. Chem.* 31: 426-428.
- Moir, G.F.J. 1959. Ultracentrifugation and staining of *Hevea* latex. *Nature* 184: 1626-1628.
- Moir, G.F.J. and Tata, S.J. 1960. The proteins of *Hevea brasiliensis* latex. The soluble proteins of bottom fraction. *J. Rubb. Res. Inst. Malaya* 16: 155-165.
- Molano, J. Dura'n, A. and Cabib, E. 1977. A rapid and sensitive assay for chitinase using tritiated chitin. *Anal. Biochem.* 83: 648-656.
- Neuhaus, J.M., Sticher, L., Meins, F.Jr. and Boller, T. 1991. A short C-terminal sequence is necessary and sufficient for the targeting of chitinase to the plant vacuole. *Proc. Natl. Acad. Sci. U.S.A.* 88: 10362-10366.

- Nielsen, K.K., Mikkelsen, J.D., Dragh, K.M. and Bojsen, K. 1993. An acidic class III chitinase in sugar beet: induction by *Cercospora beticola*, characterization, and expression in transgenic tobacco plants. *Mol. Plant Microbe Interact.* 6: 495-506.
- Nielsen, K.K., Bojsen, K., Roepstorff, P. and Mikkelsen, J.D. 1994. A hydroxyproline-containing class IV chitinase of sugar beet is glycosylated with xylose. *Plant Mol. Biol.* 25: 241-257.
- O'Brien, M. and Colwell, R.R. 1987. A rapid test for chitinase activity that use 4-methylumbelliferyl-*N*-acetyl- β -*D*-glucosaminide. *App. Env. Microb.* 53: 1718-1720.
- Ohtakara, A. 1988. Viscosimetric assay of chitinases. In: Wood WA, Kellogg ST, editors. *Methods in Enzymology*, vol. 161. San Diego: Academic Press. 426-430.
- Patil, R.S., Ghormade, V. and Deshpande, M.V. 2000. Chitinolytic enzymes: An exploration. *Enzyme Microb. Technol.* 26: 473-483.
- Punya, J. 1994. Study of chitinase and β -(1,3)-glucanase enzymes in the rubber latex. Thesis for a degree of Master of Science Mahidol University.
- Redolfi, P. 1983. Occurrence of pathogenesis-related (b) and similar proteins in different species. *Neth. J. Plant Pathol.* 89: 245-252.
- Reissig, J.L., Strominger, J.L. and Leloir, L.F. 1955. A modified colorimetric method for the estimation of *N*-acetylaminosugars. *J. Biol. Chem.* 217: 959-966.
- Ren, Y., Wee, K.E. and Chang, F.N. 2000. Deficiency of current methods in assaying endochitinase activity. *Biochem. Biophys. Res. Commun.* 268: 302-305.
- Sahai, A.S. and Manocha, M.S. 1993. Chitinases of fungi and plants: their involvement in morphogenesis and host-parasite interaction. *FEMS Microbiol. Rev.* 11: 317-338.
- Sakurada, M., Morgavi, D.P., Ushirone, N., Komatani, K., Tomita, Y. and Onodera, R. 1998. Purification and characteristics of membrane-bound chitinase of anaerobic ruminal fungus *Piromyces communis* OTS1. *Curr. Microb.* 37: 60-63.
- Salzer, P., Corbiere, H. and Boller, T. 1999. Hydrogen peroxide accumulation in *Medicago truncatula* roots colonized by the arbuscular mycorrhiza-forming fungus *Glomus intraradices*. *Planta* 208: 319-325.
- Schlumbaum, A., Mauch, F., Vogeli, U. and Boller, T. 1986. Plant chitinases are potent inhibitors of fungal growth. *Nature* 324: 365-367.

- Sela-Buurlage, M.B., Ponstein, A.S., Bres-Vloemans, S.A., Melchers, L.S., van den Elzen, P.J.M. and Cornelissen, B.J.C. 1993. Only specific tobacco (*Nicotiana tabacum*) chitinases and β -1,3-glucanases exhibit antifungal activity. *Plant Physiol.* 101: 857-863.
- Shih, C.T., Khan, A.A., Jia, S., Wu, J. and Shih, D.S. 2001. Purification, characterization, and molecular cloning of a chitinase from the seeds of *Benincasa hispida*. *Biosci. Biotechnol. Biochem.* 65: 501-509.
- Shimahara, K., Takiguchi, Y., Ohkouchi, K., Kitamura, K. and Okada, O. 1984. Chemical composition and some properties of crustacean chitin prepared by use of proteolytic activity of *Pseudomonas maltophilia* LC102. *Chitin, chitosan and related enzymes*. Z. J. P. Orlando, FL, Academic Press: 239-255.
- Shimono, K., Matsuda, H. and Kawamukai, M. 2002. Functional expression of chitinase chitosanase, and their effects on morphologies in the yeast *Schizosaccharomyces pombe*. *Biosci. Biotechnol. Biochem.* 66: 1143-1147.
- Sticher, L., Hofsteenge, J., Milani, A., Neuhaus, J.M. and Meins, F.Jr. 1992. Vacuolar chitinases of tobacco: A new class of hydroxyproline-containing proteins. *Science* 257: 655-657.
- Subroto, T., Beintema, J.J., Schreuder, H.A., Soedjanaatmadja, U.M.S. and Van Konings' G.A. 1996. Chitinase and β -1,3-glucanase in the lutoid-body fraction of *Hevea* latex. *Phytochemistry* 43: 29-37.
- Surarez, V., Staehelin, C., Arango, R., Holtorf, H., Fofsteenge, J. and Meins, F.Jr. 2001. Substrate specificity and antifungal activity of recombinant tobacco class I chitinases. *Plant Mol. Biol.* 45: 609-618.
- Takemoto, D., Furuse, K., Doke, N. and Kawakita, K. 1997. Identification of chitinase and osmotin-like protein as actin-binding protein in suspension-cultured potato cells. *Plant Cell Physiol.* 38: 441-448.
- Tanaka, Y. 1991. Recent advances in structural characterization of elastomers. *Rubber Chem. Technol.* 64: 325-385.
- Tanford, C. and Reynolds, J.A. 1976. Characterization of membrane proteins in detergent solutions. *Biochim. Biophys. Acta.* 457: 113-170.
- Tata, S.J. 1980a. Distribution of proteins between the fractions of *Hevea* latex separated by centrifugation. *J. Rubb. Res. Inst. Malaysia* 28: 77-85.

- Tata, S.J. 1980b. Studies on the lysozyme and components of microhelices of *Hevea brasiliensis* latex. Thesis for a degree of Doctor Philosophy University Malaya.
- Terakawa, T., Takaya, N., Horiuchi, H., Koike, M. and Takagi, M. 1997. A fungal chitinase gene from *Rhizopus oligosporus* confers antifungal activity to transgenic tobacco. *Plant Cell Rep.* 16: 439-443.
- Terwisscha van Scheltinga, A.C., Kaalk, K.H., Beintema, J.J. and Dijkstra, B.W. 1994. Crystal structures of hevamine, a plant defense protein with chitinase and lysozyme activity, and its complex with an inhibitor. *Structure* 2: 1181-1189.
- Terwisscha van Scheltinga, A.C., Armand, S., Kalk, D.H., Isogai, A., Henrissat, B. and Dijkstra, B.W. 1995. Stereochemistry of chitin hydrolysis by plant chitinase/lysozyme and X-ray structure of a complex with allosamidin: Evidence for substrate assisted catalysis. *Biochemistry* 34: 15619-15623.
- Terwisscha van Scheltinga, A.C., Hennig, M. and Dijkstra, B.W. 1996. The 1.8 Å resolution structure of hevamine, a plant chitinase/lysozyme, and analysis of the conserved sequence and structure motifs of glycosyl hydrolase family 18. *J. Mol. Biol.* 262: 243-257.
- Trosno, A. and Harman, G.E. 1993. Detection and quantification of *N*-acetyl- β -glucosaminidase, chitinase and endochitinase in solutions and on gels. *Anal. Biochem.* 208: 74-79.
- Trudel, J. and Asselin, A. 1989. Detection of chitinase activity after polyacrylamide gel electrophoresis. *Anal. Biochem.* 178: 362-366.
- Tsukamoto T., Koga, D., Ide, A., Ishibashi, T., Horino-Matsushige, M., Yagshita, K. and Imoto, T. 1984. Purification and some properties of chitinases from yam, *Dioscorea posita* THUMB. *Agric. Biol. Chem.* 48: 931-939.
- Van Aalten, D.M.F., Komander, D., Synstad, B., Gåseidnes, S., Peter, M.G. and Eijssink, V.G.H. 2001. Structural insights into the catalytic mechanism of a family 18 exo-chitinase. *Proc. Natl. Acad. Sci. USA* 98: 8979-8984.
- Van Hengel, A.J., Tadesse, Z., Immerzeel, P., Schols, H., van Kammen, A. and de Vries, S.C. 2001. *N*-acetylglucosamine and glucosamine-containing arabinogalactan proteins control somatic embryogenesis. *Plant Physiol.* 125: 1880-1890.

- Van Loon, L.C. and Van Kammen, A. 1970. Polyacrylamide disc electrophoresis of the soluble leaf proteins from *Nicotiana tabacum* var. "Samsun" and "Samsun NN" II. Changes in protein constitution after infection with tobacco mosaic virus. *Virology* 40: 199-206.
- Van Loon, L.C. 1975. Polyacrylamide disc electrophoresis of the soluble leaf proteins from *Nicotiana tabacum* var. "Samsun" and "Samsun NN" IV. Similarity to qualitative changes of specific proteins after infection with different viruses and their relationship to acquire resistance. *Virology* 67: 566-572.
- Van Loon, L.C., Pierpoint, W.S., Boller, T. and Conejero, V. 1994. Recommendations for naming plant pathogenesis-related proteins. *Plant Mol. Biol. Reprter.* 12: 245-247.
- Van Loon, L.C. 1999. Occurrence and properties of plant pathogenesis-related proteins. *In "Pathogenesis-related proteins in plants"*, eds. Datta, S.K. and Mathukrishnan, S., CRC Press, Boca Raton: 1-19.
- Van Parijs, J., Broekaert, W.F., Goldstein, I.J. and Peumans, W.J. 1991. Hevein: an antifungal protein from rubber-tree (*Hevea brasiliensis*) latex. *Planta* 183: 258-264.
- Velazhahan, R., Samiyappan, R. and Vidhyasekaran, P. 2000. Purification of an elicitor-inducible antifungal chitinase from suspension-cultured rice cells. *Phytoparasitica* 28: 131-139.
- Vergauwen, R. and Van Laere, A. 1998. Partial characterization of the complex chitinolytic system in leek (*Allium porrum* L.) plants. *J. Plant Physiol.* 153: 32-39.
- Ward, E.R., Uknes, S.J., Williams, S.C., Dincher, S.S., Wiederhold, D.L., Alexander, D.C., Ahl-Goy, P., Metraux, J.-P. and Ryals, J.A. 1991. Coordinate gene activity in response to agents that induce systemic acquired resistance. *Plant Cell* 3: 1085-1092.
- Wititsuwannakul, D. and Wititsuwannakul, R. 2001. Biochemistry of natural rubber and structure of latex. *Biopolymer* 2: 151-201.
- Xia, G., Jin, C., Zhou, J., Yang, S., Zhang, S. and Jin, C. 2001. A novel chitinase having a unique mode of action from *Aspergillus fumigatus* YJ-407. *Eur. J. Biochem.* 268: 4079-4085.
- Xie, Z., Staehelin, C., Wiemken, A., Broughton, W.J., Muller, J. and Boller, T. 1999. Symbiosis-stimulated chitinase isoenzymes of soybean (*Glycine max* (L.) Merr.) *J. Exp. Bot.* 50: 327-333.
- Yamagami, T. and Funatsu, G. 1993. Purification and some properties of three chitinases from the seeds of rye (*Secale cereale*). *Biosci. Biotechnol. Biochem.* 57: 643-647.

- Yamamoto, T., Iketani, H., Leki, H., Nishizawa, Y., Notsuka, K., Hibi, T., Hayashi, T. and Matsuta, N. 2000. Transgenic grapevine plants expressing a rice chitinase with enhanced resistance to fungal pathogens. *Plant Cell Reports* 19: 639-646.
- Yeh, S., Moffatt, B.A., Griffith, M., Xiong, F., Yang, D.S.C, Wiseman, S.B., Sarhan, F., Danyluk, J., Xue, Y.Q., Hew, C.L., Doherty-Kirby, A. and Lajoie, G. 2000. Chitinase genes responsive to cold encode antifreeze proteins in winter cereals. *Plant Physiol.* 124:1251-1263.
- Yun, D., D'Urzo, M.P., Abad, L., Takeda, S., Salzman, R., Chen, Z., Lee, H., Hasegawa, P.M. and Bressan, R.A. 1996. Novel osmotically induced antifungal chitinases and bacterial expression of an active recombinant isoform. *Plant Physiol.* 111: 1219-1225.
- Zhang, Y., Haunerland, N. and Punja, Z.K. 1996. Chitinase profiles in mature carrot (*Daucus carota*) roots and purification and characterization of a novel isoform. *Physiol. Plant.* 96: 130-138.