

REFERENCES

- Aekwarangkoon, S. (2005). Focus group study of Thai adolescent perceptions of depression in depressed and nondepressed adolescents. Unpublished manuscript.
- Aiemsupasit, S. (1993). *Theories and techniques in behavior modification*. Bangkok: Julalongkorn Publishing Company.
- Beck, A. T., & Emery, G. (1985). *Anxiety disorder and phobias: A cognitive prospective*. U.S.A.: Basic Books.
- Beck, A. T., Rush, A. J., Shaw, B. F., & Emery, G. (1979). *Cognitive therapy of depression*. New York: The Guilford Press.
- Beck, A. T., Steer, R. A., & Garbin, M. G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review, 8*, 77-100.
- Beck, A. T., Ward, C. H., Mendelson, M., Mock, J., & Erbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry, 4*, 561-571.
- Bloch, D. (2006). *The power of social support*. Retrieved January 24, 2006, from http://www.healthyplace.com/communities/depression/related/self_help_3.asp
- Brown, A. B. (2001). *Adolescent depressive disorders*. Retrieved October 15, 2003, from <http://www.namigc.org/brochures/ADODEPWEB.html>
- Budman, S. H., & Gurman, A. S. (1988). *Theory and practice of brief therapy*. New York: The Guilford Press.

- Bush, J. W. (2003). *Cognitive behavior therapy: The basics*. Retrieved August 26, 2005, from <http://www.cognitivetherapy.com/basics.html>
- Butler, A. C., & Beck, J. S. (2000). Cognitive therapy outcome: A review of meta-analyses. *Journal of the Norwegian Psychological Association, 37*, 1-9.
- Carpenter, S. (2001). *Cognition is central to drug addiction*. Retrieved February 24, 2006, from <http://www.apa.org/monitor/jun01/cogcentral.html>
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). New Jersey: Lawrence Erlbaum Associates, Inc.
- Cohen, S., & Willis, T. A. (1985). Stress, social support, and the buffering hypotheses. *Psychological Bulletin, 98*(2), 310-357.
- Chaput, F., Moreau, D., & Mufson, L. (1998). Depression. In Friedman, S. B., Fisher, M. M., Schonberg, S. K., & Alderman, E. M. (Eds.), *Comprehensive adolescent health care* (pp. 925-931). U.S.A.: Mosby-Year Book, Inc.
- Chittawon, P. (2003). *Effect of rational emotive behavior therapy on depression in adolescents*. Unpublished master's thesis, Mahidol University, Thailand.
- Choenarom, C., Williams, R. A., & Hagerty, B. M. (2005). The role of sense of belonging and social support on stress and depression in individuals with depression. *Archives of Psychiatric Nursing, 19*(1), 18-29.
- Crask, M. G., Byrne, P. R., Stein, M. B., Sherbourne, C. D. M., Bystritsky, A., Katon, W., et al. (2002). Treating panic disorder in primary care: A collaborative care intervention. *General Hospital Psychiatry, 24*(3), 148-155.

- Department of Mental Health, Ministry of Public Health. (2005). *Statistic of Psychiatric patients ratio per 100,000 Thai populations*. Retrieved May 26, 2005, from <http://www.dmh.moph.go.th/report/population/pop.asp?field21=2545>
- Ellen, E. F. (1999). *Interventions Aim to Prevent Depression in High-Risk Children*. Retrieved December 1, 2003, from <http://www.psychiatrictimes.com/p990957.html>
- Embling, S. (2002). The effectiveness of cognitive behavioral therapy in depression. *Nursing Standard, 17*, 33-41.
- Emslie, G. J., Heiligenstein, J. H., Wagner, K. D., Hoog, S. L., Ernest, D. E., Brown, E., et al. (2002). Fluoxetine for acute treatment of depression in children and adolescents: A placebo-controlled, randomized clinical trial. *Journal of the American Academy of Child and Adolescent Psychiatry, 41*(10), 1205-1215.
- Fagan, R. W. (2003). *FRAMES for change: Motivating mandated clients*. Retrieved June 8, 2005, from http://www.counselormagazine.com/display_article.asp?aid=aug04FRAMES.htm
- Falconer, J. (2006). *Substance abuse and brain injury*. Retrieved January 18, 2006, from <http://www.brain-train.com/articles/substanc.htm>
- Fergusson, D. M., & Woodward, L. J. (2002). Mental health, educational, and social role outcomes of adolescents with depression. *Archives of General Psychiatry, 59*, 225-231.

- Finch, E. A., Linde, J. A., Jeffery, R. W., Rothman, A. J., King, C. M., & Levy, R. L. (2005). The effects of outcome expectations and satisfaction on weight loss and maintenance: Correlational and experimental analyses-A randomized trial. *Health Psychology, 24*(6), 608-616.
- Fingeld-Connett, D. (2005). Clarification of social support. *Journal of Nursing Scholarship, 37*(1), 4-9.
- Frank, J. D. (1968). The influence of patients' and therapists' expectations on the outcome of psychotherapy. *British Journal of Medical Psychology, 41*(4), 349-356.
- Galaif, E. R., Sussman, S., Chou, C. P., & Wills, T. A. (2003). Longitudinal relations among depression, stress, and coping in high-risk youth. *Journal of Youth and Adolescence, 32*(4), 243-258.
- Gloaguen, V., Cottraux, J., Cucherat, M., & Blackburn, I. M. (1998). A meta-analysis of the effects of cognitive therapy in depressed patients. *Journal Affect Disorder, 49*(1), 59-72.
- Gordon, V. C., Matwychuk, A. K., Sachs, E. G., & Canedy, B. H. (1988). A 3-year follow-up of a cognitive-behavioral therapy intervention. *Archives of Psychiatric Nursing, 11*(4), 218-226.
- Hamilton, Max. (1960). A Rating scale for depression. *Journal of Neurology, Neurosurgery and Psychiatry, 23*, 56-62.
- Harrington, R., & Dubicka, B. (2002). Adolescent depression: An evidence-based approach to intervention. *Child and Adolescent Psychiatry, 15*, 369-375.

- Harrington, R., Whittaker, J., Shoebridge, P., & Campbell, F. (1998). *Systematic review of efficacy of cognitive behaviour therapies in childhood and adolescent depressive disorder*. Retrieved September 8, 2004, from <http://bmj.bmjournals.com/cgi/content/full/316/7144/559>
- Hauenstein, E. J. (2003). Depression in adolescence. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 32(2), 293-248.
- Heino, R. K., Rimpela, M., Rantanen, P., & Laippala, P. (2001). Adolescent depression: The role of discontinuities in life course and social support. *Journal of Affective Disorders*, 64(2-3), 155-166.
- Hongsangunsri, S., & Limsuwan, N. (2004). Strategies for caring and health promoting “adolescents”. In Mahachoklerdwattana, P., Rungkanjanaset, S., Boonsit, W., & Areekul, W. (Eds.), *Aggression and violence adolescent* (pp. 253-260). Bangkok: Chaichareun.
- Hupcey, J. E. (1998). Clarifying the social support theory-research linkage. *Journal of Advanced Nursing*, 27, 1231-1241.
- Jones, S. M. (2002). *How family support affects depression in psychologically abused women: An analysis of cultural differences*. Michigan: Michigan State University.
- Katon, W., Vankorff, M., Lin, E., Simon, G., Walker, E., Unutzer, J., et al. (1999). Stepped collaborative care for primary care patients with persistent symptoms of depression. *Archives of General Psychiatry*, 56, 1109-1115.

- Katon, W., Vankorff, M., Lin, E., Walker, E., Simon, G. E., Bush, T., et al. (1995). Collaborative management to achieve treatment guidelines: Impact on depression in primary care. *The Journal of the American Medical Association*, 273(13), 1206-1231.
- Lee, J. M., Song, K. B., Sohn, H. Y., Jeong, S. H., & Kwon, H. K. (2002). Comparison between patient expectation before and satisfaction after periodontal surgical treatment. *Journal Periodontol*, 73(9), 1037-1042.
- Leichsenring, F., & Leibing, E. (2003). The effectiveness of psychodynamic therapy and cognitive behavior therapy in the treatment of personality disorders: A meta-analysis. *American Journal of Psychiatry*, 160, 1223-1232.
- Lockwood, C., Page, T., & Conroy-Hiller, T. (2004). *Comparing the effectiveness of cognitive behaviour therapy using individual or group therapy in the treatment of depression*. Retrieved May 20, 2006, from: <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1479-6988.2004.00011.x;...>
- Longman. (1978, 1995). *Longman dictionary of contemporary English*. England: RR Donnelly & Sons Company.
- Lotrakul, M., Sukanich, P., & Sukying, C. (1996). The reliability and validity of Thai version of Hamilton Rating Scale for Depression. *Journal of the Psychiatric Association of Thailand*, 41(4), 235-246.
- Lynch, A., Glod, C. A., & Fitzgerald, F. (2001). Psychopharmacologic treatment of adolescent depression. *Archives of Psychiatric Nursing*, 15(1), 41-47.

- Mahachoklerdwattana, P., Rungkanjanaset, S., Boonsit, W., & Areekul, W. (2004). *Strategies for caring and health promoting "adolescents"*. Bangkok: Chaichareun.
- Makowska, Z., Merecz, D., Moscicka, A., & Kolasa, W. (2002). The validity of general health questionnaires, GHQ-12 and GHQ-28, in mental health studies of working people. *International Journal of Occupational Medicine and Environmental Health, 15*(4), 353-362.
- Ministry of Public Health. (2003). *Thailand health profile 2002*. Bangkok: Transportation Organization.
- National Institute of Mental Health. (2000). *Depression in childhood and adolescents: A fact sheet for physicians*. Retrieved November 18, 2003, from <http://www.mimh.mih.gov/publicat/depchildresfact.cfm>
- Nolen-Hoeksema, S. (1987). Sex differences in unipolar depression: Evidence and theory. *Psychological Bulletin, 101*, 259-282.
- Oakley, L. D., & Kane, J. (1999). Personal and social illness demands related to depression. *Archives of Psychiatric Nursing, 13*, 294-302.
- Oakley, L. D., Kutil, R. M., & Brown, R. (1999). A two-factor model of the depression coping questionnaire. *Journal of Clinical Psychology, 55*, 87-97.
- Petchsirasun, R., Aekwarangkoon, S., & Noonil, N. (2005). Depression and Suicide among adolescent students in Nakonsithammarat province. Unpublished manuscript.

- Piper, W. E., Joyce, A. S., McCallum, M., Azim, H. F., & Ogrodniczuk, J. S. (2002). *Interpretive and supportive psychotherapies: Matching therapy and patient personality*. Washington DC: American Psychological Association.
- Radloff, L. S. (1977). *RCMAR measurement tools: Center for Epidemiologic Studies Depress Scale (CES-D)*. Retrieved October 10, 2005, from <http://www.Musc.edu/dfm/RCMAR/CESD.html>
- Reinecke, M. A., Ryan, N. E., & DuBois, D. L. (1998). Cognitive-behavioral therapy of depression and depressive symptoms during adolescence: A review and meta-analysis. *American Academy of Child and Adolescent Psychiatry, 37* (1), 26-34.
- Reunthongdee, U. (2001). *The effect of group counseling on depression in adolescents*. Unpublished master's thesis, Mahidol University, Thailand.
- Rice, F. P. (1996). *The adolescent: Development, relationships, and culture* (8th ed.). USA: Allyn & Bacon.
- Safren, S. A., Heimberg, R. G., & Juster, H. R. (1997). Clients' expectancies and their relationship to pretreatment symptomatology and outcome of cognitive-behavioral group treatment for social phobia. *Journal of Consulting and Clinical Psychology, 65*(4), 694-698.
- Sanderson, W. C. (2003). *Cognitive-behavioral treatment program for anxiety and depression*. Retrieved January 3, 2004, from <http://www.rci.rutgers.edu/dmorgan/cbtprogram.htm>
- Sharf, R. S. (1996). *Theories of psychotherapy and counseling: Concept and cases*. U.S.A.: Brooks/Cole Publishing Company.

- Simon, G. E. (2002). Implementing depression treatment guidelines. *Current Opinion in Psychiatry, 15*, 77-82.
- Simon, G. E., Katon, W. J., Korff, M. V., Unutzer, J., Elizabeth, H. B., Lin, Walker, E. A., et al. (2001). Cost-effectiveness of a collaborative care program for primary care patients with persistent depression. *American Journal of Psychiatry, 158*, 1638-1644.
- Simonton, S., & Sherman, A. (2000). An integrated model of group treatment for cancer patients. *International Journal of Group Psychotherapy, 50*, 487-506.
- Sriyong, M. (1979). *Thai version of Beck Depression Inventory*. Faculty of Education, Ramkhamhaeng University.
- Stice, E., Ragan, J., & Randall, P. (2004). Prospective relations between social support and depression: Differential direction of effects for parent and peer support. *Journal of Abnormal Psychology, 113*(1), 155-159.
- Suampun, A. (2004). Strategies for caring and health promoting “adolescents”. In Mahachoklerdwattana, P., Rungkanjanaset, S., Boonsit, W., & Areekul, W. (Eds.), *Depression in children and adolescent* (pp. 261-265). Bangkok: Chaichareun.
- Sullivan, T. J. (1998). *Collaboration: A health care imperative*. U.S.A.: McGraw-Hill.
- Tetvattana, J. (2003). *Depression among youths in the observation and protection center Surat Thani Province*. Unpublished master’s thesis, Chiang Mai University, Thailand.

- Thase, M. E., Simons, A. D., McGeary, J., Cahalane, J. F., Hughes, C., Harden, T., & Friedman, E. (1992). Relapse after cognitive behavior therapy of depression: Potential implications for longer courses of treatment. *American Journal of Psychiatry, 149*, 1046-1052.
- Trangkasombat, U., Larpoonsarp, V., & Havanond, P. (1997). CES-D as a screen for depression in adolescents. *Journal Psychiatric Association Thailand, 42*(1), 2-13.
- Turner, H. A., & Butler, M. J. (2003). Direct and indirect effects of childhood adversity on depressive symptoms in young adults. *Journal of Youth and Adolescence, 32*(2), 89-103.
- Unutzer, J., Katon, W., Callahan, C. M., Williams, J. W., Hunkeler, E., Harpole, L., et al. (2002). Collaborative care management of late-life depression in the primary care setting. *American Medical Association, 288*(22), 2836-2845.
- Webster. (1995). *The new lexicon Webster's dictionary of the English language*. U.S.A.: Lexicon Publications, INC.
- Weissman, M. M. (2002). Juvenile-onset major depression includes childhood-and adolescent-onset depression and may be heterogeneous. *Archives of General Psychiatry, 59*, 223-224.
- Westermeyer, R. W. (2003). *The cognitive model of depression*. Retrieved October 15, 2003, from <http://www.habitsmart.com/dep.html>
- World Health Organization. (2005). *Depression*. Retrieved December 28, 2005, from http://www.who.int/mental_health/management/depression/definition/en/