

BIBLIOGRAPHY

- Aeksiriwaranon, W. (1998). *A survey of nursing research related to cervical Carcinoma in Thailand*. Master's thesis, Mahidol University, Bangkok, Thailand (In Thai).
- Affandi, M.Z., Dun, T., Mantuano, V.M., Sidhu, R., Lumplugh, C.L., & Telisinghe, P.U. (1992). Epidemiology of cervical carcinoma in Brunei Darussalam: Analysis of data on 27,208 women screened with cytologic examinations. *Acta Cytologica*, 37(2), 175-180.
- Agarwal, S., Sehgal, A., Sardana, S., Kumar, A., & Luthra, M. (1993). Role of male behavior in cervical carcinogenesis among women with one lifetime sexual partner. *Cancer*, 72(5), 1666-1669.
- Ali, N.S. (2002). Prediction of coronary heart disease preventive behaviors in women : A test of the health belief model. *Women & Health*, 35(7), 85-96.
- Andrews, G.(1997). *Women's sexual health*. Philadelphia: Bailliere Tindall.
- Athar, S. (1993). *Islamic perceptive in medicine. A survey of Islamic medicine: Achievement s & contemporary issues*. Indianapolis: American Trust Publication.
- Barroso, J., Mcmillan, S., Casey, L., Gibson, W., Kaminski, G., & Meyer, J. (2000). Comparison between African-American and white women in their beliefs about breast cancer and their health locus of control. *Cancer Nursing*, 23(4), 268-276.
- Baqui, M. (1979). Muslim teaching concerning death. *Nursing Times*, 75(14), 44-45.
- Becker, D.P., & Haefner, S.V. (1977). Selected psychosocial models and correlates of individual health – related behaviors. *Medical Care*, 15, 27-46.

- Beral, V., Hannaford, P., & Kay, C. (1998). Oral contraceptive use and malignancies of the genital tract: Results from the Royal college of general practitioners' oral contraception study. *Lancet*, 2 (8624), 1331-1335.
- Best, J.W., & Kahn, J.V. (1989). *Research in education* (6th ed.). Newdelhi: Prentice-Hall of India.
- Blesch, M., & Prohaska, R. (1991). Cervical cancer screening in older women. *Cancer Nursing*, 14(3), 141-147.
- Boonark, S., & Tongtae, P. (2001). *Gender and sexuality concerns in reproductive health in an Islamic context in Southern Thailand*. Social and Population Research Institute, Mahidol University, Bangkok, Thailand (In Thai).
- Bottorff, J.L., Sent, L., Browne, J.A., & Grewal, S. (2001). Cervical cancer screening in ethnocultural groups: Case studies in women-centered care. *Women & Health*, 33(3/4), 29-45.
- Brown, K. (1998). *Management guidelines for women's health nurse practitioners*. Philadelphia: F.A. Davis.
- Bosch, F.X., & Munoz, N. (1992). Risk factors for cervical cancer in Colombia and Spain. *International Journal of Cancer*, 52(5), 750-758.
- Brinton, L.A., Herrero, R., Reeves, W.C., Gaitan, E. & Tenario, F. (1993). Risk factor for cervical cancer by histology. *Gynecologic Oncology*, 51 (3): 301 - 306.
- Broughton, S., & Thomson, K. (2000). Women with learning disabilities : risk behaviors and experiences of the cervical smear test. *Journal of Advanced Nursing*, 32(4), 905-912.

- Bisk, A., Sutton, S., & Golombok, S. (2000). Predicting uptake of a routine cervical smear test. A comparison of the health belief model and the theory of planned behavior. *Psychology and Health, 15*(1), 350-362.
- Burak, J.L., & Meyer, M. (1997). Using the health belief model to examine and predict college women's cervical cancer screening beliefs and behavior. *Health Care for Women International, 18*, 251-262.
- Burnett, B., Steakley, S.C., Tefft, C.M. (1995). Barriers to breast and cervical cancer screening in underserved women of the District of Columbia. *Oncology Nursing Forum, 22*(10), 1551-1557.
- Castellsague, X., Bosch, F.X., Munoz, S., Ghaffari, A.M., Gonzalez, L.C., Gili, M., et al. (1996). Male sexual behavior and human papillomavirus DNA: Key risk factors for cervical cancer in Spain. *Journal of the National Cancer Institute, 88* (15), 1060-1067.
- Chambers J.T. (2001). Gynecologic neoplasms. In N. John (Ed.), *Primary care medicine* (pp. 377-386). St. Louis: Mosby.
- Chichareon, S., Herrero, R., Munoz, N., Bosch, F.X., Jacobs, M.V., Deacon, J., et al. (1998). Risk factors for cervical cancer in Thailand. A case-control study. *Journal of the National Cancer Institute, 90*(1), 50-56.
- Dosoky, M., Ismail, N., & Dagastani, M. (1995). Preinvasive cervical carcinoma in Saudi Arabia. *Lancet, 345*, 650.
- Deerasamee, S., Martin, N., Sontipong, S., Sriamporn, S., Sriplung, H., Srivatankul, P. et al. (2001). Cancer registration in Thailand. *Asian Pacific Journal of Cancer Prevention, 2*, 79-84.

- Desomsak, Y., & Sattawiwat, V. (1997). The relationship between selected factors, knowledge, health beliefs about cancer and preventive behavior toward cancer among Thai nurses. *Thai Nursing Council Bulletin*, 12(1), 55-68.
- Foxall, J.M., Barron, C.R., & Houfek, J.F. (2001). Ethnic influences on body awareness, trait, anxiety, perceived risk, and breast and gynecologic cancer screening practices. *Oncology Nursing Forum*, 28(4), 727-738.
- Gordon, P. (2000). Cervical cancer. In C.O. Douglas (Ed.), *20 Common problems in preventive health care* (pp. 253-273). New York: McGraw Hill.
- Gupta, A., Kumar, A., & Stewart, D.E. (2002). Cervical cancer screening among South Asian women in Canada: The role of education and acculturation. *Health Care for Women International*, 23, 123-135.
- Hansen, M. (1998). *Pathophysiology: Foundations of disease and clinical intervention*. Philadelphia : W.B. Saunders Company.
- Harpex, D.M. (1997). Cervical cancer and screening. In R. Jo Ann (Ed.), *Women's health in primary care* (pp. 453-471). Baltimore: Williams & Wilkins.
- Holowaty, P., Anthony, B., & Rohan, M. (1999). Natural history of dysplasia of the uterine cervix. *Journal of the National Cancer Institute* 91(3), 252-258.
- Holroyd, E., Shia, T.Y., & Twinn, F.T. (2001). Chinese women's experiences and images of the Pap smear examination. *Cancer Nursing*, 24(1), 68-75.
- Hulka, B.S., & Stark, A.T. (1995) Cancer cause and prevention. *Lancet*, 346,883-887.
- Janpeng, P. (1998). *Preventive health behavior regarding cervical cancer among agrarian house-wives in upper southern Thailand*. Master's Thesis, Mahidol University, Bangkok, Thailand,(In Thai).

- Janz , N. K., & Becker, M.H. (1974).The health belief model: A decade later. *Health Education Quarterly*,11,1-47.
- Jennings, K.M. (1997). Getting a Pap smear : Focus group responses of African American and Latina women. *Oncology Nursing Forum*, 24(5), 827-835.
- Jirojwong, S., & Manderson, L. (2001). Beliefs and behaviors about Pap and breast self-examination among Thai immigrant Women in Brisbane, Australia. *Women & Health*, 33(3/4), 47-67.
- Kavila, R. (1994). *Health knowledge and belief concerning cervical cancer and cervical cancer screening request of Women in San Pa Tong District, Chiang Mai Province*. Master's Thesis, Changmai University, Changmai, Thailand (In Thai).
- Kessler, I.I. (1997). Venereal factors in human cervical cancer: Evidence from marital cluster. *Cancer*, 39(4), 1912-1919.
- Koss, L.G. (1989). The Papanicolaou test for cervical cancer detection: A triumph and a tragedy. *Journal of the American Medical Association*, 261, 737-743.
- Kozier, B., Erb, G., Berman, A.J., & Burke, K. (2000). *Fundamentals of Nursing : Concepts, process, and practice* (6th ed.). St. Louis: Mosby.
- Larsen, C., Delmas, M.C., Benthem, B., Hamers, F.F., Bergeron, C., Poveda ,J.D., C., et al. (2000). Cervical squamous intraepithelial lesions in HIV- infected women: Prevalence, incidence and regression. *AID*, 18, 14(12), 1775-1784.
- Lee, M.C. (2000). Knowledge, barriers, and motivators related to cervical cancer screening among Korean American women.*Cancer Nursing*,23(3), 168-175.

- Libbus, K., & Kridli, S. (1996). Contraceptive decision making in a sample of Jordanian Muslim women: Delineating salient beliefs. *Health Care for Women International, 18*, 85-94.
- Linda, J.L. (2002). Arab Muslim and culture care. In L. Madeleine, & M.R. Marilyn (Eds.), *Transcultural nursing: Concepts, theories, research and practice* (3rd ed., pp. 31-309). New York: McGraw Hill.
- Longneck, M.P. (1994). Alcoholic beverage consumption in relation to risk of breast cancer. *Cancer Cause and Control, 5*, 73-82.
- Madeleine, M.M., Daling, J.R., Schwartz, S.M., Shera, K., McKnight, B., Carter, J.J., et al. (2001). Human papillomavirus and long - term oral contraceptive use increase the risk of adenocarcinoma in situ of the cervix. *Cancer Epidemiology, Biomarkers Prevention, 10*, 171-177.
- Makie, L. (1993). Women's views of the cervical smear test: implications for nursing practice, women who have not had a smear test. *Journal of Advanced Nursing, 18*, 972-979.
- Mandelblatt, J.S., Kanetsky, P., Eggert, L., & Gold, K. (1999). Is HIV infection cofactor for cervical squamous cell neoplasia?. *Cancer Epidemiology Biomarkers & Prevention, 8*(1), 97-106.
- Marrazzo, J.M., Koutsky, L.A., Kiviat, N.B., Kuypers, J.M., & Stine, K. (2001). Papanicolaou test screening and prevalence of genital human papillomavirus among women who have sex with women. *American Journal of Public Health, 91*(6), 947-952.

- May, R.M., Zimet, G.D., Winston, Y., Kee, R., Dickes, J., & Su, L. (2000). Human papillomavirus, genital warts, Pap smear, and cervical cancer : Knowledge and beliefs adolescent adult women. *Health Care for Women International, 21*, 361-374.
- Meleis, A.I. (1995). The Arab American in the Western health care system. *American Journal of Nursing, 6*, 1180-1183.
- Moonnan, N. (1998). *Evaluation of cervical cancer screening project at Doi Tao District, Chiang Mai Province*. Master's Thesis, Changmai University, Changmai, Thailand (In Thai).
- Myers, J., & Beare, P. (1994). *Principles and practice of adult health nursing* (2nd ed.). St. Louis: Mosby.
- Na- Ranong, T., & Thongsuksai, P. (2000). Contraceptive practice and induced abortion in Muslim at a private clinic in Nathavee District, Songkhla Province. *Songklanagarind Medical Journal, 18*(2), 85-91.
- Neilson, A., & Jones, K.C. (1998). Women's lay knowledge cervical cancer/cervical screening: Accounting for non-attendance at cervical screening clinics. *Journal of advanced Nursing, 28*(3), 571-575.
- Ngelangel, C., Munoz, F.X., Limson, G.M., Festin, M.R., Deacon, J., & Jacobs, M.V. (1998). Causes of cervical cancer in the Philippines: A case-control study. *Journal of the National Cancer Institute, 90*(1), 43-43.
- Nustus, W.P., & Mikhail, B.I. (2002). Factors associated with breast self-examination among Jordanian women. *Journal of Public Health Nursing, 19*(4): 263-271.

- Phipps, E. Cohen, M.H., Sorng, R., & Braitman, L.E. (1999). A pilot study of cancer knowledge and screening behaviors of Vietnamese and Cambodian women. *Health Care for Women International, 20*, 195-207.
- Pottler, P., & Perry, A. (2001). *Fundamentals of nursing* (5th ed.). St. Louis: Mosby.
- Price, J.H., Easton, A.N., Telljohann, S.K., & Wallace, P.B. (1996). Perceptions of cervical cancer and Pap smear screening behavior by women's sexual orientation. *Journal of Community Health, 21*(2), 89-104
- Rajaram, S.S., & Rashidi, A. (1999). Asian – Islamic women and breast cancer screening : A socio-cultural analysis. *Women & Health, 28*(3), 47-59.
- Reeves C., Roux, G., & Lockhart, R. (1999). *Medical surgical nursing*. New York : McGraw Hill.
- Rosenstock, I.M., Strecher, V.J., & Becker, M.H. (1998). Social learning theory and the health belief model. *Health Education Quarterly, 15*(2), 175-183.
- Ruangkachorn, C., & U-Po, S. (2001). *Gender roles in reproductive health among Thai Muslim males and females in Songkhla: A focus on interaction with health service*. Social and Population Research Institute, Mahidol University, Bangkok, Thailand (In Thai).
- Rungsesuwan, S. (1996). *Knowledge, health beliefs, cue to action factors , and cultural factors in rural Naso Subdisrict, Kudchum District, Yasothorn. Province*. Master's Thesis, Mahidol University, Bangkok, Thailand (In Thai).
- Sanli, T., & Ide, B.A. (1992). Health beliefs and behaviors of Saudi women. *Women & Health, 19*(1), 99-113.

- Schulmeister, L., & Lifsey, D.S. (1999). Cervical cancer screening knowledge, behaviors, and beliefs of Vietnamese women. *Oncology Nursing forum*, 26(5), 879-877.
- Spurlock, C., Nadel, M., & Mcmanmon, E. (1992). Age and Pap smear history as a basis for intervention strategy. *Journal of Community Health*, 17(2), 97-107.
- Srisei, J. (1997). *Factors affecting the Pap smear screening among women at Nan hospital, Nan province.* , Master's Thesis, Mahidol University, Bangkok, Thailand (In Thai).
- Suprapawan, J. (2000). *Thai people health in 2000 : Thai people health status.* Bangkok, Thailand: U-Sa.
- Suwaratchai, P. (1996). *Factor effecting the screening for cervical cancer in married women in Amphor Maung, Ubonratchathani.* Master's Thesis, Mahidol University, Bangkok, Thailand (In Thai).
- Swearingen, P.L., & Ross, D.G. (1999). *Medical Surgical nursing care: Nursing interventions and collaborative.* St. Louis: Mosby.
- Thompson, H. (1994). Effect of exercise intensity and duration on the induction of mammary carcinogens. *Cancer Research*, 54(7), 1960-1963.
- Pukkala, E., & Hakama, M. (1999). Risk of cervical cancer after a negative Pap smear. *Journal of Medical Screening*, 6(2), 103-107.
- Wootipum, V., & Buhachat, R. (2002). Three case reports of neoadjuvant chemotherapy followed by wertheim operation in early stage cervical cancer (Ib2) in Songklanagarind Hospital. *Songklanagarind Medical Journal*, 2(1), 37-42.

- Yi, J.K. (1994). Factors associated with cervical cancer screening behavior among Vietnamese Women. *Journal of Community Health, 19*(3), 189-200.
- Ziegfeld, C.R., Lubejko, B.G., & Shelton, B.K. (1998). *Oncology fact finder : Manual of cancer nursing*. Philadelphia: Lippincott.