

เอกสารอ้างอิง

- กองส่งเสริมพืชพันธุ์ กรมส่งเสริมการเกษตร. 2520. ข้าวไร่. คำแนะนำที่ 3. ตุลาคม 2520. ชาญ มงคล. 2536. “เรื่องข้าว”, ตำราเอกสารวิชาการ. ฉ. 63 หน่วยศึกษานิเทศน์ กรมการฝึกหัดครู.
- ชัยฤกษ์ มณีพงษ์. 2524. ข้าวไร่. ข่าวสารเกษตรศาสตร์. 26(1) : 1.
- ธีระ เอกสมทราเมษฐ์. 2528. การศึกษาเปรียบเทียบลักษณะบางประการและการตอบสนองต่อปุ๋ยของข้าวไร่บางสายพันธุ์. วารสารสงขลานครินทร์. 7:133-136.
- ธีระ เอกสมทราเมษฐ์. 2528. การตอบสนองของข้าวไร่ต่ออัตราและระยะเวลาการใส่ปุ๋ยไนโตรเจน. วารสารสงขลานครินทร์. 7:257-261.
- ประพาส วีระแพทย์. 2531. ความรู้เรื่องข้าว. พิมพ์ครั้งที่ 3. กรุงเทพฯ : ไทยวัฒนาพานิชย์ จำกัด.
- ยุทธนา พงษ์พิริยะเดชะ. 2532. ผลผลิตสปีสฟอสฟาเตสจากใบข้าวไร่บางสายพันธุ์. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิทยาศาสตร์ชีวภาพ คณะบัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- วิชา อิติประเสริฐและคณะ. 2544. ฐานข้อมูลเชื้อพันธุ์ข้าว. สถาบันวิจัยข้าวและสำนักคุ้มครองพันธุ์พืชแห่งชาติ กรมวิชาการเกษตร. ชุมนุมสหกรณ์การเกษตรแห่งประเทศไทยจำกัด. กรุงเทพฯ. 682 หน้า.
- สมศักดิ์ มณีพงษ์. 2537. การวิเคราะห์ดินและพืช. สงขลา: คณะทรัพยากรธรรมชาติ มหาวิทยาลัยสงขลานครินทร์.

- Agüera, E., Poblete, L., Haba, P. and Mal donado, J. M. 1999. Light modulation and in vitro effects of adenine nucleotides on leaf nitrate reductase activity in cucumber (*Cucumis sativus*). *Physiologia Plantarum*. 105:218-223.
- Ahmad, A. and Abdin, M.Z. 1999. NADH:nitrate reductase and NAD(P)H: nitrate reductase activity in mustard seedlings. *Plant Sci*. 143:1-8.
- Antipov, A.N., Lyalikova, N.N., Khijniak, T.V., and L'vov, N.P. 2000. Vanadate reduction by molybdenum-free dissimilatory nitrate reductases from vanadate reducing bacteria. *IUBMB Life*. 50(1):39-42.
- Aslam, M., Travis, R.L. and Rains, D.W. 2001. Differential effect of amino acids on nitrate uptake and reduction systems in barley roots. *Plant Sci*. 160:219-228.
- Aslam, M., Travis, R.L., and Rains, D.W. 2001. Diurnal fluctuations of nitrate uptake and in vivo nitrate reductase. Activity in Pima and Acata cotton. *Crop Sci*.41:372-378.
- Athwal,G.S., Huber,J.L. and Huber, S.C. 1998a. Biological significance of divalent metal ion binding to 14-3-3 proteins in relationship to nitrate reductase activity. *Plant Cell. Physiol*. 89(10):1065-1072.
- Athwal,G.S., Huber,J.L. and Huber, S.C. 1998b. Phosphorylated nitrate reductase and 14-3-3 proteins. *Plant Physiol*. 118:1040-1048.
- Bachmann, M., McMichael.R.W., Huber, J.L., Kaiser, W.M. and Huber, S.C. 1995. Partial purification and characterization of a calcium-dependent protein kinase and an inhibitor protein required for inactivation of spinach leaf nitrate reductase. *Plant Physiol*. 108:1083 -1091.
- Bachmann, M., Huber, J.L., Athwal, G.S., Ke, W., Ferl, W.K. and Huber, S.C. 1996. 14-3-3 proteins associate with the regulatory phosphorylation site of spinach leaf nitrate reductase in an isoform-specific manner and reduce dephosphorylation of Ser-543 by endogenous protein phosphatases. *FEBS Lett*. 398(1) : 26-30.

- Barlaan, E.A., Sato, H. and Ichii, M. 1998. Nitrate reductase activities in rice genotypes in irrigated lowlands. *Crop. Sci.* 38:728-734.
- Buljovic, Z. and Engels, C. 2001. Nitrate uptake ability by maize roots during and after drought stress. *Plant and Soil.* 229:125-135.
- Butler, C.S., Charnock, J.M., Bennett, B. Sears, H.J., Reilly, A.J., Ferguson, S.J., Garner, C. D., Lowe, D.J., Thomson, A.J., Berks, B.C. and Richardson, D.J. 1999. Models for molybdenum coordination during the catalytic cycle of periplasmic nitrate reductase from *Paracoccus denitrificans* derived from EPR and EXAFS spectroscopy. *Biochem.* 38:9000-9012.
- Campbell, W.H. 1996. Nitrate reductase biochemistry comes of age. *Plant Physiol.* 111:355-361.
- Campbell, W.H. 1999. Nitrate reductase structure, function and regulation:bridging the gap between biochemistry and physiology. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 50:277-303.
- Campbell, W.H. 2001. Structure and function of eukaryotic NAD(P)H: nitrate reductase. *Cell. Mol. Life Sci.* 58:194-204.
- Campbell, J.M. and Wray, J.L. 1983. Purification of barley nitrate reductase and demonstration of nicked subunits. *Phytochemistry.* 22:2375-2382.
- Campbell, W.H. and Smarrelli, J. 1978. Purification and kinetics of higher plant NADH: nitrate reductase. *Plant Physiol.* 61: 611-616.
- Campbell, W.H., DeGracia, D.J. and Campbell, E.R. 1987. Regulation of molybdenum cofactor of maize leaf. *Phytochem.* 26:2149-2150.
- Campbell, W.H. and Kinghorn, J.R. 1990. Functional domains of assimilatory nitrate reductase and nitrite reductase. *TIBS.* 15: 315-319.
- Cataldo, D.A., Haroon, M., Schrader, L.E. and Youngs, V.L. 1975. Rapid colorimetric determination of nitrate in plant tissue by nitration of salicylic acid. *Commun. Soil Sci. and Plant Anal.* 6: 71-80.

- Chrispeels, M.J., Crawford, N.M. and Schroeder. J.I. 1999. Protein for transport of water and mineral nutrients across the membranes of plant cells. *Plant Cell*. 11:661-675.
- Coombs, J. and Hall, D.O. 1982. Techniques in Bioproductivity and Photosynthesis. First edition. Great Britain : A. Wheaton&Co., Ltd.
- Crawford, N.M. 1995. Nitrate: nutrient and signal for plant growth. *The Plant Cell*. 7:859-868.
- Datta, R. and Sharma, R. 1999. Temporal and spatial regulation of nitrate reductase and nitrite reductase in greening maize leaves. *Plant Sci*. 144:77-83.
- Davis, B.J. 1964. Disc electrophoresis II. Method and application to human serum protein. *Annu. N.Y. Acad. Sci*. 121:404-427.
- De Datta, S.K. 1981. Principles and practices of rice production. First edition. USA : John Wiley & Son, Inc.
- Douglas, P., Morrice, N. and MacKintosh, C. 1995. Identification of a regulatory phosphorylation site in the hinge 1 region of nitrate reductase from spinach (*Spinacea oleracea*) leaves. *FEBS Lett*. 377(2): 113-117.
- Feil, B., Thirapom, R. and Stamp, P. 1993. In vitro nitrate reductase activity of laboratory-grown seedlings as an indirect selection criterion for maize. *Crop Sci*. 33: 1280-1286.
- Forde, B. 2000. Nitrate transporters in plants:structure, function and regulation. *Biochim. Biophys. Acta*. 1465:219-235.
- Glass, A.D.M., Brito, D.T., Kaiser, B.N., Kronzucker, H.J., Kumar, A.L., Kamoto, M., Rawat, S.R., Siddiqi, Y., Silim, S.M., Vidmar, J.J. and Zhuo, D. 2001. Nitrogen transport in plants, with an emphasis on the regulation of fluxes to match plant demand. *J. Plant Nutr. Soil Sci*. 164:199-207.

- Haba, P., Agüera, E., Benitez, L. and Maldonado, J.M. 2001. Modulation of nitrate reductase activity in cucumber (*Cucumis sativus*) roots. *Plant Sci.*161:231-237.
- Hirel, B., Bertin, P., Quillere, I., Bourdoncle, W., Attagnant, C., Dellay, C., Gouy, A., Cadiou, S., Retailliou, C., Falque, M. and Gallais, A. 2001. Towards a better understanding of the genetic and physiological basis for nitrogen use efficiency in Maize. *Plant Physiol.* 125 : 1258-1270.
- Hoagland, D.R. and Arnon, D.I. 1950. The water-culture method for growing plants without soil. *Calif. Agric. Exp. Stn. Circ.* 347:1-39.
- Hoff, T., Schnorr, K.M., Meyer, C. and Caboche, M. 1995. Isolation of two Arabidopsis cDNAs involved in early steps of molybdenum cofactor biosynthesis by functional complementation of *Escherichia coli* mutants. *J. Biol. Chem.* 270:6100-6107.
- Huber, J.L., Redinbaugh, M.G., Huber, S.C. and Campbell, W.H. 1994. Regulation of maize leaf nitrate reductase activity involves both gene expression and protein phosphorylation. *Plant Physiol.* 106: 1667-1674.
- Huber, S.C., Huber, J., Campbell, W.H. and Redinbaugh, M.G. 1992. Apparent dependence of the light activation of nitrate reductase and sucrose-phosphate synthase activities in spinach leaves on protein synthesis. *Plant Cell Physiol.* 33(5):639-646.
- Huber, S.C. and Kaiser, W.M. 1996. 5-Aminoimidazole-4-carboxamide riboside activates nitrate reductase in darkened spinach and pea leaves. *Physiol. Plant.* 98:833-837.
- Jawali, N. and Sane, P.V. 1984. Inhibition of the nitrate reductase complex from spinach by oxylamines. *Phytochem.* 23:225-228.
- Jolly, S.O., Campbell, W. and Tolbert, N.E. 1976. NADPH- and NADH-nitrate reductase from soybean leaves. *Arch. Biochem. Biophys.* 174: 431-439.

- Kaiser, W.M. and Huber, S.C. 1994. Posttranslational regulation of nitrate reductase in higher plants. *Plant Physiol.* 106: 817-821.
- Kleinhofs, A., Warner, R.L., Melxer, J.M. 1989. Genetics and molecular biology of higher plant nitrate reductases. In J.E. Poulton, J.T. Romeo, E.E. Conn, eds., *Plant nitrogen metabolism, Recent Advances in Phytochemistry*, Vol. 23, Plenum Press, New York, pp 117-155.
- Kramer, S.P., Johnson, J.L., Ribeiro, A.A., Millington, D.S. and Rajagopalan, K.V. 1987. The structure of the molybdenum cofactor, Characterization of di-(carboxamidomethyl)molybdopterin from sulfite oxidase and xanthine oxidase. *J. Biol. Chem.* 262:16357-16363.
- Kronzucker, H.J., Siddii, M.Y., Glass, D.M. and Kirk, G.J.D. 1999. Nitrate-ammonium synergism in rice. A subcellular flux analysis. *Plant Physiol.* 119:1041-1045.
- Lavon, R. 1999. Effect of potassium, magnesium and calcium deficiencies on nitrogen constituents and chloroplast components in citrus leaves. *J. Amer. Soc. Hort. Sci.* 124:156-162.
- Larios, B., Agüera, E., Haba, P., Vicente, R.M. and Maldonado, J.M. 2001. A short-term exposure of cucumber plants to rising atmospheric CO₂ increases leaf carbohydrate content and enhances nitrate reductase expression and activity. *Planta.* 212:305-312.
- Lewis, O.A.M., Watson, E.F. and Hewitt, E.J. 1982. Determination of nitrate reductase activity in barley leave and roots. *Annu. Bot.* 49: 31-37.
- Lillo, C., Kazazaic, S., Ruoff, P. and Meyer, C. 1997. Characterization of nitrate reductase from light and dark exposed leaves. *Plant physiol.* 114:1377-1383.
- Lin, Y., Hwnag, C.F., Brown, J.B. and Cheng, C.L. 1994. 5' Proximal regions of arabidopsis nitrate reductase genes direct nitrate-induced transcription in transgenic tobacco. *Plant Physiol.* 106: 477-484.

- Lorenzo, H., Siverio, J.M. and Caballero, M. 2001. Salinity and nitrogen fertilization and nitrogen metabolism in rose plants. *J. of Agri. Sci.*137:77-84.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 193:265-275.
- Man, H.M., Baki, G.K.A., Stegmann, P., Weiner, H. and Kaiser, W.M. 1999. The activation state of nitrate reductase is not always correlated with total nitrate reductase activity in leaves. *Planta.* 209:462-468.
- Maetinez-Espinosa, R.M., Marhuenda-Egea, F.C. and Bonete, M.J. 2001. Assimilatory nitrate reductase. From the haloarchaeon *Haloferax mediterranei* : purification and characterization. *FEMS Microbiol Letters.* 204(2):381-385.
- McMichael, R.W., Bachman, M. and Huber, S.C. 1995. Spinach leaf sucrose-phosphate synthase and nitrate reductase are phosphorylated/inactivated by multiple protein kinase in vitro. *Plant Physiol.* 108:1077-1082.
- Min, X., Siddiqi, M.Y., Guy, R.D., Glass, A.D.M. and Kronzucker, H.J. 1998. Induction of nitrate uptake and nitrate reductase activity in trembling aspen and lodgepole pine. *Plant Cell. Environ.* 21:1039-1046.
- Moorhead, G., Douglas, P., Morrice, N. Scatabel, M., Aitken, A. and MacKintosh, C. 1996. Phosphorylated nitrate reductase from spinach leaves is inhibited by 14-3-3 proteins and activated by fusicoccin. *Curr. Biol.* 6(9) : 1104-1113.
- Mori, H. 2000. Direct determination of nitrate reductase in a flow system. *J. Health Sci.* 46(5):385-388.
- Nakamura, Y. and Ikawa, T. 1993. Purification and properties of NADH: nitrate reductase from the red alga *Porphyra yezoensis*. *Plant Cell Physiol.* 34(8): 1239-1249.

- Netto, A.B.P., Magalhaes, A.C. N. and Pinto, H.S. 1998. Nitrate reductase activity in field-grown *Pueraria lobata* (KUDZU) in southeastern Brazil. *Pesq. agropec. Bras. Brasilia*. 33(12): 1971-1975.
- Ogawa, K., Soutome, R., Hiroshima, K., Hagio, T., Ida, S., Nakagawa, H. and Komamine, A. 2000. Co-regulation of nitrate reductase and nitrite reductase in cultured spinach cells. *J. Plant Physiol.* 157:299-306.
- Oaks, A. 2000. Fifty year of plant science : Was there really no place for a woman ?. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 51:1-16.
- Ramalho, C.B., Hastings, J.W. and Colepicolo, P. 1995. Circadian oscillation of nitrate reductase activity in *Gonyaulax polyedra* is due to changes in cellular protein levels. *Plant Physiol.* 107:225-231.
- Redinbaugh, M.G. and Campbell, W.H. 1983. Reduction of ferric citrate catalyzed by NADH:nitrate reductase. *Biochem. Biophys. Res. Commun.* 114(3):1182-1188.
- Redinbaugh, M.G. and Campbell, W.H. 1985. Quaternary structure and composition of squash NADH:nitrate reductase. *J. Biol. Chem.* 260(6): 3380-3385.
- Sakamoto, T. and Bryant, D.A. 1999. Nitrate transport and not photoinhibition limits growth of the fresh water cyanobacterium *Synechococcus species* PCC 6301 at low temperature. *Plant Physiol.* 119:785-794.
- Solomonson, L.P., Lorimer, G.H., Hall, R.L., Borchers, R. and Bailey, J.L. 1975. Reduced nicotinamide adenine dinucleotide-nitrate reductase of *Chlorella viltaris*, purification, prosthetic groups, and molecular properties. *J. Biol. Chem.* 250(11):4120-4127.
- Silveira, J.A.G., Melo, A.R.B., Viegas, R.A. and Oliveira, J.T.A. 2001. Salinity-induced effects on nitrogen assimilation related to growth in cow pea plants. *Environ. Exp. Bot.* 46:171-179.

- Strater, T. and Hachtel, W. 2000. Identification of light and nitrate responsive regions of the nitrate reductase promotor from birch. *Plant Sci.*150:153-161.
- Su, W., Huber, S.C. and Crawford, N.M. 1996. Identification in vitro of a post-translational regulatory site in the hinge 1 region of Arabidopsis nitrate reductase. *Plant Cell.* 8:519-527.
- Toucheffe, B.W. and Burkholder, J. 2001. Nitrate reductase activity in a submersed marine angiosperm:controlling influences of environmental and physiological factors. *Plant Physiol. Biochem.*39:583-593.
- Upcroft, J.A. and Done, J. 1974. Starch gel electrophoresis of plant NADH-nitrate reductase and nitrite reductase. *J. Exp. Bot.* 25:503-508.
- Vendrell, P.F. and Zupancic, J. 1990. Determination of soil nitrate by transnitration of salicylic acid. *Commun. Soil Sci. Plant Anal.* 21(13-16): 1705-1713.
- Vidmar, J.J., Zhos, D., Siddigi,M.Y., Schjoerring,J.K., Touraine,B. and Glass, A.M. 2000. Regulation of high-affinity nitrate transporter genes and high-affinity nitrate influx by nitrogen pools in roots of barley. *Plant Physiol.* 123:307-318.
- Weiner, H. and Kaiser, W.M. 2000. Binding to 14-3-3 proteins is not sufficient to inhibit nitrate reductase in spinach leaves. *FEBS Lett.*480:217-220.
- Wray, J.L. and Fido, R.J. 1990. Nitrate reductase and nitrite reductase . In B.J. Mifflin(ed.) Method in Plant Biochemistry (vol. 3), pp. 241-256. London and New York: Academic Press.
- Yamasaki, H. and Sakihama, Y. 2000. Simultaneous production of nitric oxide and peroxynitrite by plant nitrate reductase : In vitro evidence for the NR-dependent formation of active nitrogen species. *FEBS lett.* 468:89-92.
- Yamamoto, I., Shimizu, H, Tsuji, T. and Ishimoto, M. 1986. Puritication and properties of nitrate reductase from *Mitsuokella multiacidus*. *J. Biochemistry.* 99:961-969.