

### บรรณานุกรม

- ประเทืองศรี สิ้นชัยศรี และวิมลศรี เทวะผลิน. 2523. การศึกษาปริมาณไขมันและโปรตีนในถั่วเหลืองบางพันธุ์. ว. อาหาร. 12 : 314 – 326.
- วรวิมล โกยสมบัติ. 2536. การยับยั้งการเกิดแก๊สที่ไม่พึงประสงค์ในเต้าหู้. รายงานสัมมนา. ภาควิชาอุตสาหกรรมเกษตร. คณะทรัพยากรธรรมชาติ. มหาวิทยาลัยสงขลานครินทร์
- วันชัย สมชิต. 2522. บทบาทและอนาคตของถั่วเหลืองในอาหาร. ว. อาหาร. 11 : 251-258.
- สุรพล อุปติสสกุล. 2536. สถิติการวางแผนการทดลอง เล่ม 2. พิมพ์ครั้งที่ 3. สำนักพิมพ์สมมิตร ออฟเซท. กรุงเทพฯ. 89 หน้า
- สมชาย ประภาวัต. 2534. การทำเนื้อเทียมจากถั่วเหลือง. ว. อาหาร. 21 : 161 – 172.
- AOAC. 1999. Official method of analysis, 16<sup>th</sup> ed. Association of official analytical chemists, Washington, D.C.
- Apichartsrangkoon, A. 1998. Effect of high pressure on rheological and chemical characteristics of plant proteins. Ph.D. Thesis, Department of Food Science and Technology, University of Reading.
- Arroyo, G., Sanz, P.D. and Prestamo, G. 1997. Effect of high pressure on the reduction of microbial populations in vegetables. J. Appl. Microbiol. 82 : 735-742.
- Aziadekey, M., Schapaugh, T.W., Herald, J.R. and Herald, J.T. 2002. Genotype by environment interaction for soymilk and tofu quality characteristics. J. Food Quality. 25 : 243-259.
- Balny, C. and Masson, P.E. 1993. Effects of high pressure on proteins. Food Rev. Int. 9 : 611-628.
- Barbosa-Canovas, V.G., Swanson, P.B., Pothakamury, R.U. and Palou, E. 1997. Nonthermal preservation of food. Mercel Dekker. New York.
- Beddows, C.G. and Wong, J. 1987a. Optimization of yield and properties of silken tofu from soybeans.1. The water: bean ratio. Inter. J. Food Sci. Technol. 22 : 15- 21.
- Beddows, C.G. and Wong, J. 1987b. Optimization of yield and properties of silken tofu from soybeans.2. Heat processing. Inter. J. Food Sci. Technol. 22 : 23-27.
- Beddows, C.G. and Wong, J. 1987c. Optimization of yield and properties of silken tofu

- from soybeans.3. Coagulant concentration, mixing and filtration pressure. *Inter. J. Food Sci. Technol.* 22 : 29-34.
- Boatright, W.L. and Crum, A.D. 1997. Odor and flavor contribution of 2-pentyl puridine to soy protein isolate. *J. Am. Oil Chem.* 74 : 1575-1581.
- Boatright, W.L. and Lei, Q.1999. Compounds contributing to the "Beany" odor of aqueous solutions of soy protein isolates. *J. Food Sci.* 64 : 667-670.
- Bourne, M.C. 1978. Texture profile analysis. *Food Technol.* 32(7) : 62-66,72.
- Cai, T.D., Chang, K.C., Shih, M.J., Hou, H.J., Ji, M. 1997. Comparison of bench and production scale methods for making soymilk and tofu from 13 soybean varieties. *Food Res. Int.* 30 : 659-668.
- Champagne, C.P., Aurouze, B. and Goulet, G. 1991. Inhibition of undersirable gas production in tofu. *J. Food Sci.* 56 : 1600.
- Cheftel, J.C. 1992. Effect of high hydrostatic pressure on food constituents : An overview. In *High pressure and biotechnology.* (Balny, C., Hayashi, R., Heremans, K. and Masson, P., eds) pp. 195-202. INSERM / Libbey Eurotext Ltd. Montrouge.
- Cheftel, J.C., Cuq, J.L. and Lorient, D. 1985. Amino acids, peptides and proteins. In *Food chemistry.* (Fennema, O.R. ed) pp. 245-371. Mercel Dekker. New York.
- Chien, J.T. and Snyder, H.E. 1983. Detection and control of soymilk astringency. *J. Food Sci.* 48 : 438-440.
- Chong, G. and Cossius, A.R. 1983. A differential polarized fluorometric study of the effect of high hydrostatic pressure upon the fluidity of cellular membranes. *Biochem.* 22 : 409.
- Copeland, R.A. 1994. *Methods of proteins analysis : a practical guide to laboratory protocol.* pp.228. Chapman & Hall. New York.
- Corbin, F.T. 1980. Oreintal soybean foods. In *World soybean research conference 2: Processdings.* pp. 740-742. Westview Press, Inc., Colorado.
- DeMan, J. M., DeMan, L. and Gupta, S. 1986. Texture and microstructure of soybean curd (tofu) as affected by different coagulants. *Food Microstruct.* 5 : 83.
- Deplace, G. and Mertens, B. 1992. The commercial application of high pressure

- technology in food processing industry. In High Pressure and Biotechnology. Vol. 224 (Balny, C., Hayashi, K. and Massens, P., eds.) pp. 469. John Libbey Eurotext. Montrouge.
- Dumoulin, M., Ozawa, S. and Hayashi, R. 1998. Textural properties of pressure-induced gels of food protein obtained under different temperatures including subzero. *J. Food Sci.* 63 : 92-95.
- Earnshaw, G.R. 1995. Kinetics of high pressure inactivation of microorganism. In High pressure processing of food. (Ledward, A.D., Johnston, E.D., Earnshaw, G.R. and Hasting, M.P.A. eds.) pp.37. Nottingham University Press. Nottingham.
- Eshtiaghi, N.M. and Knorr, D. 1993. Potato cubes response to water blanching and high hydrostatic pressure. *J. Food Sci.* 58 : 1371.
- Faskas, F.D. and Hoover, G.D. 1999. High pressure processing. *J. Food Sci.* 64 : 279-281.
- Fonberg-Broczek, M., Windyga, B., Sciecznska, H., Grochowska, A., Gorecka, K. and Salanski, P. 1995. Effect of high hydrostatic pressure on microorganisms. In 9<sup>th</sup> Congress of Food Science and Technology. Budapest.
- Fouad, E.K. and Hegeman, D.G. 1993. Microbiological spoile of tofu. *J. Food Prot.* : 56 : 212-216.
- Gandhi, A.P. and Bourne, M.C. 1988. Effect of pressure and storage time on texture profile paramiters of soybean curd (tofu). *J. Texture Stud.* 19 : 137-142.
- Geankoplis, J.C. 1995. Transport processes and unit operation. 3<sup>rd</sup> edition. (Geankoplis, J.C., ed) pp. 851. Simon and Schuster (Asia) Pte Ltd. Singapore.
- Gomes, M.R.A. and Leward, D.A. 1996. Effect of high pressure treatment on the activity of some polyphenoloxidase. *Food Chem.* 56 : 1-5.
- Gross, M. and Jaenicke, R. 1994. Proteins under pressure : The influence of high hydrostatic pressure on structure, function and assembly of proteins and protein complexes. *J. Biochem.* 221 : 617-630.
- Hansen, T.L., Gill, T. and Huss, H.H. 1995. Effects of salt and storage temperature on chemical, microbiological and sensory changes in cold-smoked salmon. *J. Food*

Sci. 28 : 123-130.

- Hara, A., Nagahama, G., Ohbayashi, A. and Hayashi, R. 1990. Effect of high pressure on inactivation of enzymes and microorganisms in non-pasteurized rice wine (namazake). *Nippon Nogeikagaku Kaishi*. 64 : 1625-1030.
- Hashizume, K., Nakamura, N. and Watanabe, T. 1975. Influence of ionic strength on conformation changes of soybean proteins caused by heating and relationship of its conformation changes to gel formation. *Agric. Biol. Chem.* 39 : 1339-1347.
- Hawley, A.S. 1971. Reversible pressure-temperature denaturation of chymotrypsinogen. *Biochem.* 10 : 2436.
- Heremans, K. 1992. From living systems to biomolecules. In *High pressure and biotechnology*. (Balny, C., Hayashi, R., Heremans, K. and Masson, P.) pp. 37-43. INSERM / Libbey Eurotext Ltd. Montrouge.
- Hermansson, A.M. 1978. Physicochemical aspects of soy proteins structure formation. *J. Texture Stud.* 9 : 33-58.
- Hoover, D.G., Metrick, C., Papineau, A.M., Farkas, D.F. and Knorr, D. 1989. Biological effects of high hydrostatic pressure on food microorganisms. *Food Technol.* 43 (10) : 99-107.
- Hoover, D.G. 1993. Pressure effect on biological systems. *Food Technol.* 6(11) : 150-154.
- Hou, H.J. and Chang, K.C. 1998. Yield and quality of soft tofu as affected by soybean physical damage and storage. *J. Agric. Food Chem.* 46 : 4798-4805.
- Hou, H.J., Chang, K.C. and Shih, M.C. 1997. Yield and textural properties of soft tofu as affected by coagulation method. *J. Food Sci.* 62 : 824-827.
- Indrawati, I., Ludikhuyze, R.L., Van Loey, M.A. and Hendrickx, E.M. 2000. Lipoygenase inactivity in green beans (*Phaseolus vulgaris L.*) due to high pressure treatment at subzero and elevated temperature. *J. Agric. Food Chem.* 48 : 1850-1859.
- Indrawati, I., Ludikhuyze, R.L., Van Loey, M.A. and Hendrickx, E.M. 2001. Pressure-

- temperature inactivation of lipoxygenase in green peas (*Pisum sativum*) : A kinetic study. J. Food Sci. 66 : 686-693.
- Isaac, N.S. 1981. Liquid phase high pressure chemistry. J. Food Sci. 46 : 414.
- Jacoba, R.M.S., Gruppen, H. and Vliet, V.T. 2002. Influence of pH and ionic strength on heat-induced formation and rheological properties of soy protein gels in relation to denaturation and their protein composition. J. Agric. Food Chem. 50 : 6064-6071.
- Jaenicke, R. 1981. Enzymes under extreme conditions. Ann. Rev. Biophys. Bioeng. 10 :1.
- Johnson, L.A., Deyoe, C.W. and Hoover, W.j. 1981. Yield and quality of soymilk processed by steam-infusion cooking. J. Food Sci. 46 : 239-243.
- Johnston, D.E. 1995. High pressure effects on milk and meat. In High pressure processing of foods. (Leward, D.E., Johnston, R.G., Earnshaw, R.G. and Hasting, A.P.M., eds.) pp. 1-3. Nottingham University Press. Nottingham.
- Kajiyama, N., Isobe, S., Uemura, I. and Noguchi, A. 1995. Changes of soyprotein under ultra-high hydrolic pressure. Int. J. Food Sci. Technol. 30 :147-158.
- Khatib, A.K., Aramouni, M.F., Herald, J.T. and Boyer, E.J. 2002. Physicochemical characteristics of soft tofu formulated from selected soybean varieties. J. Food Quality. 25 : 289-303.
- Knorr, D. 1995. High pressure effects on plant derived food. In High pressure processing of foods. (Leward, A.D., Johnson, E.D., Earnshaw, P.R. and Hasting, M.P. eds.) pp.123. Nottingham University Press. Nottingham.
- Kohyama, K. and Nishinari, K. 1993. Rheological studies on the gelation process of soybean 7S and 11S proteins in the presence of glucono-delta-lactone. J. Agric. Food Chem. 41 : 8.
- Kohyama, K., Sano, Y. and Doi, E. 1995. Rheological and gelation mechanism of tofu (soybean curd). J. Agric. Food Chem. 43 : 1808-1812.
- Kwok, K.C. and Niranjana, K. 1995. Review : Effect of thermal processing on soymilk. J. Food Sci. Technol. 30 : 263-295.
- Leward, D.A. 1995. High pressure processing: The potential. In High pressure

- processing of foods. (Leward, D.E., Johnston, R.G., Earnshaw, R.G. and Hasting, A.P.M., eds.) pp. 1-3. Nottingham University Press. Nottingham.
- Lim, B.T., DeMan, J. M., DeMan, L. and Buzzell, R.I. 1990. Yield and quality of tofu as affected by soybean and soymilk characteristics. Calcium sulfate coagulant. J. Food Sci. 55 : 1088-1092.
- Liu, K. 1997. Chemistry and nutritional value of soybean components. In Soybeans: Chemistry, Technology, and Utilization. pp.165-199. International Thomson Publishing Asia.
- Lu, Y.J., Carter, E. and Chung, A.R. 1980. Use of calcium salts for soybean curd preparation. J. Food Sci. 45 : 32-34.
- Ludikhuyze, L., Indrawati, I., Van der Broeck, C., Weemaes, M. and Hendrichx, M. 1998. Effect of combined pressure and temperature on soybean lipoxygenase. 2 . modeling inactivation kinetics under static and dynamic conditions. J. Agric. Food Chem. 46 : 4074-4080.
- Maccarrone, M., Veldink, G.A. and Vliegthart, J.F.G. 1992. Thermal injury and ozone stress affect soybean lipoxygenases expression. FEBS LETTERS. 309 : 225-230.
- Mackey, M.B., Forestiere, K. and Isaacs, S.N. 1995. Factors affecting the resistance of *Listeria monocytogenes* to high hydrostatic. Food Biotechnol. 9 : 1.
- Marild, E. 1981. The theory of pressure effects on enzymes in advance. In Protein chemistry. (Afinen, B.C., Edsoll, T.J. and Richards, M.F. eds) pp. 93-116. Academic Press, Inc. New York.
- Marquis, E.R. 1976. High pressure microbial physiology. Adv. Microbial. Physiol. 14 : 159.
- Masson, P. 1992. Pressure denaturation of proteins. In High pressure and biotechnology. (Balny, C., Hayashi, R., Heremans, K. and Masson, P. eds) pp. 89-99. INSERM / Libbey Eurotext Ltd. Montrouge.

- Matsumoto, T. and Hayashi, R. 1990. Properties of pressure-induced gels of various soy protein products. *Nippon Nogei Kagaku*. 64 : 1455-1459.
- Mauron, J. 1981. The maillard reaction in food a critical review from the nutritional standpoint. *In Progress in Food and Nutritional Science*, (Eriksson, C., ed) pp. 5-35. Pergamon press. Oxford.
- Mertens, B. and Deplace, G. 1993. Engineering aspects of high pressure technology in the food industry. *Food Technol.* 47(6) : 164.
- Molina, E. and Leward, A. 2003. Effect of combined high pressure and heat treatment on the textural properties of soya gels. *Food Chem.* 80 : 367-370.
- Molina, E., Defaye, B.A. and Leward, A. 2002. Soy protein pressure-induced gels. *Food Hydrocolloid.* 16 : 625-632.
- Molina, E., Papadopoulou, A. and Leward, A. 2001. Emulsifying properties of high pressure treated soy protein isolate and 7S and 11S globulins. *Food Hydrocolloid.* 15 : 263-269.
- Morales-Blancas, F.E., Chandia, E.V. and Cisneros-Zevallos, L. 2002. Thermal inactivation kinetics of peroxidase and lipoxygenase from broccoli, green asparagus and carrots. *J. Food Sci.* 67 : 146-154.
- Mozhaev, V.V., Heremans, K., Frank, J., Masson, P. and Balny, C. 1994. Exploiting the effects of high hydrostatic pressure in Biotechnological Applications. *TIBTECH.* Dec. 12 : 493-501.
- Murata, K., Kusakabe, I., Kobayashi, H., Kiuchi, H. and Murakami, K. 1987. Selection of commercial enzymes suitable for making soymilk curd. *Agric. Biol. Chem.* 51 : 2929-2933.
- Murata, K., Kusakabe, I., Kobayashi, H., Kiuchi, H. and Murakami, K. 1988. Functional properties of three soymilk curds prepared with an enzyme, calcium salt and acid. *Agric. Biol. Chem.* 52 : 1135-1139.
- Murphy, P.A., Chen, H., Hauck, C.C. and Wilson, I.A. 1997. Soybean protein composition and tofu quality. *Food Technol.* 51(3) : 86-110.
- Narayan, R., Chauhan, G.S. and Verma, N.S. 1988. Changes in the quality of soybean

- during storage. Part I. Effect of storage on some physicochemical properties of soybean. *Food Chem.* 27 : 13-23.
- Obata, A. and Matsuura, M. 1993. Decrease in the gel strength of tofu caused by an enzyme reaction during soybean grinding and its control. *Biosci. Biotech. Biochem.* 57 : 542-543.
- Obata, A., Khamura, K. and Matsuura, M. 1996. Degradation of sulfhydryl groups in soymilk by lipoxygenases during soybean grinding. *Biosci. Biotech. Biochem.* 60 : 1229-1232.
- Okamoto, M., Kawamura, S. and Hayashi, R. 1990. Application of high pressure to food processing : textural comparison of pressure- and heat- induced gels of food proteins. *Agric. Biol. Chem.* 54 :183-189.
- Olsson, S. 1995. The development of high pressure processing. In *High Pressure Processing of Foods.* (Leward, D.A., Johnson, D.E., Earnshaw, R.G. and Hasting, A.P.M., eds.) pp. 167. Nottingham University Press. Nottingham.
- Orthofer, A.G. 1978. Processing and utilization. In *Soybean physiology, agronomy, and utilization.* (Norman, A. G., ed.) pp. 219-223. Academic Press, Inc. New York.
- Oxen, P. and Knorr, D. 1993. Baroprotective effects of high solution concentrations against inactivation of *Rhodotorula rubra* . *Lebensm. Wiss. Technol.* 26 : 220.
- Palou, E., Lopez-Malo, A., Barbosa-Canovas, G. and Swanson, B.G. 1999. High-Pressure Treatment in Food Preservation. *In Handbook of Food Preservation.* (Rahman, M.S., ed.) pp. 533-536. Mercel Dekker, Inc. New York.
- Patterson, F.M., Quinn, M., Simpson, R. and Gilmour, A. 1995. Effects of high pressure on vegetative pathogens. In *High pressure processing of foods.* (Ledward, A.D., Johnston, E.D., Earnshaw, G.R. and Hasting, M.P. eds) pp.47. Nottingham University Press. Nottingham.
- Perrier-Cornet, P.J., Marenchai, A.P. and Gervis, P. 1995. A new design intended to relate high pressure treatment to yeast cell mass transfer. *J. Biotechnol.* 41 : 49.
- Pfil, W. 1981. The problem of the stability of globular proteins. *Mol. Cell Biochem.* 40 : 3.



- Pothakamury, U.R., Barbosa-Canovas, V.G., Swanson, G.B. and Meyer, S.R. 1995. The pressure builds for better food processing. *Chem. Eng. Prog.* 4 : 45.
- Priepke, E.P., Wei, S.L., Nelson, I.A. and Steinberg, P.M. 1980. Suspension stability of illinois soybean beverage. *J. Food Sci.* 45 : 242-244.
- Presstamo, G., Lesmes, M., Otero, L. and Arroyo, G. 2000. Soybean vegetable protein (tofu) preserved with high pressure. *J. Agric. Food Chem.* 48 : 2943-2947.
- Renkema, S.M.J. and Vliet, V.T. 2002. Heat-induced gel formation by soy proteins at neutral pH. *J. Agric. Food Chem.* 50 : 1569-1573.
- Roussel, H. and Cheftel, J.C. 1990. Mechanism of gelation of sardine proteins : influence of thermal processing and of various additives on the texture and protein solubility of kamaboko gels. *J. Food Sci. Technol.* 25 : 260-280.
- Saio, K. 1979. Tofu-relationships between texture and fine structure. *Cereal Foods World.* 24 : 342.
- Sale, H.J.A., Gould, W.G. and Hamilton, A.W. 1970. Inactivation of bacterial spores by hydrostatic pressure. *J. Genetic Microbio.* 60 : 323-334.
- Schaefer, M.J. and Love, J. 1992. Relationships between soybean components and tofu texture. *J. Food Quality.* 15 : 53-66.
- Schmid, G., Ludeman, H.D. and Jaenicke, R. 1978. Oxidation of sulphhydryl groups in lactate dehydrogenase under high pressure. *Eur. J. Biochem.* 86 : 219.
- Sessa, D.J. and Rackis, J.J. 1977. Lipid-derived flavors of legume protein products. *J. Am. Oil Chem. Soc.* 54 : 468-473.
- Seyderhelm, I., Boguslawski, S., Michaelis, G. and Knorr, D. 1996. Pressure induced inactivation of selected food enzymes. *J. Food Sci.* 61 : 308-310.
- Shen, C.F., DeMan, L., Buzzell, R.I. and DeMan, L. 1991. Yield and quality of tofu as affected by soybean and soymilk characteristics. Glucono-delta-lactone coagulant. *J. Food Sci.* 56 : 109-112.
- Shigehisa, T., Ohmori, T., Saito, A., Taji, S. and Hayashi, R. 1991. Effects of high hydrostatic pressure on characteristic of pork slurries and inactivation of microorganisms associated with meat and meat products. *Int. J. Food Microbiol.*

12 : 207.

- Shih, C.M. and Kuo, J.S. 2002. Quality and antioxidative activity of black soybean tofu as affected by bean cultivar. *Food Chem. Toxicol.* 67 : 483.
- Shimada, S., Andou, M., Nitto, N., Yamada, M., Osumi, M. and Hayashi, R. 1993. Effects of hydrostatic pressure on the ultrastructure and leakage of internal substances in the yeast *Saccharomyces cerevisiae*. *Appl. Microbiol. Biotechnol.* 40 : 123.
- Skurray, G., Cunich, J. and Carter, O. 1980. The effect of different cultivars of soybean and calcium ion concentration on the quality of tofu. *Food Chem.* 6 : 89-95.
- Smelt, P.J. 1995. Some mechanistic aspects of inactivation of bacteria by high pressure, proceeding of European symposium. In *Effects of high pressure on foods*. University of Montpellier.
- Styles, M.F., Hoover, D.G. and Farkas, D.F. 1991. Response of *Listeria monocytogenes* and *Vibrio parahaemolyticus* to high hydrostatic pressure. *J. Food. Sci.* 56 : 1404-1407.
- Suda, I., Makita, H., Nishiba, M.Y., Furuta, S. and Igita, K. 1995. Simple and rapid method for the selective detection of individual lipoxygenase isozymes in soybean seeds. *J. Agric. Food Chem.* 43 : 742-747.
- Sun, N. and Breene, W.M. 1991. Calcium sulfate concentration influence on yield and quality of tofu from five soybean varieties. *J. Food Sci.* 56 : 1604-1610.
- Tangwongchai, R., Ledward, A.D. and Ames, M.J. 2000. Effect of high pressure treatment on lipoxygenase activity. *J. Agric. Food Chem.* 48 : 625-632.
- Tezuka, M., Ono, T. and Ito, T. 1995. Properties of soymilk prepared from soybeans of different varieties. *J. Jap. Soc. Food Sci. Technol.* 56 : 1604.
- Thomas, R., deMan, J.M. and deMan, L. 1989. Soymilk and tofu qualities as influenced by soybean storage conditions. *J. Am. Oil Chem. Soc.* 66 : 777-782.
- Tsai, S.J., Lan, C.Y., Kao, C.S. and Chen, S.C. 1981. Studies on the yield quality characteristics of tofu. *J. Food Sci.* 46 : 1724-1740.
- Tuitemwong, K. and Fung, C.Y.D. 1991. Microbial spoilage of tofu. *J. Food Prot.* 54 : 212-216.

- Utsumi, S. and Kinsella, E.J. 1985a. Forces involved in soy protein gelation : Effects of Various reagents on the formation, hardness and solubility of heat-induced gel made from 7S, 11S and soy isolate. *J. Food Sci.* 50 : 1278-1282.
- Utsumi, S. and Kinsella, E.J. 1985b. Structure-function relationships in food protein : Subunit interactions in heat-induced gelation of 7S, 11S and soy isolated proteins. *J. Agric. Food Sci.* 33 : 297-303.
- Van Buren, J.P., Streinkraus, K.h., Hackler, L.R., El Rawi, I. And Hand, D.B. 1964. Heat effect on soymilk-indices of protein quality in dried soymilk. *J. Agri. Food Chem.* 12 : 524-528.
- Van Camp, J. and Huyghebaert, A. 1995. A comparative rheological study of heat and high pressure-induced whey protein gels. *Food Chem.* 54 : 357-364.
- Vardag, T. and Korner, P. 1995. High pressure a real alternative in food processing. *Food Market. Technol.* 2 : 42-47.
- Verheul, M. and Poefs, M.F.P.S. 1998. Structure of whey protein gels, studies by permeability, scanning electron microscopy and rheology. *Food Hydrocolloids.* 12 : 17-24.
- Wang, H.L. and Hesseltine, C.W. 1982. Coagulation conditions in tofu processing. *Process Biochem.* 39 : 7-12.
- Wang, H.L., Swam, E.W. and Kwolek, W.I. 1983. Effect of soybean varieties on the yield and Quality of tofu. *Cereal Chem.* 60 : 245.
- Whitaker, R.J. 1994. Lipxygenase (Lipoxidase). In *Principle of enzymology for the food science.* Vol. 61. pp. 579-581. Mercel Dekker, Inc. New York.
- Wilkens, F.W., Mattrick, R.L. and Hand, B.D. 1967. Effect of processing method on oxidative off-flavors of soybean milk. *Food Technol.* 21(10) : 1630-1633.
- Wolf, W.J. 1980. Purification and properties of the protein. In *Soybeans: Chemical and Technology.* Vol. 1. 2<sup>nd</sup> Ed. (Smith, A. K., ed.) pp. 93-137. AVI Publishing Company, Inc, Westport..
- Wolf, W.J. and Cowan, J.C. 1971. Soybeans as a food source. pp. 33-40. Butterworth & Co (Publishers) Ltd., London.

- Wolf, W.J. 1975. Lipoxygenase and flavor of soybean protein products. *J. Agric. Food Chem.* 23 : 136-141.
- Yuan, J., Velve, D.O., Chen, K., Campbell, E.B., Kaler, W.E. and Lenhoff, M.A. 2002. Effect of pH and  $\text{Ca}^{2+}$ -induced associations of soybean proteins. *J. Agric. Food Chem.* 50 : 4953-4958.
- Zobell, C.E. 1970. Pressure effect on morphology and life processes of bacteria. In *High pressure effects on cellular processes.* (Zimmerman, A.M., ed) pp. 425-429. Academic Press. New York.