

## 6. เอกสารอ้างอิง (References)

- เกย์น สรีอยทอง. 2532. โรคพืชวิทยาหลังการเก็บเกี่ยว. ภาควิชาเทคโนโลยีการผลิตพืช. คณะเทคโนโลยีการเกษตร. สถาบันเทคโนโลยีพระจอมเกล้าเจ้าคุณทหารลาดกระบัง.
- กฤษฎา บุตรพลอย และ คณัช บุญยเกียรติ. 2545. ผลของอุณหานดและองค์ประกอบควบคุมโรคในรากสีเขียวและคุณภาพของผลิตภัณฑ์. วารสารเกษตร 18: 110-118.
- จรัเดช แจ่มสว่าง. 2538. การควบคุมโรคพืชที่เกิดจากเชื้อรากด้วยเชื้อรากไซโคเคอร์นมา: ตอนที่ 2 หลักการและบทบาท. วารสารเกษตรศาสตร์ 19: 159-165.
- คณัช บุญยเกียรติ. 2543. โรคหลังการเก็บเกี่ยวของพืชสวน. ภาควิชาพืชสวน คณะเกษตรศาสตร์ มหาวิทยาลัยเชียงใหม่, เชียงใหม่: 156.
- มงคล หลิน. 2535. การผลิตส้ม. ภาควิชาพืชศาสตร์. คณะทรัพยากรธรรมชาติ. มหาวิทยาลัยสงขลานครินทร์: 19-45.
- มงคล วีโรทัย. 2535. การใช้วิธีทางชีวภาพควบคุมราที่ทำให้ผลไม้เน่าเสียภายหลังการเก็บเกี่ยว. วารสารวิทยาศาสตร์ มศว. 8: 56-63.
- วานา นุ่มสา. 2542. สถานะที่เหมาะสมต่อการผลิตสารปฏิปักษ์ต่อเชื้อรากที่เป็นสาเหตุโรคข้าวโดย *Bacillus* spp. NSRS 89-24 และ *Bacillus* sp. LN 007. วิทยานิพนธ์วิทยาศาสตร์ บัณฑิต สาขาวิชาเทคโนโลยีชีวภาพ. มหาวิทยาลัยสงขลานครินทร์.
- วิจตรา ลีลศุภกุล เสาวลักษณ์ พงษ์ไพบูลย์ ลัคค่า นิลรัตน์ วัชรินทร์ รุกข์ไชยศรีกุล ดวงพร กันธ์ไชย อรัญ หันพงศ์กิตติกุล นานะ กาญจน์มนัสเสถียร ศุภวิจิรา รัตนชัยวงศ์ ดำรงศักดิ์ ฟ้ารุ่งสาง ขวัญจิตร อังโโพธี เพ็ญแข วันไชยชนวงศ์ สมคิด ติสสถาพร นงรัตน์ นิลพานิชย์ พากเพียร อรัญนารถ วิชิต ศิริสันชนะ พาณี หนูนิ่น และนลินี ชาrikagor. 2542. วิจัยการพัฒนา Antagonist *Bacillus subtilis* สำหรับควบคุมโรคข้าว. สำนักงานกองทุนสนับสนุนการวิจัย.
- สำนักวิจัยเศรษฐกิจการเกษตร สำนักงานเศรษฐกิจการเกษตร. 2540. “แนวทางพัฒนาส้มเขียวหวานในช่วงแผนพัฒนาเศรษฐกิจและสังคมแห่งชาติดังนี้ที่ 8 (2540-2544)”. ข่าวเศรษฐกิจการเกษตร 43: 3-16.
- สีบศักดิ์ สนธิรัตน์. 2540. การจัดการโรคพืช. กรุงเทพฯ. ว.บี. มีคเซ็นเตอร์. 140 หน้า.
- สุชต แก้วพรหม. 2539. การศึกษาการควบคุมโรคข้าวแบบชีววิธีโดยจุลินทรีย์ปฏิปักษ์ *Bacillus subtilis* ในระดับห้องปฏิบัติการ. วิทยานิพนธ์วิทยาศาสตร์ บัณฑิต สาขาวิทยาศาสตร์ชีวภาพ. มหาวิทยาลัยสงขลานครินทร์.
- สุปรียา หมื่นกุล นิวติ เสนะเมือง พิศาล ศิริชร และเพชรรัตน์ ธรรมเบญจพล. 2546. ประสิทธิภาพในการเป็นปฏิปักษ์ของ *Bacillus* spp. จากแหล่งต่างๆ ต่อเชื้อสาเหตุโรคพืชบางชนิด. มหาวิทยาลัยขอนแก่น.
- สุมาลี เหลียงสกุล. 2539. การเป็นปฏิปักษ์ต่อ กันของจุลินทรีย์และการควบคุมโดยชีววิธี. วารสารวิทยาศาสตร์ มศว. 12: 48-57.

- Ahimou, F., Jacques, P. and Deleu, M. 2000. Surfactin and iturin A effects on *Bacillus subtilis* surface hydrophobicity. Enz. Microbiol. Technol. 27: 749-754.
- Aono, R., Hammura, M., Yamamoto, M. and Asano, T. 1995. Isolation of extracellular 28- and 42-kilodalton  $\beta$ -1,3-glucanases and comparison of three  $\beta$ -1, 3-glucanases produced by *Bacillus circulans* IAM1165. Appl. Environ. Microbiol. 61: 122-129.
- Arras, G. 1996. Mode of action of an isolate of *Candida famata* in biological control of *Penicillium digitatum* in orange fruits. Postharv. Biol. Technol. 8: 191-198.
- Arima, K., Kakinuma, A. and Tamura, G. 1968. Surfactin, a crystalline peptidolipid surfactant produced by *Bacillus subtilis* : isolation, characterization and its inhibition of fibrin clot formation. Biochem. Biophys. Res. Commun. 31: 488-494.
- Arora, N., Ahmad, T., Rajagopal, R. and Bhatnagar, R.K. 2003. A constitutively expressed 36 kDa exochitinase from *Bacillus thuringiensis* HD-1. Biochem. Biophys. Res. Commun. 307: 620-625.
- Bais, H.P., Fall, R. and Vivanco, J.M. 2004. Biocontrol of *Bacillus subtilis* against infection of Arabidopsis roots by *Pseudomonas syringae* is facilitated by biofilm formation and surfactin production. Plant Physiol. 134: 307-319.
- Ben-Yehoshua, S., Kim, J.J. and Shapiro, B. 1989. Elicitation of resistance to the development of decay in sealed citrus fruit by curing. Acta. Hort. 258: 623-630.
- Ben-Yehoshua, S. 2003. Effect of postharvest heat and UV applications on decay, chilling injury and resistance against pathogens of citrus and other fruit and vegetables. Acta. Hort. 599: 159-173.
- Boer, A.S. and Diderichsen, J.B. 1991. On the safety of *Bacillus subtilis* and *Bacillus amyloliquefaciens*: A review. Appl. Microbiol. Biotechnol. 36: 1-4.
- Brown, G.E., Davis, C., Chamber, M. 2000. Control of citrus green mold with Aspire<sup>®</sup> is impacted by the type injury. Postharv. Biol. Technol. 18: 57-65.
- Bruce, A., Stewart, D., Verrall, S. and Wheatley, R.E. 2003. Effect of volatiles from bacteria and yeast on the growth and pigmentation of sapstain fungi. Int. Biodeter. Biodegrad. 51: 101-108.
- Chantawannakul, P., Oncharoena, A., Klanbuta, K., Chukeatiroteb, E. and Lumyonga, S. 2002. Characterization of proteases of *Bacillus subtilis* strain 38 isolated from traditionally fermented soybean in Northern Thailand. Science Asia 28: 241-245.
- Chaunkun, X., Minghe M., Leming Z., and Keqin Z. 2004. Soil volatile fungistasis and fungistatic compounds. Soil Biol. Biochem. 25:1-8
- Chaurasia, B., Pandeya, A., Palnib, L.M.S., Trivedia, P., Kumara, B. and Colvinc, N. 2005. Diffusible and volatile compounds produced by an antagonistic *Bacillus subtilis* strain cause structural deformations in pathogenic fungi *in vitro*. Microbiol. Res. 160: 75-81.

- Cho, S.J., Lee, S.K., Cha B.J., Kim, Y.H. and Shin, K.S. 2003. Detection and characterization of the *Gloeosporium gloeosporioides* growth inhibitory compound iturin A from *Bacillus subtilis* strain KS03. FEMS Microbiol. Lett. 223: 47-51.
- Collins, D.P., Jacobsen, B.J. and Maxwell, B. 2003. Spatial and temporal population dynamics of a phyllosphere colonizing *Bacillus subtilis* biological control agent of sugar beet cercospora leaf spot. Biol. Control. 26: 224-232.
- Cook, R.J. and Baker, K.R. 1983. The nature and practice of biological control of plant pathogens. St. Paul, MN: Am. Phytopathol. Soc. 539.
- Droby, S., Vinokur, V., Weiss, B., Cohen, L., Daus, A., Goldschmidt, E.E. and Porat, R. 2002. Induction of resistance to *Penicillium digitatum* in grapefruit by the yeast biocontrol agent *Candida oleophila*. Phytopathology 92: 393-399.
- Eckert, J.W., 1990. Recent developments in the chemical control of postharvest disease. Acta. Hort. 269: 477-494.
- Eldon, B. G. 1988. Efficacy of quazatine and iminoctadine for the control of postharvest decays. Plant Dis. 72: 906-908.
- El-Ghaouth, A., Wilson, C.L. and Wisniewski, M. 1998. Ultrastructural and cytochemical aspects of the biological control of *Botrytis cinerea* by *Candida saitoana* in apple fruit. Phytopathology. 88: 282-291.
- Emmert, E.A.B. and Handelsman, J. 1999. Biocontrol of plant disease: a Gram positive perspective. FEMS Microbiol. Lett. 171: 1-9.
- Faid, M. and Tantaoui-Elaraki, A. 1989. Production of toxic metabolites by *Penicillium italicum* and *P. digitatum* isolated from citrus fruits. J. Food Prot. 52: 194-197.
- Fajardo, J.E., McCollum, T.G., McDonald, R.E. and Mayer, R.T. 1998. Differential induction of proteins in orange flavedo by biologically based elicitors and challenged by *Penicillium digitatum* Sacc. Biol. Control. 13: 143-151.
- Fall, R., Kinsinger, R.F. and Wheeler, K.A. 2004. A simple method to isolate biofilm-forming *Bacillus subtilis* and related species from plant roots. Syste. Appl. Microbiol. 27: 372-379.
- Fernando, W.G.D., Ramarathnam, R., Krishnamoorthy, A.S. and Savchuk, S.C. 2005. Identification and used of potential bacterial organic antifungal volatiles in biocontrol. Soil Biol. Biochem. 37: 955-964.
- Ferreira, J.G., Matthee, F.N. and Thomas, A.C. 1991. Biological control of *Eutypa lata* on grapevine by a antagonistic strain of *Bacillus subtilis*. Phytopathology 81: 283-287.
- Fiddaman, P.J. and Rossall, S. 1993. The production of antifungal volatiles by *Bacillus subtilis*. J. Appl. Bacteriol. 74: 119-126.

- Fiddaman, P.J. and Rossall, S. 1994. Effect of substrate on the production of antifungal volatiles from *Bacillus subtilis*. *J. Appl. Bacteriol.* 76: 395-405.
- Gamiel, A., Kantan, J. and Cohon, E. 1989. Toxicity of choronitrobenzenes to *Fusarium oxysporum* and *Rhizoctonia solani* as related to their structure. *Phytoparasitica* 17: 101-106.
- Germida, J.J., Siciliano, S.D., de Frietas, J.R. and Seib, A.M. 1998. Diversity of root-associated with field-grown canola (*Brassica napus* L.) and wheat (*Triticum aestivum* L.). *FEMS Microbiol. Ecol.* 26: 43-49.
- Gong, M., Wang, J.-D., Zhang, J., Yang, H., Lu, X.-F., Pey, Y. and Cheng, J.-Q. 2006. Study of the antifungal ability of *Bacillus subtilis* strain PY-1 *in vitro* and identification of its antifungal substance. *Acta. Biochim. Biophys.* 38: 233-240.
- Gueldner, R.C., Reilly, C.C., Pusey, P.L., Costello, C.E., Arrendale, R.F., Cox, R.H., Himmelsbach, D.S., Crumley, F.G. and Cutler, H.G. 1988 Isolation and identification of iturinsas antifungal peptides in biological control of peach brown rot with *Bacillus subtilis*. *J. Agri. Food Chem.* 36: 366-370.
- Haavik, H.I. and Thomassen, S. 1973. A bacitracin-negative mutant of *Bacillus licheniformis* which is able to sporulate. *J. General Microbiol.* 76: 451-454.
- Han, J.S., Cheng, J.H., Yoon, T.M., Song, J., Rajkarnikar, A., Kim, W.G., Yoo, I.D., Yang, Y.Y. and Suh, J.W. 2005. Biological control agent of common scab disease by antagonistic strain *Bacillus* sp. Sunhua. *Appl. Microbiol.* 99: 213-221.
- Helisto, P., Aktuganov, G., Galimzianova, N., Melentjev, A. and Korpela, T. 2001. Lytic enzyme complex of an antagonistic *Bacillus* sp. X-b: isolation and purification of components. *J. Chromatography B.* 758: 197-205.
- Holliday, P. 1980. Fungus disease of tropical crops. Cambridge University Press. London. 296-298.
- Holmes, G. J. and Eckert, J. W. 1999. Sensitivity of *Penicillium digitatum* and *P. italicum* to postharvest citrus fungicides in California. *Phytopathology* 89: 716-721.
- <http://www.fdocitrus.com>
- <http://www.andaluciainvestiga.com>
- <http://www.customs.go.th>
- <http://www.epa.gov>
- <http://www.thai.net/happyshort/LS9.htm>
- Janisewicz, W. J. and Korsten, L. 2002. Biological control of postharvest diseases of fruits. *Annu. Rev. Phytopathol.* 40: 411-441.

- Janisewicz, W. J. and Korsten. 2003. Integrated control of citrus green and blue molds using *Bacillus subtilis* in combination with sodium bicarbonate or hot water. Postharv. Biol. Technol. 28: 187-194
- Janisewicz, W.J. and Roitman, J. 1988. Biological control of blue mold and gray mold on apple and pear with *Pseudomonas cepacia*. Phytopathology 78: 1697-1700.
- Jiang, Y.M., Zhu, X.R. and Li, Y.B. 2001. Postharvest control of lichi fruit rot by *Bacillus subtilis*. Lebensm. Wiss. U. -Technol. 34: 430-436
- Katz, E. and Demain, A.L. 1977. The peptide antibiotic of *Bacillus* : Chemistry, biogenesis and possible function. Bacteriol. 41: 449-474.
- Kim, P.I., Bai, H., Bai, D., Chae, H., Chung, S., Kim, Y., Park, R. and Chi, Y.T. 2004. Purification and characterization of a lipopeptide produced by *Bacillus thuringiensis* CMB26. Appl. Microbiol. 97: 942-949.
- Kinay, P., Yildiz, F., Sen, F., Yildiz, M. and Karacali, I. 2005. Integration of pre- and postharvest treatments to minimize *Penicillium* decay of Satsuma mandarins. Postharv. Biol. Technol. 37: 31-36.
- Krieg R. N. and Holt G. J. 1984. In Krieg, R. Noel Bergy's Manual of Systematic Bacteriology 1. USA.
- Ladygina, N., Dedykhina, E.G. and Vainshtein, M.B. 2006. A review on microbial synthesis of hydrocarbons. Process Biochem. 41: 1001-1014.
- Lee, A.B., James, J.R. and Hoch, A. 1985. Biology of the Bacilli. Biology of industrial microorganism. Biotechnology Series 39: 57-78.
- Leelasuphakul, W., Sivanunsaku, P. and Phongpaichit, S. 2006. Purification, characterization and synergistic activity of  $\beta$ -1,3-glucanase and antibiotic extract from an antagonistic *Bacillus subtilis* NSRS 89-24 against rice blast and sheath blight. Enz. Microbiol. Technol. 38: 990-997.
- Lilley, A.K., Fry, J.C., Bailey, M.J. and Day, M.J. 1996. Comparison of aerobic heterotrophic taxa isolated from four root domains of mature sugar beet (*Beta vulgaris*). FEMS Microbiol. Ecol. 21: 269-278.
- Lopez-Garcia, B., Veyrata, A., Perez-Payab, E., Gonzalez-Candelasa, L. and Marcosa, J.F. 2003. Comparison of the activity of antifungal hexapeptides and the fungicides thiabendazole and imazalil against postharvest fungal pathogens. Int. J. Food Microbiol. 89: 163– 170.
- Mackie, A.E. and Wheatley, R.E. 1999. Effevt and incidence of volatiles organic compound interactions between soil bacterial and fungal isolates. Soil Biol. Biochem. 31: 375-385.
- Maget-Dana, R. and Peypoux, F. 1994. Iturins, a special class of poreforming lipopeptides: biological and physicochemical properties. Toxicology 87: 151-174.

- Mari, M., Guizzardi, M., Brunelli, M. and Folchi, A. 1996. Postharvest biological control of grey mould (*Botrytis cinerea* Pers.: Fr.) on fresh-market tomatoes with *Bacillus amyloquefaciens*. Crop Prot. 15: 699-705.
- McKeen, C.D., Reilly, C.C. and Pusey, P.L. 1986. Production and partial characterization of antifungal substances antagonistic to *Monilinia fructicola* from *Bacillus subtilis*. Phytopathology 76: 136-139.
- Meziane, H., Gavriel, S., Ismailov, Z., Chet I., Chernin L. and Hofte, M. 2006. Control of green and blue mould on orange fruit by *Serratia plymuthica* strains IC14 and Ic1270 and putative modes of action. Postharv. Biol. Technol. 39: 125-133.
- Miyanishi, N., Hamada, N., Kobayashi, T., Imada, C. and Watanabe, E. 2003. Purification and characterization of a novel extracellular  $\beta$ -1,3-glucanase produced by *Bacillus clausii* NM-1 isolated from Ezo Abalone *haliotis discus hannai*. J. Biosci. Bioeng. 95: 45-51.
- Montealegre, J.R., Reyes, R., Perez, L.M., Herrera, R., Silva, P. and Besoain, X. 2003. Selection of bioantagonistic bacteria to used in biological control of *Rhizoctonia solani* in tomato. Electronic J. Biotechnol. 6: 116-127.
- Moore-Landecker, E. and Stotzky, G. 1972. Inhibition of fungal growth and sporulation by volatile metabolites from bacteria. Can. J. Microbiol. 18: 957-962.
- Munimbazi, C. and Bullerman, L.B. 1998. Isolation and partial characterization of antifungal metabolites of *Bacillus pumilus*. J. Appl. Microbiol. 84: 959-968.
- Nakano, M.M., Mohanned, A.M. and Zuber, P. 1988. Identification of genetic locus required for biosynthesis of the lipopeptide antibiotic surfactin in *Bacillus subtilis*. J. Bacteriol. 170: 662-668.
- Obagwu, J. and Korsten, L. 2003. Integrated control of citrus green and blue molds using *Bacillus subtilis* in combination with sodium bicarbonate or hot water. Postharv. Biol. Technol. 28: 187-194.
- Ohno, A., Ano, T. and Shoda, M. 1995. Effect of temperature on production of lipopeptide antibiotics, iturin A and surfactin by a dual producer, *Bacillus subtilis* RB14, in solid-state fermentation. J. FEMS Bioeng. 80: 517-519.
- Palou, L., Smilanick, J.L., Usall, J. and Vigrias, I., 2001. Control of postharvest blue and green molds of oranges by hot water, sodium carbonate and sodium bicarbonate. Plant Dis. 85: 371-376.
- Pandey, A. and Palni, L.M.S. 1997. *Bacillus* species: the dominant bacteria of the rhizosphere of established tea bushes. Microbiol. Res. 152: 359-365.
- Peterson R.G., 1985. Design and analysis of experiment. Marcel Dekker. Inc. New York and Bassel. :429.

- Picman, A.K., Schneider, E.F. and Gershenson, J. 1990. Antifungal activities of sunflower terpenoid. Biochem. Sys. Ecol. 18: 325-328.
- Pinchuk, I.V., Bressollier, P., Sorokulova, I.B., Verneuil, B. and Urdaci, M.C. 2002. Amicoumacin antibiotic production and genetic diversity of *Bacillus subtilis* strains isolated from different habitats. Res. Microbiol. 153: 269-276.
- Pitt, J.I. 1988. A Laboratory Guide to Common *Penicillium* species. Commonwealth Scientific and Industrial Research Organization Division of Food Processing. 136.
- Plaza, P., Usall J., Teixido N. and Vinas I. 2004. Effect of water activity and temperature on competing abilities of common postharvest citrus fungi. Int. J. Food Microbiol. 90 : 75- 82.
- Porat, R., Panvoncello, D., Peretz, J., Ben-Yehoshua, S. and Lurie, S. 2000. Effects of various heat treatments on the induction of cold tolerance and on the postharvest qualities of 'Star Ruby' grape-fruit. Postharv. Biol. Technol. 18: 159-165.
- Priest, F.G. 1977. Extracellular enzyme synthesis in the genus *Bacillus*. Bacteriol. Rev. 41: 711-753.
- Pusey, P.L., Hotchkiss, M.W., Dulmage, H.T., Baumgardner, R.A., Zehr, E.I., Reilly, C.C. and Wilson, C.L. 1988. Pilot tests for commercial production and application of *Bacillus subtilis* (B-3) for postharvest control of peach brown rot. Plant Dis. 72: 622-626.
- Reva, O.N., Smirnov, V.V., Peterson, B. and Priest, F.G. 2002. *Bacillus endophyticus* sp. nov., isolated from inner tissues of cotton plants (*Gossypium* sp.). Int. J. Sys. Bacteriol. 52: 101-107.
- Rodov, V., Ben-Yehoshua, S., D'hallewin, G. and Castia, T. 1994. Accumulation of phytoalexins scoparone and scopoletin in citrus fruits subjected to various postharvest treatments. Acta Hortic. 381: 517-523.
- Sandrin, C., Perpoux, F. and Michel, G. 1990. Coproduction of surfactin and iturin A, lipopeptides with surfactant and antifungal properties by *Bacillus subtilis*. Biotechnol Appl. Biochem. 12: 370-375.
- San-Lang, W., Ing-Lung, S., Chi-How, W., Kuo-Choan, T., Wen-Teish, C., Yawo-Kuo, T., Jen-Jon, R. and Chuan-Lu, W. 2002. Production of antifungal compounds from chitin by *Bacillus subtilis*. Enz. Microbiol. Technol. 31: 321-328.
- Shirk, M.C., Wagner, W.P. and Fall, R. 2002. Isoprene formation in *Bacillus subtilis*: A barometer of central carbon assimilation in a bioreactor. Biotechnol Prog. 18: 1109-1115.
- Shoda, M. 2000. Review: Bacterial control of plant diseases. J. Biosci. Bioeng. 89: 515-521.
- Singh, V. and Deverall, B.J. 1984. *Bacillus subtilis* as a control agent against fungal pathogens of citrus fruit. Trans. Br. Mycol. Soc. 83: 487-490.
- Smilanick, J.L. 1997. Improved control of green mold of citrus with imazalil in warm water compared with its use in wax. Plant Dis. 81: 1299-1304.

- Souto, G.I., Correa, O.S., Montecchia, M.S., Kerber, N.L., Pucheu, N.L., Bachur, M. and Garcia, A.F. 2004. Genetic and functional characterization of a *Bacillus* sp. Strain excreting surfactin and antifungal metabolites partially identified as ituring-like compounds. *J. Appl. Microbiol.* 97: 1247-1256.
- Spadaro, D. and Gullino, M.L. 2004. State of art and prospects of the biological control of postharvest fruit diseases. *Int. J. Food Microbiol.* 91: 185-194.
- Stein, T. 2005. *Bacillus subtilis* antibiotics: structures, syntheses and specific functions. *Mol. Microbiol.* 56: 845-857.
- Tweddell, R.J., Jabaji-Hare, S.H. and Charest, P.M. 1992. Production of chitinase and  $\beta$ -1,3-glucanased by *Stachybotrys elegans*, a mycoparasite of *Rhizoctonia solani*. *Appl. Environ. Microbiol.* 60: 489-495.
- Uthkede, R.S. and Rhae, J.E. 1983. Interactions of antagonist and pathogen in biological control of onion white rot. *Phytopathology* 73: 890-893.
- Vater, J., Kablitz, B., Wilde, C., Franke, P., Mehta, N. and Cameotra, S.S. 2002. Matrix-assisted laser desorption ionization-time of flight mass spectrometry of lipopeptide biosurfactants in whole cells and culture filtrates of *Bacillus subtilis* c-1 isolated from petroleum sludge. *Appl. Environ. Microbiol.* 68: 6210-6219.
- Vicedo, B., Penalver, R., Asins, M.J. and Lopez, M.M. 1992. Biological control of *Agrobacterium tumefaciens*, and pHck 84 Transfer with *Agrobacterium radiobacter* k84 and the Tra-mutant strain 026. *Appl. Environ. Microbiol.* 59: 309-315.
- Van der Weid I., Alviano D.S., Santo A.L.S. Soares, R.M.A., Alviano, C.S., and Seldin L. 2003. Antimicrobial activity of *Paenibacillus peoriae* strain NRRL BD-62 against a broad spectrum of phytopathogenic bacteria and fungi. *J. Appl. Microbiol.* 95: 1143-1151.
- Westers, L., Westers, H. and Quax, W.J. 2004. *Bacillus subtilis* as cell factory for pharmaceutical proteins: a biotechnological approach to optimize the host organism. *Biochem. Biophys. Acta.* 1694: 299-310.
- Wild, B.L. 1994. Differential sensitivity of citrus green mould isolates (*Penicillium digitatum* Sacc.) to the fungicide imazalil. *NZ. J. Crop Hort. Sci.* 22: 167-171.
- Wisniewski, M.E., Biles, C., Droby, S., McLaughlin, R., Wilson, C.L. and Chalutz, E. 1991. Mode of action of the postharvest biocontrol yeast, *Pichia guilliermondii*: I. Characterization of attachment to *Botrytis cinerea*. *Physiol. Mol. Plant Pathol.* 39: 245-258.
- Wisniewski, M., Wilson, C and Hershberger, W. 1989. Characterization of inhibition of *Rhizopus stolonifer* germination and growth by *Enterobacter cloacae*. *Can. J. Bot.* 67: 17-23.

- Yamamoto, M., Ezure, T., Watanabe, T., Tanaka, H. and Aono, R. 1998. C-terminal domain of  $\beta$ -1,3-glucanase H in *Bacillus circulans* IAM1165 has a role in binding to insoluble  $\beta$ -1,3-glucan. FEMS Lett. 443: 41-43.
- Yu, G.Y., Sinclair, J.B., Hartman, G.L. and Bertagnolli, B.L. 2003. Production of iturin A by *Bacillus amyloliquefaciens* suppressing *Rhizoctonia solani*. Soil Biol. Biochem. 34: 955-963.
- Zheng, X.Y. and Sinclair, J.B. 2000. The effects of traits of *Bacillus megaterium* on seed and root colonization and their correlation with the suppression of Rhizoctonia root rot of soybean. Biocontrol 45: 223-243.