

## References

- Abdel-Wahab, M.A., El-Sharouney, H.M and Jones, E.B.G. 2001a. Two new intertidal lignicolous *Swampomyces* species from Red Sea Mangroves in Egypt. *Fungal Divers.* **8**: 35-40.
- Abdel-Wahab, M.A., Pang, K.L., El-Sharouny, H.M. and Jones, E.B.G. 2001b. *Halosarpheia unicellularis* sp. nov. (Halosphaeriales, Ascomycota) based on morphological and molecular evidence. *Mycoscience* **42**: 255-260.
- Abraham, S.P. Hoang, T.D., Alam, M. and Jones, E.B.G. 1994. Chemistry of the cytotoxic principles of the marine fungus *Lignincola laevis*. *Pure Appl. Chem.* **66**: 2391-2394.
- Alam, M., Jones, E.B.G. Hossain, M.B. and Van der Helm, D. 1996. Isolation and structure of isoculmorin from the marine fungus *Kallichroma tethys*. *J. Nat. Prod.* **59**: 454-456.
- Albaugh, D., Akbert, G., Bradford, P., Cotter, V., Froyd, J., Gaughran, J., Kirsch, D.R. Lai, M., Rehnig, A., Sieverding, E. and Silvermann, S. 1998. Cell wall active antifungal compound produced by the marine fungus *Hypoxylon oceanicum* LL-15G256. III. Biological Properties of 15G256y. *Journal of Antibiotics* **51**: 3317-3322.
- Alexopoulos, C.J., Mims, C.W. and Blackwell, M. 1996. *Introductory Mycology*. (4<sup>th</sup> ed), 869 pp. USA: John Wiley & Sons, Inc.
- Alias, S.A., Moss, S.T. and Jones, E.B.G. 2001. *Cucullosporella mangrovei*, ultrastructure of ascospores and their appendages. *Mycoscience* **42**: 405-411.

- Anderson, J.L., Chen, W. and Shearer, C.A. 2001. Phylogeny of *Halosarpheia* based on 18S rDNA. *Mycologia* **93**: 897-906.
- Baker, T.A, Jones, E.B.G. and Moss, S.T. 2001. Ultrastructure of ascus and ascospore appendages of mangrove fungus *Halosarpheia ratnagiriensis* (Halosphaeriales, Ascomycota). *Can. J. Bot.* **79**: 1307-1317.
- Baldauf, S.L. 1999. A search for the origins of animals and fungi: comparing and combining molecular data. *Am. Nat.* **54**: S178-188.
- Barghoorn, E.S. and Linder, D.H. (1944). Marine fungi: their taxonomy and biology. *Farlowia* **1**: 395-467.
- Barr, M.E. 1990. Prodrumus to nonlichenized, pyrenomycetous members of class Hymenoascomycetes. *Mycotaxon* **39**: 43-184.
- Barr, M.E. 2001. Ascomycota. In D.J. McLaughlin, E.G. McLaughlin, and P.A. Lemke (eds.), *The Mycota VII Part A Systematics and Evolution*, pp. 161-177. Berlin Heidelberg: Springer-Verlag.
- Berbee, M.L. and Taylor, J.W. 1992. Convergence in ascospore discharge mechanism among pyrenomycete fungi based on 18S ribosomal RNA gene sequence. *Mol. Phylogenet. Evol.* **1**: 59-71.
- Binder, M. and Hibbett, D.S. 2002. Higher-level phylogenetic relationships of Homobasidiomycetes (mushroom-forming fungi) inferred from four rDNA regions. *Mol. Phylogenet. Evol.* **22**: 76-90.
- Blackwell, M. 1994. Minute mycological mysteries: the influence of arthropods on the lives of fungi. *Mycologia* **86**: 1-17.
- Bockhout, T. 1991. A revision of ballistoconidia-forming yeasts and fungi. *Stud. Mycol.* **33**: 1-194.

- Borse, B.D. and Pawar, N.S. 2001. *Carbosphaerella* and *Dryosphaera*; two new generic record of marine ascomycetes from west Bengal (India). *Geobios* **28**: 17-120.
- Bridge, P.D., Roberts, P.J., Spooner, B.M. and Panchal, G. 2003. On the unreliability of published DNA sequences. *New Phytol.* **160**: 43-48.
- Brown, M. Ph.D, RCR, NYU Medical Center. 2002. Using Computers for Molecular Biology. (<http://www.med.nyu.edu/rcr/rcr/course/phylo-intro.html>)
- Bruns, T.D. and Szaro, T.M. 1992. Rate and mode differences between nuclear and mitochondrial small-subunit rRNA genes in mushrooms. *Mol. Biol. Evol.* **9**: 836-855.
- Bruns, T.D., Fogel, R. and Taylor, J.W. 1990. Amplification and sequencing of DNA from fungal herbarium specimens. *Mycologia* **82**: 175-184.
- Bruns, T.D. White, T.J. and Taylor, J.W. 1991. Fungal molecular systematics. *Annu. Rev. Ecol. S.* **22**: 525-564.
- Bunyard, B.A., Nicholson, M.S. and Royse, D.J. 1994. A systematic assessment of *Morchella* using RFLP analysis of the 28S ribosomal RNA gene. *Mycologia* **86**: 762-772.
- Cain, R.F. 1972. Evolution of the fungi. *Mycologia* **64**: 1-14.
- Campbell, J. 1999. *Molecular phylogeny of the Halosphaeriaceae, Ascomycota*. Ph.D. Dissertation, University of Portsmouth.
- Campbell, J., Anderson, J.L., and Shearer C.A. 2003. Systematics of *Halosarpheia* based on morphological and molecular data. *Mycologia* **95**: 530-552.

- Campbell, J., Shearer, C.A, Mitchell, J. and Eaton, R. 2002. *Corollospora* revisited: a molecular approach. In K.D. Hyde (ed.), *Fungi in marine environments*, pp. 15-33. Hong Kong: Fungal Diversity Press.
- Cannon, P.F. 1994. The newly recognized family Magnaporthaceae and its interrelationships. *Systema Ascomycetum* **13**: 25-42.
- Cavaliere, A.R. and Johnson, T.W. 1966. Marine ascomycetes: ascocarp morphology and its application to taxonomy and evaluation. *Nova Hedwigia* **10**: 453-461.
- Chen, W., Shearer, C.A. and Crane, J.L. 1999. Phylogeny of *Ophioceras* spp. based on morphological and molecular data. *Mycologia* **91**: 84-94.
- Chinworrungsee, M., Kittakoop. P., Isaka, M., Rungrod, A., Tanticharoen, M and Thebtaranonth, Y. 2001. Antimalarial Halorosellinic acid from the marine fungus *Halorosellinia oceanica*. *Bioorg. Med. Chem. Lett.* **11**: 1965-1969.
- Chinworrungsee, M., Kittakoop. P., Isaka, M., Chaphen, R., Tanticharoen, M. and Thebtaranonth, Y. 2004. Halorosellins A and B, unique isocoumarin glucosides from the marine fungus *Halorosellinia oceanica*. *Journal Chemistry Society Perkin Transaction* **1**: 2473-2476.
- Conway, K.E. and Barr, M.E. 1977. Classification of *Ophioceras dolichostomum*. *Mycotaxon* **5**: 376-380.
- Craven, K.D., Hsiau, P.T.W., Leuchtmann, A., Hollin, W. and Schardl, C.L. 2001. Multigene phylogeny of *Epichloë* species, fungal symbionts of grasses. *Ann. Mo. Bot. Gard.* **88**: 14-34.
- Drenth, A., 2001. *Development of molecular diagnostics for fungal pathogens*. Workshop manual Edition 1.0. CRC for Tropical Plant Protection, October 2001, 50 pp. The University of Queensland, Brisbane, Australia.

- Helgason, T., Watson, I.J. and Young, P.W. 2003. Phylogeny of the Glomerales and Diversisporales (fungi: Glomeromycota) from actine and elongation factor 1-alpha sequences. *Fems. Microbiol. Lett.* **229**: 127-132.
- Hibbett, D.S. 1992. Ribosomal RNA and fungal systematics. *Trans. Mycol. Soc. Japan* **33**: 533-556.
- Hollomon, D.W., Butters, J.A., Barker, H. and Hall, L. 1998. Fungal  $\beta$ -tubulin, expressed as a fusion protein, binds Benzimidazole and Phenylcarbamate fungicides. *Antimicrob. Agents Ch.* **42**: 2127-2173.
- Hsieh, S.-Y., Yuan, G.-F and Chang, H.-S. 2004. *Higher marine fungi from Taiwan*. Mycological Monograph No. 15. FIRDI-263-T514 (91). 68-97.
- Huelsenbeck J.P. and Ronquist, F. 2001. MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics* **17**: 754-755.  
(<http://morphbank.ebc.uu.se/mrbayes/download.php>)
- Hughes, G.C. 1974. Geographical distribution of the higher marine fungi. *Veroeff. Inst. Meeresforsch. Bremerh., Suppl.* **5**: 419-441.
- Hyde, K.D. 1988. The genus *Linocarpon* from the mangrove palm *Nypa fruticans*. *Trans. Mycol. Soc. Japan* **29**: 339-350.
- Hyde, K.D. 1989a. *Caryospora mangrovei* sp. nov. and notes on marine fungi from Thailand. *Trans. Mycol. Soc. Japan* **30**: 333-341.
- Hyde, K.D. 1989b. Intertidal mangrove fungi from North Sumatra. *Can. J. Bot.* **67**: 3078-3082.
- Hyde, K.D. 1992. The genus *Saccardoella* from intertidal mangrove wood. *Mycol. Res.* **84**: 803-810.

- Eriksson O.E., Baral H.-O., Currah R.S., Hansen K., Kurtzman C.P., Rambold G. and Laessøe T. 2004 *Outline of Ascomycota – 2004*, pp. 1-99. (<http://www.umu.se/myconet/all.html/>)
- Farrant, C.A. and Jones, E.B.G. 1986. *Haligena salina*: a new marine pyrenomycete. *Bot. J. Linn. Soc.* **93**: 405-411.
- Felsenstein J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* **39**: 783-791.
- Glass, N.L. and Donaldson, G.C. 1995. Development of primer sets designed for use with the PCR to amplify conserved genes from filamentous Ascomycetes. *Appl. Environ. Microb.* **61**: 1323-1330.
- Griffin, D.H. 1993. *Fungal Physiology*. (2<sup>nd</sup> ed.), 458 pp. New York: Wiley-Liss, Inc.
- Guarro, J., Gené, J. and Stchigel, A.M., 1999. Developments in fungal taxonomy. *Clin. Microbiol. Rev.* **12**: 454-500.
- Guého, E., de Hoog, G.S. and Smith, M.T. 1992. Typification of the genus *Trichosporon*. *Anton. Leeuw. Int. J. G.* **61**: 285-288.
- Hall, T. 2001. *BioEdit 5.0.6*. Department of Microbiology, North Carolina State University. (<http://www.mbio.ncsu.edu/BioEdit/bioedit.html>)
- Hall, T. 2004. *BioEdit 6.0.7*. Department of Microbiology, North Carolina State University. (<http://www.mbio.ncsu.edu/BioEdit/bioedit.html>)
- Hartl, D.L. and Jones, E.W. 2002. *Essential Genetics A genomics perspective*. (3<sup>rd</sup> ed.), 613 pp. Massachusetts: Jones and Bartlett Publishers, Inc.
- Hawksworth, D.L. 2004. Fungal diversity and its implications for genetic resource collections. *Stud. Mycol.* **50**: 9-18.

- Hyde, K.D. and E.B.G. Jones. 1986. Marine fungi from Seychelles. II. *Lanspora coronata* gen. et. sp. nov. from driftwood. *Can. J. Bot.* **64**: 1581-1585.
- Hyde, K.D. and Jones, E.B.G. 1987. Marine fungi from the Seychelles VII. *Bathyascus grandisporus* sp. nov. from mangrove wood. *Bot. Mar.* **30**: 413-416.
- Hyde K.D. and Jones, E.B.G. 1989. Observations on ascospore morphology in marine fungi and their attachment to surface. *Bot. Mar.* **32**: 205-218.
- Hyde, K.D. and Jones, E.B.G. 1992. Intertidal mangrove fungi: *Pedumispora* gen. nov. (Diaporthales). *Mycol. Res.* **96**: 78-80.
- Hyde, K.D. and Nakagiri, A. 1992. Intertidal fungi from Australia. The genus *Swampomyces* including *S. triseptatus* sp. nov. *Sydowia* **44**: 122-130.
- Hyde, K.D., Chalermpongse, A. and Boonthavikoon, T. 1990. Ecology of intertidal fungi at Ranong mangrove, Thailand. *Trans. Mycol. Soc. Japan* **31**: 17-27.
- Hyde, K.D., Chalermpongse, A. and Boonthavikoon, T. 1993. The distribution of intertidal fungi on *Rhizophora apiculata*. *Proceedings of the First International Conference on the Marine Biology of Hong Kong and South China Sea*, Hong Kong, 1990, pp. 643-652.
- Hyde, K.D., Greenwood, R. and Jone, E.B.G. 1992. Spore attachment in marine fungi. *Mycol. Res.* **97**: 7-14.
- Hyde, K.D, Moss, S.T. and Jones, E.B.G. 1994. Ascospore ultrastructure of *Halosphaeria appendiculata* (Halosphaeriaceae). *Bot. Mar.* **37**: 51-56.
- Hyde, K.D., Sarma, V.V. and Jones, E.B.G. 2000. Morphology and taxonomy of higher marine fungi. In K.D. Hyde and S.B. Pointing (eds.) *Marine Mycology*

- A Practical Approach, pp. 172-201, Fungal Diversity Research Series 1, Hong Kong: Fungal Diversity Press.
- Hyde, K.D., Jones, E.B.G., Leano, E., Pointing, S.B., Poonyth, A.D. and Vrijmoed, L.L.P. 1998. Role of fungi in marine ecosystems. *Biodivers. Conserv.* **7**: 1147-1161.
- Inderbitzin, P., Lim, S.R., Volkmann-Kohlmeyer, B., Kohlmeyer, J. and Berbee, M.L. 2004. The phylogenetic position of *Spathulospora* based on DNA sequences from dried herbarium material. *Mycol. Res.* **108**: 737-748.
- Ingold, C.T. 1975. An illustrated guide to aquatic and water-borne Hyphomycetes (Fungi Imperfecti) with notes on their biology, 96 pp. England: Scientific Publication.
- Isaka, M., Suyarnsestakorn, C., Tanticharoen, M., Kongsaree, P. and Thebtaranonth, Y. 2002. Aigialomycins A-E, new resorcyclic macrolides from the marine mangrove fungus *Aigialus parvus*. *J. Org. Chem.* **67**: 1561-1566.
- Jensen, P.R. and Fenical, W. 2002. Secondary metabolites from marine fungi. In K.D. Hyde (ed.), *Fungi in Marine Environments*, pp. 293-315, Fungal Diversity Research Series 7, Hong Kong: Fungal Diversity Press.
- Johnson, R.G. 1980. Ultrastructure of ascospore appendages of marine ascomycetes. *Bot. Mar.* **23**: 501-527.
- Johnson, R.G. 1982. *Ultrastructure and histochemistry of the ontogeny of ascospores and their appendages in marine ascomycetes*. Ph.D. Dissertation, Council for National Academic Awards, Portsmouth Polytechnic, Portsmouth.

- Johnson, R.G., Jones, E.B.G., and Moss, S.T. 1984. Taxonomic studies of the Halosphaeriaceae: *Remispora* Linder, *Marinospora* Cavaliere and *Carbosphaerella* Schmidt. *Bot. Mar.* **27**: 557-566.
- Johnson, R.G., Jones, E.B.G., and Moss, S.T. 1987. Taxonomic studies of the Halosphaeriaceae: *Ceriosporopsis*, *Haligena* and *Appendichordella* gen. nov. *Can. J. Bot.* **65**: 931-942.
- Jones, E.B.G. 1962. *Haligena spartinae* sp. nov., a pyrenomycete on *Spartina townsendii*. *Trans. Br. Mycol. Soc.* **46**:135-144.
- Jones, E.B.G. 1964. *Nautosphaeria cristaminuta* gen. et sp. nov., a marine pyrenomycete on submerged wood. *Trans. Br. Mycol. Soc.* **47**: 97-101.
- Jones, E.B.G. 1965. *Halonectria milfordensis* gen. et. sp. nov. a marine pyrenomycete on submerged wood. *Trans. Br. Mycol. Soc.* **48**: 287-290.
- Jones, E.B.G. 1980. Further observations on the taxonomy of the Halosphaeriaceae. *Bot. Mar.* **23**: 483-500.
- Jones, E.B.G. 1985. Wood-inhabiting marine fungi from San Juan Island, with special reference to ascospore appendages. *Bot. J. Linn. Soc.* **91**: 219-231.
- Jones, E.B.G. 1994. Fungal adhesion. *Mycol. Res.* **98**: 961-981.
- Jones, E.B.G. 1995. Ultrastructure and taxonomy of the aquatic ascomycetous order Halosphaeriales. *Can. J. Bot.* **73 (Suppl. 1)**: S790-S801.
- Jones, E.B.G. 2000. Marine fungi: some factors influencing biodiversity. *Fungal Divers.* **4**: 53-73.
- Jones, E.B.G. and Moss, S.T. 1978. Ascospore appendages of marine ascomycetes: an evaluation of appendages as taxonomic criteria. *Mar. Biol.* **49**: 11-26.

- Jones, E. B. G. and Moss, S. T. 1980. Further observations on the taxonomy of Halosphaeriaceae. *Bot. Mar.* **23**: 483-500.
- Jones, E.B.G. and Moss, S.T. 1987. Key and notes on genera of the Halosphaeriaceae examined at the ultrastructural level. *Systema Ascomycetum* **6**: 179-200
- Jones, E.B.G. and Vrijmoed, L.L.P. 2003. Biodiversity of marine fungi in Hong Kong coastal waters. In B. Morton (ed.), Perspectives on Marine Environment Change in Hong Kong and Southern China 1977-2001, Proceedings of an International Workshop Reunion Conference, pp. 75-92, Hong Kong: Hong Kong University Press.
- Jones, E.B.G., Johnson, R.G. and Moss, S.T. 1983a. *Ocostaspora apilongissima* gen. et sp. nov. A new marine pyrenomycete from wood. *Bot. Mar.* **26**: 353-360.
- Jones, E.B.G., Johnson, R.G., and Moss, S.T. 1983b. Taxonomic studies of the Halosphaeriaceae: *Corollospora* Werdermann. *Bot. J. Linn. Soc.* **87**: 193-212.
- Jones, E.B.G., Johnson, R.G., and Moss, S.T. 1984. Taxonomic studies of the Halosphaeriaceae: *Halosphaeria* Linder. *Bot. Mar.* **27**: 129-143.
- Jones, E.B.G., Johnson, R.G., and Moss, S.T. 1986. Taxonomic studies of the Halosphaeriaceae philosophy and rationale for the selection of characters in the delineation of genera. In S.T.Moss (ed.), The biology of marine fungi, pp. 211-230. UK: Cambridge University Press.
- Jones, E.B.G. and Le Campion-Alsumard, R. 1970. Marine fungi on polyurethane covered plates submerged in the sea. *Nova Hedwigia* **19**: 567-582.
- Kauff, F. and Lutzoni, F. 2002. phylogeny of the Gyalectales and Ostropales (Ascomycota, Fungi): among and within order relationships based on nuclear ribosomal RNA small and large subunits. *Mol. Phylogenet. Evol.* **25**: 138-156.

- Kirk, P.W. 1986. Evolutionary trends within the Halosphaeriaceae. In S.T.Moss (ed.), *The biology of marine fungi*, pp. 263-274. UK: Cambridge University Press.
- Kirk, P.M., Cannon, P.F., David, J.C. and Stalpers, J.A. 2001. *Dictionary of the fungi*. (9<sup>th</sup> ed), 655 pp. UK: CAB International.
- Kishino, H. and Hasegawa, M. 1989. Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order of Hominoidea. *J. Mol. Evol.* **29**:170-179.
- Koch, J. 1986. Some lignicolous marine fungi from Thailand, including two new species. *Nord. J. Bot.* **6**: 497-499.
- Koch, J. 1989. *Remispora spinibarbata* sp. nov., a marine lignicolous ascomycete from Denmark. *Nord. J. Bot.* **8**: 517-520.
- Koch, J. and Jones, E.B.G. 1989. The identity of *Crinigera maritima* and three new genera of marine cleistothecial ascomycetes. *Can. J. Bot.* **67**: 1183-1197.
- Koch, J. and Petersen, K.R.L. 1996. A check list of higher marine fungi on wood from Danish coasts. *Mycotaxon* **LX**: 397-414.
- Kohlmeyer, J. 1960. Wood-inhabiting marine fungi from the Pacific Northwest and California. *Nova Hedwigia* **2**: 293-343.
- Kohlmeyer, J. 1961. Pilze von der nördlichen Pazifik-küste der U.S.A. *Nova Hedwigia* **3**: 80-86.
- Kohlmeyer, J. 1962. Halophile Pilze von den Ufern Frankreichs. *Nova Hedwigia* **4**: 389-420.
- Kohlmeyer, J. 1971. Annotated check-list of new England marine fungi. *Trans. Br. Mycol. Soc.* **57**: 473-492.
- Kohlmeyer, J. 1972. A revision of Halosphaeriaceae. *Can. J. Bot.* **50**: 1951-1963.

- Kohlmeyer, J. 1981. Marine fungi from Martinique. *Can. J. Bot.* **59**: 1314-1321
- Kohlmeyer, J. 1984. Tropical marine fungi. *P.S.Z.N.I Mar. Ecol.* **5**: 329-378.
- Kohlmeyer, J. 1986. Taxonomic studies of the marine Ascomycotina. In S.T. Moss (ed.), *The Biology of Marine Fungi*. pp. 199-210. UK: Cambridge University Press.
- Kohlmeyer, J. and Kohlmeyer, E. 1965. New marine fungi from mangroves and trees along eroding shorelines. *Nova Hedwigia* **9**: 89-104.
- Kohlmeyer, J. and Kohlmeyer, E. 1979. *Marine Mycology. The Higher Fungi*, 689 pp. New York: Academic Press.
- Kohlmeyer, J. and Volkmann-Kohlmeyer, B. 1987. Marine fungi from Belize with a description of two new genera of ascomycetes. *Bot. Mar.* **30**: 195-204.
- Kohlmeyer, J. and Volkmann-Kohlmeyer, B. 1991. Illustrated key to the filamentous higher marine fungi. *Bot. Mar.* **34**: 1-61.
- Kohlmeyer, J. and Volkmann-Kohlmeyer, B. 1993. Observation on *Hydronectria* and *Kallichroma* gen. nov. *Mycol. Res.* **97**: 753-761.
- Kohlmeyer, J. and Volkmann-Kohlmeyer, B. 1998. *Naufregella* a new genus in the Halosphaeriaceae. *Systema Ascomycetum* **16**: 9-16.
- Kohlmeyer, J. and Volkmann-Kohlmeyer, B. 2003. Marine ascomycetes from algae and animals hosts. *Bot. Mar.* **46**: 285-306.
- Kohlmeyer, J., Spatafora, J. and Volkmann-Kohlmeyer, B. 2000. Lulworthiales, a new order of marine Ascomycota. *Mycologia* **92**: 453-458.
- Kohn, L.M. 1992. Developing new characters for fungal systematics: an experimental approach for determining the rank of resolution. *Mycologia* **84**: 139-153.

- Kong, R.Y.C., Chan, J.Y.C., Mitchell, J.I., Vrijmoed, L.L.P. and Jones, E.B.G. 2000. Relationships of *Halosarpheia*, *Lignincola* and *Nais* inferred from partial 18S rDNA. *Mycol. Res.* **104**: 336-343.
- Kupka, J., Anke, T., Steglich, W., and Zechhlin, L. 1981. Antibiotics from Baidiomycetes XI. The biological activities of siccayne, isolated from the marine fungus *Halocyphina villosa* J. and E. Kohlmeyer. *Journal of Antibiotics* **34**: 298-304.
- Kurtzman, C.P. 1994. Molecular taxonomy of the yeast. *Yeast* **10**: 1727-1740.
- Landvik, S. 1996. *Neolecta*, a fruit-body-producing genus of the basal ascomycetes, as shown by SSU and LSU rDNA sequences. *Mycol. Res.* **100**: 199-202.
- Liu, Y.J., Whelen, S. and Hall, B.D. 1999. Phylogenetic relationships among Acomycetes: evidence from an RNA polymerase II subunit. *Mol. Biol. Evol.* **16**: 1799-1808.
- Lücking, R., Stuart, B.L. and Lumbsch, H.T. 2004. Phylogenetic relationships of Gomphillaceae and Asterothyriaceae: evidence from a combined Bayesian analysis of nuclear and mitochondrial sequences. *Mycologia* **96**: 283-294.
- Lutzoni, F., Kauff, F., Cox, C.J., McLaughlin, D., Celio, G., Dentinger, B., Padamsee, M., Hibbett, D., James, T.Y., Baloch, E., Grube, M., Reeb, V., Hofstetter, V., Schoch, C., Arnold, A., E., Miadlikowska, J., Spatafora, J., Johnson, D., Hambleton, S., Crockett, M., Shoemaker, R., Sung, G-H., Lücking, R., Lumbsch, T., O'Donnell, K., Binder, M., Diederich, P., Ertz, D., Gueidan, C., Hansen, K., Harris, R.C., Hoaka, K., Lim, Y-W., Matheny, B., Nishida, H., Pfister, D., Rogers, J., Rossman, A., Schmitt, I., Sipman, H., tone, J., Sugiyama, J., Yahr, R. and Vilgalys, R. 2004. Assembling the fungal tree

- of life: progress, classification, and evolution of subcellular traits. *Am. J. Bot.* **91**: 1446-1480.
- Manimohan, P., Jones, E.B.G. and Moss, S.T. 1993a. Ultrastructural studies of ascospores of some *Remispora* species. *Can. J. Bot.* **71**: 385-392.
- Manimohan, P., Moss, S.T. and Jones, E.B.G. 1993b. Ultrastructure of the ascospore wall and appendages of *Remispora galerita*. *Mycol. Res.* **97**: 1190-1192.
- Meyers, S.P. 1957. Taxonomy of marine pyrenomycetes. *Mycologia* **49**: 475-528.
- Miller, J.D. 2000. Screening for secondary metabolites. In K.D. Hyde and S.B. Pointing (eds.), *Marine Mycology A Practical Approach*, pp. 158-171, Fungal Diversity Research Series 1, Hong Kong: Fungal Diversity Press.
- Miller, J.D. and Savard, M.W. 1989. Antibiotic activity of the marine fungus *Leptosphaeria oraemaris*. *Proceedings of the Nova Scotia Institute of Science* **39**: 51-58.
- Moss, S.T. and Jones, E.B.G. 1977. Ascospore appendages of marine ascomycetes: *Halosphaeria medisetigera*. *Trans. Br. Mycol. Soc.* **69**: 313-315.
- Müller, E. and von. Arx, J.A. 1962. Die Gattungen der didymosporen Pyrenomyceten. *Beiträge. Kryptogamenflora Schweiz* **11**: 1-922.
- Nakagiri, A. and Ito, T. 1994. *Aniptodera salsuginosa*, a new mangrove-inhabiting ascomycete, with observations on the effect of salinity on ascospore appendage morphology. *Mycol. Res.* **98**: 931-936.
- O'Donnell, K., Cigelnik, E., Weber, N.S. and Trappe, J.M. 1997. Phylogenetic relationships among ascomycetous truffles and the true and false morels inferred from 18S and 28S ribosomal DNA sequence analysis. *Mycologia* **89**: 48-65.

- Pang, K.L. 2001. *Molecular systematics and phylogenetic biogeography of the Halosphaeriales (Ascomycota)*. Ph.D. Dissertation, City University of Hong Kong.
- Pang, K.L. 2002. Systematics of the Halosphaeriales: which morphological characters are important? In K.D. Hyde (ed.), *Fungi in Marine Environments*, pp. 35-57. Hong Kong: Fungal Diversity Press.
- Pang, K.L., Jones, E.B.G., Vrijmoed, L.L.P and Vikineswary, S. 2004. *Okeanomyces*, a new genus to accommodate *Halosphaeria cucullata* (Halosphaeriales, Ascomycota). *Bot. J. Linn. Soc.* **146**: 223-229.
- Pang K.L., Vrijmoed, L.L.P., Kong, R.Y.C. and Jones E.B.G. 2003. *Lignincola* and *Nais*, polyphyletic genera of the Halosphaeriales (Ascomycota). *Mycological Progress* **2**: 29-39.
- Pilantanapak, A. 2003. *The biology and ecology of marine fungi in Thailand*. Ph.D. Dissertation, University of Portsmouth.
- Poch, G. and Gloer, J.B. 1989. Helicacolides A and B: New lactones from the marine fungus *Helicascus kanaloanus*. *J. Nat. Prod.* **52**: 257-260.
- Rambaut, A. 1999. Se-AI. Department of Zoology, University of Oxford, Oxford OX1 4JD, UK. (<http://evolve.zoo.ox.ac.uk/Se-AI/Se-AI.html>)
- Ranghoo, V. M., Hyde, K.D. and Liew, E.C.Y. 2000. Molecular techniques. In K.D. Hyde and S.B. Pointing (eds.), *Marine Mycology A Practical Approach*, pp 308-336, Fungal Diversity Research Series 1. Hong Kong: Fungal Diversity Press.

- Read, S.J., Jones, E.B.G., Moss, S.T. and Hyde, K.D. 1995. Ultrastructure of asci and ascospore of two mangrove fungi: *Swampomyces armeniacus* and *Marinosphaera mangrovei*. *Mycol. Res.* **12**: 1465-1471.
- Reeb, V., Lutzoni, F. and Roux, C. 2004. Contribution of RPB2 to multilocus phylogenetic studies of the euascomycetes (Pezizomycotina, Fungi) with special emphasis on the lichen-forming Acarosporaceae and evolution of polypory. *Mol. Phylogenet. Evol.* **32**: 1036-1060.
- Rossmann, A.Y. 1996. Morphological and molecular perspectives on systematics of the Hypocreales. *Mycologia* **88**: 1-19.
- Rossmann, A.Y., Samuels, G.J., Rogerson, C.T. and Lowen, R. 1999. Genera of Bionectriaceae, Hypocreaceae and Nectriaceae (Hypocreales, Ascomycetes). *Stud. Mycol.* **42**: 1-248.
- Rossmann, A.Y., McKemy, J.M., Pardo-Schultheiss, R.A. and Schroers, H-J. 2001. Molecular studies of the Bionectriaceae using large subunit rDNA sequence. *Mycologia* **93**: 100-110.
- Samuels, G.L. and Blackwell, M. 2001. Pyrenomycetes-Fungi with perithecia. In D.J. McLaughlin, E.G. McLaughlin, and P.A. Lemke (eds.), *The Mycota VII Part A Systematics and Evolution*, pp. 221-255. Berlin Heidelberg: Springer-Verlag.
- Schmidt, I. 1969a. *Carbosphaerella pleosporoides* gen. nov. et spec. nov. und *Cirrenalia fusca* spec. nov., zwei neuw marine Pilzarten von der Ostseeküste. *Feddes Repert* **80**: 107-112.
- Schmidt, I. 1969b. *Corollospora intermedia*, nov. spec., *Carbosphaerella leptosporioides*, nov. spec. und *Crinigera maritima*, nov. gen., nov. spec., 3

- neue marine Pilzarten von der Ostseeküste. *Nat. Naturschutz Mecklenburg* **7**: 5-14.
- Schmidt, I. 1974. Höhere Meeresspilze der Ostsee. *Biol. Runds.* **12**: 96-112.
- Shearer, C.A. 1989. *Pseudohalonectria* (Lasiosphaeriaceae), an antagonistic genus from wood in freshwater. *Can. J. Bot.* **67**: 1944-1955.
- Shearer, C.A. 1993. The freshwater Ascomycetes. *Nova Hedwigia* **56**: 1-33.
- Shearer, C.A. and Burgos, J. 1987. Lignicolous marine fungi from Chile. *Bot. Mar.* **30**: 455-458.
- Shearer, C.A. and Crane, J.L. 1980. Fungi of the Chesapeake Bay and its tributaries VIII. Ascomycetes with unfurling appendages. *Bot. Mar.* **23**: 607-615.
- Shearer, C.A., Crane, J.L. and Chen, W. 1999. Freshwater Ascomycetes: *Ophioceras* species. *Mycologia* **91**: 145-156.
- Simon, C., Frati, F., Beckenbach, A., Crespi, B., Liu, H. and Flook, P. 1994. Evolution, weighting, and phylogenetic utility of mitochondrial genes sequences and a compilation of conserved polymerase chain reaction primers. *Ann. Entomol. Soc.* **87**: 651-701.
- Spatafora, J.W. and Blackwell, M. 1994. Polyphyletic origins of ophiostomatoid fungi. *Mycol. Res.* **98**: 1-9.
- Spatafora, J.W., Mitchell, T.G. and Vilgalys, R. 1995. Analysis of gene-coding for small-subunit rRNA sequences in studying phylogenetics of dematiaceous fungal pathogens. *J. Clin. Microbiol.* **33**: 1322-1326.
- Spatafora, J.W., Volkmann-Kohlmeier, B. and Kohlmeier, J. 1998. Independent terrestrial origins of the Halosphaeriales (marine Ascomycota). *Am. J. Bot.* **85**: 1569-1580.

- Strongman, D.B., Miller, J.D., Calhoun, L., Findlay, J.A. and Whitney, N.J. 1987. The biochemical basis for interference competition among some lignicolous marine fungi. *Bot. Mar.* **30**: 21-26.
- Swofford, D.L. 2002. PAUP: Phylogenetic Analysis Using Parsimony, version 4.0b10. Sinauer Associates, Sunderland, Massachusetts.
- Takamatsu, S. 1998. PCR amplications in fungal phylogeny. In P.D. Bridge, D.K. Arora, C.A. Reddy and R.P. Elander (eds.), *Applications of PCR in Mycology.*, pp. 125-1152. UK: CAB International.
- Tanabe, Y., Saikawa, M., Watanabe, M.M. and Sugiyama, J. 2004. Molecular phylogeny of Zygomycota based on EF-1 $\alpha$  and RPB1 sequences: limitations and utility of alternative markers to rDNA. *Mol. Phylogenet. Evol.* **30**: 438-449.
- Thompson, J.D, Higgins, D.G and Gibson, T.J. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids. Res.* **22**: 4673-4680.
- Tubaki, K. 1968. Studies on the Japanese marine fungi. Lignicolous group II. Publ. Seto. *Mar. Biol. Lab.* **XV**: 357-372.
- Vilgalys, R. 1988. Genetic relatedness among anastomosing groups in *Rhizoctonia* as measured by DNA/DNA hybridization. *Phytopathology* **78**: 698-702.
- Weising, K., Nybom, H., Wolff, K., and Meyer, W. 1995. *DNA fingerprinting in plants and fungi*, 322 pp. Florida: CRC Press, Inc.
- White, T.J., Bruns, T., Lee, S. and Taylor, J. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In M.A. Innis,

- D.H. Gelfand, J.S. Sninsky and T.J. White (eds.), PCR Protocol: A guide to methods and applications, pp. 315-322. San Diego: Academic Press.
- Wong, S.W., Hyde, K.D. and Jones, E.B.G. 1998. Annulatasceae, a new ascomycete family from the tropics. *Systema Ascomycetum* **16**: 17-25.
- Yusoff, M., Koch, J., Jones, E.B.G. and Moss, S.T. 1993. Ultrastructure observations in a marine lignicolous ascomycete *Bovicornua intricata* gen. et sp. nov. *Can. J. Bot.* **71**: 346-352.
- Yusoff, M., Jones, E.B.G. and Moss, S.T. 1994. A taxonomic reappraisal of the genus *Ceriosporopsis* based on ultrastructure. *Can. J. Bot.* **72**: 1550-1559.