

References

- Apgar, V. 1953. A proposal for a new method of evaluation on the newborn infant, *Anesthesia and Analgesia*, 32, 260-265.
- Arias, F. 1993. Practical guide to high risk pregnancy and delivery, 2nd edn. Mosby Inc.: USA.
- Arjun, G. 2008. Caesarean section: Evaluation, guidelines and recommendations *Indian Journal of Medical Ethics*, 3: 117-120.
- Belizan, J.M., Althabe, F., Barros, F.C. and Alexander, S. 1999. Rates and implications of caesarean sections in Latin America: ecological study. *British Medical Journal*, 319: 1397–1400.
- Black, R.E., Kelley, L. 1999. Child Health Research Project. Special Report, Reducing perinatal and neonatal mortality. Available: <http://www.reproline.jhu.edu/English/2mnh/perinatal.html>. [May 23,2008].
- Bungun, T., Peaslee, D.L., Jackson, A.W. and Perez, M.A. 2000. Exercise during pregnancy and type of delivery in nulliparae. *Journal of Obstetric Gynecologic and Neonatal Nursing*, 29: 258-265.

- Carla, J.M. 2006. Impact of maternal age on birth outcomes: A population-based study of primiparous Brazilian women in the city of SÃO PAULO. *Journal of Biosocial Science*, 38: 523-535.
- Cai ,W.W., Marks, J.S., Chen, C.H., Zhuang, Y.X., Morris, L. and Harris, J.R. 1998.Increased cesarean section rates and emerging patterns of health insurance in Shanghai China. *American Journal of Public Health*, 88: 777-780.
- Chen, C.S., Lin H.C., Liu T.C., Lin S.Y., Pfeiffer, S. 2008 Urbanization and the likelihood of cesarean section. *European Journal of Obstetrics & Gynecology and Reproductive Biology* , 141: 104-110.
- Choobun , T. And Tintara, H. 2000. Risk factors of primary cesarean delivery after trial of labor. *Songklanagarind Medical Journal*, 18: 23-9.
- Confidential Enquiry into Maternal and Child Health. 2007. Perinatal Mortality 2005. London: Available:<http://www.cmace.org.uk/getattachment/b74ec49de0b7-4295-955e-5843cfc01ed3/Perinatal-Mortality-2005,-England,-Wales-Norther.aspx>. [July 22, 2008].
- Cotzias, C.S., Paterson-Brown, S. and Fisk, N.M. 2001. Obstetricians say yes to maternal request for elective caesarean section: a survey of current opinion. *European Journal of Obstetrics & Gynaecology and Reproductive Biology*, 97: 15-16.

Das, P.K., Basu, K., Chakraborty, S., Basak, M. and Bhowmik, P.K. 1998. Early Neonatal mortality and morbidity in a city based medical college nursery, *Indian Journal of Public Health*, 42: 9-14.

DiGirolamo, A.M., Grummer-Strawn, L. and Fein, S. 2001. Maternity Care Practices: Implications for Breastfeeding. *Birth*, 2: 94-100.

Efekhar, K. and Steer P. 2000. Caesarean section controversy Women choose caesarean section. *British Medical Journal*, 15: 320-1073.

Floricca, M., Stephansson, O., Nordstrom, L. 2006. Indications associated with increased cesarean section rate in a Swedish hospital. *International Journal of Gynaecology Obstetrics*, 92: 181-185.

Gomes, U.A., Silva, A. A.M., Bettiol, H. and Barbieri, M.A. 1999. Risk factors for the increasing Caesarean section rate in Southeast Brazil: a comparison of two birth cohorts, 1978- 1979 and 1994. *International Journal of Epidemiology*, 28: 687-694.

Grjibovski, A., Bygren, L.O. and Svartbo, B. 2002. Sociodemographic determinants of poor infant outcome in North West Russia. *Pediatr Perinatal Epidemiol*, 16: 255-262.

Guilherme, J., Betina, C. and Souza, P. 2000. Factors associated with Cesarean Section in primipara women with one previous Cesarean Section. *Revista Brasileira de Ginecologia Obstetrica*, 3: 175-179.

Hosmer, D.W. and Lemeshow S. 2000. Applied Logistic Regression. 2nd ed. New York: JohnWiley and Sons.

- Hung, S., Morrison, D.R., Whittington, L.A. and Fein, S.B. 2002. Prepartum work, job characteristics and risk of cesarean delivery. *Birth*, 29:10-17.
- Islam, M.A., Chowdhury, R.I., Chakraborty, N., Bari, W. and Akhter, H. 2004. Factors associated with Delivery complications in rural Bangladesh. *The European journal of contraception and reproductive health care*, 9: 203-213.
- Jackson, N. and Paterson-Brown, S . 2001. Physical Sequelae of Caesarean Section. *Clinical Obstetrics and Gynecology* , 15: 49 -61.
- Jerneck, K.T., Herbst, A. 2001. Low 5 minute Apgar score: a population-based register study of 1 million term births. *Journal of Obstetrics and Gynecology*, 98: 65-70
- Jonas, O., Roder, D. and Chan, A. 1992. The association of maternal and socio-economic Characteristics in metropolitan Adelaide with medical, obstetrics and labour complications and pregnancy outcomes. *Australian and New Zeland Journal of Obstetrics and Gynaecology*,32: 1-5.
- Kleinbaum DG, Klein M. 2002. Logistic Regression: A Self-Learning Text. 2nd ed. New York: Springer-Verlag.
- Koc, I. 2003. Increased Cesarean section rates in Turkey. *The European Journal of Contraception and Reproductive Health Care*, 1: 1-10.

- Kozinszky, Z., Orvos, H., Zoboki, T., Katona, M., Wayda, K., Pal, A. 2002. Risk factors for cesarean section of primiparous women aged over 35 years . *Acta Obstetrica et Gynecologica Scandinavica* , 81: 313 -316.
- Laura, K. and Fatimata, D.D. 2003. Claiming our Right Surviving pregnancy and childbirth in Mali, Center for Reproductive Rights and Association des Juristes Maliennes. New York: Center for Reproductive
- Leeb, K., Baibergenova, A. and Wen, E. 2005. Webster G and Zelmer J. Are There Socio- Economic Difference in Caesarean Section Rate in Canada? *Healthcare Policy/ Politques de Sante'*, 1: 48-54.
- Leung, G.M., Lam, T.H., Thach, T.Q., Wan, S. and Ho, L.M. 2001. Rates of caesarean births in Hong Kong: 1987-1999. *Birth*, 28:166-172.
- Lin, H.C. and Xirasagar, S. 2005. Maternal age and the likelihood of a maternal request for caesarean delivery: A 5 year population-based study. *American Journal of Obstetrics and Gynecology*, 192: 848-855.
- McNeil, D. 1996. Epidemiological research methods. New York: John Wiley & Sons, Ltd.
- McNeil, D. 1998a. ASP user manual. Sydney, Australia: Macquarie University.
- McNeil, D. 1998b. Modern statistics: A graphical introduction. Sydney, Australia: Macquarie University.

Ministry of Public Health. 2004. Mother and child Health Status 2001-2003.

Bangkok: Ministry of public Health.

Minkoff, H. and Chervenak, F. 2003. Elective Primary Caesarean Delivery. *New England Journal of Medicine*, 10: 946-950.

Panichkul, S., Boonprasert, K., Komolpis, S., Panichkul, P. and Caengow, S.

2007. The association between Meconium- Stained Amniotic Fluid and Chorioamnionitis or Endometritis. *Journal of Medical Association of Thailand*, 90: 422- 427.

Pattani Public Health Province Office. 2008. Annual report 2008. (In Thai).

Pattani Public Health Province Office. 2009. Annual report 2009. (In Thai).

Penn, Z., Ghaem-Maghani, S. 2001. Indications for caesarean section. *Best Practice Research Clinical Obstetrics and Gynaecology*, 15: 1-15.

Pitaphrom, A. and Sukcharoen, N. 2006. Pregnancy outcomes in placental abruption.

Journal of the Medical Association of Thailand, 10: 1572-1578.

Public Health, University of California. 1994. Factors influencing perinatal and infant Mortality. *Acta Obstetrica et Gynecologica Scandinavica*, 73, 14-26.

R Development Core Team. 2007. R: A language and environment for statistical computing. Vienna: R Foundation for Statistical Computing.

Raum, E., Arabin, B., Schlaud, M., Walter, U. and Schwartz, F.W. 2001. The impact of maternal education on intrauterine growth: a comparison of former West and East Germany. *International Journal of Epidemiology*, 30: 81-87.

Renay, W., Carine, R., Dorman, E.d., Hilton, J., Anne, M. and Saving Newborn Lives. 2001. State of the World's Newborns. Washington, DC: Save the Children Federation – US: 1-49.

Shearer, E.L. 1993. Cesarean section: medical benefits and costs. *Social Science and Medicine*, 37: 1223–1231.

Srisomboon, J. and Tongsong, T.C. 1994. Pregnancy Outcome in elderly women aged 35 years or Older. *The Royal Thai College Obstetrician and Gynecologists*, 6: 121-127.

Steer, P. 1998. Caesarean section: an evolving procedure? *British Journal of Obstetrics and Gynaecology*, 105: 1052-1055.

Sultana , Z., un-Nisa, A. 2003. Indications of caesarean section in a district head quarter hospital for women. *Journal of Ayub Medical College Abbottabad Pakistan* , 15: 36-38.

Suwanachat, B. 2004. Risk factors for birth Asphyxia in Kalasin Hospital. *Srinagarind Medical Journal*, 22: 401-407.

Teeraworn, S. 2002. Determinants of utilization of maternal and child health service affecting infant mortality among Muslims in a southern border province of Thailand. *Journal of population and social studies*, 11: 29-57.

Uma, M., Reddy, Chia-Wen, K.O. and Marian, W. 2006. Maternal age the risk of stillbirth throughout pregnancy in the United States. *American Journal of Obstetrics and Gynecology*, 195: 764-770.

Usha Kiran, T.S. and Jayawikrama, N.S. 2002. Who is responsible for the rising caesarean section rate?. *Journal of Obstetrics and Gynaecology*, 22: 363-365.

Venables, W.N. & Smith, D.M. 2002. *The r development core team, an introductionor : revised and updated*. Bristol: Network Theory Ltd.

World Health Organization .1994. Mother–baby package: implementing safe motherhood in countries. Maternal Health and Safe Motherhood Programme Geneva: WHO. (FHE/MSM/ 94.11). Available <http://www.popline.org/docs/1096/105524.html>. [May 22, 2008]

World Health Organization. 2005. *Maternal and newborn health in the WHO European Region: The challenges and the way forward*. Geneva, Fact sheet EURO/03/05 Copenhagen. Geneva, World Health Organization.

World Health Organization. 2006. Neonatal and Perinatal Mortality: Country, Regional and Global Estimates. Geneva, World Health Organization. Fact sheet.

Zhang, J., Liu, Y., Meikle, S., Zheng, J. and Li, Z. 2008. Cesarean Delivery on Maternal Request in Southeast China. *Journal of Obstetrics and Gynecology*, 111: 1077-1082.

Prince of Songkla University
Pattani Campus