

## Contents

	Page
Abstract (Thai)	(3)
Abstract (English)	(5)
Acknowledgement	(7)
Contents	(8)
List of Tables	(13)
List of Figures	(14)
List of Abbreviations	(17)
Chapter	1
1. Introduction	1
Literature Review	2
1. Surfactants	2
2. Nature of surfactants	3
3. Synthetic surfactants	4
4. Types of surfactants	5
4.1 Hydrophilic groups	5
4.1.1 Anionics	5
4.1.2 Cationics	5
4.1.3 Zwitterionic surfactants	5
4.1.4 Non-ionic surfactants	5
4.1.5 Combinations	6
5. Biosurfactants	7
Biosurfactant classification	8
5.1 Glycolipids	8
5.1.1 Rhamnolipids	8
5.1.2 Trehalolipids	8

## Contents (continued)

	Page
5.1.3 Sophorolipids	8
5.2 Lipopeptides and lipoproteins	9
5.3 Fatty acids, phospholipids and neutral lipids	10
5.4 Polymeric surfactants	11
6. Medium components and factors affecting on growth and	14
6.1 Carbon sources	14
6.2 Nitrogen sources	16
6.3 Salt and minerals	17
6.4 Environmental factors	18
6.4.1 pH	18
6.4.2 Temperature	20
6.4.3 Agitation and aeration	21
7. Recovery of biosurfactants	21
8. Potential application of biosurfactants	24
8.1 Oil industry	25
8.2 Biodegradation of hydrocarbon contaminants	25
8.3 Food industry	26
8.4 Cosmetics industry	27
8.5 Biosurfactant as therapeutic agents	27
Objectives	28
2. Materials and Methods	29
Materials	29
Analytical Methods	30
Methods	33

## Contents (continued)

	Page
1. Effect of carbon and nitrogen sources on growth and biosurfactant production	33
1.1 Time course of biosurfactant producing by <i>Bacillus</i> MUV4 in shake-flask cultivation	33
1.2 Effect of carbon sources	34
1.3 Effect of nitrogen sources	34
1.4 Effect of yeast extract and bacto peptone	34
1.5 Time course on growth and biosurfactant production under optimal medium in shake-flask cultivation	35
2. Effect of environmental conditions on growth and biosurfactant production.	35
2.1 Effect of pH	35
2.2 Effect of aeration rates	35
2.3 Time course of biosurfactant production under optimal condition	35
3. Properties of the partially purified biosurfactant	36
3.1 Solubility of the acid precipitated biosurfactant	36
3.2 pH stability of biosurfactant	36
3.3 NaCl concentration stability of biosurfactant	36
3.4 Temperature stability of biosurfactant	37
4. Extraction and partial purification of biosurfactant	37
4.1 Extraction of biosurfactant	37
4.2 Adsorption chromatography	37
4.3 Analysis the components of the partially purified biosurfactant	38
5. Application of biosurfactant	39

## Contents (continued)

	Page
5.1 Applied for oil recovery	39
5.2 Applied for antimicrobial activity	39
3. Results and Discussion	40
1. Optimization for growth and biosurfactant production	40
Time course on growth and biosurfactant production 39	
by <i>Bacillus</i> MUV4 in shake flask cultivation	
1.2 Effects of nutrients on biosurfactant production	40
1.2.1 Carbon sources	40
1.2.2 Concentrations of carbon source	46
1.2.3 Nitrogen sources	46
1.2.4 Effect of monosodium glutamate concentrations	50
1.2.5 Effect of yeast extract and bacto peptone	50
concentrations	
1.3 Time course of growth and biosurfactant production	53
under optimal medium in shake-flask cultivation	
2. Effect of environmental condition on biosurfactant production	55
in fermentor	
2.1 Effect of pH	55
2.2 Effect of aeration rates	55
2.3 Time course on growth and biosurfactant production of	56
<i>Bacillus</i> MUV4 under optimal condition in fermentor	
3. Properties of biosurfactant	60
3.1 Solubility of the acid precipitated biosurfactant	60
3.2 pH stability of biosurfactant	61
3.3 NaCl concentration stability of biosurfactant	62
3.4 Temperature stability of biosurfactant	63

## Contents (continued)

	Page
4. Analysis of the components of biosurfactant	68
5. Application of biosurfactant	72
5.1 Antimicrobial activity	72
5.2 Sandpack column test	73
4. Conclusion	75
Suggestions	76
References	77
Appendix	87
Publication	106
Vitae	107

## List of Tables

Table	Page
1 Types of microbial surfactants	13
2 Downstream process for recovery of important biosurfactants	23
3 Solubility test of the acid precipitated biosurfactant in various solvents	
4 The activity (ODA cm <sup>2</sup> , %EA and % EC) of culture broth and acid precipitated biosurfactant	68
5 Chemical test of each spots from TLC plate	71
6 Emulsification activity and antimicrobial activity of each spots from TLC plate	71
7 Antimicrobial activity of the biosurfactant from <i>Bacillus</i> MUV4 against microorganisms in agar-diffusion test	72
8 Oil released from sandpack column test with various samples	74

## List of Figures

Figure	Page
1 Amphipathic structure of surfactant containing hydrophobic and hydrophilic moiety in one molecule a) surfactant monomer b) circular micelle, c) rod-shaped micelle, d) micellar layer e) vesicle representation	3
2 Structure of glycolipid biosurfactants (A) Rhamnolipids from <i>Pseudomonas aeruginosa</i> (B) Trehalolipid from <i>Rhodococcus erythropolis</i> (C) Sophorolipid from <i>Torulopsis bombicola</i>	9
3 Structure of cyclic lipopeptide surfactin produced by <i>Bacillus subtilis</i>	10
4 Structure of phosphatidylethanolamine, a potent biosurfactant produced by <i>Acinetobacter</i> sp. R1 and R2 are hydrocarbon chains of fatty acids.	11
5 Growth and biosurfactant production by <i>Bacillus</i> MUV4 in Mckeen medium under shake-flask cultivation (200 rpm, 30 °C)	42
6 Effect of carbon sources (2.0%) on growth and biosurfactant production by <i>Bacillus</i> MUV4 in Mckeen medium under shake-flask cultivation (200 rpm, 30 °C) for 48 h	43
7 Effect of hydrophobic carbon source (0.1%) on growth and biosurfactant production by <i>Bacillus</i> MUV4 in Mckeen medium under shake-flask cultivation (200 rpm, 30 °C) for 48 h	44
8 Effect of concentration of weathered oil on growth and biosurfactant production by <i>Bacillus</i> MUV4 in Mckeen medium under shake-flask cultivation (200 rpm, 30 °C) for 48 h	45

## Lists of Figures (continued)

Figure	Page
9 Effect of glucose concentrations on growth and biosurfactant production by <i>Bacillus</i> MUV4 in shake-flask cultivation (200 rpm, 30 °C) for 48 h	48
10 Effect of nitrogen sources (0.5%) on growth and biosurfactant production by <i>Bacillus</i> MUV4 in shake-flask cultivation (200 rpm, 30 °C) for 48 h	49
11 Effect of monosodium glutamate concentrations on growth and biosurfactant production by <i>Bacillus</i> MUV4 in shake-flask cultivation (200 rpm, 30 °C) for 48 h	51
12 Effect of yeast extract and bacto peptone on growth (A) and biosurfactant production (B) by <i>Bacillus</i> MUV4 in shake-flask cultivation (200 rpm, 30 °C) for 48 h (M+Y1=Medium+0.1% yst extract, M+Y3=Medium+0.3%yst extract, M+Y5=Medium+0.5% yst extract, M+P1=Medium+0.1% bacto peptone, M+P3 = Medium+0.3%bacto peptone and A+P5=Medium+0.5% bacto peptone, M=Medium contained 2.5% glucose as carbon source and 1.0% monosodium glutamate as nitrogen source)	52
13 Growth and biosurfactant production by <i>Bacillus</i> MUV4 when cultivated in the optimal medium (2.5%glucose as carbon source, 1.0% monosodium glutamate and 0.3% yeast extract as nitrogen source) in shake-flask cultivation (200 rpm, 30 °C)	54
14 Growth (A) and biosurfactant production (B) by <i>Bacillus</i> MUV4 during cultivation under uncontrolled pH (open symbol) and controlled pH (closed symbol) in the fermentor (200 rpm and 0.5 vvm)	57



## Lists of Figures (continued)

Figure	Page
15 Effect of aeration rates on growth (A) and biosurfactant production (B) by <i>Bacillus</i> MUV4 during cultivation in (agitation speed 200 rpm, 30 °C)	58
16 Growth and biosurfactant production by <i>Bacillus</i> MUV4 during cultivation in fermentor at 30 °C with agitation speed 200 rpm and aeration rate 1.0 vvm	59
17 Effect of pH on stability of culture broth (A) and acid precipitated biosurfactant (B) from <i>Bacillus</i> MUV4 (culture broth was adjusted with 1 M HCl or 1 M NaOH to pH 2-14 and allowed to stand for 24 h at 4 °C before measuring ODA, EA and EC values)	64
18 Effect of NaCl concentrations on stability of culture broth (A) and acid precipitated biosurfactant from <i>Bacillus</i> MUV4 (NaCl was added to culture broth to final concentration 0-30% and allowed to stand for 20 min at 25 °C before measuring the ODA, EA and EC values)	65
19 Effect of temperature on ODA (A), %EA (B) and %EC (C) stability Of culture broth from <i>Bacillus</i> MUV4 (incubation the culture broth at various temperature for 48 h)	66
20 Effect of temperature on ODA (A), %EA (B) and %EC (C) stability of acid precipitated biosurfactant from <i>Bacillus</i> MUV4 (incubation the of acid precipitated biosurfactant solution at various temperature for 48 h)	67
21 Thin-layer chromatography of biosurfactant when developed in solvent system : chloroform/methanol/acetic acid/water (25/15/4/2 v/v/v/v)	70

## List of Abbreviations

°C	=	degree Celsius
CFU/ml	=	colony forming unit per millilitre
Da	=	Dalton
g	=	gram
× g	=	gravitational force
h	=	hour
l	=	litre
mg/l	=	milligram per litre
min	=	minute
ml	=	millilitre
µl	=	microlitre
mM	=	millimolar
mN/m	=	millinuton per metre
nm	=	nanometre
OD	=	optical density
rpm	=	rounds per minutes
s	=	second
v/v	=	volume by volume
w/v	=	weight by volume
w/w	=	weight by weight
%	=	percent
vvm	=	volume of air per volume of medium per minute