

REFERENCE

- Ahmed, F.R., Ng, A.S. and Fallis, A.G. 1978. 7-Alpha-acetoxydihydronomilin : Isolation, Spectra and Crystal Structure. *Can. J. Chem.* 56: 1020-1025.
- Alvi, K.A., Crews, P., Aalbersberg, B. and Prasad, R. 1991. Limonoids from the Fijian Medicinal Plant Dabi (*Xylocarpus*). *Tetrahedron*. 47 (43): 8943-8948.
- Apopp, M. 1984. Chemical Composition of Australian Mangroves. II. Low Molecular Weight Carbohydrates. *Z. Pflanzenphysiol.* 113: 411-421.
- Bercich, M.G., Camble, R.C., Lal, A.R. and Sidwell, D. 1998. Chemistry of Fijian Plants. XIV. an Unsaturated Aryl Keto Acid from *Xylocarpus moluccensis*. *Aust. J. Chem.* 51 (8): 795-797.
- Bhandari, P., Chaichit, N., Gray, A.I., Skelton, B.W., Waterman, P.G. and White, A.H. 1988. Confirmation of the Absolute Stereochemistry of Hispidol-B [(3S, 23R, 24S)-Tirucall-7-ene-3, 23, 24, 25-tetrol]. *Aust. J. Chem.* 41: 1777-1780.
- Champagne, D.E., Koul, O., Isman, M.B., Scudder, G.E. and Towers, G.H.N. 1992. Biological Activity of Limonoids from the Rutales. *Phytochemistry*. 31 (2): 377-394.

- Chou, F.Y., Hostettmann, K., Kubo, I., Nakanishi, K. and Taniguchi, M. 1977. Isolation of an Insect Antifeedant N-methylflindersine and Several Benz (C) Phenanthridine Alkaloids from East African Plants: A Comment on Chelerythrine. *Heterocycles*. 7: 969-977.
- Connolly, J.D., McCrindle, R., Overton, K.H. and Warnock, W.D.C. 1967. Tetranortriterpenoids-III¹ 6-Hydroxy- and 6-Acetoxy-methyl angolensate from the Heartwood of *Khaya grandifoliola*. *Tetrahedron*. 23 (10): 4035-4039.
- Hassam, S.R. and Hutchinson, C.R. 1980. Biosynthesis of Vincaleukoblastine and (2) Approaches to Partial Synthesis of Kingside and Xylomollin. *Diss Abstr Int B*. 40: 5685-5686.
- Jantan, I.B., Kang, Y.H., Suh, D.Y. and Han, B.H. 1996. Inhibitory Effects of Malaysian Medicinal Plants on the Platelet-Activating Factor (PAF) Receptor Binding. *Nat. Prod. Sci.* 22: 86-89.
- Jolad, S.D., Hoffmann, J.J., Schram, K.H. and Cole, J.R. 1981. Constituents of *Trichilia hispida* (Meliaceae). Hispidols A and B, Two New Tirucallane Triterpenoids. *J. Org. Chem.* 46: 4085-4088.
- Kokpol, U.; Chavasiri, W.; Tip-pyang, S.; Veerachato, G. and Simpson, J. 1996. A Limonoid from *Xylocarpus granatum*. *Phytochemistry*. 41 (3): 903-905.
- Kubo, I., Miura, I. and Nakanishi, K. 1976. the Structure of Xylomollin, a Secoiridoid Hemiacetal Acetal. *J. Amer. Chem. Soc.* 98: 6704-6705.

- Luo, X.D.; Wu, S.H.; Ma, Y.B. and Wu, D.G. 2000. A New Triterpenoid from *Azadirachta indica*. *Fitoterapia*. 71: 668-672.
- MacKinnon, S.; Durst, T. and Arnason, J.T. 1997. Antimalarial Activity of Tropical Meliaceae Extracts and Gedunin Derivatives. *J. Nat. Prod.* 60: 336-341.
- Mulholland, D.A. and Taylor, D.A.H. 1992. Limonoids from Australian Members of the Meliaceae. *Phytochemistry*. 31 (12): 4163-4166.
- Naidoo, D., Mulholland, D.A., Randrianarivelojosia, M. and Coombes P.H. 2003. Limonoids and Triterpenoids from the seed of *Neobeguea mahafalensis*. *Biochemical Systematics and Ecology*. 31: 1047-1050.
- Ng, A.S. and Fallis, A.G. 1979. 7Alpha-acetoxydihydronomilin and Mexicanolide: Limonoids from *Xylocarpus granatum* (Koenig). *Can. j. Chem.* 57: 3088-3089.
- Okorie, D.A. and Taylor, D.A.H. 1970. Limonoids from *Xylocarpus granatum* Koenig. *J. Chem. Soc. (C)*. 211-213.
- Powell, J. W. 1966. Nuclear Magnetic Resonance Spectroscopy. A Correlation of the Spectra of some Meliacins and their Derivatives. *J.Chem.Soc.(C)*. 1794-1798.
- Singh, Y.N., Ikahihifo, T., Panuve, M. and Slatter, C. 1984. Folk Medicine in Tonga. A Study on the Use of Herbal Medicines for Obstetric and Gynaecological Conditions and Disorders. *J. Ethnopharmacol.* 12: 305-329.

- Sundarasivarao, B., Nazma and Madhusudhanarao, J. 1977. Antifungal Activity of Gudunin. *Curr. Sci.*, 46: 714-716.
- Tan, G.T., Pezzuto, J.M., Kinghorn, A.D. and Hughes, S.H. 1991. Evaluation of Natural Products as Inhibitors of Human Immunodeficiency Virus Type 1 (HIV-1) Reverse Transcriptase. *J. Nat. Prod.* 54 (1): 143-154.
- Taniguchi, M., Chapya, A., Kupo, I. and Nakanishi, K. 1978. Screening of East African Plants for Antimicrobial Activity. I. *Chem. Pharm. Bull.* 26: 2910-2913.
- Taylor, D.A.H. 1965. Extractives from East African Timbers. Part I. *J. Chem. Soc.* 3495-.
- Taylor, D.A.H. 1974. ^{13}C Nuclear Magnetic Resonance Spectra of some Limonoids. Part I. The Structure of Procerin, an Extractive from *Carapa procera*. *J. C. S. Perkin I.* 437-441.
- Taylor, D.A.H. 1983. Limonoid Extractives from *Xylocarpus Moluccensis*. *Photochemistry*. 22 (5): 1297-1299.
- Thangam, T.S. and Kathiresan, K. 1993. Repellency of Marine Plant Extracts Against the Mosquito *Aedes aegypti*. *Int J. Pharmacog.* 31: 321-323.
- Veitch, N.C., Wright, G.A. and Stevenson, P.C. 1999. Four New Tetraneortriterpenoids from *Cedrela odorata* Associated with Leaf Rejection by *Exophthalmus jekelianus*. *J. Nat. Prod.* 62: 1260-1263.

Waddell, T.G., Jones, H. and Keith, A.L. 1980. Legendery Chemical Aphrodisiacs. *J. Chem. Ed.* 57: 341-342.

Wasuwat, S. 1967. a List of Thai Medicinal Plants. Asret, Bangkok. Report No.1 on res. Project. 17. Research Report, A.S.R.C.T., No. 1 On Research Project. 17. 22pp-

Watt, J.M. and Breyer-Brandwijk, M.G. 1962. the Medicinal and Poisonous Plants of Southern and Eastern Africa. 2nd ed, E. + S. Livingstone, Ltd., London.

Wu, J., Xiao, Q., Huang, J., Xiao, Z., Qi, S., Li, Q. and Zhang, S. 2004. Xylococcins O and P, Unique 8,9,30-Phragmalin Ortho Esters from *Xylocarpus granatum*. *Org. Lett.* 6 (11): 1841-1844.

Zaridah, M.Z., Idid, S.Z., Omar, A.W. and Khozirah, S. 2001. In Vitro Antifilarial Effects of Three Plant Species Against Adult Worms of Subperiodic *Brugia malayi*. *J. Ethnopharmacol.* 78: 79-84.