

REFERENCE

- Abe, F., Nagafuji, S., Okabe, H., Higo, H. and Akahane, H. 2003. "Trypanocidal constituents in plants 2. xanthonones from the stem bark of *Garcinia subelliptica*", *Biol. Pharm. Bull.* **26**(12), 1730-1733.
- Abe, F., Nagafuji, S., Okabe, H., Akahane, H., Estrada-Muñiz, E., Huerta-Reyes, M. and Reyes-Chilpa, R. 2004. "Trypanocidal constituents in plants 3.¹⁾ Leaves of *Garcinia intermedia* and heartwood of *Calophyllum brasiliense*", *Biol. Pharm. Bull.* **27**(1), 141-143.
- Asano, J., Chiba, K., Tada, M. and Yoshii, T. 1996. "Cytotoxic xanthonones from *Garcinia hanburyi*", *Phytochemistry.* **41**(3), 815-820.
- Cao, S-G., Wu, X-H., Sim, K-Y., Tan, B.K.H., Pereira, J.T., Wong, W.H. Hew, N.F. and Goh, S.H. 1998a. "Cytotoxic caged tetraprenylated xanthonoids from *Garcinia gaudichaudii* (Guttiferae)", *Tetrahedron Lett.* **39**, 3353-3356.
- Cao, S-G., Sng, V.H.L., Wu, X-H., Sim, K-Y., Tan, B.H.K., Pereira, J.T. and Goh, S.H. 1998b. "Novel cytotoxic polyprenylated xanthonoids from *Garcinia gaudichaudii* (Guttiferae)", *Tetrahedron.* **54**, 10915-10924.
- Chairungrilerd, N., Takeuchi, K., Ohizumi, Y., Nozoe, S. and Ohta, T. 1996. "Mangostanol, a prenyl xanthone from *Garcinia mangostana*", *Phytochemistry.* **43**(5), 1099-1102.
- Chanmahasathien, W., Li, Y., Satake, M., Oshima, Y., Ruangrunsi, N. and Ohizumi, Y. 2003a. "Prenylated xanthonones with NGF-potentiating activity from *Garcinia xanthochymus*", *Phytochemistry.* **64**, 981-986.

- Chanmahasathien, W., Li, Y., Satake, M., Oshima, Y., Ishibashi, M., Ruangrunsi, N. and Ohizumi, Y. 2003b. "Prenylated xanthenes from *Garcinia xanthochymus*", *Chem. Pharm. Bull.* **51**(11), 1332-1334.
- Chanmahasathien, W., Li, Y., Ishibashi, M., Ruangrunsi, N. and Ohizumi, Y. 2004. "Xanthenes with NGF-potentiating activity", *Natural Medicines.* **58**(2), 76-78.
- Chen, F-C., Lin, Y-M. and Hung, J-C. 1975. "Phenolic compounds from the heartwood of *Garcinia multiflora*", *Phytochemistry.* **14**, 300-303.
- Chen, J-J., Chen, I-S. and Duh, C-Y. 2004. "Cytotoxic xanthenes and biphenyls from the roots of *Garcinia linnii*", *Planta Med.* **70**, 1195-1200.
- Chiang, Y-M., Kuo, Y-H., Oota, S. and Fukuyama, Y. 2003. "Xanthenes and benzophenones from the stems of *Garcinia multiflora*", *J. Nat. Prod.* **66**, 1070-1073.
- Ee, G.C.L., Phong, K.H., Mong, X.H., Shaari, K. and Sukari, M.A. 2003. "Cuneifolin, a new xanthone from *Garcinia cuneifolia* (Guttiferae)", *Nat. Prod. Sci.* **9**(3), 174-176.
- Fattorusso, E., Magno, S. and Mayol, L. 1978. "Isolation of (2S, 8R)-germacra-1(11), 5(12),E6-triene-2-ol acetate from the brown alga *Dilophus fasciola*", *Tetrahedron Lett.* **43**, 4149-4152.
- Gopalakrishnan, G., Banumathi, B. and Suresh, G. 1997. "Evaluation of the antifungal activity of natural xanthenes from *Garcinia mangostana* and their synthetic derivatives", *J. Nat. Prod.* **60**(5), 519-524.

- Hay, A-E., Aumond, M-C., Mallet, S., Dumontet, V., Litaudon, M., Rondeau, D. and Richomme, P. 2004a. "Antioxidant xanthones from *Garcinia vieillardii*", *J. Nat. Prod.* **67**, 707-709.
- Hay, A-E., Hélesbeux, J-J., Duval, O., Labaïed, M., Grellier, P. and Richomme, P. 2004b. "Antimalarial xanthones from *Calophyllum caledonicum* and *Garcinia vieillardii*", *Life Sciences.* **75**, 3077-3085.
- He, K., Zeng, L., Shi, G., Zhao, G-X., Kozłowski, J.F. and McLaughlin, J.L. 2002. "Bioactive compounds from *Taiwania cryptomerioides*" *J. Nat. Prod.* **60**, 38-40.
- Ho, C-K., Huang, Y-L. and Chen, C-C. 2002. "Garcinone E, a xanthone derivative, has potent cytotoxic effect against hepatocellular carcinoma cell lines", *Planta Med.* **68**, 975-979.
- Ilyas, M., Perveen, M., Shafiullah and Ahmad, S.M. 2002. "A novel chalcone from *Garcinia nervosa*", *J. Chem. Res-S.* **5**, 231-233.
- Ilyas, M., Kamil, M., Parveen, M. and Khan, M.S. 1994. "Isoflavones from *Garcinia nervosa*", *Phytochemistry.* **36**(3), 807-809.
- Ito, C., Itoigawa, M., Miyamoto, Y., Onoda, S., Rao, K.S., Mukainaka, T., Tokuda, H., Nishino, H. and Furukawa, H. 2003a. "Polyprenylated benzophenones from *Garcinia assigu* and their potential cancer chemopreventive activities", *J. Nat. Prod.* **66**, 206-209.
- Ito, C., Itoigawa, M., Takakura, T., Ruangrungsi, N., Enjo, F., Tokuda, H., Nishino, H. and Furakawa, H. 2003b. "Chemical constituents of *Garcinia fusca*: structure elucidation of eight new xanthones and their cancer chemopreventive activity", *J. Nat. Prod.* **66**, 200-205.

- Jantan, I., Pizar, M.Md., Idris, M.S., Taher, M. and Ali, R.M. 2002. "In vitro inhibitory effect of rubraxanthone isolated from *Garcinia parvifolia* on platelet-activating factor receptor binding", *Planta Med.* **68**, 1133-1134.
- Karanjgaonkar, C.G., Nair, P.M. and Venkataraman, K. 1966. "Morellic, isomorellic and gambogic acids", *Tetrahedron Lett.*, **7**, 687-691.
- Kosela, S., Hu, L-H., Rachmatia, T., Hanafi, M. and Sim, K-Y. 2000. "Dulxanthones F-H, three new pyranoxanthones from *Garcinia dulcis*", *J. Nat. Prod.* **63**(3), 406-407.
- Lakshmi, C., Kumar, K.A. and Dennis, T.J. 2002. "Polyprenylated benzophenones from *Garcinia indica*", *J. Indian Chem. Soc.* **79**, 968-969.
- Li, X-C., Joshi, A.S., Tan, B., ElSohly, H.N., Walker, L.A., Zjawiony, J.K. and Ferreira, D. 2002. "Absolute configuration, conformation, and chiral properties of flavanone-(3→8'')-flavone biflavonoids from *Rheedia acuminata*", *Tetrahedron.* **58**, 8709-8717.
- Lin, Y-M., Flavin, M.T., Cassidy, C.S., Mar, A. and Chen, F-C. 2001. "Biflavonoids as novel antituberculosis agents", *Bioorg. Med. Chem. Lett.* **11**, 2101-2104.
- Mackeen, M.M., Ali, A.M., Lajis, N.H., Kawazu, K., Kikuzaki, H. and Nakatani, N. 2002. "Antifungal garcinia acid esters from the fruits of *Garcinia atroviridis*", *J. Biosciences.* **57**(3/4), 291-295.
- Merza, J., Aumond, M-C., Rondeau, D., Dumontet, V., Le Ray, A-M., Séraphin, D. and Richomme, P. 2004. "Prenylated xanthones and tocotrienols from *Garcinia virgata*", *Phytochemistry.* **65**, 2915-2920.

- Nguyen, L-H.D., Vo, H.T., Pham, H.D., Connolly, J.D. and Harrison, L.J. 2003. "Xanthenes from the bark of *Garcinia merguensis*", *Phytochemistry*. **63**, 467-470.
- Okunji, C.O., Ware, T.A., Hicks, R.P., Iwu, M.M., Skanchy, D.J. 2002. "Capillary electrophoresis determination of biflavanones from *Garcinia kola* in three traditional African medicinal formulations", *Planta Med.* **68**, 440-444.
- Parveen, M., Ilyas, M., Mushfiq, M., Busudan, O.A. and Muhaisen, H.M.H. 2004. "A new biflavonoid from leaves of *Garcinia nervosa*", *Nat. Prod. Res.* **18**(3), 269-275.
- Parveen, M., Khan, N.U., Achari, B. and Dutta, P.K. 1991. "A triterpene from *Garcinia mangostana*", *Phytochemistry*. **30**(1), 361-362.
- Permana, D., Lajis, N.H., Shaari, K., Ali, A.M., Mackeen, M.M., Kitajima, M., Takayama, H. and Aimi, N. 2003. "A new prenylated hydroquinone from the roots of *Garcinia atroviridis* Griff ex T. Anders (Guttiferae)", *Chem. Sci.* **58**(4), 332-335.
- Permana, D., Lajis, N.H., Mackeen, M.M., Ali, A.M., Aimi, N., Kitajima, M. and Takayama, H. 2001. "Isolation and bioactivities of constituents of the roots of *Garcinia atroviridis*", *J. Nat. Prod.* **64**(7), 976-979.
- Peres, V., Nagem, T.J. and Oliveira, F.F. 2000. "Tetraoxygenated naturally occurring xanthenes", *Phytochemistry*. **55**, 683-710.
- Pino, J., Marbot, R., Rosado, A. and Vázquez, C. 2003. "Volatile constituents of fruits of *Garcinia dulcis* Kurz. from Cuba", *Flavour Fragr. J.* **18**, 271-274.
- Rao, B.S. 1937. "Morellin, a constituents of the seeds of *Garcinia morella*", *J. Chem. Soc.*, 853-855.

- Rukachaisirikul, V., Kaewnok, W., Koysomboon, S., Phongpaichit, S. and Taylor, W.C. 2000. "Caged-tetraprenylated xanthenes from *Garcinia scortechinii*", *Tetrahedron*. **56**, 8539-8543.
- Rukachaisirikul, V., Ritthiwigrom, T., Pinsa, A., Sawangchote, P. and Taylor, W.C. 2003a. "Xanthenes from the stem bark of *Garcinia nigrolineata*", *Phytochemistry*. **64**, 1149-1156.
- Rukachaisirikul, V., Painuphong, P., Sukpondma, Y., Koysomboon, S., Sawangchote, P. and Taylor, W.C. 2003b. "Caged-triprenylated and -tetraprenylated xanthenes from the latex of *Garcinia scortechinii*", *J. Nat. Prod.* **66**, 933-938.
- Rukachaisirikul, V., Kamkaew, M., Sukavisit, D., Phongpaichit, S., Sawangchote, P. and Taylor, W.C. 2003c. "Antibacterial xanthenes from the leaves of *Garcinia nigrolineata*", *J. Nat. Prod.* **66**, 1531-1535.
- Rukachaisirikul, V., Pailee, P., Hiranrat, A., Tuchinda, P., Yoosook, C., Kasisit, J., Taylor, W.C. and Reutrakul, V. 2003d. "Anti-HIV-1 protostane triterpenes and digeranylbenzophenone from trunk bark and stems of *Garcinia speciosa*", *Planta Med.* **69**, 1141-1146.
- Rukachaisirikul, V., Phainuphong, P., Sukpondma, Y., Phongpaichit, S. and Taylor, W.C. 2005. "Antibacterial caged-tetraprenylated xanthenes from the stem bark of *Garcinia scortechinii*", *Planta Med.* **71**, 165-170.
- Saito, M., Ishikawa, H., Yamaguchi, N., Ariga, T. and Kataoka, S. 1999. "Polyprenylated benzophenol derivatives from *Garcinia indica* as anti-ulcer agents", *Jpn. Kokai Tokkyo Koho.* 9, JP 11029465.
- Sani, B.P. and Narasimha Rao, P.L. 1966. "Antibiotic principles of *Garcinia morella*. VII. Antiprotozoal activity of morellin, neomorellin and other insoluble

neutral phenols of the seed coat of *Garcinia morella*”, *Indian J. Exptl. Biol.* **4**(1), 27-28.

Sang, S., Liao, C-H., Pan, M-H., Rosen, R.T., Lin-Shiau, S-Y., Lin, J-K. and Ho, C-T. 2002. “Chemical studies on antioxidant mechanism of garcinol: analysis of radical reaction products of garcinol with peroxy radicals and their antitumor activities”, *Tetrahedron.* **58**, 10095-10102.

Saralamp, P., Chuakul, W., Temsiririrkkul, R. and Clayton, T. 1996. “Medicinal Plants in Thailand,” Vol. I, Amarin Printing and Publishing Public Co., Ltd., Bangkok, 97.

Sherley, G., Kosela, S., Kardono, L.B.S., Hanafi, M. and Harrison, L.J. 2004. “Identification of cytotoxic and antibacterial pyranoxanthones from *Garcinia porrecta*”, *New Technologies & Medicine.* **5**(1), 39-43.

Suksamrarn, S., Suwannapoch, N., Phakhodee, W., Thanuhiranlert, J., Ratananukul, P., Chimnoi, N. and Suksamrarn, A. 2003. “Antimycobacterial activity of prenylated xanthenes from the fruits of *Garcinia mangostana*”, *Chem. Pharm. Bull.* **51**(7), 857-859.

Thoison, O., Fahy, J., Dumontet, V., Chiaroni, A., Riche, C., Tri, M.T. and Sévenet, T. 2000. “Cytotoxic prenylxanthenes from *Garcinia bracteata*”, *J. Nat. Prod.* **63**, 441-446.

Verdi, L.G., Pizzolatti, M.G., Montanher, A.B.P., Brighente, I.M.C., Jùnior, A.S., Smânia, E. de F.A., Simionatto, E.L. and Monache, F.D. 2004. “Antibacterial and brine shrimp lethality tests of biflavonoids and derivatives of *Rheedia gardneriana*”, *Fitoterapia.* **75**, 360-363.

- Vieira, L.M.M., Kijjoa, A., Silva, A.M.S., Mondranondra, I-O., Kengthong, S. Gales, L., Damas, A.M. and Herz, W. 2004a. "Lanostanes and friedolanostanes from the bark of *Garcinia speciosa*", *Phytochemistry*. **65**, 393-398.
- Vieira, L.M.M., Kijjoa, A., Wilairat, R., Nascimento, M.S.J., Gales, L., Damas, A.M., Silva, A.M.S., Mondranondra, I-O., and Herz, W. 2004b. "Bioactive friedolanostanes and 11(10→8)-abeolanostanes from the bark of *Garcinia speciosa*", *J. Nat. Prod.* **67**, 2043-2047.
- Wahyuni, F.S., Byrne, L.T., Dachriyanus, Dianita, R., Jubahar, J., Lajis, N.H. and Sargent, M.V. 2004. "A new ring-reduced tetraprenyltoluquinone and a prenylated xanthone from *Garcinia cowa*", *Aust. J. Chem.* **57**, 223-226.
- Weng, J-R., Lin, C-N., Tsao, L-T. and Wang, J-P. 2003a. "Novel and anti-inflammatory constituents of *Garcinia subelliptica*", *Chem. Eur. J.* **9**, 1958-1963.
- Weng, J-R., Lin, C-N., Tsao, L-T. and Wang, J-P. 2003b. "Terpenoids with a new skeleton and novel triterpenoids with anti-inflammatory effects from *Garcinia subelliptica*", *Chem. Eur. J.* **9**, 5520-5527.
- Weng, J-R., Tsao, L-T., Wang, J-P., Wu, R-R. and Lin, C-N. 2004. "Anti-inflammatory phloroglucinols and terpenoids from *Garcinia subelliptica*", *J. Nat. Prod.* **67**, 1796-1799.
- Williams, R.B., Hoch, J., Glass, T.E., Evans, R., Miller, J.S., Wisse, J.H. and Kingston, D.G.I. 2003. "A novel cytotoxic guttiferone analogue from *Garcinia macrophylla* from the suriname rainforest", *Planta Med.* **69**, 861-864.
- Whitmore, M.A. 1973. "Tree Flora of Malaya", Malaysia: Forest Department, Ministry of Primary Industries, Longman, 221.

- Wu, X., Cao, S., Goh, S., Hsu, A. and Tan, B.K.H. 2002. "Mitochondrial destabilization and caspase-3 activation are involved in the apoptosis of jurkat cells induced by gaudichaudione A, a cytotoxic xanthone", *Planta Med.* **68**, 198-203.
- Xu, Y.J., Yip, S.C., Kosela, S., Fitri, E., Hana, M., Goh, S.H. and Sim, K.Y. 2000. "Novel cytotoxic, polyprenylated heptacyclic xanthonoids from Indonesian *Garcinia gaudichaudii* (Guttiferae)", *Org. Lett.* **2**(24), 3945-3948.
- Zombower, D.E., Lin, Y-M., Flavin, M.T., Chen, F-C. and Korba, B.E. 1998. "Robustaflavone, a potential non-nucleoside anti-hepatitis B agent", *Antivir. Res.* **39**, 81-88.

PUBLICATIONS

PUBLICATIONS

1. Yaowapa Sukpondma, Vatcharin Rukachaisirikul and Souwalak Phongpaichit. 2005. "Antibacterial caged-tetraprenylated xanthenes from the fruits of *Garcinia hanburyi*", *Chem. Pharm. Bull.*, **53**(7), in press.
2. Yaowapa Sukpondma, Vatcharin Rukachaisirikul and Souwalak Phongpaichit. 2005. "Xanthenes and sesquiterpenes derivatives from the fruits of *Garcinia scortechinii*", *J. Nat. Prod.*, in press.

PRESENTATIONS

1. Yaowapa Sukpondma, Vatcharin Rukachaisirikul and Souwalak Phongpaichit. "Caged-tetraprenylated xanthenes from the fruits of *Garcinia hanburyi*", The Forth PERCH Annual Scientific Conference (PERCH Conference IV), Jomtein Palm Beach Resort, Pattaya, Chonburi, Thailand. 9th-12th May 2005. (Poster Presentation).
2. Yaowapa Sukpondma and Vatcharin Rukachaisirikul "Antibacterial caged-polyprenylated xanthenes from the fruits of *Garcinia scortechinii*", RGJ Seminar Series XXX: Biosciences and Biotechnology for the Development of Southern Thailand, Faculty of Agro-Industry, Prince of Songkla University, Hat Yai, Songkhla, Thailand. 13th August 2004. (Oral Presentation).
3. Yaowapa Sukpondma and Vatcharin Rukachaisirikul "Caged-polyprenylated xanthenes from the fruits of *Garcinia scortechinii*", The Second PERCH Annual Scientific Conference (PERCH Conference II), Jomtein Palm Beach Resort, Pattaya, Chonburi, Thailand. 11th-14th May 2003. (Oral Presentation).
4. Yaowapa Sukpondma, Vatcharin Rukachaisirikul, Souwalak Phongpaichit and Waltor C. Taylor. "Caged-polyprenylated xanthenes from the fruits of

Garcinia scortechinii”, 29th Congress on Science and Technology of Thailand, Golden Jubilee Convention Hall, Khon Kean University, Khon Kean, Thailand. 20th-22nd October 2003. (Oral Presentation).

5. Vatcharin Rukachaisirikul, Yaowapa Sukpondma, Patima Painuphong, Souwalak Phongpaichit, Prekart Sawangchote and Walter C. Taylor. “Antibacterial caged-polyprenylated xanthenes from the fruits of *Garcinia scortechinii*”, Asian Symposium on Medicinal Plants, Spices and Other Natural Products XI (ASOMPS XI), Kuming, China, 26th-30th October 2003. (Poster Presentation).