

เอกสารอ้างอิง

ธีรพร กงบังเกิด. 2546. จุลชีวิทยา. ภาควิชาอุตสาหกรรมการเกษตร คณะเกษตรศาสตร์ ทรัพยากรธรรมชาติและสิ่งแวดล้อม มหาวิทยาลัยนเรศวร.

นรีกุล สุระพัฒน์. 2536. แอโรบิกแบบชิล ໄโลแกรมลบ. จุลชีวิทยาทางการแพทย์. สำนักพิมพ์กรุงเทพ เวชสาร กรุงเทพฯ.

นันทนา อรุณฤกษ์. 2537. แอโรปส์แบบชิลแกรมบวก. การจำแนกแบบที่เรียกว่าคุ่มแอโรปส์. โ.อ. เอส. พรินดิ้ง เอ็กซ์ กรุงเทพฯ.

ปราโมทย์ ธรรมรัตน์ และ จิราภรณ์ ชนีวัน. 2533. การคัดเลือกสายพันธุ์คิลเลอร์ยีสต์ที่มีศักยภาพสูงสำหรับการหมักแอลกอฮอล์จากมันสำปะหลัง. รายงานผลการวิจัยทุนวิจัยรัชดาภิเษก สมโภช จุฬาลงกรณ์มหาวิทยาลัย.

ปราโมทย์ ธรรมรัตน์, ชงชัย คัมภី, ภาณุโยเซ่ คิตาโน และ เอริกา หื้อดჟุก. 2529. ลักษณะของ killer yeasts ที่พบในประเทศไทยและการค้นพบ killer yeasts ชนิดใหม่ที่มีประสิทธิภาพการม่าสูง. สถาบันค้นคว้าและพัฒนาผลิตภัณฑ์อาหาร มหาวิทยาลัยเกษตรศาสตร์.

มาตรฐานผลิตภัณฑ์ชุมชน (ออนไลน์). 2549. สืบค้นจาก : <http://www.tisi.go.th/otop/otop1.html>.

ราภัส ครุส่ง. 2538. จุลินทรีย์ที่เกี่ยวข้องกับอาหาร. จุลชีวิทยาในกระบวนการแปรรูปอาหาร. โ.อ. เอส. พรินดิ้ง เอ็กซ์ กรุงเทพฯ.

สาวิตรี ลิ่มทอง. 2549. ยีสต์: ความหลากหลายและเทคโนโลยีชีวภาพ. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์.

ศิรินาถ หนูอก. 2539. การคัดเลือกแบบที่เรียกแลกติกที่สร้างสารแบคเทอริโอซินจากอาหารหมัก. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาโนโอลีฟอาหาร มหาวิทยาลัยสงขลานครินทร์.

ศุภยางค์ วรรุณคุณชัย. 2546. การพิสูจน์เอกสารลักษณะของแบบที่เรียกแกรมบวกและแกรมลบ. ภาควิชาจุลชีวิทยา คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.

อักษร ศรีเปล่ง, พุนพีล สุวรรณฤทธิ์, พัชรี สุนทรนันท์ และ สาวิตรี ลิ่มทอง. 2547. โครงการ ตำราวิทยาศาสตร์และคณิตศาสตร์มูลนิช สอง. สำนักพิมพ์มูลนิช สอง.

Ashida, A., Shimazaki, T., Kitano, K. and Hara, S. 1983. New killer toxin of *Hansenula mrakii*. Agriculture Biology Chemistry. 47 : 2953-2955.

Bevan, E. and Makower, M. 1963. The physiological basis of the killer character in yeast. In Proceeding of the XIth International Congress on Genetics. 1 : 202-203.

Bussey, H., Sherman, D. and Somers, J.M. 1973. Action of yeast killer factor: a resistant mutant with sensitive spheroplasts. Journal of Bacteriology. 113 : 1193-1197.

Butler, A.R., White, J.H., Folawiyo, Y., Edlin, A., Gardiner, D. and Stark, M.J.R. 1994. Two *Saccharomyces cerevisiae* genes which control sensitivity to G1 arrest induced by *Kluyveromyces lactis* toxin. Molecular and Cellular Biology. 14 : 6306-6316.

Buzzini, P., Corazzi, L., Turchetti, B., Buratta, M. and Martini, A. 2004. Characterization of the in vitro antimycotic activity of nevel killer protein from *Williopsis saturnus* DBVPG 4561 against emerging pathogenic yeast. FEMS Microbiology Letters. 238 : 359-365.

Carreiro, S.C., Pagnocca, F.C., Bacci, M. and Bueno, O.C. 2002. Occurrence of killer yeast in leaf-cutting ant nests. Folia Microbiology. 47 : 259 – 262.

Ceccato-Antonini, S.R., Tosta, C.D. and Da Silva, A.C. 2004. Determination of killer yeast activity in fermenting sugarcane juice using selected ethanol-maring strains. Brazilian Archives of Biology and Technology. 47 : 13 – 23.

Chen, W.B., Han, Y.F., Jong, S.C. and Chang, S.C. 2000. Isolation purification and characterization of a killer protein from *Schwanniomyces occidentalis*. Applied and Environmental Microbiology. 66 : 5348-5352.

- Ciani, M. and Fatichenti, F. 2001. Killer toxin of *Kluyveromyces phaffii* DBVPG 6076 as a biopresevative agent to control apiculate wine yeast. Applied and Environmental Microbiology. 67 : 3058-3063.
- Comitini, F., Pietro, N.D., Zacchi, L., Mannazzu, I. and Ciani, M. 2004. *Kluyveromyces phaffii* killer toxin active against wine spoilage : purification and characterization. Microbiology. 150 : 2535-2541.
- Criseo, G., Gallo, M. and Pernice, A. 1999. Killer activity at different pHs against *Cryptococcus neoformans* var. *neoformans* serotype A by environmental yeast isolates. Mycoses. 42 : 601-608.
- Da Silva, S., Calado, S., Lucas, C. and Aguiar, C. 2008. Unusual properties of the halotolerant yeast *Candida nodensis* killer toxin, CnKT. Microbiology research. 163 : 243-251.
- El-Samragy, Y.A. and Zall, R.R. 1988. The influence of sodium chloride on the activity of yeast in the production of single cell protein in whey permeate. Journal Diary Science. 71 : 1135-1140.
- Estrada-Godina, A.R., Cruz-Guerrero, A.E., Lappe, P., Ulloa, M., Garcia-Garibay, M. and Gomez-Ruiz. 2001. Isolation and identification of killer yeast from *Agave* sap (aguamiel) and pulque. World Journal of Microbiology and Biotechnology. 17 : 557-560.
- Feldmann, H. 2005. Yeast Molecular Biology. Adolf-Butenandt-Institute University of Munich.
- Gomori, G. 1995. Preparation of Buffers for use in Enzyme Studies. Methods in Enzymology. 1 : 138.
- Goretti, M., Tirschetti, B., Burena, M., Branda, E., Corazzi, L., Vaughan-Martini, A. and Buzzini, Pietro. 2009. In vitro antimycotic activity of a *Williopsis saturnus* killer protein against food spoilage yeast. International Journal of Food Microbiology. 13 : 178 – 182.

- Guyard, C., Seguy, N., Cailliez, J.C., Drobecq, H., Polonelli, C., Dei-Cas, E., Mercenier, A. and Menozzi, F.M. 2002. Characterization of a *Williopsis saturnus* var. *mrakii* high molecular weight secreted killer toxin with broad-spectrum antimicrobial activity. *Journal of Antimicrobial Chemotherapy.* 49 : 961-971.
- Heard, G.M. and Fleet, G.H. 1987. Occurrence and growth of killer yeast during wine fermentation. *Applied and Environmental Microbiology.* 53 : 2171-2174.
- Hernandez, A., Martin, A., Cordoba, M.G., Benito, M.J., Aranda, E. and Perez-Nevado, F. 2008. Determination of killer activity in yeasts isolated from the elaboration of seasoned green table olives. *International Journal of Food microbiology.* 121 : 178-188.
- Hodgson, V.J., Button, D. and Walker, G.M. 1995. Anti-Candida activity of a novel killer toxin from the yeast *Williopsis mrakii*. *Microbiology.* 141 : 2003-2012.
- Izgu, F. and Altinbay, D. 1997. Killer toxins of certain yeast strains have potential growth inhibitory activity on gram-positive pathogenic bacteria. *Microbiology.* 89 : 15-22.
- Izgu, F. and Altinbay, D. 2004. Isolation and Charecterization of the K5-type yeast killer protein and its homology with an Exo- β -1,3-glucanase. *Biology science Biotechnology Biochem.* 68 : 685-693.
- Izgu, F., Altinbay, D. and Sertkaya, A. 2005. Enzymic activity of K5-type yeast killer toxin and its characterization. *Bioscience. Biotechnology. Biochemistry.* 69 : 2200-2206.
- Izgu, F., Altinbay, D. and Acun, T. 2006. Killer toxin of *Pichia anomala* NCYC 432; purification, characterization and its exo- β -1,3-glucanase activity. *Enzyme and Microbial Technology.* 39 : 669-676.
- Izgu, F., Altinbay, D. and Derinel, Y. 2004. Immunization of the industrial fermentation starter culture strain of *Saccharomyces cereviseae* to a contaminating killer toxin-producing *Candida Tropicalis*. *Food Microbiology.* 21 : 635-640.

- Izgu, F., Altinbay, D. and Tureli, A.E. 2007. In vitro susceptibilities of *Candida* spp. To panomycocin, a novel Exo- β -1,3-glucanase isolated from *Pichia anomala* NCYC 434. *Microbiology Immunology*. 51 : 797-803.
- Izgu, F., Altinbay, D. and Yucelis, A. 1997. Identification and killer activity of a yeast contaminating starter cultures of *Saccharomyces cerevisiae* strains used in the Tuskish baking industry. *Food Microbiology*. 14 : 125-131.
- Kapsopoulou, K., Barouti, E., Makrioniti, A. and Kostaki, K. 2008. Occurrence of *Saccharomyces cerevisiae* killer yeasts in wine-producing areas of Greece. *World Journal Microbiology Biotechnology*. 24 : 1967 – 1971.
- Kasahara, S., Inoue, S.B., Mio, T., Yamada, T., Nakagima, T., Ichishima, E., Furuichi, Y. and Yamada, H. 1994. Involvement of cell wall β -glucan in the action of HM-1 killer toxin. *FEBS Letters*. 348 : 27-32.
- Komiyama, T., Ohta, T., Urakami, H., Shiratori, Y., Takasuka, T., Satoh, M., Watanabe, T. and Furuichi, Y. 1996. Pore formation on proliferating yeast *Saccharomyces cerevisiae* cell buds by HM-1 killer toxin. *Journal Biochemistry*. 119 : 731-736.
- Lebionka, A., Serviene, E. and Melvydas, V. 2002. Isolation and purification of yeast *Saccharomyces cerevisiae* K2 killer toxin. *Biologija*. 4 : 7-9.
- Liu, X.Y., Wang, O., Cuic, S.W. and Liu, H.Z. 2008. A new isolation method of b-D-glucans from spent yeast *Saccharomyces cerevisiae*. *Food Hydrocolloids*. 22 : 239-247.
- Llorente, P., Marquina, D., Santos, A., Peinado, J.M. and Spencer-Martins, I. 1997. Effect of salt on the killer phenotype of yeast from olive brines. *Applied and Environmental Microbiology*. 63 : 1165-1167.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R. 1951. Protein measurement with the folin phenol reagent. *The Journal of Biological Chemistry*. 193 : 265-275.

- Maneesri, J. and Masniyom, P. 2007. Induction and inhibition of film yeast from fermented bamboo shoot by seasoning plants. *Songklanakarin Journal of Science and Technology.* 29 : 1135-1143.
- Marquina, D., Santos, A. and Peinado, J.M. 2002. Biology of killer yeasts. *International Microbiology.* 5 : 65-71.
- Magliani, W., Conti, S., Gerloni, M., Bertolotti, D. and Polonelli, L. 1997. Yeast killer systems. *Clinical Microbiology Reviews.* 10 : 369-400.
- Middelbeek, E.J., Hermans, J.M.H., Stumm, C. and Muytjens, H.L. 1980. High incidence of sensitivity to yeast killer toxins among *Candida* and *Toluropsis* isolates of human origin. *Antimicrobial Agents and Chemotherapy.* 17 : 350-354.
- Murciano, C., Villamon, E., O'Connor, J.E., Gozalbo, D. and Gil, M.L. 2006. Killed *Candida albicans* yeasts and hyphae inhibit gamma interferon release by natural killer cells. *Infection and Immunity.* 74 : 1403–1406.
- Pena, de la P., Barros, F., Gascon, S., Lazo, P.S. and Ramos, S. 1981. Effect of yeast killer toxin on sensitive cells of *Saccharomyces cereviseae*. *The Journal of Biological Chemistry.* 256 : 10420-10425.
- Peng, Y., Chi, Z.M., Wang, X.H. and Li, J. 2009. Purification and molecular characterization of exo-B-1,3-glucocanases from the marine yeast *Williopsis saturnus* WC91-2. *Applied Microbiology Biotechnology.* 85 : 85-94.
- Perez, F., Ramirez, M. and Regodon. 2001. Influence of killer strains of *Saccharomyces cerevisiae* on wine fermentation. *Antonie van leeuwenhoek.* 79 : 393-399.
- Petering, J.E., Symons, M.R., Langridge, P. and Henschke, P.A. 1991. Determination of killer yeast activity in fermenting grape juice by using a marked *Saccharomyces* wine yeast strain. *Applied and Environmental Microbiology.* 57 : 3232-3236.

Pfeiffer, P., Radler, F., Caspritz, G. and Hanel, H. 1988. Effect of a killer toxin of yeast on eukaryotic systems. *Applied and Environmental Microbiology*. 54 : 1068-1069.

Pintar, J and Starmer, T.W. 2003. The costs and benefits of killer toxin production by the yeast *Pichia kluyeri*. *Antonie van leeuwenhoek*. 83 : 89-98.

Polonelli, L. and Morace, G. 1986. Reevaluation of the yeast killer phenomenon. *Journal of Clinical Microbiology*. 24 : 866-869.

Radler, F., Herzberger, S., Schonig, I. and Schwarz, P. 1993. Investigation of a killer strain of *Zygosaccharomyces bailii*. *Journal of General Microbiology*. 139 : 496-500.

Riffer, F., Eisfeld, K., Breinig, F. and Schmitt, M. 2002. Mutational analysis of K28 preprotoxin processing in the yeast *Saccharomyces cerevisiae*. *Microbiology*. 148 : 1317-1328.

Rose, A.S. and Harrison, J.S. 1971. The yeast. Vol.2. New york. : Academic Press.

Santos, A., Marquina, D., Barroso, J. and Peinado, J.M. 2002. (1→6)- β -D-glucan as the cell wall binding site for *Debaryomyces hansenii* killer toxin. *Letters in Applied Microbiology*. 34 : 95-99.

Santos, A., Alvarez, M.del M., Mauro, M.S., Abrusci, C. and Marquina, D. 2005. The transcriptional response of *Saccharomyces cerevisiae* to *Pichia membranifaciens* killer toxin. *The Journal of Biological Chemistry*. 280 : 41881-41892.

Santos, A. and Marquina, D. 2004. Killer toxin of *Pichia membranifaciens* and its possible use as a biocontrol agent against grey mould disease of grapevine. *Microbiology*. 150 : 2527-2534.

Santos, A., Marquina, D., Leal, J. A. and Peinado, J. M. 2000. (1 → 6)- β -D-glucan as cell wall receptor for *Pichia membranifaciens* killer toxin. *Applied and Environmental Microbiology*. 66 : 809-813.

Santos, A., Sanchez, A. and Marquina, D. 2004. Yeast as biological agents to control *Botrytis cinerea*. *Microbiological Research*. 159 : 331-338.

- Sawant, A. D., Abdelal, A. T., and Ahearn, D. G. 1989. Purification and characterization of anti-Candida toxin of *Pichia anomala* WC 65. *Antimicrob. Agents Chemother.* 33 : 48-52.
- Selvakumar, D., Miyamoto, M., Furuichi, Y. and Komiyama, T. 2006. Inhibition of fungal β -1,3-glucan synthase cell growth by HM-1 killer toxin single-chain anti-idiotypic Antibodies. *Antimicrobial Agents and Chemotherapy.* 50 : 3090-3097.
- Soares, G.A.M. and Sato, H.H. 1999. Killer toxin of *Saccharomyces cerevisiae* Y500-4L active against Fleiachmann and Itaiquara commercial brands of yeast. *Revista de Microbiologia.* 30 : 253-257.
- Soares, G.A.M. and Sato, H.H. 2000. Characterization of the *Saccharomyces cereviseae* Y500-4L killer toxin. *Brazilian Journal of Microbiology.* 31 : 291-297.
- Spencer, J.F.T., Spencer, D.M. and Figueroa, L.I.C. 1997. Yeasts as living objects: Yeast nutrition. *Yeasts in Natural and Artificial Habitats.* 69.
- Vagnoli, P., Musmanno, R.A., Cresti, S., Maggio, T.D. and Coratza, G. 1993. Occurrence of killer yeasts in spontaneous wine fermentations from the tuscany region of Italy. *Applied and Environmental Microbiology.* 59 : 4037-4043.
- Vadkertiova, R. and Slavikova, E. 2007. Killer activity of yeasts isolated from natural environments against some medically important *Candida* species. *Polish Journal of Microbiology.* 56 : 39-43.
- Walker, G.M. 1998. Yeast nutrition. *Yeast Physiology and Biotechnology.* 52-58.
- Walker, G.M., Mcleod, A.H. and Hodgson, V.J. 1995. Interactions between killer yeasts and pathogenic fungi. *FEMS Microbiology Letters.* 127 : 213-222.
- Wang, X., Chi, Z., Yue, L. and Li, J. 2007. Purification and characterization of killer toxin from a marine yeast *Pichia anomala* YF07b against the pathogenic yeast in crab. *Curr Microbiol.* 55 : 396-401.

- Weiler, F. and Schmitt, J. 2003. Zygocin, a secreted antifungal toxin of the yeast *Zygosaccharomyces bailii*, and its effect on sensitive fungal cells. *FEMS Yeast Research.* 3 : 69-76.
- Wilson, C. and Whittaker, P.A. 1989. Factors affecting activity and stability of the *Kluyveromyces lactis* killer toxin. *Applied and Environmental Microbiology.* 55 : 695-699.
- Yamamoto, T., Hiratani, T., Hirata, H., Imai, M. and Yamaguchi, H. 1985. Killer toxin from *Hansanula mrakii* selectively inhibits cell wall synthesis in a sensitive yeast. *FEBS.* 197 : 50-54.
- Yap, N.A. 2000. The sensitive of yeasts to killer yeast toxins: with focus on the killer yeast *Pichia membranifaciens*. Thesis submitted for the degree of DOCTOR OF PHILOSOPHY. The Department of Plant Science Faculty of Agricultural and Natural Resource Sciences The University of Adelaide.
- Zagorc, T., Maraz, A., Cadez, N., Povhe Jemec, K., Peter, G., Resnik, M., Nemanic, J. and Raspor P. 2001. Indigenous wine killer yeasts and their application as a starter culture in wine fermentation. *Food Microbiology.* 18 : 441-451.
- Zarowska, B., Wojtowicz, M., Polomska, X., Juszczuk, P. and Chranowska, J. 2004. Factors affecting killer activity of some yeast species occurring in rokpol cheese. *Folia Microbiology.* 49 : 713-717.