

บรรณานุกรม

- ชีตใช้ยึดห์ สาขาวรี. 2548. การเตรียมเทอร์โมพลาสติกอิเล็กโตเมอร์จากยางธรรมชาติมาลิเอต
เบลนค์กับพอลิไพรีโน้ดิน, วิทยานิพนธ์วิทยาศาสตร์บัณฑิต สาขาเทคโนโลยีโพลีเมอร์
ภาควิชาเทคโนโลยีโพลีย่างและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยีโพลี
มหาวิทยาลัยสงขลานครินทร์.
- ภูริพงษ์ วรรณวิไล. 2548. การเตรียมเทอร์โมพลาสติกอิเล็กโตเมอร์จากยางธรรมชาติอิพอกไซด์
เบลนค์กับพอลิไพรีโน้ดิน, วิทยานิพนธ์วิทยาศาสตร์บัณฑิต สาขาเทคโนโลยีโพลีเมอร์
ภาควิชาเทคโนโลยีโพลีย่างและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยีโพลี
มหาวิทยาลัยสงขลานครินทร์.
- เมธากัญจน์ จันท่อง. 2550. เทอร์โมพลาสติกอิเล็กโตเมอร์จากยางธรรมชาติอิพอกไซด์เบลนค์กับ^{เบลนค์กับ}
พอลิเอทิลีน, วิทยานิพนธ์วิทยาศาสตร์บัณฑิต สาขาเทคโนโลยีโพลีเมอร์ ภาควิชา
เทคโนโลยีโพลีย่างและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยีโพลี
มหาวิทยาลัยสงขลานครินทร์.
- อัครพงษ์ ตอบประโคน. 2546. การเตรียมเทอร์โมพลาสติกอิเล็กโตเมอร์จากการเบลนค์ยาง
ธรรมชาติอิพอกไซด์กับพอลิเมทธิลเมทาเคริเลทโดยกระบวนการวัสดุในรูปแบบไนโอนามิกส์,
วิทยานิพนธ์วิทยาศาสตร์บัณฑิต สาขาเทคโนโลยีโพลีย่าง คณะวิทยาศาสตร์และเทคโนโลยีโพลี
มหาวิทยาลัยสงขลานครินทร์.
- Annual Book of ASTM D412-98a. 2005. *Standard Test Method for Vulcanized Rubber and Thermoplastic Elastomers-Tension*. Section 9: Rubber. Volume 09:01. Rubber, Natural and Synthetic General Test Methods; Carbon Black.
- Annual Book of ASTM D 471-98. 2005. *Standard Test Method for Rubber Property-Effect of Liquids*.
Section 9: Rubber. Volume 09:01. Rubber, Natural and Synthetic General Test Methods;
Carbon Black.
- Annual Book of ASTM D 1566-05a. 2005. *Terminology Relating to Rubber*. Section 9: Rubber. Volume 09:01. Rubber, Natural and Synthetic General Test Methods; Carbon Black.
- Annual Book of ASTM D2240-04. 2005. *Standard Test Method for Rubber Property-Durometer Hardness*. Section 9: Rubber. Volume 09:01. Rubber, Natural and Synthetic General Test Methods; Carbon Black.

- Annual Book of ASTM D6601-02. 2005. *Standard Test Method for Rubber Properties-Measurement of Cure and After-Cure Dynamic Properties Using a Rotorless Shear Rheometer*. Section 9: Rubber. Volume 09:01. Rubber, Natural and Synthetic General Test Methods; Carbon Black.
- Asaletha, R., Kumaran, M.G. and Thomas, S. 1999. *Thermoplastic Elastomers from Blends of Polystyrene and Natural Rubber: Morphology and Mechanical Properties*. Eur. Polym. J. 35, 253-271.
- Azhari C.H., Sahari J and Qing L. 1988. *Mathematical Modelling of Thermoplastic Natural Rubber Melt Flow in Double Feed Extrusion System*. Polymer, 39, 4915-4921.
- Baker, C.S.L. and Gelling, I.R. 1987. *Development in Rubber Technology-4: Epoxidized Natural Rubber*, Whelan, A. And Lee, K.S., Eds. Elsevier Applied Science Publisher Ltd. 87-117.
- Bandyopadhyay, G., Bhagawan, S., Ninan, K. and Thomas, S. 1999. *Dynamic Properties of NR/EVA Polymer Blends: Model Calculations and Blend Morphology*. J Appl Polym Sci 72, 165-174.
- Bonner, J.G. and Hope, P.S. 1993. *Chapter 3 – Compatibilisation and Reactive Blending in Polymer Blends and Alloys*. Folkes, M.J. and Hopr, P.S. Eds, Blackkie Academic & Professional, London.
- Brandrup, J., Immergut, E.H. and Grulke, E.A. 1999. *Reference Polymer Properties: Polymer Solution; Solvent and Solubility Parameter*. John Wiley, New York, Aldrich Catalog Number Z41, 247-3.
- Brydson, J.A. 1978. *Rubber Chemistry*. Applied Science, London.
- Coran A.Y. 1978 *Thermoplastic Composition Containing Elastomers and Fluorine Containing Thermoplastics*. 1978: US Pat 4,130,535.
- Coran A.Y., Das B and Patel R.P. 1978a. *Thermoplastic Vulcanizates of Olefin Rubber and Polyolefin Resin*. 1978a: US Pat 4,130,535.
- Coran A.Y. 1987. *Chapter 7 – Thermoplastic Elastomer Based on Elastomer- Thermoplastic Blends Dynamically Vulcanized in Thermoplastic Elastomer: A Comprehensive Review*, (Legge N.R., Holden G and Schroeder H.E. eds.) Hanser Publishers, Munich. 133-161.
- Coran, A.Y. 1988. *Blends of Dissimilar Rubber-Cure Rate Incompatibility*. Rubber Chemistry and Technology 61, 218.
- Chowdhury, S.R., Mishra, J.K. and Das, C.K. 2000. *Structure, Shrinkability and Thermal Property Correlations of Ethylene Vinyl Acetate (EVA)/Carboxylated Nitrile Rubber (XNBR) Polymer Blends*. Polym. Deg. & Stabil. 70, 199-204.

- Dahlan, H.M., Khairul Zaman, M.D. and Ibrahim, A. 2002. *The Morphology and Thermal Properties of Liquid Natural Rubber (LNR)-Compatibilized 60/40 NR/LLDPE Blends*. Polymer Testing, 21, 905-911.
- Davey, J.E. and Loadman, M.J.R. 1984. *a Chemical Demonstration of the Randomness of Epoxidation of Natural Rubber*. Brit. Polym. J. 16, 134-138.
- Derouet, D., Phinyocheep, P., Brosse, J.C. and Boccaccio, G. 1990. *Synthesis of Photocrosslinkable Elastomer by Chemical Modification of Liquid Natural Rubber: I. Introduction of Maleic Anhydride into Polyisoprenic Structure*. Euro. Polym. J. 26, 1301-1311.
- Elliott D.J. 1982. *Chapter 7 Natural Rubber System in Developments in Rubber Technology-3*, (Whelan A and Lee K.S. eds), Applied Science Publishers, London, 203-231.
- EVA Datasheet: TPI Public Co., Ltd. 2007.
- Faker, M., Razavi Aghjeh, M.K., Ghaffari, M. and Seyyedi, S.A. 2008. *Rheology, Morphology and Mechanical Properties of Polyethylene/Ethylene Vinyl Acetate Copolymer (PE/EVA) Blends*. Euro. Polym. Sci. 44, 1834-1842.
- Feng, W. and Isayev, A.I. 2003. *In Situ Compatibilization of PP/EPDM Blends During Ultrasound Aided Extrusion*. Polymer, 45, 1207-1216.
- Funasaka, T., Ashihara, T., Meakawa, S., Ohno, S., Meguro, M., Nishino, T. and Nakamae, K. 1999. *Adhesion Ability and Solvent Solubility of Propylene-Butene Copolymer Modified with Maleic Anhydride*. International Journal of Adhesion and Adhesives. 19, 367-371.
- Gan, S.N. and Hamid, .A., 1997. *Partial Conversion of Epoxide Groups to Diols in Epoxidized Natural Rubber*. Polym. 38, 1953-1956.
- Galloway, J.A. and Macosko, C.W. 2004. *Comparison of Methods for Detection of Cocontinuity in Poly(Ethylene Oxide)/Polystyrene Blends*. Polym. Eng. & Sci. 44, 714-727.
- Galloway, J.A., Koester, K.J., Paasch, B.J. and Macosko, C.W. 2004. *Effect of Sample Size on Solvent Extraction for Detecting Cocontinuity in Polymer Blends*. Polymer. 45, 423-428.
- Gelling, I.R. and Porter, M. 1988. *Natural Rubber Science and Technology*. Roberts A.D., Ed., Oxford University Press, Oxford, 359-362.
- George, J., Joseph, R., Thomas, S. and Varughese, K.T. 1995a. *Blends of Isotactic Polypropylene and Nitrile Rubber: Morphology, Mechanical Properties and Compatibilization*. Polymer. 36, 4405-4416.

- George, J., Joseph, R., Thomas, S. and Varughese, K.T. 1995b. *High Density Polyethylene/Acrylonitrile Butadiene Rubber Blends: Morphology, Mechanical Properties, and Compatibilization.* J. Appl. Polym. Sci. 57, 449-465.
- George, S., Ramamurthy, K., Anand, J.S., Groenninckx, G., Varughese, K.T. and Thomas, S. 1999. *Rheological Behaviour of Thermoplastic Elastomer from Polypropylene/Acrylo-nitrile-Butadiene Rubber Blends : Effect of Blend Ratio, Reactive Compatibilization and Dynamic Vulcanization.* Polymer. 40, 4325-4334.
- George, J., Varughese, K.T. and Thomas, S. 2000a. *Dynamically Vulcanised Thermoplastic Elastomer Blends of Polyethylene and Nitrile Rubber.* Polymer. 41, 1507-1517.
- George, J., Ramamurthy, K., Varughese, K.T. and Thomas, S. 2000b. *Melt Rheology and Morphology of Thermoplastic Elastomers from Polyethylene/Nitrile-Rubber Blends: The Effect of Blend Ratio, Reactive Compatibilization, and Dynamic Vulcanization.* J. Polym. Sci. Part B. Polym. Phys. 38, 1104-1122.
- George, J., Varughese, K.T. and Thomas, S. 2000c. *Molecular Transport of Aromatic Solvents in Isotactic Polypropylene/Acrylonitrile-co-Butadiene Rubber Blends.* Polymer. 41, 579-594.
- Goharpey F., Katbab A.A. and Nazockdast H. 2001. *Mechanism of Morphology Development in Dynamically Cured EPDM/PP TPEs. I. Effect of State of Cure.* J. Appl. Poly. Sci. 81, 2531-2544.
- Grigoryeva, O.P. and Karger-Kocsis, J.K. 2000. *Melt Grafting of Maleic Anhydride onto an Ethylene-Propylene-Diene Terpolymer (EPDM).* Euro. Polym. J. 36, 1419-1429.
- Handerson, A.M. 1993. *Ethylene-Vinyl Acetate (EVA) Copolymer: A General Review.* IEEE Electrical Insulation Magazine. 9, 30-38.
- Han S.J., Lohse D.J., 1998. Radosz M. and Sperling L.H. *Thermoplastic Vulcanizate from Polypropylene and EPDM in Supercritical Propane.* Macromol. 31, 5407-5414.
- Harper, C.A. 2006. *Handbook of Plastics Technologies.* The McGraw-Hill Companies. United states of America.
- Hashim, A.S., Ong, S.K. and Jessy, R.S. 2002. *A General Review of Recent Developments on Chemical Modification of NR.* Natuurrubber 28, P5.
- Hofmann, W. 1989. *Rubber Technology Handbook: Natural Rubber.* Hanser Publishers, Munich, 11-30.
- Holden, G. 2000. *Thermoplastic Elastomer.* Germany. Hanser Gardner Publications, Inc., Cincinnati.
- Huang, H., Yang, J., Liu, X. and Zhang, Y. 2002. *Dynamically Vulcanized Ethylene Propylene Diene Terpolymer/Nylon Thermoplastic Elastomer.* Eur. Polym. J. 38, 857-861.

- Ibrahim, A., and Dahlan, M. 1998. *Thermoplastic Natural Rubber Blends*. Prog. Polym. Sci. 23, 665-706.
- Ismail, H., Nizam, J.M. and Abdul Khalil, H.P.S. 2001. *The Effect of a Compatibilizer on the Mechanical Properties and Mass Swell of White Rice Husk Ash Filled Natural Rubber/Linear Low Density Polyethylene Blends*. Polym. Test. 20, 125-133.
- Jalali-Arani, A., Katbab, A.A. and Nazockdast, H. 2003. *Preparation of Thermoplastic Elastomers Based on Silicone Rubber and Polyethylene by Thermomechanical Reactive Blending: Effects of Polyethylene Structural Parameters*. J. Appl. Polym. Sci. 90, 3402-3408.
- Jansen, P., Gomes, A. and Soares, B. 1996. *The Use of EVA-Containing Mercapto Groups in Natural Rubber-EVA Blends. II. The Effect of Curing System on Mechanical and Thermal Properties of the Blends*. J. Appl. Polym. Sci. 61, 591-598.
- Jansen, P. and Soares, B. 2002. *The Effect of Mercapto-Modified EVA on Rheological and Dynamic Mechanical Properties of NBR/EVA Blends*. J. Appl. Polym. Sci. 84, 2335-2344.
- Jansen, P., Garcia, F.G. and Soares, B.G. 2003. *Effect of Mercapto-Modified Ethylene-Vinyl Acetate on the Curing Parameters and Mechanical and Dynamic Mechanical Properties of Vulcanized Nitrile Rubber/Ethylene-Vinyl Acetate Blends*. J. Appl. Polym. Sci. 90, 2391-2399.
- Jeerupun, J., Wootthikanokkhan, J. and Phinyocheep, P. 2004. *Effect of Epoxidation Content of ENR on Morphological Properties of Natural Rubber Blended PVC*. Macromol. Symp. 216, 281-292.
- Jha A., Dutta B. and Bhowmick K. 1999. *Effect of Fillers and Plasticizers on the Performance of Novel Heat and Oil-Resistant Thermoplastic Elastomers from Nylon-6 and Acrylate Rubber Blends*. J. Appl. Polym. Sc. 74, 1409-1501.
- Jha A and Bhowmick K. 2000. *Mechanical and Dynamic Mechanical Thermal Properties of Heat- and Oil-Resistant Thermoplastic Elastomer Blends of Poly(butylene terephthalate) and Acrylate Rubber*. J. Appl. Polym. Sc. 78, 1001-1008.
- John, B., Varughese, K.T., Oommen, Z., Potscke, P. and Thomas, S. 2003. *Dynamic Mechanical Behaviour of High-Density Polyethylene/Ethylene Vinyl Acetate Copolymer Blends: The Effects of the Blend Ratio, Reactive Compatibilization, and Dynamic Vulcanization*. J. Appl. Polym. Sci. 87, 2083-2099.
- Katbab A.A., Nazockdast H. and Bazgir S. 2000. *Carbon Black-Reinforced Dynamically Cured EPDM/PP Thermoplastic Elastomers*. J. Appl. Polym. Sc., 75, 1127-1137.

- Koshy, A.T., Kuriakose, B., Thomas, S. and Varghese, S. 1993. *Studies on The Effect of Blend Ratio and Crosslinking System on Thermal, X-Ray and Dynamic Mechanical Properties of Blends of Natural Rubber and Ethylene-Vinyl Acetate Copolymer*. Polymer. 34, 3428-3436.
- Kumar, C.R., George, K.E. and Thomas, S. 1996. *Morphology and Mechanical Properties of Thermoplastic Elastomers from Nylon-Nitrile Rubber Blends*. J. Appl. Polym. Sci. 61, 2383-2396.
- Kumar, C.R., Nair, S.V., George, K.E., Oommen, Z. and Thomas, S. 2003. *Blends of Nylon/Acrylonitrile Butadiene Rubber: Effects of Blend Ratio, Dynamic Vulcanization and Reactive Compatibilization on Rheology and Extrudate Morphology*. Polym. Eng. 43, 1555-1565.
- Kundu P.P. and Tripathy D.K., 12998. *Rheological Properties of Poly[ethylene co-(methylacrylate)], Polychloroprene and Their Blends*. Polymer, 39, 1869-1874.
- Lesser A.J. and Jones N.A. 2000. *Fracture Behaviour of Dynamically Vulcanized Thermoplastic Elastomers*. J. Appl. Polym. Sc., 76, 763-770.
- Liu, X., Huang, H., Xie, Z.Y., Zhang, Y., Zhang, Y.X., Sun, K. and Min, L. 2003. *EPDM/polyamide TPV Compatibilized by Chlorinated Polyethylene*. Polym. Test. 22, 9-16.
- Lopez-Manchado, M.A., Kenny, J.M., Quijada, R. and Yazdani-Pedram, M. 2001. *Effect of Grafted PP on the Properties of Thermoplastic Elastomer Based on PP-EPDM Blends*. Macro. Chem. Phys. 202, 1909-1916.
- Machado, A.V., Covas, J.A. and Van Duin, M. 2001. *Effect of Polyolefin Structure on Maleic Anhydride Grafting*. Polymer. 42, 3649-3655.
- Martinez, J.G., Benavides, R., Guerrero, C. and Reyes, B.E. 2004. *UV Sensitisation of Polyethylenes for Grafting of Maleic Anhydride*. Polym. Deg. & Stabil. 86, 129-134.
- Mehrabzadeh M. and Delfan N. 2006. *The thermoplastic Elastomers of Butadiene-Acrylonitrile Copolymer and Polyamide*. VI. Dynamic Crosslinking by Different Systems. J. Appl. Polym. Sc. 77, 2057-2066.
- Mohamad, Z., Ismail, H. and Theyv, R. 2005. *Characterization of Epoxidized Natural Rubber/Ethylene Vinyl Acetate (ENR-50/EVA) Blend: Effect of Blend Ratio*. J. Appl. Polym. Sci. 99, 1504-1515.
- Moly, K.A., Oommen, Z., Bhagawan, S.S., Groeninckx, G. and Thomas, S. 2002. *Melt Rheology and Morphology of LLDPE/EVA Blends: Effect of Blend Ratio, Compatibilization, and Dynamic Crosslinking*. J. Appl. Polym. Sci. 86, 3210-3225.

- Moly, K.A., Bhagawan, S.S., Groeninckx, G. and Thomas, S. 2006. *Correlation Between the Morphology and Dynamic Mechanical Properties of Ethylene Vinyl Acetate/Linear Low-Density Polyethylene Blends: Effects of the Blend Ratio and Compatibilization.* J. Appl. Polym. Sci. 100, 4526-4538.
- Nakason, C.; Kaesaman, A.; Hornsin, S. and Kiatkamjornwong, S. 2001. *Rheological and Curing Behavior of Reactive Blending. I. Maleated Natural Rubber-Cassava Starch.* J. Appl. Polym. Sci. 81, 2803-2813.
- Nakason, C., Panklieng, A. and Kaesaman, A. 2004. *Rheological and Thermal Properties of Thermoplastic Natural Rubbers Based on Poly(methyl methacrylate)/Epoxidized Natural Rubber Blends.* J. Appl. Polym. Sci. 92, 3561-3572.
- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006a. *Effect of Vulcanization System on Properties of Thermoplastic Vulcanizates Based on Epoxidized Natural Rubber/Polypropylene Blends.* Polym. Test. 25, 34-41.
- Nakason, C., Nuansomsri, K., Kaesaman, A. and Kiatkamjornwong, S. 2006b. *Dynamic Vulcanization of Natural Rubber/High-Density Polyethylene Blends: Effect of Compatibilization, Blend Ratio and Curing System.* Polym. Test. 25, 782-796.
- Nakason, C., Saiwari, S. and Kaesaman, A. 2006c. *Theroplastic Vulcanizates Based on Maleated Natural Rubber/Polypropylene Blends; Effect of Blend Ratios on Rheological, Mechanical, and Morphological Properties.* Polym. Eng. 46, 594-600.
- Nakason, C., Saiwari, S. and Kaesaman, A. 2006d. *Rheological Properties of Maleated Natural Rubber/Polypropylene Blends with Phenolic Modified Polypropylene and Polypropylene-g-Maleic Anhydride Compatibilizers.* Polym. Test. 25, 413-423.
- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006e. *Thermoplastic Vulcanizates Based on Epoxidized Natural Rubber/Polypropylene Blends: Effect of Epoxide Levels in ENR Molecules.* J. Appl. Polym. Sci. 101, 3046-3052.
- Nakason, C., Saiwari, S. and Kaesaman, A. 2006f. *Rheological, Thermal and Morphological Properties of Maleated Natural Rubber and Its Reactive Blending with Poly(methyl methacrylate).* Polym. Test. 25, 656-667.
- Oh, J.S., Isayev, A.I. and Rogunova, M.A. 2003. *Continuous Ultrasonic Process for In Situ Compatibilization of PP/NR Blends.* Polymer. 44, 2337-2349.
- Okada O., Keskkula H. and Paul D.R. 1999. *Nylon 6 as a Modifier for Maleated Ehtylene-Propylene Elastomers.* Polymer, 40, 2699-2709.

- Okada O., Keskkula H. and Paul D.R. 2001. *Mechanical Properties of Blends of Maleated Ethylene-Propylene Elastomers and Nylon 6*. Polymer, 42:8715-8725.
- Omonov, T.S., Harrats, C., Moldenaers, P. and Groeninckx, G. *Phase Continuity Detection and Phase Inversion Phenomena in Immiscible Polypropylene/Polystyrene Blends with Different Viscosity Ratios*. Polymer, 48, 5917-5927.
- Oommen, Z. and Thomas, S. 1997. *Mechanical Properties and Failure of Thermoplastic Elastomer from Natural Rubber/Poly(methyl Methacrylate)/Natural Rubber-g-Poly(Methyl Methacrylate) Blends*. J. Appl. Polym. Sci. 65, 1245-1255.
- Papke N. and Karger-Kocsis J. 2001. *Thermoplastic Elastomer Based on Compatibilized Poly(ethylene terephthalate) Blends: Effect of Rubber Type and Dynamic Curing*. Polymer, 42, 1109-1120.
- Pechurai, W., Nakason, C. and Sahakaro, K. 2008. *Thermoplastic Natural Rubber based on Oil Extended NR and HDPE Blends: Blend Compatibilizer, Phase Inversion Composition and Mechanical Properties*. Polym. Test. 27, 621-631.
- Phinyocheep, P. 1995. *UV Cure Elastomer*. The second Franco-Thai Rubber Seminar, 8-9.
- Phewthongin, N., Saeoui, P. and Sirisinha, C. 2005. *A Study of Rheological Properties in Sulfur-Vulcanized CPE/NR Blends*. Polym. Test. 24, 227-233.
- Ramanujam A., Kim K.J. and Kyu T. 2000. *Phase Diagram, Morphology Development and Vulcanization Induced Phase Separation in Blends of Syndiotactic Polypropylene and Ethylene-Propylene Diene Terpolymer*. Polymer, 41, 5375-5383.
- Sirisinha, C., Saeoui, P. and Pattanawaidchai, S. 2004. *Rheological Properties, Oil, and Thermal Resistance in Sulfure-Cured CPE/NR Blends*. J. Appl. Polym. Sci. 93, 1129-1135.
- Wang C. and Chang C.-I., 2000. *Fracture Energies and Tensile Strength of an EPDM/PP Thermoplastic Elastomer*. J. Appl. Polym. Sc., 75, 1033-1044.
- Xavier T., Samuel J and Kurian T. 2001. *The Compendium of Studies on Polystyrene-g-Natural Rubber, An Alternative to Thermoplastic Elastomers*. Macromol. Chem. 0107001.
- Yang Y., Chiba T. Saita H. and Inoue T. 1998. *Physical Characterization of a Polyolefinic Thermoplastic Elastomer*. Polymer, 39, 3365-3372.
- Zhang X., Zhang Y. Peng Z. Shang X. and Zhang Y. 2000. *Dynamically Vulcanized Nitrile Rubber/Polyoxymethylene Thermoplastic Elastomers*. J. Appl. Polym Sc., 77, 2641-2645.