

## เอกสารอ้างอิง

- กมลพิพิธ นิคมรัตน์. 2547. ผลของความร้อนและไนโตรที่ต่อคุณภาพของหมูยօกระป้อง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาเทคโนโลยีอาหาร คณะอุตสาหกรรมเกษตร มหาวิทยาลัยสงขลานครินทร์.
- กีรดา แก้วจุมพล. 2553. ผลของการเตรียม และการใช้สารทดแทนสารประกอบฟ้อสเฟตต่อสมบัติทางเคมี ภายในของเนื้อปลาบันด้าเยือกแข็ง. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต สาขาวิชาเทคโนโลยีอาหาร มหาวิทยาลัยขอนแก่น.
- จราย ไฟทอง. 2548. ผลของชนิดฟ้อสเฟต เกลือ และความเป็นกรดเบส ต่อผลผลิตและคุณภาพของ กุ้งขาวแวนนา ไม้ด้มแข็งเยือกแข็ง. วิทยานิพนธ์ปริญญาโท สาขาวิศวกรรมศาสตร์.
- จริยา สุขจันทร์, นพรัตน์ วงศ์หรรษณะชา และ วิศิษย์ เกตุปัญญาพงศ์. 2549. งานวิจัยเรื่องภูมิปัญญา การผลิต “ไก่momและ” ของชุมชนทุ่งพลา จังหวัดปัตตานี. ยะลา: สถาบันราชภัฏยะลา.
- ชัยณรงค์ คันธพนิท. 2529. วิทยาศาสตร์เนื้อสัตว์. กรุงเทพฯ : ไทยวัฒนาพาณิช.
- นิธิยา รัตนาปนนท์. 2549. เกมอาหาร. พิมพ์ครั้งที่ 2. กรุงเทพฯ : ไอ.เอ.ส.พรีนติ้ง เซ๊กซ์.
- ประสาร สวัสดิ์ชิตต์. 2538. การปรับปรุงคุณภาพอาหารด้วยสารประกอบฟ้อสเฟต. วารสาร วิทยาศาสตร์ มหาวิทยาลัยขอนแก่น. 23(2): 76-80.
- มปพ. 2548. ภูมิปัญญา: ภูมิปัญญา กับการสร้างพลังชุมชนศูนย์มานุษย์วิทยาลิrinทร. กรุงเทพฯ.
- เยาวลักษณ์ สุรพันธพิชัย. 2536. เทคโนโลยีเนื้อสัตว์และผลิตภัณฑ์. พิมพ์ครั้งที่ 2. กรุงเทพฯ: สำนักงานพัฒนาธุรกรรมทางอิเล็กทรอนิกส์.
- สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม. “ไก่ปูรุสพาร์โอมบริโภค มาตรฐานเลขที่ มพช.755/2548. (ออนไลน์). สืบค้นได้จาก :  
<http://app.tisi.go.th/otop/otop.html> [11 พฤษภาคม 2552].
- สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม กระทรวงอุตสาหกรรม. จุลชีววิทยาของอาหารและ อาหารสัตว์-วิธีตรวจนับมีโซฟิลิกแลคติกแอเซิลแบคทีเรีย โดยเทคนิคการนับโคโลนีที่ อุณหภูมิ 30 องศาเซลเซียส มาก.2239-2548. (ออนไลน์). สืบค้นได้จาก  
<http://www2.dede.go.th/tis54/fulltext/TIS2239-2548.pdf>.

American Meat Science Association Committee (AMSAC). 1991. Guidelines for Meat Color Evaluation. American Meat Science Association. Illinois. USA.

- American Oil Chemists Society. 1999. Official Method and Recommended Practices of the American Oil Chemists Society , 4<sup>th</sup> ed.; Tirestone, D., Champaign, IL.
- Andrews, W. H. and Hammack, T. 1998. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- AOAC. 2000. Official Methods of Analysis. 16<sup>th</sup> ed. Association of Official Analytical Chemists. Arlington, VA.
- Arora, D. and Kaur, J. 1999. Antimicrobial activity of spices. International Journal of Antimicrobial Agents. 12: 257-262.
- Bakri, I. M. and Douglas, C. W. I. 2005. Inhibitory effect of garlic extract on oral bacteria. Archives of Oral Biology. 50: 645-651.
- Baublits, T.R., Pohlman, W. F., Brown, H. A., Yancey, J. E. and Johnson, B. Z. 2006. Impact of muscle type and sodium chloride concentration on the quality, sensory and instrumental color characteristics of solution enhanced whole-muscle beef. Meat Science. 72(4): 704–712.
- Bennett, R. W. and Lanette, G. A. 1998. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- Berglien, H. 1996. Sous vide treatment of salmon (salmon solar). In Second European Symposium on Sous Vide Proceeding. Leuven, Belgium.
- Bertram, C. H., Meyer, L. R., Wu, Z., Zhou, X. and Andersen, J. H. 2008. Water Distribution and Microstructure in Enhanced Pork. Journal of Agricultural and Food Chemistry. 56: 7201-7207.
- Biesalski, H.-K. 2005. Meat as a component of a health diet-are there any risks or benefits if meat is avoided in the diet?. Meat Science. 70: 509-524.
- Burke, M. R. and Monahan, J.F. 2003. The tenderization of shin beef using a citrus juice marinade. Meat Science. 63: 161-168.
- Califano, A. N., Bertola, N. C., Bevilacqua, A. E., and ZaritZky, N. E. 1997. Effect of processing conditions on the hardness of cooked beef. Journal of Food engineering. 34:41-45.
- Chueachuaychoo, A., Wattanachant, S. and Benjakul, S. 2011. Quality characteristics of raw and cooked spent hen *Pectoralis major* muscles during chilled storage: Effect of salt and phosphate. International Food Reserch Journal. 18: 593-605.

- Church, I.J. and Parsons, A.L. 1993. Review. Sous vide cook-chill technology. International Journal of Food Science and Technology. 28: 575.586.
- Church, I.J. and Parsons, A.L. 2000. The sensory quality of chicken and potato products prepared using cook-chill and sous vide methods. International Journal of Food Science and Technology. 35: 155-162.
- Claus, J.R., Colby, W. J. and Flick, J. G. 1994. Muscle Food. Chapman and Hall Inc. New York, NY.
- Cichewicz, R. H. and Thorpe, P. A. 1996. The antimicrobial properties of chile peppers (*Capsicum* species) and their uses in Mayan medicine. Journal of Ethnopharmacology. 52(2): 61-70.
- Connective tissue. (online). Available:  
<http://www.tarleton.edu/departments/anatomy/musclepix2.html> [19/09/2010].
- Creed, P. G. 1998. Sensory and nutritional aspects for sous vide processed foods. In S. Ghazala (Ed.), sous vide and cook-chill processing for the food industry (pp. 57-88). Gaithersburg, MD: Aspen.
- Crehan, C.M. and Hughes, E. 2000. Effect of fat level and maltodextrin on the functional properties of frankfurters formulated with 5, 12, and 30% fat. Meat Science. 55: 63-469.
- Cross, H. R., Durland, P. R. and Seideman, S. C. 1986. Sensory Qualities of Meat. In Muscle as Food. Academic Press. Orlando.
- Curtis, H., Noll, U., Judith, S. R. and Alan, J. S. 2004. Broad-spectrum activity of the volatile phytoanticipin allicin in extracts of garlic (*Allium sativum* L.) against plant pathogenic bacteria, fungi and Oomycetes. Physiological and Molecular Plant Pathology. 65: 79–89.
- Damodaran, S. 1996. Amino acids, peptides, and protein. In Food Chemistry. (Fennema, O. R. ed.). p.943-1012. Marcel Dekker. New York.
- Dziezak, J. D. 1990. Phosphates improve many foods. Food Technology. 44(4): 80-92.
- Ertbjerg, P., Mielche, M. M., Larsen, L. M. and Moller, A. J. 1999. Relationship between proteolytic changes and tenderness in prerigor lactic acid marinated beef. Journal of the Science of Food and Agriculture. 79: 970-978.
- Examination of Muscle Tissue. (online). Available :  
[http://www.physioweb.org/muscular/sk\\_muscle.html](http://www.physioweb.org/muscular/sk_muscle.html) [20/09/2010]

- Fandos, G. E., Rodriguez, V. A., Linares, G. M. C., Arias, G. M. T. and Fernandez, G. M. C. 2005. Microbiological safety and sensory characteristics of salmon slices processed by the sous vide method. *Food Control.* 16: 77-85.
- Feng, P., Weagant, S. D. and Grant, M. A. 1998. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- Fennema, O. R. 1996. Food Chemistry. Marcel Dekker. New York.
- Fernandez-Espla, M. D. and O'Neill, E. 1993. Lipid oxidation in rabbit meat under different storage conditions. *Journal Food Science.* 58: 1262-1264.
- Gillian, A. A. and McIlveen , H. 2000. Effects of prolong storage on the sensory quality and consumer acceptance of sous vide meat-based recipe dishes. *Food Quality and Preference.* 11: 377-385.
- Gray, J. I. 1978. Mesurement of lipid oxidation: A review. *Journal of the American Oil Chemists's Society.* 55: 539-546.
- Gregorio, C. C. and Antin, B. P. 2000. To the heart of myofibril assembly. *Trends in Cell Biology.* 10(9): 355-362.
- Gould, G. 1996. Conclusion of the ECFF Botulinum Working Party. In:Processing of the Second European Symposium on Sous Vide. Leuven, Belgium.
- Hamm, R. 1975. Water holding capacity of meat. In Meat (Cole, D. J. A., ed.). The AVI publishing company : Westport.
- Han, K. S. and Yamauchi, K. 2000. The effects of nitrite treatment on lipid composition, fatty acid composition, and susceptibility to oxidation of pork *bicep femoris* muscle. *Asian - Australasian Journal of Animal Sciences.* 13(12): 1764-1769.
- Hauben, K. 1999. sous vide cooking: State of art. In Proceeding of third European symposium on sous vide (pp. 11-72). Belgium: Leuven, 25-26 March 1999.
- Hayes, J. E., Desmond, E. M., Troy, D. J., Buckley, D.J. and Mehra, R. 2006. The effect of enhancement with salt, phosphate and milk proteins on the physical and sensory properties of pork loin. *Meat Science.* 72: 380-356.
- Henderson, D. E. and Henderson, S. K. 1992. Thermal decomposition of capsaicin. I. interaction with oleic acid at high temperatures. *Journal of Agricultural and Food Chemistry.* 40: 2263-2268.

- Hilda, N. 2000. An evaluation of the effect of storage and processing temperatures on the microbiological status of sous vide extended shelf-life products. *Food Control.* 11: 471-476.
- Hinkle, B. J. 2010. Acid marination for tenderness enhancement of beef bottom round. Thesis of Master of Science. University of Nebraska. Lincoln.
- Hsieh, Y. P. C., Cornforth, D. P. and Pearson, A. M. 1980. Ultrastructural changes in pre- and post-rigor beef muscle caused by conventional and microwave cookery. *Meat Science.* 4: 299-311.
- Jang, J. D. and Lee, D. S. 2005. Development of a sous-vide packaging process for Korean seasoned beef. *Food Control.* 16:285-291.
- Jantawat, P., Runglerdkringkrai, J., Thunpitayakul, C. and Sangguandeekul, R. 1993. Effects of initial nitrite level, heating and storage on residual nitrite and spoilage of canned ham roll. *Journal of Food Quality.* 16:1-11.
- Judge, M. D. and Aberle, E. D. 1980. Effect of prerigor processing on the oxidative rancidity of ground light and dark porcine muscles flavor stability. *Journal of Food Science.* 45: 1736-1739.
- Kauffman, R. G., Laack, R. L. J. M., Russell, R. L., Pospiech, E., Cornelius, C. A., Suckow, C. E. and Greaser, M. L. 1998. Can Pale, Soft, Exudative pork be prevented by postmortem sodium bicarbonate injection?. *Journal of Animal Science.* 76(12): 3010-3015.
- Ke, S., Huang, Y., Decker, A. E. and Hultin, O. H. 2009. Impact of citric acid on the tenderness, microstructure and oxidative stability of beef muscle. *Meat Science.* 82(1): 113-118.
- Keeton, J. T. 2001. Formed and emulsion products. *Poultry Meat Processing.* CRC Press. Boca Raton, FL.
- Lawrie, R. A. 1991. *Meat Science.* 5<sup>th</sup> ed. Pergamon Press. New York, NY.
- Lee, J. B., Hendricks, D. G. and Cornforth, D. P. 1998. Effect of sodium phytate, sodium pyrophosphate and sodium tripolyphosphate on physico-chemical characteristics of restructured beef. *Meat Science.* 50(3): 273–283.
- Leelarungrayub, N., Rattanapanone, V., Chanarat, N. and Gebicki, J. M. 2006. Quantitative evalution evaluation of the antioxidant properties of garlic and shallot preparations. *Nutrition.* 22(3): 266-274.

- Li, C.-T. 2006. Myofibrillar Protein extracts from spent hen meat to improve whole muscle processed meats. *Meat Science*. 72(3): 581-583.
- Lindsay, 1996. Food Additives. In *Food Chemistry*, (Fennema, O.R. eds) 3<sup>rd</sup>. Marcel Dekker, Inc. New York.
- Mahmoudabadi, Z. A. and Gharib Nasery, K. M. 2009. Anti fungal activity of shallot, *Allium ascalonicum* Linn. (Liliaceae), *in vitro*. *Journal of Medicinal Plants Research*. 3(5): 450-453.
- Manteuffel-Gross, R. and Ternes, W. 2009. Fleischwirtschaft International “Effects of marination on the aroma of pan-fried wild boar meat – Part 1: Red wine Marinade”. 24: 55-59.
- Martin, F. F., Cofrades, S., Carballo, J., & Jimenez-Colmenero, F. 2002. Salt and phosphate effects on the gelling process of pressure/heat treated pork batters. *Meat Science*. 61: 15–23.
- Martinez, L., Cilla, I., Beltran, A. J. and Roncales, P. Effect of *Capsicum annuum* (red sweet and cayenne) and *Piper nigrum* (black and white) Pepper Powders on the shelf life of fresh pork sausages packaged in modified atmosphere. *Journal of Food Science*. 71: 48-53.
- Maturin, L. and Peeler, J. T. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- Medynski, A., Pospiech, E. and Kniat, R. 2000. Effect of various concentrations of lactic acid and sodium chloride on selected physico-chemical meat traits. *Meat Science*. 55: 285-290.
- Mike Minium. 2009. (online). Available : <http://www.crossfitoakland.com> [20/09/2010].
- Molins, R. A. 1991. Antimicrobial uses of food preservatives, In: Phosphate in food. Boca Raton, FL: CRC press.
- Murphy, R. Y. and Marks, B. P. 2000. Effect of meat temperature on properties, texture, and cook loss for ground chicken breast patties. *Poultry Science*. 79: 99-104.
- Murphy, M. A. and Zerby. 2004. prerigor of lamb with sodium chloride, phosphate, and dextrose solution to improve tenderness. *Meat Science*. 66: 343-349.
- Offer, G. 1984. Progress in the biochemistry, physiology and structure of meat. In Proceeding of the 30<sup>th</sup> European meeting of meat research workers, Bristol, UK (p.87).
- Offer, G. and Knight, P. 1988. The structural basis of water-holding in meat. Part 1: general principles and water uptake in meat processing. *Developments in Meat Science*. 4: 63-71.

- Offer, G. and Trinick, J. 1983. On the mechanism of water holding in meat: The swelling and shrinkage of myofibril. *Meat Science*. 8: 245-281.
- Pakawatchai, C., Siripongvutikorn, S. and Usawakesmanee, W. 2009. Effect of herb and spice pastes on the quality changes in minced salmon flesh waste during chilled storage. *Asian Journal of Food and Agro-Industry*. 2(04): 481-492.
- Palka, K. and Duan, H. 1999. Changes in texture, cooking losses, and myofibrillar structure of Bovine *M.semiflaccidus* during heating. *Meat Science*. 51: 237-243.
- Pearson, A. M. and Gillett, T. A. 1996. Sectioned and formed meat products in Processed meats 3<sup>rd</sup> ed. Chapman and Hall, New York, NY.
- Pedro, D., Gema, N., Maria, D. G. and Sancho, B. 2008. Microbial, physical-chemical and sensory spoilage during the refrigerated storage of cooked pork loin processed by the *sous vide* method. *Meat Science*. 80(2): 287-292.
- Prestat, C., Jensen, J., Robbins, K., Ryan, K., Zhu, L. and McKeith, F. K. 2002. Effects of enhancement solution on characteristic of cooked, reheated pork chops. *Journal of Muscle Foods*. 13: 279-288.
- Puolanne, E. J., Ruusunen, M. H., & Vainionpa "a", J. I. 2001. Combined effects of NaCl and raw meat pH on water-holding in cooked sausage with and without added phosphate. *Meat Science*. 58: 1-7.
- Rattanachaikunapon, P. and Phumkhachorn, P. 2009. Shallot (*Allium ascalonicum* L.) oil: diallyl sulfide content and antimicrobial activity against food-borne pathogenic bacteria *African Journal of Microbiology Research*. 3(11): 747-750.
- Rhee, K. S. 1999. In Quality attributes of muscle foods (pp. 95–115). New York: Kluwer Academic/Plenum, 309–335.
- Rust, R. E. 1987. Science of Meat and Meat Products. 3<sup>rd</sup> ed. Food and Nutrition Press Inc. Trumbull, CT.
- Sanchez-Escalante, A., Torrecano, G., Djenane, D., Beltran, J. A. and Roncales, P. 2003. Stabilisation of color and odour of beef patties by using lycopene-rich tomato and peppers as a source of antioxidants. *Journal of the Science of Food and Agriculture*. 83: 187-194.

- Seah, R., Siripongvutikorn, S. and Usawakesmanee, W. 2010. Antioxidant and antibacterial properties in Keang-hleung paste and its ingredients. Asian Journal of Food and Agro-Industry. 3(02): 213-220.
- Sen, R. A., Naveena, M. B., Muthukumar, M., Babij, Y. and Murthy, K. R. T. 2005. Effects of chilling, polyphosphate and bicarbonate on quality characteristics of broiler breast meat. British Poultry Science. 46: 451-456.
- Shahidi, F., Rubin, J. L. and D'Souza, L. 1986. Meat flavor volatiles: a review of the composition, technique and analysis, and sensory evalution. Critical Reviews in Food Science and Nutrition. 24: 141-144.
- Sheard, P. R., Ute, G. R., Richardson, R. I., Perry, A., and Taylor, A. A. 1999. Injection of water and polyphosphate into pork to improve juiciness and tenderness after cooking. Meat Science. 51(4): 371–376.
- Sheard, P. R. and Tali, A. 2004. Injection of salts, tripolyphosphate and bicarbonate marinade solution to improve the yield and tenderness of cooked pork loin. Meat Science. 68(2): 305-311.
- Simmons, K. 2009. (online). Available : <http://kentsimmons.uwinnipeg.ca/cm1504/proteins.htm> [20/8/2009].
- Sindelar, J. J., Prochaska, F., Britt, J., Smith, G. L., Miller, R. K., Templeman, R. and Osburn, W. N. 2003. Strategies to eliminate atypical flavours and aromas in sow loins. 1. Optimization of sodium tripolyphosphate, sodium bicarbonate, and injection level. Meat Science. 65(4): 1211-1222.
- Siripongvutikorn, S., Pengseng, N., Ayusuk, S. and Usawakesmanee. 2008. Development of green curry paste marinade for white shrimp (*Litopenaeus vannamei*). Songklanakarin Journal of Science and Technology. 30(1): 35-40.
- Skurray, G. R., Perkes, J. M. And Duff, J. 1986. Reserch note: Effect of marinading with wine, sodium bicarbonate or soysauce on the thiamin content of beef. Journal of Food Science. 51: 1059-1060.
- St.Angelo, A. J., Vercellotti, R. J., Legendre, G. M., Vinnett, H. C. Kuan, W. J., James, C. Jr. and Dupuy, P. H. 1987. Chemical and instrumental analyses of warmed-over flavor in beef. Journal of Food Science. 52: 1163-1166.

- Structure of vertebrate skeletal muscle. (online). Available. :  
[http://www.springerlink.com/en/news\\_publications/fig1](http://www.springerlink.com/en/news_publications/fig1) [20/09/2010]
- SVAC. 1991. Code of practice for sous vide catering system. Sous Vide Advisory Committee (SVAC), Tetbury.
- Szerman, N., Gonzale. C.B., Sancho, A.M., Grigioni, Carduza, G. F. and Vaudagna, S.R. 2008. Optimization of whey protein concentrate and sodium chloride concentrations and cooking temperature of sous vide cooked whole-muscle beef from Argentina. Meat Science. 79(3): 557-567.
- Tallent, S. M., Rhodehamel, E. J., Harmon, S. M. and Bennett, R. W. 1998. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- Tornberg, E. 2005. Effects of heat on meat proteins – Implication on structure and quality of meat products. Meat Science. 70: 493-508.
- Trout, G. R. and Schmidt, G. R. 1983. Utilization of phosphate in meat products. In Proceeding of The 36<sup>th</sup> reciprocal meat conference. (24-27pp.), Fargo, ND.
- Tournas, V., Stack, M. E., Mislove, P. B., Koch, H. A. and Bandler, R. 1998. Bacteriological Analytical Manual. Labolatory Methods. (online). Available: <http://www.fda.gov/com>. [20/5/2011].
- Unal, S. B., Erdogan, F., Ekiz, H. I'. 2006. Effect of temperature on phosphate diffusion in meats. Journal of Food Engineering. 76: 119-127.
- Van Laack, R. L., Kauffman, R. G., Pospiech, E., Greaser, M. L., Lee, S. and Solomon, M. B. 1998. The effect of prerigor sodium bicarbonate perfusion on the quality of porcine. Journal of Muscle Foods. 9: 185-191.
- Varnam, H. A. and Sutherland, P. J. 1995. Meat and Meat Products: Technology, Chemistry and biology. Chapman & Hall Inc. London, UK.
- Vaudagna, S. R., Sanchez, G., Neira, M. S., Insani, E. M., Gallinger, M. M. and Picallo, A. B. 2002. Sous vide cooked semitendinosus muscles: Effects of low temperature – long time treatments on quality characteristics and storage stability of product. International. Journal of Food Science and Technology. 37: 425-441.

- Vaudagna, S. R., Pazos, A.A., Guidi, S.M., Sanchez, G., Carp, D.J. and Gonzalez, C.B. 2008. Effect of salt addition on sous vide cooked whole beef muscles from Argentina. *Meat Science*. 79: 470-482.
- Voller-Reasonover, L., Han, I. Y., Acton, J. C., Titus, T. C., Bridges, W. C. and Dawson, P. L. 1997. High temperature processing effects on the properties of fowl meat gels. *Poultry Science*. 76: 774-779.
- Volpato, G., Michielin, E. M. Z., Ferreira, S. R. S. and Petrus, J. C. C. 2007. Kinetics of diffusion sodium chloride in chicken breast (*Pectoralis major*) during curing. *Journal of Food Engineering*. 79: 779-785.
- Wang, S.H., Chang, M.H. and Chen, T.C. 2004. Shelf-life and microbiological profiler of chicken wing products following sous vide treatment. *International Journal of Poultry Science*. 3(5): 326–332.
- Wattanachant, S., Benjakul, S. and Ledward, D. A. 2004. Composition, color, and texture of Thai indigenous and broiler chicken muscles. *Poultry Science*. 83: 123-128.
- Wattanachant, S., Benjakul, S. and Ledward, D. A. 2005. Effect of heat treatment on changes in texture, structure and properties of Thai indigenous chicken muscle. *Food Chemistry*. 93(2): 337-348.
- Wattanachant, S., Sornprasitt, T. and Polpara, Y. 2008. Quality characteristics of raw and canned goat meat in water, brine, oil and Thai curry during storage. *Songklanakarin Journal of Science and Technology*. 30: 41-50.
- Wynveen, E. J., Bowker, A. L., Grant, A. L., Lamkey, J. M., Fennewalk, K. J., Henson, L. and Gerrard, D. E. 2001. Pork quality is effected by early postmortem phosphate and bicarbonate injection. *Journal of Food Science*. 66: 886-891.
- Yang, G. C., Yasaei, P. M. and Page, S. W. 1993. Garlic as anti-oxidants and free radical scavengers. *Journal of Food and Drug Analysis*. 14: 357-364.
- Young, L. L., Northcutt, J. K. and Lyon, C. E. 1996. Effect of stunning time and polyphosphates on quality of cooked chicken breast meat. *Poultry Science*. 75: 677-681.
- Young, L. L. and Lyon, C. E. 1997. Effect of post chill aging and sodium tripolyphosphate on moisture binding properties, colour and Warner-Bratzler Shear value of chicken breast. *Meat. Poultry Science*. 76: 1587-1590.

Zheng, M., Huang, Y. W., Nelson, S. O., Bartly, P. G. and Gates, K. W. 1998. Dielectric properties and thermal conductivity of marinated shrimp and chanal catfish. Journal of Food Science. 63: 668-672.

Prince of Songkla University  
Pattani Campus