

บรรณานุกรม

- กรมวิชาการเกษตร . 2548. ข้อกำหนดมาตรฐานน้ำยางชั้นไทย (ออนไลน์). สืบค้นได้จาก :
http://www.doa.go.th/pl_data/RUBBER/7stand/stand01.html. [3 พฤษภาคม 2551]
- กิตตินันท์ โกมลภิส . 2534. ผลของส่วนประกอบบางชนิดที่ไม่ใช่เนื้อเยื่อต่อการเกิดสีคล้ำและลักษณะการสุกของยางธรรมชาติ .วิทยานิพนธ์ระดับปริญญาโท สาขาชีวเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- บุญธรรม นิธิอุทัย. 2530. ยางธรรมชาติ ยางสังเคราะห์ และคุณสมบัติ. มหาวิทยาลัยสงขลานครินทร์.
- ระพีพรรณ วิทิตสุวรรณกุล. 2541. การทำบริสุทธิ์, ศึกษาคุณสมบัติของโปรตีนที่เกาะจับกับลูทอยดิลเลคตินจากอนุภาคยางในน้ำยางพารา . ภาควิชาชีวเคมี คณะวิทยาศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- รัชณี ตัณฑะพานิชกุล . 2532. เคมีอาหาร . พิมพ์ครั้งที่ 2, ห้างหุ้นส่วน โรงพิมพ์อักษรไทย , กรุงเทพมหานคร.
- ลัดดาวัลย์ คำเด่น. 2553. ระดับของสารชีวโมเลกุลกับความเสถียรเชิงกลในน้ำยางธรรมชาติชั้น. วิทยานิพนธ์ระดับปริญญาโท สาขาเคมีประยุกต์ บัณฑิตวิทยาลัย มหาวิทยาลัยสงขลานครินทร์.
- Alvarez-Parrilla, E., Rosa, L. A., Escobedo-Gonzalez, R., Mercado-Mercado, G., Moyers Montoya, E., Vazquez-Flores, A. and Gonzales-Aguilar, G. A. 2007. Dual effect of β -cyclodextrin (β -CD) on the inhibition of apple polyphenol oxidase by 4-hexylresorcinol (HR) and methyl jasmonate (MJ). Food Chemistry. 101: 1346-1356.
- Ayers, J. W. and Williams, C. K. 1932. Impure iron oxide as a rubber pigment I. Effect of ferric sulfate on cure and aging of rubber. Industrial and Engineering Chemistry. 24: 320-324.
- Blackley, D. C. 1997. Polymer latices: science and technology Vol.2 Type of latices, 2nd Chapman and Hall, London. p. 79.
- Bondaruk, J., Markowski, M. and Blaszczyk, W. 2007. Effect of drying conditions on the quality of vacuum-microwave dried potato cubes. Journal of Food Engineering. 81: 306-312.
- Cequier-Sánchez, E., Rodríguez, C., Ravelo, Á. G., Zárate R. 2008. Dichloromethane as a solvent for lipid extraction and assessment of lipid classes and fatty acids from samples of different natures. Journal of Agricultural and Food Chemistry. 56: 4297-4303.

- Coffelt, T. A., Nakayama, F. S., Ray, D. T., Cornish, K. and McMahan, C. M. 2009. Post-harvest storage effects on guayule latex, rubber, and resin contents and yields. *Industrial Crops and Product*. 29: 326-335.
- Coseteng, M. Y. and Lee, C. Y. 1987. Changes in apple polyphenoloxidase and polyphenol concentrations in relation to degree of browning. *Journal of Food Science*. 52: 985-989.
- Dwibedy, P., Dey, G. R., Naik, D. B., Kishore, K. and Moorthy, P. N. 1999. Pulse radiolysis studies on redox reactions of gallic acid: one electron oxidation of gallic acid by gallic acid-OH adduct. *Physical Chemistry Chemical Physics*. 1: 1915-1918.
- Estey, T., Kang, J., Schwendeman, S. P. and Carpenter, J. F. 2006. BSA Degradation under acidic conditions: a model for protein instability during release from PLGA delivery systems. *Journal of pharmaceutical sciences*. 95: 1626-1369.
- Froehner, S., Martins, R. F., Furukawa, W. and Errera, M. R. 2009. Water remediation by adsorption of phenol onto hydrophobic modified clay. *Water, Air, and Soil Pollution*. 199: 107-113.
- Guy, E. J. 1979. Removal of residual protein from cheese whey permeates by bentonite. *Journal of Dairy Science*. 62: 776-780.
- Hargrave, A. 2002. Correlation Explained [TimeWeb]. Available online: [http://www.bized.co.uk/timeweb/crunching/crunch relate expl.htm](http://www.bized.co.uk/timeweb/crunching/crunch%20relate%20expl.htm) [April 29, 2011]
- Hidalgo, F. J. and Zamora, R. 2000. The role of lipids in nonenzymatic browning. *Grasas y Aceites*. 51: 35-49.
- Hodzic, Z., Pasalic, H., Memisevic, A., Srabovic, M., Saletovic, M. and Poljakovic, M. 2009. The Influence of total phenols content on antioxidant capacity in the whole grain extracts. *European Journal of Scientific Research*. 28: 471-477.
- Ichikawa, Y., Kawamura, K., Nakano, M., Kitayama, K., Seiki, T. and Theramast, N. 2001. Seepage and consolidation of bentonite saturated with pure-or salt-water by the method of unified molecular dynamics and homogenization analysis. *Engineering Geology*. 60: 127-138.
- Imm, J. Y. and Kim, S. C. 2009. Convenient partial purification of polyphenol oxidase from apple skin by cationic reversed micellar extraction. *Food Chemistry*. 113: 302-306.

- Iyidogan, N. F. and Bayindirli, A. 2004. Effect of L-cysteine, kojic acid and 4-hexylresorcinol combination on inhibition of enzymatic browning in Amasya apple juice. *Journal of Food Engineering*. 62: 299-304.
- John, K. B., Bhat, S. G. and Rao, U. J. S. P. 2003. Biochemical characterization of sap (latex) of a few Indian mango varieties. *Phytochemistry*. 62: 13-19.
- Khopde, S. M., Priyadarsini, K. I., Mukherjee, T., Kulkarni, P. B., Satav, G. and Bhattacharya, R. K. 1998. Does β -carotene protect membrane lipids from nitrogen dioxide. *Free Radical Biology & Medicine*. 25: 66-71.
- Krauss, S., Schnitzler, W. H., Grassmann, J. and Woiatke, M. 2006. The Influence of Different Electrical Conductivity Values in a Simplified Recirculating Soilless System on Inner and Outer Fruit Quality Characteristics of Tomato. *Journal of Agricultural and Food Chemistry*. 54: 441-448.
- Lindeboom, N. and Wanasundara, P. K. J. P. D. 2007. Interference of phenolic compounds in *Brassica napus*, *Brassica rapa* and *Sinapis alba* seed extracts with the Lowry protein assay. *Food Chemistry*. 104: 30-38.
- Liu, H., Jiang, W., Bi, Y. and Luo, Y. 2005. Postharvest BTH treatment induces resistance of peach (*Prunus persica* L. cv. Jiubao) fruit to infection by *Penicillium expansum* and enhances activity of fruit defense mechanisms. *Postharvest Biology and Technology*. 35: 263-269.
- Mahvi, A. H. 2008. Application of agricultural fibers in pollution removal from aqueous solution- preview. *International Journal of Environmental Science and Technology*. 5: 275-285.
- Marinova, D. and Ribarova, F. 2007. HPLC determination of carotenoids in Bulgarian berries. *Journal of Food Composition and Analysis*. 20: 370-374.
- Parra, D. F., Martins, C. F. P., Collantes, H. D. C. and Lugo, A. B. 2005. Extractable proteins from field radiation vulcanized natural rubber latex. *Nuclear Instrument and Method in Physic Research B*. 236: 508-512
- Perrella, F. and Gaspari, A. A. 2002. Natural rubber latex protein reduction with an emphasis on enzyme treatment. *Methods*. 27: 77-86.
- Rawajfih, Z. and Nsour, N. 2006. Characteristics of phenol and chlorinated phenols sorption onto surfactant-modified bentonite. *Journal of Colloid and Interface Science*. 298: 39-49.

- Rogero, O. S., Lugao, A. B., Yoshii, F. and Makuuchi, K. 2003. Extracable proteins from irradiated field natural rubber latex. *Radiation Physic and Chemistry*. 67: 501-503.
- Sakdapipanich, J., Insom, K. and Phupewkeaw, N. 2006. Composition of color substances of *Hevea brasiliensis* natural rubber. *Rubber Chemistry and Technology*. 80: 212-230.
- Sanusi, R. A. and Adebiyi, A. E. 2009. Beta carotene content of commonly consumed foods and soups in Nigeria. *Pakistan Journal of Nutrition*. 8: 1512-1516.
- Sauvage, F. X., Bach, B., Moutounet, M. and Vernhet, A. 2010. Proteins in white wines:Thermo-sensitivity and differential adsorbtion by bentonite. *Food Chemistry*. 118: 26-34.
- Simpson, R. B. 2002. Rubber basics. Rapra Technology Limited, United Kingdom. p.79.
- Siti Maznah, K., Baharin, A., Hanafi, I., Azhar, M. E. and Mas Rosmal Hakim, M. H. 2008. Effect of acid treatment on extractable protein content, crosslink density and tensile properties of natural rubber latex films. *Polymer Testing*. 27: 823-826.
- Siti Maznah, K., Baharin, A., Hanafi, I., Azhar, M. E. and Mas Rosmal Hakim, M. H. 2008. Effect of soaking in potassium hydroxide solution on the curing, tensile properties and extractable protein content of natural rubber latex films. *Polymer Testing*. 27: 1013-1016.
- Subroto, T., Vriesc. H. D., Schuringaa. J. J., Soedjanaatmadja U. M. S., Hofsteenged. J., Jekelc. P. A. and Beintemac. J. J. 2001. Enzymic and structural studies on processed proteins fromthe vacuolar (lutoid-body) fraction of latex of *Hevea brasiliensis*. *Plant Physiology and Biochemistry*. 39: 1047-1055.
- Turkmen, N., Sari, F. and Sedat Velioglu, Y. 2006. Effect of extraction solvents on concentration and antioxidant activity of black and black mate tea polyphenols determined by ferrous tartrate and Folin-Ciocalteu methods. *Food Chemistry*. 99: 835-841.
- Vanrell, G., Canals, R., Esteruelas, M., Fort, F., Canals, J. M. and Zamora, F. 2007. Influence of the use of bentonite as a riddling agent on foam quality and protein fraction of sparkling wines (Cava). *Food Chemistry*. 104: 148-155.
- Wititsuwannakul, D., Chareonthiphakorn, N., Pace, M. and Wititsuwannakul, R. 2002. Polyphenol oxidases from latex of *Hevea brasiliensis*. purification and characterization. *Phytochemistry*. 61: 115-121.

- Wititsuwannakul, R., Pasitkul, P., Kanokwiroon, K. and Wititsuwannakul, D. 2007. A role for a Hevea latex lectin-like protein in mediating rubber particle aggregation and latex coagulation. *Phytochemistry*. (Inpress)
- Xifang, S., Chun, L., Zhansheng, W., Xiaolin, X., Ling, R. and Hongsheng, Z. 2007. Adsorption of protein from model wine solution by different bentonite. *Chinese Journal of Chemical Engineering*. 15: 632-638.
- Yildiz, A., Gür, A. and Ceylan, H. 2006. Adsorption of Aniline, Phenol, and Chlorophenols on Pure and Modified Bentonite. *Russian Journal of Physical Chemistry*. 80: 172-176.

Prince of Songkla University
Pattani Campus