

## References

- Angkapreechases, P. 1985. Population dynamics of birds at Thale Noi non-hunting area. MS Thesis, Kasetsart University, Graduate School, Bangkok, Thailand.
- Aratrakorn, S., Thunhikorn S., and Donald F. P. 2006. Change in bird communities following conversion of lowland forest to oil palm and rubber plantations in southern Thailand. *Bird Conservation International*, 16: 71-82.
- Asokan, S., Ali, A. M. S. and Manikannan, R. 2009. Diet of three insectivorous birds in Nagapattinam District, Tamil Nadu, India – a preliminary study. *Journal of Threatened Taxa*, 1(6): 327-330.
- Asokan, S., Ali, A. M. S., Manikannan, R. and Nithiyanandam, G. T. 2010. Population density and diurnal-activity patterns of Black Drongo *Dicrurus macrocercus* (Aves: Passeriformes) at Cauvery Delta, Tamil Nadu, India. *Global Journal of Environmental Research*, 4(3): 168-174.
- Austin, M.P. 2002 Spatial prediction of species distribution: an interface between ecological theory and statistical modeling. *Ecological Modelling*, 157: 101-118.
- Austin, M. 2007. Species distribution models and ecological theory: A critical assessment and some possible new approaches. *Ecological Modelling*, 200: 1-19.
- Browne, M. W. 2001. An overview analytic rotation in exploratory factor analysis. *Multivariate Behavioral Research*, 36(1): 111-150.

- Bryce, S. A., Hughes, R. M. and Kaufmann, P. R. 2002. Development of a bird integrity index: using bird assemblages as indicators of riparian condition. *Environmental Management*, 30(2): 294–310.
- Catterall, C. P., Green, R. J. and Jones, D. N. 1989. Occurrence of birds in relation to plants in a Sub-Tropical City. *Australian Wildlife Research*, 16(3): 289-305.
- Chambers, S. A. 2008. *Birds as Environmental Indicators: Review of Literature*. Parks Victoria Technical Series No. 55. Parks Victoria, Melbourne.
- Chumrieng, S. And Kongthong, P. 2005. Diversity of birds, their status and habit in Thale Noi wetland, Phattalung province, for progress of research and activities in 2005. Petchaburi, Thailand. Report, pp 283-294.
- Clarke, K. R. and Warwick, R. M. 1994. *Change in marine communities: an approach to statistical analysis and interpretation*. Plymouth Marine Laboratory, UK. 144 pp.
- Czech, H. A. And Parsons, K. C. 2002. Agricultural wetlands and waterbirds: a review. *Waterbirds*, 25 (Special publication 2): 56-65.
- Davidar, P., Yoganand, K. and Ganesh, T. 2001. Distribution of forest birds in the Andaman islands: importance of key habitats. *Journal of Biogeography*, 28(5): 663-671.
- Dawkins, R. 2005. *The Ancestor's Tale: A Pilgrimage to the Dawn of life* (paperback edition). London, Orion Books Ltd, 685 pp.

- Fasola, M. And Ruiz, X. 1996. The value of rice fields as substitutes for natural wetlands for waterbirds in the Mediterranean region. *Colonial waterbirds*, 19 (Special publication 1): 122-128.
- Gill, F. and Donsker (Eds), D. 2010. IOC World Bird Names (version 2.6). Available at <http://www.worldbirdnames.org/> [Accessed “10 September 2011”].
- Graham, C.H. and Blake, J. G. 2001. Influence of patch and landscape-level factors on birds assemblages in a fragmented tropical landscape. *Ecological Applications*, 11(6): 1709-1721.
- Grassle, J. F., Maciolek, N. L. 1992. Deep-sea species richness: regional and local diversity estimates from quantitative bottom samples. *The American Naturalist*, 139(2): 313-341.
- Guisan, A., Edwards, Jr T. C., and Hastie, T. 2002. Generalized linear and generalized additive models in studies of species distributions: setting the scene. *Ecological Modelling*, 157: 89-100.
- Greene, W. 2008. Functional forms for the negative binomial model for count data. *Economics Letters*, 99: 585-590.
- Hamer, T.L., Flather, C.H. and Noon, B.R. 2006. Factors associated with grassland bird species richness: the relative roles of grassland area, landscape structure, and prey. *Landscape Ecology*, 21(4): 569-583.
- Hofmann, H. 2003. Constructing and reading mosaicplots. *Computational Statistic & Data Analysis*, 43(4): 565-580.
- Jintanugool, J. and Round, P.D. 2011. Thailand. Available at <http://ramsar.wetlands.org/Portals/15/Thailand.pdf> [Accessed “6 October 2011”].

- Kaewdee, W., Thirakhupt, K. and Tunhikorn, S. 2002. Population of waterbirds in the breeding colony at Khuan Khi Sian, Thailand's First Ramsar Site. *The Natural History Journal of Chulalongkorn University*, 2(1): 51-58.
- Kangas, K., Luoto, M., Ihantola, A., Tomppo, E. and Siikamäki, P. 2010. Recreation-induced changes in boreal bird communities in protected areas. *Ecological Applications*, 20(6): 1775-1786.
- Kingsford, R. T., Jenkins, K. M. and Porter, J. L. 2004. Imposed hydrological stability on lakes in arid Australia and effects on waterbirds. *Ecology*, 85(9): 2478-2492.
- Kongchouy, N., Choonpradub C. and Kuning, M. 2010. Methods for modeling incidence rates with application to pneumonia among children in Surat Thani province, Thailand. *Chiang Mai Journal of Science*. 37(1): 29-38.
- Kwok, H. K. 2009. Foraging ecology of insectivorous birds in a mixed forest of Hong Kong. *Acta Ecologica Sinica*, 29(6): 341-346.
- Lambert, F. R. 1989. Pigeons as seed predators and dispersers of figs in a Malaysian lowland forest. *Ibis*, 131(4): 521-527.
- Lattin, J., Carroll, J. D. and Green, P. E. 2003. *Analyzing multivariate data*. Thomson Learning, Canada. 556 pp.
- Lee, T. M., Sodhi, N. S. and Prawiladilaga, D. M. 2007. The importance of protected areas for the forest and endemic avifauna of Sulawesi (Indonesia). *Ecological Applications*, 17(6): 1727-1741.
- Lekagul, B. and Round, P. D. 2005. *A guide to the Birds of Thailand*. Saha Karn Bhaet Group, Jatujak, Bangkok. 457 pp.

- Liangphonphun, S. 1999. Study of waterfowl in Thale Noi. Available at <http://thaigris.lib.ku.ac.th> [Accessed "10 September 2010"].
- Ma, Z., Cai, Y., Li, B. and Chen, J. 2010. Managing wetland habitats for waterbirds: an international perspective. *Wetlands*, 30: 15-27.
- Martin, T. G., Wintle, B. A., Rhodes, J. R., Kuhnert, P.M., Field, S.A. Low-Choy, S.J., Tyre, A. J. and Possingham, H.P. 2005. Zero tolerance ecology: improving ecological inference by modelling the source of zero observations *Ecology Letters*, 8(11):1235-1246.
- Mason, C. F. and Macdonald, S. M. 2005. The bird assemblage of coastal borrowdykes in relation to habitat features. *Folia Zoologica*, 54(3): 293-300.
- May, R. M. 1986. Biological diversity: How many species are there. *Nature*, 324: 514-515.
- May, R. M. 1988. How many species are there on earth? *Science*, 241(4872): 1441-1449.
- Mora, C., Tittensor, D. P., Adi, S., Simpson, A. G. B., Worm, B. 2011. How many species are there on earth and in the ocean? *PLoS Biology*, 9(8): 1-7
- McKilligan, N. G. 1984. The food and feeding ecology of the Cattle Egret, Ardeola Ibis, when nesting in south-east Queensland. *Australian Wildlife Research*, 11(1): 133-144.
- Mistry, J., Berardi, A. and Simpson, M. 2008. Birds as indicators of wetland status and change in the North Rupununi, Guyana. *Biodiversity and Conservation*, 17(10): 2383-2409.

- Møller, A. P. 2001. The effect of dairy farming on barn swallow *Hirundo rustica* abundance, distribution and reproduction. *Journal of Applied Ecology*, 38(2): 378-389.
- Murkin, H. R., Murkin, E. J. and Ball, J. P. 1997. Avian habitat selection and prairie wetland dynamics: a 10 year experiment. *Ecological Application*, 7(4): 1144-1159.
- Nguyen, P. B. H., Nguyen, V. H., Doan, V. N., Nguyen, H. M. H., Nguyen, N. T., Pham, Q. D., Truong, N. D. and Vo, T. M. T. 2009. Grassland birds survey and correlations between grassland birds and their habitat variables in Tram Chim National Park for the Rufford Small Grants for Nature Conservation. Report 21 pp.
- O'Connell, T. J., Bishop, J. A. and Brooks, R. P. 2007. Sub-sampling data from the North American Breeding Bird Survey for application to the Bird Community Index, an indicator of ecological condition. *Ecological Indicators*, 7(3): 679-691.
- O'Connell, T. J., Jackson, L. E. and Brooks, R. P. 2000. Bird guilds as indicators of ecological condition in the central Appalachians. *Ecological Applications*, 10(6): 1706-1721.
- Osborne, J. 2002. Notes on the use of data transformations. *Practical Assessment, Research & Evaluation*, 8(6). 9 pp.
- Pear, S. M. 1993. The spatial extent and relative influence of landscape-level factors on wintering bird populations. *Landscape Ecology*, 8(1): 3-18.

- R Development Core Team. R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing, 2009. Available at:  
URL: <http://www.R-project.org>. [Accessed "1 November 2009"]
- Rittiboon, K. and Karntanut, W. 2011. Distribution of resident birds in a protected tropical habitat in south Thailand. *Journal of ISSAAS*, 17(2): 95-103.
- Rittiboon, K., Tongkumchum, P. and Karntanut, W. 2012. Bird assemblages in the Thale Noi non-hunting area, southern Thailand. *Journal of Sustainability Science and Management*, 7(1): 42-48.
- Roberge, J.-M. and Angelstam, P. 2006. Indicator species among resident forest birds- A cross-regional evaluation in northern Europe. *Biological Conservation*, 130(1): 134-147.
- Rushton, S. P., Ormerod S. J. and Kerby, G. 2004. New paradigms for modeling species distributions? *Journal of Applied Ecology*, 41: 193-200.
- Sampantarak, U., Kongchouy, N. and Angsupanich, S. 2011. Regression-based modeling of environmental factors affecting macrobenthic fauna in Middle Songkhla Lake, Thailand. *Chiang Mai Journal of Science*, 38(3): 1-18.
- Schnell, G. D., Risser, P. G. and Helsel, J. F. 1977. Factor analysis of tree distribution patterns in Oklahoma. *Ecology*, 58: 1345-1355.
- Schrag, A.M., Zaccagnini, M. E., Calamari, N. and Canaveli, S. 2009. Climate and land-use influences on avifauna in central Argentina: broad-scale patterns and implications of agricultural conversion for biodiversity. *Agriculture, Ecosystems & Environment*, 132(1-2): 135-142.

- Sekercioglu, C. H. 2006. Increasing awareness of avian ecological function. *TRENDS in Ecology and Evolution*, 21(8): 464-471.
- Shimada, T., Bowman, A. and Ishida, M. 2000. Effect of flooding on a wetland bird community. *Ecological Research*, 15(2): 229-235.
- Sodhi, N. S. 2002. The effects of food-supply on Southeast Asian forest birds. *Ornithological Science*, 1(1): 89-93.
- Smith, A.L., Ortiz, J. S. and Robertson, R.J. 2001. Distribution patterns of migrant and resident birds in successional forests of the Yucatan peninsula, Mexico. *The Journal of Tropical Biology and Conservation*, 33(1): 153-170.
- Stork, N. E. 2007. Biodiversity: World of insects. *Nature*, 448: 657-658.
- Taylor, R. L. 1990 Avian indicators in the Chequamegon National Forest. *The passenger pigeon*, 52(3): 225-231.
- Thinh, V. T. 2006. Bird species richness and diversity in relation to vegetation in Bavi national park, Vietnam. *Ornithological Science*, 5(1): 121-125.
- Tongkumchum, P. and McNeil, D. 2009. Confidence intervals using contrasts for regression model. *Songklanakarin journal of science and technology*, 31(2): 151-156.
- Tukey, J. W. 1977. *Exploratory Data Analysis*. Addison-Wesley, Reading, MA. 688 pp.
- Venables, W. N and Ripley, B. D. 2002. *Modern Applied Statistics with S*. (4th Ed) New York: Springer. 495 pp.

Waltert, M., Bobo, K. S., Sainge, N. M. Fermon, H. and Mühlenberg, M. 2005. From forest to farmland: habitat effects on afrotropical forest bird diversity.

*Ecological Applications*, 15(4): 1351-1366.

Warton, D. I. 2005. Many zeros does not mean zero inflation: comparing the goodness-of-fit of parametric models to multivariate abundance data.

*Environmetrics*, 16: 275-289.