References

Abildtrup, J., Garcia, G., and Stenger, A. 2013. The effect of forest land use on the cost of drinking water supply: A spatial econometric analysis. Ecological Economics. 92, 126-136.

Annual Report 2009 [homepage on Internet], Tourism Authority of Thailand (TAT). [cited 2013 Sep 3]. Available from: http://www.tourismthailand.org/About-TAT/annual-report.

Ayalew, L. and Yamagishi, H. 2005. The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. Geomorphology. 65, 15-31.

Bach, M., Breuer, L., Frede, H.G., Huisman, J.A., Ott, A., and Waldardt, R. 2006. Accuracy and congruency of three different digital land-use maps. Landscape and Urban Planning. 78, 289-299.

Betts, M.G., Diamond, A.W., and Forbes, G.J., 2006. The importance of spatial autocorrelation, extent and resolution in predicting forest bird occurrence. Ecological Modelling. 191(2), 197-224.

Bagan, H., and Yamagata, Y., 2012. Landsat analysis of urban growth: How Tokyo became the world's largest megacity during the last 40 years. Remote Sensing of Environment. 127, 210-222.

Boll, T., Svenning, J.C., and Vormisto, J., 2005. Spatial distribution and environmental preferences of the piassaba palm Aphandra natalia (Arecaceae) along the Pastaza and Urituyacu Rivers in Peru. Forest Ecology and Management. 175-183.

Bonellie, S.R. 2012. Use of multiple linear regression and logistic regression models to investigate changes in birthweight for term singleton infants in Scotland. Journal of Clinical Nursing. 21, 2780-2788.

Brown, L.A., 2013. The city in 2050: A kaleidoscopic perspective. Applied Geography. 1-8.

Cheng, J. and Masser, I. 2003. Urban growth pattern modelling, a case study of Wuhan, P.R.China. Landscape and Urban Planning. 62, 199-217.

Chakir, R., and Gallo, J.L. 2013. Predicting land use allocation in France: A spatial panel data analysis. Ecological Economics. 92, 114-125.

Chauhan, S., Sharma, M., and Arora, M. K. 2010. Landslide susceptibility zonation of the Chamoli region, Garhwal Himalayas, using logistic regression model. Landslides. 7, 411-423.

Daniel, S.R., Chanvoleak, O., Ligia, T.S. and Rui, A.R. 2002. A proposed methodology for understanding urban growth pattern:A case study in Siem Reap, Cambodia. Recent Researches in Chemistry, Biology, Environment and Culture. 217-222.

Dendoncker, N., Rounsevell, M., and Bogaert, P. 2007. Spatial analysis and modeling of land-use distributions in Belgium. Computers, Environment and Urban Systems. 31, 188-205.

Eyoha, A., Olayinka, D.N., Nwilo, P., Okwuashi, O., Isong, M., and Udoudof, D. 2012. Modelling and predicting future urban expansion of Lagos, Nigeria from remote sensing data using logistic regression and GIS. International Journal of Applied Science and Technology. 2(5), 116-124.

Frazier, A.E. and Wang, L. 2011. Characterizing spatial patterns of invasive species using sub-pixel classifications, Remote Sensing of Environment. 115, 1997-2007.

Gret-Regamey, A., Bebi, P., Bishop, I.D. and Schmid, W.A. 2008. Linking GIS-based model to value ecosystem services in an Alpine region. Journal of Environment Management. 89, 197-208.

Guo, L., Du, S., Haining, R. and Zhang, L. 2011. Global and local indicators of spatial association between points and polygons: A study of land use change. International Journal of Applied Earth Observation and Geoinformation. 21, 384-356.

Hascic, I., and Wu, J.J. 2006. Land use and watershed health in the United States. Land Economics. 82, 214-239.

He-bing, Z. and Su-xia, Z. 2010. Development and application of land-use planning management information system based on ArcGIS, Proceedings of 2010 International Forum on Technology and Application, Kunming, China, July 16-18, 2010, 64-67.

Hill, R.D. 1984. Land use change. Geoforum. 15, 457- 461.

Huh, Y., Yu, K., and Heo, J. 2011. Detecting conjugate-point pairs for map alignment between two polygon data sets. Computer Environment and Urban System. 35, 250-262.

Hu A.Z., Lo, C.P. 2007. Modeling urban growth in Atlanta using logistic regression. Computers. Environment and Urban Systems. 31, 667-688.

Irwin, E.G. and Geoghegan, J. 2001. Theory, data, methods: developing spatially explicit economic models of land use change. Agriculture, Ecosystem and Environment. 85, 7-23.

Jim, C.Y. and Liu, H.T. 2001. Pattern and dynamics of urban forests in relation to land use and development history in Guangzhou City, China. The Geographical Journal. 167, 358-375.

Klajnsek, G. and Zalik, B. 2005. Merging polygon with uncertain boundaries. Computer and Geosciences. 31, 353-359.

Kleianbum, D. G. 1994. Logistic regression: A self learning text. New York: Springer. 282.

Koutsias, N. 2003. An autologistic regression model for increasing the accuracy of burned surface mapping using landsat thematic mapper data. International Journal of Remote Sensing. 24, 2199-2204.

Kurt, S. 2013. Land use changes in Istanbul's Black Sea coastal regions between 1987 and 2007. Journal of Geographic Sci. 23, 271-279.

Kundu, S., Saha A. K., Sharma, D. C. and Pant, C. C. 2013. Remote Sensing and GIS Based Landslide Susceptibility Assessment using Binary Logistic Regression Model: A Case Study in the Ganeshganga Watershed, Himalayas. Journal of the Indian Society of Remote Sensing. 41(3), 697-709.

Lambin and Geist, H.J. 2006. Land-use and land-cover change: local processes and global impacts. The IGBP Series. Berlin: Springer-Verlag.

Lammeren, R.V., Houtkamp, J., Colijn, C., Hiferink, M. and Bouwman, A. 2009. Google Earth based visualization of Land Use scenario studies. GSDI 11 World Conference: Spatial Data Infrastructure Convergence: Building SDI

Bridges to Address Global Challenges, Rotterdam, The Netherlands. Jun, 2009, 15-19.

Lee, S. and Pradhan, B. 2007. Landslide hazard mapping at Selangor, Malaysia using frequency ratio and logistic regression models. Landslides. 4, 33-41.

Liao, F.H.F. and Wei, Y.H.D. 2012. Modeling determinants of urban growth in Dongguan, China: a spatial logistic approach. Stochastic Environmental Research Risk Assessment Journal. 1-10.

Lin, Y.P., Chu, H.J., Wu, C.H. and Verburg, H. 2011. Predictive ability of logistic regression, auto-logistic regression and neural network models in empirical land-use change modeling-a case study. International Journal of Geographical Information Science. 25, 65-87.

Liu, W. and Seto, K.C. 2008. Using the ART-MMAP neural network to model and predict urban growth: a spatiotemporal data mining approach. Environment and Planning B: Planning and Design. 35, 296-317.

Madureira, L., Rambonilaza, T. and Karpinski, I. 2007. Review of methods and evidence for economic valuation of agricultural on-commodity outputs and suggestions to facilitate its application to Broader decisional contexts, Agriculture, Ecosystems and Environment. 120, 5-20.

Manonmani, R. and Suganya, M.D. 2010. Remote sensing and GIS application In change detection study in urban zone using multi temporal satellite. International Journal of Geomatics and Geosciences.1, 60-65.

Martin, S. A. and Assenov, I. 2011. Beach and Coastal Survey of Thailand: What Future for Surf Tourism. Steven Andrew Martin. 3(1), 77-87.

Masucci, A.P., Stanilov, K. and Batty, M. 2013. Limited Urban Growth: London's Street Network Dynamics since the 18th Century. Pole One. 8(1), 1-10.

Mathew, J., Jha, V. K., and Rawat, G. S. 2009. Landslide susceptibility zonation mapping and its validation in part of Garhwal Lesser Himalaya, India, using binary logistic regression analysis and receiver operating characteristic curve method. Landslides. 6, 17-26.

Manzo, G., Tofani, V., Segoni, S., Battistini A. and Catani, F. 2013. GIS techniques for regional-scale landslide susceptibility assessment: the Sicily (Italy) case study. International Journal of Geographical Information Science. 27(7), 1433-1452.

McNeil, N., and Chooprateep, S. 2013. Modeling sea surface temperatures of the North Atlantic Ocean. Theoretical and Applied Climatology (13), 1-7.

Mizutani, C. 2009. Land use transition process analysis using polygon events and polygon status: A case study of Tsukuba science city, proceedings of the 17 th International Conference of Geoinformatics, Virginia, USA, August 12-14, 2009, 1-6.

Nong, Y. and Du, Q. 2012. Urban growth pattern modeling using logistic regression. Geo-spatial Information Science. 14(1), 62-67.

Ohlmacher, G.C. and Davis, J.C. 2003. Using multiple logistic regression and GIS technology to predict landslide hazard in northeast Kansas, USA. Engineering Geology. 69(33), 331-343.

Olaniyi, A.O., Abdullah, A.M., Ramli, M.F. and M.S. Alias. 2012. Assessment of drivers of coastal land use change in Malaysia. Ocean & Coastal Management. 67, 113-123.

Pradhan, B. and Lee, S. 2010. Landslide susceptibility assessment and factor effect analysis: back propagation artificial neural networks and their comparison with frequency ratio and bi variate logistic regression modeling. Environmental Modeling and Software. 25, 747-759.

Qingwei, Z. 2009. A new method for information of urban. Land Use Urban Remote Sensing Joint Event.

Raine, R.M. 1994. Current land use and changes in land use over time in the coastal zone of Chantaburi province Thailand. Biological Conservation. 67, 201-204.

Ramesh, B. 1989. Urban land use change detection using sequential aerial photographs and spot image case study: ChiangMai Thailand. Journal of the Indian Society of Remote Sensing. 17, 101-108.

Rao, J.N.K. and Scott, A.J. 1992. A simple method for the analysis of clustered data. Biometrics. 48, 557-585.

R Development Core Team. 2012. R: A language and environment for statistical computing. Vienna: R Foundation for Statistical Computing.

Rebelo, E.M. 2009. Land-economic rent computation for urban planning and fiscal purposes. Land Use Policy. 26, 521-534.

Piorecky, M.D. and Prescott, D.R.C. 2006. Multiple spatial scale logistic and auto-logistic habitat selection models for northern pygmy owls, along the eastern slopes of Alberta's Rocky Mountains. Biological Conservation. 129, 360-371.

Sadr, K. and Rodier, X. 2012. Google Earth, GIS and stone-walled structures in southern Gauteng, South Africa. Journal of Archaeological Science. 39, 1034-1042.

Stehman, S.V. and Wickham, J.D. 2011. Pixels, blocks of pixels, and polygons: Choosing a spatial unit for thematic accuracy assessment. Remote Sensing of Environment. 115, 3044-3055.

Strand, G.H., Dramstad, W. and Engan, G. 2002. The effect of field experience on the accuracy of identifying land cover types in aerial photographs. International Journal of Applied Earth Observation and Geoinformation. 4, 137-146.

Rammani, S.E., Pitchaimani, K., and Gnanamanickam V.R. 2011. GIS based landslide susceptibility mapping of tevankarai ar sub-watershed, Kodaikkanal, India using binary logistic regression analysis. Journal of Materials Science. 8, 505-517.

The Los Angeles county planning commission. 1941. Land Use Classification. Journal of the American Institute of Planners. 7(3), 26-27.

Thinnukool, O., Chuangchang, P., and Kongkraphan, K. 2014a. Analyzing land-use change using grid-digitized method. Songklanakarin Journal of Science and Technology. 36(2).

Thinnukool, O., Kongchouy, N. and Appianing, C.B. 2014b. Management of LUCC and Land-Use Transition in Phuket Island, Thailand. International Journal of Computer and Electrical Engineering. 6 (2), 176-180.

Thinnukool, O., Kongchouy, N. and Choonpradub, C. 2014c. A Detection of Land-Use Change Using R Program A Case Study of Phuket Island, Thailand. Research Journal of Applied Sciences. 9(2).

Thinnukool, O., Kongchouy, N., Choonpradub, C. and Appianing, C.B. 2014d. Urbanization of Tourism Areas in Phuket Island, Thailand A Case Study of

Patong, Kammala and Karon. Research Journal of Applied Sciences. (In
process)

Usha, M., Anitha, K. and Iyappan, L. 2012. Land use change detection through image
processing and remote sensing approach: a case study of palladamtalukm,
tamilnadu. International Journal of Engineering Research and Application. 2,
289-297.

Veldkamp A. and Verburg P. H. 2004. Modelling land usechange and environmental
impact. Journal of Environmental Management. 72(2), 1-3.

Verburg, P.H. 2002. Modeling the spatial dynamics of regional land-use: the CLUE-S
model. Environmental Management. 30 (3), 391-405.

Verburg, P.H., Overmars, K.P., and Witte, N. 2004. Accessibility and land-use
patterns at the forest fringe in the northeastern part of the Philippines.
Geographical Journal. 170, 238-255.

Verburg, P.H., et al. 2006. Modeling land-use and land-cover change. In: E.F.

Venables, W. N. and Smith, D. M. 2008. R Development Core Team. 2008. R: A
language and environment for statistical computing. Vienna: R Foundation for
Statistical Computing.

Verburg, P.H. and Overmars, K. 2009. Combining top-down and bottom-up
dynamics in land use modeling: exploring the future of abandoned farmlands
in Europe with the Dyna-CLUE model. Landscape Ecology. 24(9), 1167-
1181.

Weng, Q. 2001. Land use change analysis in the Zhujiang Delta of China using
satellite remote sensing, GIS and stochastic modeling. Journal of
Environmental Management. 64, 273-284.

Whiteside, T.G., Boggs, G.S., and Maier, S.W. 2011. Comparing object-based and pixel-based classifications for mapping savannas. International Journal of Applied Earth Observation and Geoinformation. 13, 844-893.

Wong, P.P. 2008. Coastal tourism development in Southeast Asia: relevance and lessons for coastal zone management. Ocean and Coastal Management. 38, 89-109.

Yang, G. and Qiao, G. 2010. Data processing method for current land use using GIS Technology. Second International Workshop on Education Technology and Computer Science. Wuhan, China, March 6-7, 2010, 511-514.

Ying, L., Qizhi, M. and Anrong, D. 2009. Beijing urban development model: urban growth analysis and simulation. Tsinghua Science and Technology. 16, 782-794.

York, A.M. and Munroc, D.K. 2010. Urban encroachment, forest regrowth and land-use institution: does zoning matter. Land Use Policy. 471- 479.

Zeger, S. L., and Liang, K. Y. 1986. Longitudinal data analysis for discrete and continuous outcomes. Biometrics. 42(1), 121-130.