

## Contents

	Page
Abstract	iii
Acknowledgements	viii
Contents	ix
List of Tables	xi
List of Figures	xii
Chapter	
1. Introduction	1
1.1 Rationale for study	1
1.2 Scope of study, variables and target population	5
1.3 Background information for study sample	6
1.4 Literature review	8
<i>Fish catch assessment</i>	8
<i>Fish community clustering</i>	11
1.5 Plan of thesis	13
2. Methodology	15
2.1 Source of data	15
2.2 Statistical methods	17
<i>Data transformation</i>	17
<i>Linear regression model on time series</i>	18
<i>Additive model</i>	19
<i>Goodness-of-fit</i>	21

3. Forecasting total fish catch weight	22
3.1 Characteristics of the data	22
3.2 Linear regression model	26
3.3 Summary	29
4. Models for clustering fish community structure by species	30
4.1 Characteristics of the data	30
Species composition and diversity	30
Catch by fishing gear	32
4.2 Statistical modelling using species and month as predictors	33
4.3 Statistical modeling using species and season-gear as predictors	38
4.4 Summary	43
5. Conclusion and discussion	45
5.1 Catch weights in Songkhla Lake 1977-2006	45
5.2 Catch weights from 2003-2006 using species and month	46
5.3 Catch weights from 2003-2006 by species and season-gear	49
5.4 Limitations and suggestions	51
References	54
Appendix I	66
Appendix II	74
Appendix III	82
Vitae	98

## List of Tables

<b>Table</b>	<b>Page</b>
Table 1.1 Tropical lakes with characteristics similar to Songkhla Lake	6
Table 3.1 Monthly tonnes of fish catch weights in Songkhla Lake during 1977–2006.	23
Table 3.2 Results from fitting regression model to logarithms of monthly catches	26
Table 3.3 Forecasts and actual values of fish catches (tonnes) in 2006	28
Table 4.1 Total catch weights (tonnes) and average percentage of 6 fish groups caught by 3 types of gear during 2003-2006	33

Prince of Songkla University  
Pattani Campus

## List of Figures

Figures	Page
Figure 1.1 Map of Songkhla Lake and the three main zones of the lake	8
Figure 2.1 Path diagram for study	17
Figure 3.1 Annual fish catch weight in Songkhla Lake during 1977–2006	24
Figure 3.2 Average monthly fish catch weights in Songkhla Lake during 1977–2006	25
Figure 3.3 Relationship between mean and standard deviation	25
Figure 3.4 Plot of observed values and fitted values and residuals plot	27
Figure 3.5 Monthly total fish catches in Songkhla Lake with model-based forecasts	28
Figure 4.1: Annual catch weight changes for each species from 2003-2004, 2004-2005 and 2005-2006	31
Figure 4.2: Proportion of catch weights categorized by three fishing gears	32
Figure 4.3 Plot of first four principal components of catch weights	34
Figure 4.4: Monthly catch weights of species characterized by first model component	35
Figure 4.5 Monthly catch weights of species containing second model component	35
Figure 4.6 Monthly catch weights of species containing third model component	36
Figure 4.7 Monthly catch weights of species containing fourth model component	36
Figure 4.8 Scatter plot of first two components in the statistical model	38
Figure 4.9 Plots of observed against predicted catch weight (left panel), and residuals against corresponding normal quantiles (right panel).	39

<b>Figures</b>	<b>Page</b>
Figure 4.10 First three season-gear components for fish catch during 2003-2006.	40
Figure 4.11 Bi-monthly catch weights by gear type showing four typical species following the dominant patterns from 2003 to 2006	41
Figure 4.12 Three principal components showing clustering of fish species.	42

Prince of Songkla University  
Pattani Campus