

REFERENCES

American College of Sports Medicine (1995). Principles of exercise prescription. [Online].

Available: (<http://www.exrx.net/Aerobic/AreobicComponents.html>).

American College of Sports Medicine (1998). ACSM Report stresses strength training for senior. The Physician and Sportsmedicine, 26 (12). [Online].

Available: (<http://www.physportsmed.com/issues/1998/12dec/news.htm>).

American Sleep Disorders Association (1990). International Classification of Sleep Disorders (ICSD): Diagnostic and coding manual. Rochester: Minn.

Ancoil– Israel S., & Roth, T. (1999). Characteristics of insomnia in the United States: Results of the 1991 National Sleep Foundation Survey. I. Sleep, 22, suppl 2, S347-S353.

Barry, H. C., & Eathorne, S. W. (1994). Exercise and aging: Issues for the practitioner. Medical Clinics of North America, 78(2), 357-377.

Bird, P. J. (1999). Exercise addition. [Online].

Available: (<http://www.hhp.ufl.edu/keepingfit/article/exaddict.thtm>).

Brody, T.M., Larner, J.L., & Minneman, K.P. (1998). Human pharmacology: Molecular to clinical. (3 rd ed.) St. Louis: Mosby.

Bureau of Mental Health Technical development. (2001). Major depressive disorder: A problem in Thai society. [Online].

Available: (<http://www.moph.go.th>). (Thai manuscript)

Cauter, E.V., Leproult, R., & Kupfer, D.J. (1996). Effects of gender and age on the levels and circadian rhythmicity of plasma cortisol. Journal of clinical Endocrinology and Metabolism, 81(7), 2468-2473.

Chen, K. M., & Snyder, M. (1999). A research-based use of Tai Chi/movement therapy as a nursing intervention. Journal of Holistic Nursing, 17 (3), 267-279.

Childs, M. (2000). UGA researches find muscle pain resulting from exercise does not disrupt sleep. [Online]. Available: (<http://www.uga.edu/news/newsbureau/releases/2000releases/musclepain.html>).).

Chiu, H. FK., Leung, T., Lam, L. CW., Wing, Y.K., Chung, D. WS., Li. SW., Chi, I., Law, WT., & Boey, Kw. (1999). Sleep Problems in Chinese Elderly in Hong Kong. Sleep, 2 (6), 717-726.

Chokroverty, S. (1994). Sleep disorder medication: Basic science, technical considerations, and clinical aspects. Boston: Butterworth - Heinemann.

Closs, J. (1988). Patients' sleep-wake rhythms in hospital. Nursing Times, 84(1), 48-50.

Conn, V. S. (1998). Older adults and exercise: Path analysis of self-efficacy related constructs. Nursing Research, 47(3), 180-189.

Creek, J. (2000). Occupational therapy and mental health. (2nd ed.) New York: CHURDHILL LIVINGSTONE.

Davis, J.M., Alserson, N.L., & Welsh, R.S. (2000). Serotonin and central nervous system fatigue: nutritional consideration. American Journal of Clinical Nutrition, 72(suppl), 573S-578S.

Dewasmes, G., Telliez, F., & Muzet, A. (2000). Effects of a nocturnal environment perceived as warm on subsequent daytime sleep in humans. Sleep, 23(3), 409-413.

Duthie, E. H., & Katz, P. R. (1998). Practice of Geriatrics. (3rd ed.) Philadelphia: W.B. Saunders Company.

Ebersole, P. & Hess, P. (1998). Toward healthy aging: Human needs and nursing response. (5th ed.) St. Louis: Mosby.

Ebert, M. H., Loosen, P. T., & Nurcombe, B. (2000). Current diagnosis & treatment in psychiatry. New York: McGraw-Hill.

Edell-Gustafsson, U. M., (2002). Insufficient sleep, cognitive anxiety and health transition in men with coronary artery disease: A self-report and polysomnographic study. Journal of Advanced Nursing, 37(5), 414-422.

Edell-Gustafsson, U. M., Hetta, J. E., & Aren, C. B. (1999). Sleep and quality of life assessment in-patients undergoing coronary artery bypass grafting. Journal of Advanced Nursing, 29(5), 1213-1220.

Elrick, H. (1996). Exercise the best prescription. The Physician and Sport Medicine, 24(2). [Online].

Available: (http://www.physsportsmed.com/issues/1996/02_96/elrickpa.htm).

Elssenbruch, S., Harnish, M. J., & Orr, W. C. (1999). Subjective and objective sleep quality in Irritable Bowel Syndrome. The American Journal of Gastroenterology, 94(9), 2447-2452.

Ersser, S., Wiles, A., Walsh, R., & Bently, T. (1999). Measuring the sleep patterns of older people. Nursing Times, 95(1), 46-49.

Floyd, J. A., Falahee, M. L., & Fhobir, R. H. (2000). Creation and analysis of a computerized database of interventions to facilitate adult sleep. Nursing research, 49(4), 236-241.

Floyd, J. A., Janisse, J. J., Medler, S. M., & Ager, J. W. (2000). Nonlinear components of age-related change in sleep initiation. Nursing Research, 49(5), 290-294.

Fontaine, D. K. (1989). Measurement of nocturnal sleep patterns in trauma patients. Heart & Lung, 18(4), 402-410.

Fontana, J. A. (2000). The Energy Costs of Modified From of T'ai Chi Exercise. Nursing Research, 49(2), 91-96.

Frank-Stromborg, M. & Pender, N.J. (1988). Instruments for clinical health-care research. Norwalk: APPLETON & LANGE.

Frank-Stromborg, M. & Olsen, S. H. (1997). Instruments for clinical health-care research. (2 nd ed.) Boston: Jones and Bartlett Publishers.

Galante, L. (1981). Tai Chi: The supreme ultimate. Maine: Samuel Weiser.

Garrett, W.E., Kirkendall, D.T., & Squire, D.L. (2001). Principles and practice of primary care sports medicine. Philadelphia: Lippincott Williams & Wilkins.

Gelder, M.G., Lo'pez-Ibor Jr, J. J., & Andreasen, N. C. (2000). New oxford textbook of psychiatry. Oxford University Press.

Gorbien, M. J. (1993). When your older patient can't sleep: How to put insomnia to rest. Geriatrics, 48(9), 65-75.

- Guilleminault, C., Clerk, A., Black, J., Labanowski, M., Pelayo, R., & Claman, D. (1995). Nondrug treatment trials in psychophysiologic insomnia. Archive of International Medicine, 155(8), 838-844.
- Haimov, I., Lavie, P., Laudon, M., Herer, P., Vigder, C., & Zisapel, N. (1995). Melatonin replacement therapy of elderly insomniacs. Sleep, 18(7), 598-603.
- Holsinger, T. (1999). Depression in older adults. [Online]. Available: (<http://www.galter.northwestern.edu/geriatrics/chapter/depression.cfm>).
- Horne, J., & Reyner, L. (1999). Vehicle accidents related to sleep: A review. Occupation Environment Medicine, 56, 289-294.
- Hughes, R.J., Sack, R.L., & Lewy, A.J. (1998). The role of melatonin and circadian phase in age-related sleep-maintenance insomnia: assessment in a clinical trial of melatonin replacement. Sleep, 21(1), 52-68.
- Jin, P. (1992). Efficacy of Tai Chi, brisk walking, meditation, and reading in reducing mental and emotional stress. [Online]. Available: (<http://members.ao/.com/sltcca/research/taireabs.htm>).
- Jitapunkul, S. (1999). Principles of geriatric medicine. Bangkok: Chulalongkron University. (Thai manuscript)
- Jitapunkul, S. & Bunnag, S. (1998). Aging in Thailand 1997. Bangkok: Thai society of gerontology and geriatric medicine.
- Johnson, B.S. (1997). Adaptation and growth psychiatric-mental health nursing. (4th ed.) Philadelphia: Lippincott.
- Kanoxola, P.P., Erkkola, R., Irlala, K., Pullinin, S., Virtanen, I., & Polo, O. (1999). Effect of short-term transdermal estrogen replacement therapy on sleep: A

randomized, double-blind crossover trial in postmenopausal women. Fertility and Sterility, 71(5), 873-880.

Karch, A.M. (2000). Focus on nursing pharmacology. Philadelphia: Lippincott.

Khurthong, K. (1984). Tai Chi. Bangkok: NTP Publishing. (Thai manuscript)

Khumtaveeporn, P., Ouprasert, K., & Tunsiri, P. (1995). The study some factors that have effect to sleep patterns in elderly. Journal of Nursing, 13(1), 31-41. (Thai manuscript)

King, A. C., Oman, R. F., Brassington, G. S., Bliwise, D.L., & Haskell, W.L. (1997). Moderate-Intensity exercise and self-rated quality of sleep in older adults. JAMA, 277(1), 32-37

Kirsteins, A. E., Dietz, F., & Hwang, S. M. (1991). Evaluating the safety and potential use of a weight-bearing exercise, Tai-Chi Chuan, for rheumatoid arthritis patients. American Journal of Physical Medicine & Rehabilitation, 70(3), 136-141.

Kozier, B., Erb, G., Berman, A. J., & Burke, K. (2000). Fundamentals of nursing: Concepts, process and practice (6th ed.) New Jersey: Prentice Hall Health.

Kryger, M. H., Roth, T., & Dement, W. C. (2000). Principles and practice of sleep medicine. (3rd ed.) Philadelphia: W. B. SAUNDERS Company.

Kuhn, M.A. (1999). Complementary therapies for health care providers. Philadelphia: Lippincott William & Wilkins.

Laempet, W. (2001). Sleep and factors interfering with sleep among hospitalized alders in medical units. Master of Nursing Science Thesis in Adult Nursing: Prince of Songkla University. (Thai manuscript)

Lai, J.S., Lan, C, Wong, M.K., & Teng, S.H. (1995). Two-year trends in cardiorespiratory function among older Tai Chi Chuan practitioners and sedentary subjects. Journal of the American Geriatrics Society, 43, 1222-1995.

Lan, C., Lai, J.S., Chen, S.Y., & Wong, M.K. (2000). Tai Chi Chuan to improve muscular strength and endurance in elderly individuals: A pilot study. Acchive Physical Medicine Rehabilitation, 81, 604-607.

Lan, C., Lai, J.S., W, M.K., & Yu, M.L. (1996). Cardiorespiratory function, flexibility, and body composition among geriatric Tai Chi Chun practitioners. Archive Physical Medicine Rehabilitation, 77, 612-616.

Lee, K.A. (1997). An overview of sleep and common sleep problems. ANNA Journal, 24(6), 614-625.

Leelarrujijarean, W. (1995). Taiji qigong 18 postures. Unpublished raw data.

Lemoine, P. & Allain, H. (1996). Introduction to the symposium induction of sleep. Sleep, 19(3), S1-S6.

Lenze, E.J., Mulsant, B.H., Katherine-Shear, M., Schulberg, H.C., Dew, M.A., Begley, A.E., Pollock, B.G., & Reynolds, C.F. (2000). Comorbid anxiety disorders in depressed elderly patients. American Journal of Psychiatry, 157(5), 722-728.

Li F. (2002). Tai Chi training and sleep enhancement in the elderly. [Online]. Available: (<http://www.ori.org/physicalactivity.html>)

Lorenzi, E.A. (1999). Complementary/alternative therapies: So many choices. Geriatric Nursing, 20(3), 125-133.

- Mayer, T. J. (1998). Evaluation and management of insomnia. Hospital Practice, 17, 75-86.
- McGuire, B.E., Basten, C.H., Ryan, C.J., & Gallagher, J. (2000). Intensive Care Unit Syndrome: A dangerous misnomer. Archive of International Medicine, 160 (10), 906-909.
- Monk, T. H., Reynolds III, C. F., Machen, M. A., & Kupfer, D. J. (1992). Daily social rhythms in the elderly and their relation to objectively recorded sleep. Sleep, 15(4), 322- 329.
- Mornhinweg, G. C., & Voignier, R. R. (1995). Music for sleep disturbance in the elderly. Journal of Holistic Nursing, 13(3), 248-254.
- Monjan, A. (2000). Annual report of the trans. NIH sleep research coordinating committee, FISCAL year 2000: National institute on aging. (<http://www.nhlbi.nih.gov/health/prof/sleep00.htm#NIA>)
- Nation Statistic Office. (2000). The situation of elderly people in Thailand. [Online]. Available: (<http://www.moph.go.th>). (Thai manuscript)
- Naylor, E., Penev, P.D., Orbeta, L., Janssen, I., Ortiz, R., Colecchia, E.F., Keng, M., Finkel, S., & Zee, P.C. (2000). Daily social and physical activity increases slow-wave-sleep and daytime neuropsychological performance in the elderly. Sleep, 23(1), 87-95.
- NIH technology Assessment Panel (1996). Integration of behavioral and relaxation approaches into the treatment of chronic pain and insomnia. JAMA, 276(4), 313-318.

Nilchaikovit, T., Lortrakul, M., & Phisansuthideth, U. (1996). Development of Thai version of Hospital Anxiety and Depression Scale in cancer patient. Journal of the Psychiatric Association of Thailand, 41(1), 18-30. (Thai manuscript)

Obermeyer, W.H. & Benca, R.M. (1996). Effects of drugs on sleep. Neurologic Clinics, 14(4), 827-841.

O'Connor, P. J., Breus, M. J., & Youngstedt, S. D. (1998). Exercise-induced increase in core temperature does not disrupt a behavior measure of sleep. Physiological-Behavior, 64(3), 213-217.

Ounnapiroak, L., & Khumtaveeporn, P. (1997). Factors associated with quality of sleep in hospitalized elderly patients. Thai Journal of Nursing Research, 1 (2), 217-230. (Thai manuscript).

Pace-Schott, E. F., Kaji, J., Stickgold, R., & Hobson, J. A. (1994). Sleep quality, behavioral scales and sleep scoring nightcap measurement of sleep quality in self-described good and poor sleepers. Sleep, 17(8), 688-692.

Parekh, P.I., Ketter, T.A., Altshuler, L., Frye, M.A., Callahan, A., Marangell, L., & Post, R.M. (1998). Relationships between thyroid hormone and antidepressant responses to total sleep deprivation in mood disorder patients. Society of Biological Psychiatry, 43, 392-394.

Planes, R., Foucher, A., Leroy, M., Dartois, N., Juste, K., Baillart, O., & Raffestin, B. (1999). Effect of Celiprolol treatment in hypertensive patients with sleep apnea. Sleep, 22(4), 507-513.

Polit, D. F. (1996). Data analysis & statistics for nursing research. Connecticut: Appleton & Lange.

Potter, P. A., & Perry, A. G. (1995). Basic Nursing: Theory and Practice. St. Louis: Mosby.

Province, M. A., Hadley, E. C., Hornbrook, M. C., Lipsitz, L. A., Miller, J. P., Mulrow, C. D., Ory, M. G., Sattin, R. W., Tinetti, M. E., & Wolf, S. L. (1995). The effects of exercise on falls in elderly patients: A preplanned meta-analysis of the FICSIT trials. JAMA, 273(17), 1341-1347.

Puntriano, M. (1998). The relationship between dialysis adequacies and sleep problems in hemodialysis patients. ANNA Journal, 26(4), 405-407.

Reid, K., & Dawson, D. (1999). Correlation between wrist activity monitor and electrophysiological measures of sleep in a simulated shiftwork environment for younger and older subjects. Sleep, 22(3), 378-385.

Reynier, A. & Horne, J. A. (1995). Gender-and aged-related differences in sleep determined by home-recorded sleep logs and actimetry from 400 adults. Sleep, 18(2), 127-134.

Richard, I.H. Kurlan, R., & the Parkinson Study Group. (1997). A survey of antidepressant drug use in Parkinson's disease. Neurology, 49, 1168-1170.

Richardson, G., & Tate, B. (2000). Hormone and pharmacological manipulation of the circadian clock: Recent developments and future strategies. Sleep, 23, suppl 3, S77-S85.

Ross, M.C., Bohannon, A.S., Davis, D.C., & Gurchiek, L. (1999). The effects of a short-term exercise program on movement, pain, and mood in the elderly. Journal of Holistic Nursing, 17(2), 139-147.

Rozenzweig, A., Prigerson, H., Miller, M.D., & Reynold, C.F. (1997). Bereavement and late-life depression: Grief and its complication in the elderly.

[Online]. Annu Rev Med, 48, 421-428. Abstract from: Pub Med Available: (http://www.ncbi.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12188382&dopt=Abstract)

Salin-Pascual, R.J., Granados-Fuentes, D., Galicia-Polo, L., Nieves, E., & Gillin, J.C. (1993) Development of tolerance after repeated administration of a selective muscarinic M1 antagonist Biperiden in healthy human volunteers. Biology of Psychiatry, 33, 188-193.

Schnirring, L. (1998). The physician and sport medicine news briefs.

[Online]. Available: (<http://www.physsportsmed.com/issues/1998/08aug/news.htm>).

Sheely, L. C. (1996). Sleep disturbances in hospitalized patients with cancer. ONF, 23(1), 109-111.

Singh, N. A., Clements, K. M., & Fiatarone, M. A. (1997). Sleep, sleep, deprivation, and daytime activities a randomized controlled trial of the effect of exercise on sleep. Sleep, 20(2), 95-101.

Singh, J. (1998). Biopsychology: A new science of body, mind, and soul.

Melbourne: GURUKLA PUBLICATIONS.

Stenson, J. (1995). Tai Chi improves lung in older people. Medical tribune news service. [Online]. Available:

(<http://members.ao/.com/sltcca/research/taireabs.htm>).

Stern, T. A., & Herman, J. B. (2000). Psychiatry update and board preparation. New York: McGraw- Hill.

Tanaka, H., Taira, K., Arakawa, M., Toguti, H., Urasaki, C., Yamamoto, Y., Uezu, E., Hori, T., & Shirakawa, S. (2001). Effects of short nap and exercise on

elderly people having difficult in sleeping. Psychiatry and Clinical Neurosciences, 55, 173-174.

Thongtang, O., Sukhatunga, K., Nagamthipwatthana, T., Chulakadabba, S., Vuthiganond, S., Pooviboonsuk, P., Kooptiwoot, S., & Phattharayuttawat, S. (2002). Prevalence and incidence of depression in the Thai elderly [Online]. J Med Assoc Thai, 85(5), 540-544. Abstract from: Pub Med Available: (http://www.ncbi.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12188382&dopt=Abstract)

Townsend, M.C. (1996). Psychiatric mental health nursing: Concepts of care. (2 nd ed.) Philadelphia: F. A. DAVIS COMPANY.

Trinder, J., Montgomery, I., & Paxton, S.J. (1988). The effect of exercise on sleep: the negative view. Acta Physiol Scandinavica, 574, 14-20.

Tubmanee, M. (1998). Depression and dementia in the Thai community dwelling elderly in Bangkok. Thesis Graduate School Mahidol University. (Thai manuscript)

Udomrath, P. (2000). Mixed anxiety and depression disorder: An illness that psychiatrists should not overlook. Journal of the Psychiatric Association Thailand, 45 (1), 99-109.

Vuori, I., Urponen, H., Hasan, J., & Partinen, M. (1988). Epidemiology of exercise effects on sleep. Acta Physiol Scandinavica, 133, Supplementum 574, 3-7.

Wheatchaphat, C, & Palawiwhat, K. (1993). Physiology of exercise. Bangkok: Thunkamol Publishing. (Thai manuscript)

Wolf, S.L., Coogler, C., & Xu, T. (1997). Exploring the basis for Tai Chi Chun as a therapeutic exercise approach. Archive Physical Medicine Rehabilitation, 78, 886-892.

Wonzniak, P. (2000). Good sleep good learning, good life. [Online]. Available: (<http://www.supermemo.com/articles/sleep.htm>).

Woodward, S.H., Bliwise, D. L., Friedman, M. J., & Gusman, F. D. (1996). First night effect in post-traumatic stress disorder inpatients. Sleep, 19(4), 312-317.

Youngstedt, S.D. (1997). Does exercise truly enhance sleep? The physician and sportmedicine, 25(10). [Online].

Available: (<http://www.physsportsmed.com/issue/1997/10oct/young.htm>)

Youngstedt, S.D., Kripke, D.F., & Elliott, J.A. (1999). Is sleep disturbed by vigorous late-night exercise? Medical Science Sports Exercise, 31(6), 864-869. [Online].

Available:

(http://www.discoverfitness.com/Research_updates/late_Night_Exercise_and_Sleep.htm)

Youngstedt, S.D., O'Connor, P. J., & Dishman, R. K. (1996). From wake to sleep the effects of acute exercise on sleep: A quantitative synthesis. Sleep, 20 (3), 203-214.

Zigmond, A.S., & Snaith, R.P. (1983). The Hospital Anxiety and Depression Scale. Acta Psychiatry Scandinavica, 67, 361-370.