

REFERENCES

- Abdullah R., Cocking E. C. and Thompson J. A. 1986. Efficient plant regeneration from rice protoplasts through somatic embryogenesis. *Bio/technol.* 4: 1087-1090.
- Aberlenc-Bertossi F., Noirot M. and Duval Y. 1999. BA enhances the germination of oil palm somatic embryos derived from embryogenic suspension cultures. *Plant Cell Tiss Org Cult.* 66: 53-57.
- Afza R., Kammer D., Dolezel J., Konig J., Van Duren M., Kahl G. and Novak F. J. 1993. The potential of nuclear DNA flow-cytometry and DNA fingerprinting for *Musa* improvement programmes. Breeding banana and plantain for resistance on genetic improvement of bananas for resistance to diseases and pests. *Proceeding of the International Symposium on genetic improvement of bananas for resistance to diseases and pests.* 65-75 p.
- Alang Z. and Fadzillah H. 1986. A simple technique for embryo culture of oil palm (*Elaeis guineensis* Jacq.). *Report Special Research Project Tropical Agricultural Resources.* 5: 123-127.
- Amsellem L., Chevallier M. H. and Hossaert-McKey M. 2001. Ploidy level of the invasive weed *Rubus alceifolius* (Rosaceae) in its native range and in areas of introduction. *Plant Syst Evol.* 228: 171-179.
- Assani A., Haicour R., Wenzel G., Cote F., Bakrri F., Foroughi-Wehr B., Ducreux G., Aguillar M. E. and Grapin A. 2001. Plant regeneration from protoplasts

- of dessert banana cv. Grande Naine (*Musa* spp., Cavendish sub-group AAA) via somatic embryogenesis. *Plant Cell Rep.* 20: 482-488.
- Bai Y., Boot D. T. and Romo J. T. 1999. Imbibition temperature affects winterfat (*Eurotia lanata* (Pursh) Moq.) seed hydration and cold-hardiness response. *J Range Manage.* 52: 271-274.
- Basiron, Y. 2002. Palm oil and its global supply and demand prospects. *Oil Palm Industry Economic J.* 2: 1-10.
- Bass A. and Hughes W. 1984. Conditions for isolation and regeneration of viable protoplasts of oil palm (*Elaeis guineensis* Jacq.). *Plant Cell Rep.* 3: 169-171.
- Bennett M. D. and Leitch I. J. 1995. Nuclear DNA amounts in angiosperms. *Ann Bot.* 76: 113-176.
- Bennett M. D. and Smith J. B. 1976. Nuclear DNA amounts in angiosperms. *Phil Trans Royal Soc of London.* 274: 227-274.
- Berlyn G. P., Anoruo A. O., Beck R. C. and Cheng J. 1987. DNA content polymorphism and tissue culture regeneration in Caribbean pine. *Can J Bot.* 65: 954-961.
- Bino R. J., De Vries J. N., Kraak H. L. and Van Pijlen J. G. 1992. Flow cytometric determination of nuclear replication stages in tomato seeds during priming and germination. *Ann Bot.* 69: 231-236.
- Booth D. T. and Bai Y. 1999. Imbibition temperature effects on seedling vigor in crops and shrubs. *J Range Manage.* 52: 534-538.
- Bouaziz A. and Bruckler L. 1989. Modeling of wheat imbibition and germination as influenced by soil physical properties. *Soil Sci Soc AM J.* 53: 219-227.

- Buiteveld J. and Creemers-Molenaar J. 1994. Plant regeneration from protoplasts isolated from suspension cultures of leek (*Allium ampeloprasum* L.). *Plant Sci.* 100: 203-210.
- Cazaux E. and Auzac J. D. 1995. Explanation for the lack of division of protoplasts from stems of rubber-tree (*Hevea brasiliensis*). *Plant Cell Tiss Org Cult.* 41: 211-219.
- Ceccarelli M., Esposito M. C., Roscini C., Sarri V., Frediani M., Gelati M. T., Cavallini A., Giordani T., Pellegrino R. M. and Cionini P. G. 2002. Genome plasticity in *Festuca arundinacea*: direct response to temperature changes by redundancy modulation of interspersed DNA repeats. *Theor Appl Genet.* 104: 901-907.
- Ceccarelli M., Giordani T., Natali L., Cavallini A. and Cionini P. G. 1997. Genome plasticity during seed germination in *Festuca arundinacea*. *Theor Appl Genet.* 94: 309-315.
- Clarke N. A. and James P. E. 1991. The effects of priming and accelerated ageing upon the nucleic acid content of leek seeds and their embryos. *J Exp Bot.* 42: 261-268.
- Cocking E. C. 1960. A method for the isolation of plant protoplasts and vacuoles. *Nature.* 187: 962-963.
- Cueto C. A., Ebert A. W., Rillo E. P. And Orense O. D. 1997. *In vitro* regeneration of coconut (*Cocos nucifera* L.) from immature inflorescences of tall cultivars. Hort Biotech. *In vitro Cult and Breeding*. Eds. A. Altman, M. Ziv. *Acta Hort.* 447: 121-122.

- Deltour R. 1985. Nuclear activation during early germination of the higher plant embryo. *J Cell Sci.* 75: 43-83.
- Dolezel J. 1991. Flow cytometric analysis of nuclear DNA content in higher plants. *Phytochem Anal.* 2: 143-154.
- Dolezel J., Sgorbati S. and Sergio L. 1992. Comparison of three DNA fluorochromes for flow cytometric estimation of nuclear DNA content in plants. *Physiol Plant.* 85: 625-631.
- Dolezel J., Greilhuber J., Lucretti S., Meister A., Lysak M. A., Lardi L. and Obermayer R. 1998. Plant genome size estimation by flow cytometry: Inter-laboratory comparison. *Ann Bot.* 82: 17-26.
- Durand-Gasselin T., LeGeun V., Konan K. and Duval Y. 1990. Oil palm (*Elaeis guineensis* Jacq.) plantation in Cot d'Ivoire, obtained *in vitro* culture. *Oleagineux.* 45: 1-11.
- Durzan D. J., Mia A. J. and Ramaiah P. K. 1971. The metabolism and subcellular organization of the jack pine embryo (*Pinus banksiana*) during germination. *Can J Bot.* 49: 927-938.
- Eisert W. G. 1981. High resolution optics combined with high spatial reproducibility in flow. *Cytometry.* 1: 254-259.
- Esan E. B. 1992. Status of *in vitro* regeneration of tropical plantation crops. *In* Biotechnology: Enhancing research on Tropical Crops in Africa. Ed Thottappilly G., Monmti L. M., Mohan Raj D. R. and Moore A. W. CTA.IITA co-publication. IITA, Ibadan, Nigeria pp. 157-164.

- Fitch M. M. M. and Moore P. H. 1990. Comparison of 2, 4-D and picloram for selection of long-term totipotent green callus cultures of sugarcane. *Plant Cell Tiss Org Cult.* 20: 157-163.
- Fki L., Masmoudi R., Drira N. And Rival A, 2003. An optimized protocol for plant regeneration from embryogenic suspension cultures of date palm, *Phoenix dactylifera* L., cv. Deglet Nour. *Plant Cell Rep.* 21: 517-524.
- Groome M. C., Axler S. R. and Gifford D. J. 1991. Hydrolysis of lipid and protein reserves in loblolly pine seeds in relation to protein electrophoretic patterns following imbibition. *Physiol Plant.* 83: 99-106.
- Jaligot E., Rival A., Beule T., Dussert S. and Verdeil J. L. 2000. Somaclonal variation in oil palm (*Elaeis guineensis* Jacq.): the DNA methylation hypothesis. *Plant Cell Rep.* 19: 684-690.
- Hall R. D. and Yeoman M. M. 1987. Intercellular and intercultural heterogeneity in secondary metabolite accumulation in cultures of *Catharantus roseus* following cell line selection. *J Exp Bot.* 38: 1391-1398.
- Hsiao A. I.-H. and Simpson G. M. 1971. Dormancy studies of *Avena fatua*. 7. The effects of light and variation in water regime on germination. *Can J Bot.* 49: 1347-1357.
- Kanchanapoom K. and Chourykaew B. 1998. Somatic embryogenesis from cell suspension culture of oil palm (*Elaeis guineensis* Jacq.). *J Sci Soc Thailand.* 24(4): 241-250.
- Kanchanapoom K. and Domyoas P. 1999. The origin and development of embryoids in oil palm (*Elaeis guineensis* Jacq.) embryo culture. *ScienceAsia.* 25: 195-202.

- Kao K. N. and Michayluk M. K. 1975. Nutritional requirements for growth of *Vicia hajastana* cells and protoplasts at a very low population density in liquid media. *Planta*. 126: 105-110.
- Karamian R. and Ebrahimzadeh H. 2001. Plantlet regeneration from protoplast-derived embryogenic calli of *Crocus cancellatus*. *Plant Cell Tiss Org Cult*. 65: 115-121.
- Klercker J. 1892. Eine methode zur isolierung lebender protoplasten. *Ofvers Kongl Vetens Akad Forh.*, Stockholm, 9: 463-471.
- Koh M. C., Goh C. J. and Loh C. S. 1988. Protoplast isolation and culture of *Aranda* hybrids. *Malayan Orch Rev*. 22: 70-78.
- Kudo N. and Kimura Y. 2001. Flow cytometric evidence for endopolyploidization in cabbage (*Brassica oleracea* L.) flowers. *Sex Plant Reprod*. 13: 279-283.
- Kwon-Ndung E. H. and Misari S. M. 2002. Agricultural biotechnology and poverty alleviation in Nigeria. *In* Proceedings of the International conference on Biotechnology: commercialization and food security. Eds Ogbadu G. H. and Onyenekwe P. C. pp. 123-132.
- Lammer D. L. and Gifford D. J. 1989. Lodge pole pine seed germination. II. The seed proteins and their mobilisation in the megagametophyte and embryonic axis. *Can J Bot*. 67: 2544-2551.
- Lan Huong L. T., Baiocco M., Huy B. P., Mezzetti B., Santilocchi R. and Rosati P. 1999. Somatic embryogenesis in Canary Island date palm. *Plant Cell Tiss Org Cult*. 56: 1-7.

- Lanteri S., Kraak H. L., (de) Vos C. H. R. and Bino R. J. 1993. Effects of osmotic preconditioning on nuclear replication activity in seeds of pepper (*Capsicum annuum*). *Physiol Plant*. 89: 433-440.
- Li Z. Y., Xia G. M. Chen H. M. and Guo G. Q. 1992. Plant regeneration from protoplasts derived from embryogenic suspension cultures of wheat (*Triticum aestivum* L.). *Plant Physiol*. 139: 714-718.
- Loh C. S. and Rao A. N. 1985. Isolation and culture of mesophyll protoplasts of *Aranda* Noorah Alsagoff. *Malayan Orch Rev*. 19: 34-37.
- Lysak M. A., Dolezelova M., Horry J. P., Swennen R. and Dolezel J. 1999. Flow cytometric analysis of nuclear DNA content in *Musa*. *Theor Appl Genet*. 98: 1344-1350.
- Martinez Pulido C., Harry I. S. and Thorpe T. A. 1990. *In vitro* regeneration of plantlets of Canary Island pine (*Pinus canariensis*). *Can J For Res*. 20:1200-1211.
- Matthes M., Singh R., Cheah S. C. and Karp A. 2001. Variation in oil palm (*Elaeis guineensis* Jacq.) tissue culture-derived regenerants revealed by AFLPs with methylation-sensitive enzymes. *Theor Appl Genet*. 102: 971-979.
- Mills D. and Hammerschlag F. A. 1994. Isolation of cells and protoplasts from leaves of *in vitro* propagated peach (*Prunus persica*) plants. *Plant Cell Tiss Org Cult*. 36: 99-105.
- Mohri T., Igasaki T., Sato T. and Shinohara K. 2000. Expression of genes for β -glucuronidase and luciferase in three species of Japanese conifer (*Pinus thunbergii*, *P. densiflora* and *Cryptomeria japonica*) after transfer of DNA by microprojectile bombardment. *Plant Biotechnol*. 17: 49-54.

- Moretzsohn M. C., Nunes C. D. M., Ferreira M. E. and Grattapaglia D. 2000. RAPD linkage mapping of the shell thickness locus in oil palm (*Elaeis guineensis* Jacq.). *Theor Appl Genet.* 100: 63-70.
- Murashige T. and Skoog F. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Physiol Plant.* 15: 473-497.
- Nagata T. and Takebe I. 1970. Cell walls regeneration and cell division in isolated tobacco mesophyll protoplasts. *Planta.* 92: 301-308.
- Nwankwo B. N. and Krikorian A. D. 1982. Water as a storage medium for *Elaeis guineensis* (pisifera) seeds under aseptic conditions. *Ann Bot.* 50: 793-798.
- Ochatt S. J. and Power J. B. 1989. Cell wall synthesis and salt (saline) sensitivity of colt cherry (*Prunus avium* x *pseudocerasus*) protoplasts. *Plant Cell Rep.* 8: 365-367.
- Ortin-Parraga F. and Burgos L. 2003. Isolation and culture of mesophyll protoplast from apricot. *J Hortic Sci Biotech.* 78: 624-628.
- Osborne D. J. 1983. Biochemical control systems operating in the early hours of germination. *Can J Bot.* 61: 3568-3577.
- Pfossier A., Amon A., Lelley T. and Heberle-bors E. 1995. Evaluation of sensitivity of flow cytometry in detecting aneuploidy in wheat using disomic and ditelosomic wheat-rye addition lines. *Cytometry.* 21: 387-393.
- Pitel J. A. and Cheliak W. M. 1986. Enzyme activities during imbibition and germination of seeds of tamarack (*Larix laricina*). *Physiol Plant.* 67: 562-569.

- Power J. B., Chapman J. V. and Wilson D. 1984. Laboratory Manual, Plant Tissue Culture. Plant Genetic Manipulation Group. University of Nottingham, Nottingham, UK.
- Price H. J., Morgan P. W. and Johnston J. S. 1998. Environmentally correlated variation in 2C nuclear DNA content measurements in *Helianthus annuus* L. *Ann Bot.* 82: 95-98.
- Rabechault H., Ahee J. and Guenin G. 1968. Researches sur la culture *in vitro* des embryons de palmier a huile (*Elaeis guineensis* Jacq) IV Effect de la teneur en eau des noix et de la duree de leur stockage. *Oleagineux.* 23: 233-237.
- Rabechault H., Martin J. P. and Gas S. 1972. Researches sur la culture des rissue de palmier a huile (*Elaeis guineensis* Jacq). *Oleagineux.* 27: 531-534.
- Rajesh M. K., Radha E., Karun A. and Parthasarathy V. A. 2003. Plant regeneration from embryo-derived callus of oil palm—the effect of exogenous polyamines. *Plant Cell Tiss Org Cult.* 75: 41-47.
- Rance K. A., Mayes S., Price Z., Jack P. L. and Corley R. H. V. 2001. Quantitative trait loci for yield components in oil palm (*Elaeis guineensis* Jacq.). *Theor Appl Genet.* 103: 1302-1310.
- Rhodes C. A., Pierce D. A., mettler I. J. Mascarenhas D. and Detmer J. J. 1989. Genetically transformed maize plants from protoplasts. *Science.* 240: 204-207.
- Rieseberg M., Kasper C., Reardon K. F. and Scheper T. 2001. Flow cytometry in biotechnology. *Appl Microbiol Biotechnol.* 56: 350-360.

- Rival A., Beule T., Barre P., Hamon S., Duval Y. and Noirot M. 1997. Comparative flow cytometric estimation of nuclear DNA content in oil palm (*Elaeis guineensis* Jacq.) tissue cultures and seed-derived plants. *Plant Cell Rep.* 16: 884-887.
- Russell J. A. and McCown B. H. 1986. Culture and regeneration of populous leaf protoplasts isolated from non-seedling tissue. *Plant Sci.* 46: 133-142.
- Sambanthamurthi R., Parman S. H. and Noor M. R. M. 1996. Oil palm (*Elaeis guineensis* Jacq.) protoplast: isolation, culture and microcallus formation. *Plant Cell Tiss Org Cult.* 46: 35-41.
- Sandoval A., Hocher V. and verdeil J. L. 2003. Flow cytometric analysis of the cycle in different coconut palm (*Cocos nucifera* L.) tissues cultured *in vitro*. *Plant Cell Rep.* 22: 25-31.
- Sarasan V., Ramsay M. M. and Roberts A. V. 2002. *In vitro* germination and induction of direct somatic embryogenesis in bottle palm [*Hyophorbe lagenicaulis* (L. Bailey) H. E. Moore], a critically endangered Mauritian palm. *Plant Cell Rep.* 20: 1107-1111.
- Saxena P. K. and Gill R. 1987. Plant regeneration from mesophyll protoplasts of the tree legume *Pithecellobium dulce* Benth. *Plant Sci.* 53: 257-262.
- Schnabl H. and Youngman R. J. 1985. Immobilization of plant cell protoplasts inhibits enzymic lipid peroxidation. *Plant Sci.* 40: 65-69.
- Schopke C., Muller L. E. and Kohlenbach H. W. 1987. Somatic embryogenesis and regeneration of plantlets in protoplast cultures from somatic embryos of coffee (*Coffea canephora* P. ex Fr.). *Plant Cell Tiss Org Cult.* 8: 243-248.

- Siljak-Yakovlev S., Benmalek S., Cerbah M., Coba de la Pena T., Bounaga N., Brown S. C. and Sarr A. 1996. Chromosomal sex determination and heterochromatin structure in date palm. *Sex Plant Reprod.* 9: 127-132.
- Srisawat T. and Kanchanapoom K. 2005. The influence of physical conditions on embryo and protoplast culture in oil palm (*Elaeis guineensis* Jacq.). *ScienceAsia.* 31: 23-28.
- Takebe I., Labib G. and Melchers G. 1971. Regeneration of whole plants from isolated mesophyll protoplasts of tobacco. *Naturwissenschaften.* 58: 318-320.
- Te-chato S., Niyagij C. and Suranilpong P. 2002. Callus formation from protoplasts derived from cell suspension culture of rubber tree (*Heavea brasiliensis* Muell. Arg.). *Thai J Agri Sci.* 35: 165-173.
- Te-chato S., Hilae A. and Yeedum I. 2003. Improve callus induction and embryogenic callus from cultured young leaves of oil palm seedling. *Thai J Agri Sci.* 4: 407-413.
- Teixeira J. B., Sondahl M. R., Nakamura T. and Kirby E. G. 1995. Establishment of oil palm cell suspension culture and plant regeneration. *Plant Cell Tiss Org Cult.* 40: 105-111.
- Toriyama K., Arimoto Y., Uchimiya H. and Hinata K. 1988. Transgenic rice plants after direct gene transfer into protoplasts. *Bio/technol.* 6: 1072-1074.
- Touchet (de) B., Duval Y. and Pannetier C. 1991. Plant regeneration from embryogenic suspension cultures of oil palm (*Elaeis guineensis* Jacq.). *Plant Cell Rep.* 10: 529-532.

- Valverde R., Arias O. and Thorpe T. A. 1987. Picloram-induced somatic embryogenesis in pejibaye palm (*Bactris gasipaes* H.B.K.). *Plant Cell Tiss Org Cult.* 10: 149-156.
- Veramendi J. and Navarro L. 1996. Influence of physical conditions of nutrient medium and sucrose on somatic embryogenesis of date palm. *Plant Cell Tiss Org Cult.* 45: 159-164.
- von Arnold S. and Eriksson T. 1981. *In vitro* studies of adventitious shoot formation in *Pinus contorta*. *Can J Bot.* 59:870-874.
- Wang X. H. and Lorz H. 1994. Plant regeneration from protoplasts of wild barley (*Hordeum murinum* L.). *Plant Cell Rep.* 13: 139-144.
- Widholm J. M. 1972. The use of fluorescein diacetate and phenosafranine for determining viability of cultured plant cells. *Stain Tech.* 47: 189-194.
- Wilson Z. A. and Power J. B. 1989. Elimination of systematic contamination in explant and protoplast cultures of rubber (*Hevea brasiliensis* Muell. Arg.). *Plant Cell Rep.* 7: 622-625.
- Winkelmann T., Sangwan R. S. and Schwenkle H. G. 1998. Flow cytometric analyses in embryogenic and non-embryogenic callus lines of *Cyclamen persicum* Mill.: relation between ploidy level and competence for somatic embryogenesis. *Plant Cell Rep.* 17: 400-404.
- Witjaksono, Litz R. E. and Grosser J. W. 1998. Isolation, culture and regeneration of avocado (*Persea Americana* Mill.) protoplasts. *Plant Cell Rep.* 18: 235-242.
- Yanpaisan W., King N. J. C. and Doran P. M. 1999. Analysis of cell cycle activity and population dynamics in heterogeneous plant cell suspensions using flow cytometry. *Biotechnol Bioeng.* 58: 514-528.

Zhang J., Tiwari V. K., Golds T. J., Blackhall N. W., Cocking E. C., Mulligen B. J., Power J. B. and Davey M. R. 1995. Parameters influencing transient and stable transformation of barley (*Hordeum vulgare* L.) protoplasts. *Plant Cell Tiss Org Cult.* 41: 125-138.

<http://www.fao.org/es/ess/top/commodity.jsp?commodity=257&lang=EN&year=2003>

<http://www.fao.org/es/ess/toptrade/trade.asp>