

BIBLIOGRAPHY

American Academy of Pediatrics committee in infectious disease. 1997. Therapy for children with invasive pneumococcal infections, *Pediatrics*. 99 (2) : 289-299.

American Thoracic Society. 2000. Guidelines for the management of adults with community-acquired pneumonia, *Am J Respir Crit Care Med.* 136 : 1730-1754.

Aswapeokee, N., et al. 1998. Resistant pneumococci in a university hospital, *J Infect Dis Antimicrob Agents.* 15 (3) : 111-114.

Bamrungtrakul, T., et al. 1994. Surveillance of antimicrobial resistance of *Streptococcus pneumoniae* and *Haemophilus influenzae* in Thailand, *J Med Assoc Thai.* 77 (11) : 572-579.

Barry, A.L. 1999. Antimicrobial resistance among clinical isolates of *Streptococcus pneumoniae* in North America, *Am J Med.* 107 (1A) : 28S-33S.

Bonafede, M. and Rice, L.B. 1997. Emerging antibiotic resistance, *J Lab Clin Med.* 130 (6) : 558-566.

Brett, M.S. 2001. Emergence of a high-level cefotaxime-resistant *Streptococcus pneumoniae* strain in New Zealand, *J Med Microbiol.* 50 : 173-176.

British Thoracic Society. 2001. Guideline for the management of community acquired pneumonia in adults, *Thorax.* 56 (suppl 4) : iv38-iv47.

Brooks, G.F., Butel, J.S. and Morse, S.A. 2001. "*Streptococcus pneumoniae*", In Jawetz, Melnick, & Adleberg's Medical Microbiology, pp. 211-213. Foltin, J., et al., eds. 12th ed. New York : Appleton&Lange.

Chenoweth, C.E., et al. 2000. Antimicrobial resistance in *Streptococcus pneumoniae*: implications for patients with community-acquired pneumonia, *Mayo Clin Proc.* 75 : 1161-1168.

- Choi, E.H. and Lee, H.J. 1998. Clinical outcome of invasive infections by penicillin-resistant *Streptococcus pneumoniae* in Korean children, Clin Infect Dis. 26 (June) : 1346-1354.
- Chokephaibulkit, K., et al. 2000. Evaluation of susceptibility status of invasive pneumococcal isolates to various antibiotics and penicillin-nonsusceptible pneumococcal infection: Bangkok 1997-1998, Southeast Asian J Trop Med Public Health. 31 (3) : 498-505.
- Chup-uppakarn, S. 1998. Antimicrobial resistance of *S. pneumoniae* and *H. influenzae* at Hat Yai Hospital, J Infect Dis Antimicrob Agents. 15 (1) : 5-8.
- Clark, C.L., Jacobs, M.R. and Appelbaum, P.C. 1998. Antipneumococcal activities of levofloxacin and clarithromycin as determined by agar dilution, microdilution, E-test, and disk diffusion methodologies, J Clin Microbiol. 36 (12) : 3579-3584.
- Cottangnoud, P., et al. 2002. Gentamicin increase the efficacy of vancomycin against penicillin-resistant the pneumococci in the rabbit meningitis model, Antimicrob Agents Chemother. 46 (1) : 188-190.
- Crook, D.W.M. and Spratt, B.G. 1998. Multiple antibiotic resistance in *Streptococcus pneumoniae*, Br Med Bull. 54 (3) : 595-610.
- Dagan, R., et al. 1996. Impaired bacteriologic response to oral cephalosporins in acute otitis media caused by pneumococci with intermediate resistance to penicillin, Pediatr Infect Dis J. 15 (11) : 980-985.
- Davidson, R., et al. 2002. Resistance to levofloxacin and failure of treatment of pneumococcal pneumonia, N Engl J Med. 346 (10) : 747-750.
- Davies, T.A., et al. 2000. Antipneumococcal activity of teiithromycin by agar dilution, microdilution, E test, and disk diffusion methodologies, J Clin microb. 38 (4) : 1444-1448.
- Deeks, S.L., et al. 1999. Risk factors and course of illness among children with invasive penicillin-resistant *Streptococcus pneumoniae*, Pediatrics. 103 (2) : 409-413.

- Dejthevaporn, C., et al. 2000. Risk factors for penicillin-resistant *Streptococcus pneumoniae* acquisition in patients in Bangkok, Southeast Asian J Trop Med Public Health. 31 (4) : 679-683.
- Doern, G.V. 2001. Antimicrobial use and the emergence of antimicrobial resistance with *Streptococcus pneumoniae* in the United States, Clin Infect Dis. 33 (suppl 3) : S187-S192.
- Doern G.V., et al. 2001. Antimicrobial resistance among clinical isolates of *Streptococcus pneumoniae* in the United States during 1999-2000, including a comparison of resistance rates since 1994-1995, Antimicrob Agents Chemother. 45 (6) : 1721-1729.
- Feikin, D.R., et al. 2000. Mortality from invasive pneumococcal pneumonia in the era of antibiotic resistance, 1995-1997, Am J Public Health. 90 (2) : 223-229.
- File JR, T.M. 2002. Appropriate use of antimicrobials for drug-resistant pneumonia: focus on the significance of β -lactam-resistant *Streptococcus pneumoniae*, Clin Infect Dis. 34 (suppl 1) : S17-S26.
- Fiore, A.E., et al. 2000. Clinical outcomes of meningitis caused by *Streptococcus pneumoniae* in the era of antibiotic resistance, Clin Infect Dis. 30 (January) : 71-77.
- Friedland, I.R. 1995. Comparison of the response to antimicrobial therapy of penicillin-resistant and penicillin-susceptible pneumococcal disease, Pediatr Infect Dis J. 14 (10) : 885-890.
- Friedland, I.R. and Klugman, K.P. 1997. Cerebrospinal fluid bactericidal activity against cephalosporin-resistant *Streptococcus pneumoniae* in children with meningitis treated with high-dosage cefotaxime, Antimicrob Agents Chemother. 41 (9) : 1888-1891.
- Friedland, I.R. and McCracken JR, G.H. 1994. Management of infections caused by antibiotic-resistant *Streptococcus pneumoniae*, N Engl J Med. 331 (6) : 377-382.
- Giebink, G.S. 2001. The prevalence of pneumococcal disease in children, N Engl J Med. 345 (16) : 1177-1183.

- Glatz, K., et al. 2001. Emergence of extremely high penicillin and cefotaxime resistance and high-level levofloxacin resistance in clinical isolates of *Streptococcus pneumoniae* in Hungary, J Antimicrob Chemother. 48 : 731-734.
- Granizo, J.J., et al. 2000. *Streptococcus pneumoniae* resistance to erythromycin and penicillin in relation to macrolide and β -lactam consumption in Spain, J Antimicrob Chemother. 46 : 767-773.
- Hall, L.M.C. 1998. Application of molecular typing to the epidemiology of *Streptococcus pneumoniae*, J Clin Pathol. 51 : 270-274.
- Harwell, J.I. and Brown, R.B. 2000. The drug-resistant pneumococcus clinical relevance, therapy, and prevention, Chest. 117 (2) : 530-541.
- Ho, P.L., et al. 2001. Risk factors for acquisition of levofloxacin-resistant *Streptococcus pneumoniae*: a case-control study, Clin Infect Dis. 32 (1 March) : 701-707.
- Hsueh, P., et al. 2000. Multicenter surveillance of antimicrobial resistance of *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis* in Taiwan during the 1998-1999 respiratory season, Antimicrob Agents Chemother. 44 (5) : 1342-1345.
- Hyde, T.B., et al. 2001. Macrolide resistance among invasive *Streptococcus pneumoniae* isolates, JAMA. 286 (15) : 1857-1862.
- Jacobs, M.R. 1999. Drug-resistant *Streptococcus pneumoniae*: rational antibiotic choice, Am J Med. 106 (5A) : 19S-25S.
- Jacobs, R.F., et al. 1996. Relationship of MICs to efficacy of cefotaxime in treatment of *Streptococcus pneumoniae* infections, Antimicrob Agents Chemother. 40 (4) : 895-898.
- Kaplan, S.L., et al. 2001. Outcome of invasive infections outside the central nervous system caused by *Streptococcus pneumoniae* isolates nonsusceptible to ceftriaxone in children treated with beta-lactam antibiotics, Pediatr Infect Dis J. 20 (4) : 392-396.
- Keeley, D. 2002. Guidelines for managing community acquired pneumonia in adults, BMJ. 324 (23) : 436-437.

- Kelly, L.M., Jacobs, M.R. and Appelbaum, P.C. 1999. Comparison of agar dilution, microdilution, E-test, and disk diffusion methods for testing activity of cefditoren against *Streptococcus pneumoniae*, J Clin Microbiol. 37 (10) : 3296-3299.
- Klugman, K.P. 2001. Antibiotic selection of multiply resistant pneumococci, Clin Infect Dis. 33 (15 August) : 489-491.
- Klugman, K.P. and Feldman, C. 1999. Penicillin- and cephalosporin-resistant *Streptococcus pneumoniae*, Drugs. 58 (1) : 1-4.
- Komolpis, P., et al. 1991. Antimicrobial susceptibility of *Streptococcus pneumoniae* isolated from patients at Siriraj Hospital, J Infect Dis Antimicrob Agents. 8 (4) : 209-213.
- Lynch III, J.P. and Martinez, F.J. 2002. Clinical relevance of macrolide-resistant *Streptococcus pneumoniae* for community-acquired pneumonia, Clin Infect Dis. 34 (suppl 1) : S27-S46.
- Maiden, M.C.J. 1998. Horizontal genetic exchange, evolution, and spread of antibiotic resistance in bacteria, Clin Infect Dis. 27 (suppl 1) : S12-S20.
- Margaret, I.P., et al. 2001. Macrolide resistance in *Streptococcus pneumoniae* in Hong Kong, Antimicrob Agents Chemother. 45 (5) : 1578-1580.
- Maskell, J.P., Sefton, A.M. and Hall, L.M.C. 1997. Mechanism of sulfonamide resistance in clinical isolates of *Streptococcus pneumoniae*, Antimicrob Agents Chemother. 41 (10) : 2121-2126.
- McCracken JR, G.H. 2000. Diagnosis and management of pneumonia in children, Pediatr Infect Dis J. 19(9) : 924-928.
- Metley, J.P., et al. 2000. Impact of penicillin susceptibility on medical outcomes for adult patients with bacteremic pneumococcal pneumonia, Clin Infect Dis. 30 (March) : 520-528.
- Mohan, P.V. and Heath, P.T. 2001. Pneumococcal disease in childhood, Hosp Med. 62 (7) : 406-409.
- Moroney, J.F., et al. 2001. Clinical outcome of bacteremic pneumococcal pneumonia in the era of antibiotic resistance, Clin Infect Dis. 33 (15 September) : 797-805.

- Musher, D.M. 2000. "Streptococcus pneumoniae", In Mandell, Douglas and Bennett's Principles and Practice of Infectious Diseases, pp. 2128-2146. Mandell G.L., Bennett J.E, Dolin R., eds. 5th ed. Philadelphia : Chirchill Livingstone.
- National Committee for Clinical Laboratory Standard. 2002. "M100-S12", In Performance Standard for Antimicrobial Susceptibility testing, 12th ed. USA.
- Nau, R., et al. 1995. Quinolone antibiotics in therapy of experimental pneumococcal meningitis in rabbits, *Antimicrob Agents Chemother.* 39 (3) : 593-597.
- Olivier, C., et al. 2000. Bacteriologic outcome of children with cefotaxime- or ceftriaxone-susceptible and –nonsusceptible *Streptococcus pneumoniae* meningitis, *Pediatr Infect Dis J.* 19 (10) : 1015-1017.
- Pacheco, T.R., et al. 1997. Failure of cefotaxime treatment in an adult with *Streptococcus pneumoniae* meningitis, *Am J Med.* 102 : 303.305.
- Pallares, R., et al. 1995. Resistance to penicillin and cephalosporin and mortality from severe pneumococcal pneumonia in Barcelona, Spain, *N Engl J Med.* 333 (8) : 474-480.
- Pancharoen, C., et al. 2001. Invasive pneumococcal infection and drug-resistant *Streptococcus pneumoniae* in Thai children, *J Med Assoc Thai.* 84 (9) : 1246-1250.
- Piddock, L.J.V. 1999. Mechanisms of fluoroquinolone resistance: an update 1994-1998, *Drugs.* 58 (suppl 2) : 11-18.
- Piddock, L.J.V., et al. 2002. Expression of efflux pump gene *pmrA* in fluoroquinolone-resistant and –susceptible clinical isolates of *Streptococcus pneumoniae*, *Antimicrob Agents Chemother.* 46 (3) : 808-812.
- Rao, G.G. 1998. Risk factors for the spread of antibiotic-resistant bacteris, *Drugs.* 55 (3) : 323-330.
- Sahm, D.F., et al. 2000. Resistance surveillance of *Streptococcus pneumoniae*, *Haemophilus influenzae* and *Moraxella catarrhalis* isolates in Asia and Europe, 1997-1998, *J Antimicrob Chemother.* 45 : 457-466.
- Schuchat, A., et al. 1997. Bacterial meningitis in the Unites States in 1995, *N Engl J Med.* 337 (14) : 970-976.

- Musher, D.M. 2000. "Streptococcus pneumoniae", In Mandell, Douglas and Bennett's Principles and Practice of Infectious Diseases, pp. 2128-2146. Mandell G.L, Bennett J.E, Dolin R., eds. 5th ed. Philadelphia : Chirchill Livingstone.
- National Committee for Clinical Laboratory Standard. 2002. "M100-S12", In Performance Standard for Antimicrobial Susceptibility testing, 12th ed. USA.
- Nau, R., et al. 1995. Quinolone antibiotics in therapy of experimental pneumococcal meningitis in rabbits, *Antimicrob Agents Chemother.* 39 (3) : 593-597.
- Olivier, C., et al. 2000. Bacteriologic outcome of children with cefotaxime- or ceftriaxone-susceptible and –nonsusceptible *Streptococcus pneumoniae* meningitis, *Pediatr Infect Dis J.* 19 (10) : 1015-1017.
- Pacheco, T.R., et al. 1997. Failure of cefotaxime treatment in an adult with *Streptococcus pneumoniae* meningitis, *Am J Med.* 102 : 303.305.
- Pallares, R., et al. 1995. Resistance to penicillin and cephalosporin and mortality from severe pneumococcal pneumonia in Barcelona, Spain, *N Engl J Med.* 333 (8) : 474-480.
- Pancharoen, C., et al. 2001. Invasive pneumococcal infection and drug-resistant *Streptococcus pneumoniae* in Thai children, *J Med Assoc Thai.* 84 (9) : 1246-1250.
- Piddock, L.J.V. 1999. Mechanisms of fluoroquinolone resistance: an update 1994-1998, *Drugs.* 58 (suppl 2) : 11-18.
- Piddock, L.J.V., et al. 2002. Expression of efflux pump gene *pmrA* in fluoroquinolone-resistant and –susceptible clinical isolates of *Streptococcus pneumoniae*, *Antimicrob Agents Chemother.* 46 (3) : 808-812.
- Rao, G.G. 1998. Risk factors for the spread of antibiotic-resistant bacteris, *Drugs.* 55 (3) : 323-330.
- Sahm, D.F., et al. 2000. Resistance surveillance of *Streptococcus pneumoniae*, *Haemophilus influenzae* and *Moraxella catarrhalis* isolates in Asia and Europe, 1997-1998, *J Antimicrob Chemother.* 45 : 457-466.
- Schuchat, A., et al. 1997. Bacterial meningitis in the Unites States in 1995, *N Engl J Med.* 337 (14) : 970-976.

- Scotton, P.G., et al. 2001. Cerebrospinal fluid penetration of levofloxacin in patients with spontaneous acute bacteria meningitis, Clin Infect Dis. 33(9) : 109-111.
- Sefton, A.M. 2002. Mechanisms of antimicrobial resistance, their clinical relevance in the new millennium, Drugs. 62 (4) : 557-566.
- Silverstein, M., Bachur, R. and Harper, M.B. Clinical implications of penicillin and ceftriaxone resistance among children with pneumococcal bacteraemia, Pediatr Infect Dis J. 18 (1) : 35-41.
- Skulnick, M., et al. 1995. Evaluation of accuracy and reproducibility of E test for susceptibility testing of *Streptococcus pneumoniae* to penicillin, cefotaxime, and ceftriaxone, J Clin Microbiol. 3 (9) : 2334-2337.
- Song, J., et al. 1999. Spread of drug-resistant *Streptococcus pneumoniae* in Asia countries: Asian network for surveillance of resistant pathogens (ANSORP) study, Clin Infect Dis. 28 (June) : 1206-1211.
- Stanek, R.J. and Mufson, M.A. 1999. A 20-year epidemiological study of pneumococcal meningitis, Clin Infect Dis. 28 (June) : 1265-1272.
- Tait-Kamradt, A., et al. 2000. Two new mechanisms of macrolide resistance in clinical strains of *Streptococcus pneumoniae* from Eastern Europe and North America, Antimicrob Agents Chemother. 44 (12) : 3395-3401.
- Tan, T.Q., et al. 1998. Clinical characteristics and outcome of children with pneumonia attributable to penicillin-susceptible and penicillin-nonsusceptible *Streptococcus pneumoniae*, Pediatrics. 102 (6) : 1369-1375.
- Tenover, F.C., Baker, C.N. and Swenson, J.M. 1996. Evaluation of commercial methods for determining antimicrobial susceptibility of *Streptococcus pneumoniae*, J Clin Microbiol. 34 (1) : 10-14.
- Thornsberry, C., et al. 2002. Regional trends in antimicrobial resistance among clinical isolates of *Streptococcus pneumoniae*, *Haemophilus influenzae*, and *Moraxella catarrhalis* in the United States: results from the TRUST surveillance program, 1999-2000, Clin Infect Dis. 34 (suppl 1) : S4-S16.

- Tomasz, A. 1997. Antibiotic resistance in *Streptococcus pneumoniae*, Clin Infect Dis. 24 (suppl 1) : S85-S88.
- Viladrich, P.F., et al. 1996. High dose of cefotaxime in treatment of adult meningitis due to *Streptococcus pneumoniae* with decreased susceptibilities to broad spectrum cephalosporins, Antimicrob Agents Chemother. 40 (1) : 218-220.
- Wang, H., et al. 1998. Antibiotic susceptibility patterns of *Streptococcus pneumoniae* in china and comparison of MICs by agar dilution and E-test methods, Antimicrob Agents Chemother. 42 (10) : 2633-2636.
- Warachit, B., et al. 2002. "In vitro activity of antimicrobial agents against *Streptococcus pneumoniae* in Thailand". Proceedings of the 10th International congress on infectious diseases. : Singapore. (poster)
- Whitney, C.G., et al. 2000. Increasing prevalence of multidrug-resistant *Streptococcus pneumoniae* in the United States, N Engl J Med. 343 (26) : 1917-1924.
- ประมวล ศุนากร และคณะ. 2539. Serotypes ของ *Streptococcus pneumoniae* จากผู้ป่วย โรคติดเชื้อระบบหายใจในประเทศไทย, วารสารโรคติดต่อ. 22 (1) : 72-77.