

BIBLIOGRAPHY

- Anwer, K., Obertic, C., Perez, G.J., Perez-Reyes, N., McDogall, J.K., Monga, M., Sanborn, B.M., Stefani, E. and Toro, L. (1993). Calcium-activated K⁺ channels as modulators of human myometrial contractile activity. *American Journal of Physiology*. **265**: C976-C985.
- Bang, L., Nielsen-Kudsk, J.E., Gruhn, N., Trautner, S., Theilgaard, S.A., Olesen, S.P., Boesgaard, S. and Aldershvile, J. (1998). Hydralazine-induced vasodilation involves opening of high conductance Ca²⁺-activated K⁺ channels. *European Journal of Pharmacology*. **361**: 43-49.
- Batra, S. and Al-Hijji, J. (1998). Characterization of nitric oxide synthase activity in rabbit uterus and vagina: downregulation by estrogen. *Life Sciences*. **62(23)**: 2093-2100.
- Batra, S., Iosif, C., Al-Hijji, J. and Larsson, I. (2003). Important differences in nitric oxide synthase activity and predominant isoform in reproductive tissues from human and rat. *Reproductive Biology and Endocrinology*. **1**: 10.
- Bradley, K.K., Buxton, I.L.O., Barber, J.E., McGaw, T. and Bradley, M.E. (1998). Nitric oxide relaxes human myometrium by a cGMP-independent mechanism. *American Journal of Physiology*. **275 (Cell Physiology 44)**: C1668-C1673.
- Breman, M.C. (2000). Charterization of thapsigargin-release Ca²⁺-ATPase of sarcoplasmic reticulum at limitation [Ca²⁺]_i. *Biochemical et Biophysical Acta (BBA)-biomembrane*. **1509**: 42-54.
- Bolton, T.B. (1979). Mechanism of action of transmitters on smooth muscle. *Physiological Reviews*. **59**: 606-718.
- Boothman, M.D. and Berridge, M. (1995). The elemental principles of calcium signaling. *Cell*. **83**: 675-678.
- Bourne, H.R. and Zastrow, M.V. (1998). "Drug receptors & pharmacodynamics" in *Basic & Clinical Pharmacology*. pp. 9-33. Katzung B.G. eds, 8th ed. New York: Pergamon Press.

- Breuiller-Fouche, M., Maka, D.B.K., Geny, B. and Ferre, F. (1991). Alpha-1 adrenergic receptor: Binding and phosphoinositide breakdown in human myometrium. *Journal of Pharmacology and Experimental Therapeutics*. **258**: 82-87.
- Brouk, B. (1975). "Papaya" in *Plants Consumed by Man*. pp. 190. London: Academic Press.
- Burdick, E.M. (1971). Carpaine: An alkaloid of *Carica papaya* – Its chemistry and Pharmacology. *Economic Botany*. **25**: 363-365.
- Bylund, D.B., Eikenberg, D.C., Hieble, J.P., Langer, S.Z., Lefkowitz, R.J., Minneman, K.P., Molinoff, P.B., Rufolo, R.R. and Trendelenburg, U. (1994). International union of Pharmacology nomenclature of adrenoceptors. *Pharmacological Reviews*. **43**: 121-134.
- Carl, A., Lee, H.K. and Sanders, K.M. (1996). Regulation of ion channels in smooth muscles by calcium. *American Journal of Physiology*. **271(Cell Physiology 40)**: C9-C34.
- Carvajal, J.A., Germain, A.M., Huidobro-Toro, J.P. and Weiner, C. (2000). Molecular mechanism of cGMP- mediated smooth muscle relaxation. *Journal of Cellular Physiology*. **184**: 409-420.
- Challis, J.R.G. and Lye, S.J. (1994). "Parturition-estrogen" in *the Physiology of Reproduction*, pp. 996-997. Knobil, E. and Neill, J.D. eds. 2nd ed. New York: Raven Press.
- Cherian, T. (2000). Effect of papaya latex extract on gravid and non-gravid rat uterine preparation in vitro. *Journal of Ethnopharmacology*. **70**: 205-212.
- Choppin, A., Stepan, G.I., Loury, D.N., Watson, N. and Eglen, R.M. (1991). Characterization of the muscarinic receptor in isolated uterus of sham operated and ovariectomized rats. *British Journal of Pharmacology*. **127**: 1551-1558.
- Cole, W.C. and Garfield, R.E. (1986). Evidence of physiological regulation of myometrial gap junction permeability. *American Journal of Physiology*. **251 (Cell physiology 20)**: C411-C420.
- Cole, W.C., Garfield, R.E. and Kirkalgy, J.S. (1985). Gap junction and direct intercellular communication between rat uterine smooth muscle cell. *American Journal of Physiology*. **249 (Cell physiology 18)**: C20-C31.
- Cordell, G.A. (1981). Introduction to alkaloids. pp. 9-25. Canada: John Wiley & Sons.

- Cordell, G.A., Quinn-Beattie, M.L. and Farnsworth, N.R. (2001). The potential of alkaloids in drug discovery. *Phytotherapy Research.* **15:** 183–205.
- Davies, M.P., McCirrie, J.R. and Wood, D. (1996). Comparative effects of K⁺ channel modulating agents on contraction of rat intestinal smooth muscle. *European Journal of Pharmacology.* **297:** 249-256.
- Di, W.L., Lachelin, G.C., McGarrigle, H.H., Thomas, N.S. and Becker, D.L. (2001). Oestriol and oestradiol increase cell to cell communication and connexin 43 protein expression in human myometrium. *Molecular Human Reproduction.* **7:** 671-679.
- D'Ocon, P., Blasco, R., Cadenas, L., Ivorra, D., López, S., Villaverde, C., Castedo, L. and Cortes, D. (1997). Inhibition of calcium entry induced by cularines and isocrasifoline in uterine smooth muscle. *European Journal of Pharmacology.* **196:** 183-187.
- Ekerhovd, E., Weidegråd, B., Brännström, M. and Norström, A. (1999). Nitric oxide-mediated effects on myometrium contractility at term during prelabor and labor. *Obstetrics and Gynecology.* **93(6):** 987-994.
- Eno, A. E., Owo, O. I., Itam, E. H. and Konya, R. S. (2000). Blood pressure depression by the fruit juice of *Carica papaya* (L.) in renal and DOCA-induced hypertension in the rat. *Phytotherapy Research.* **14:** 235–239 .
- Fortier, M., Chase, D., Korenman, S.G. and Krall, J.F. (1983). β-adrenergic cathecholamine-dependent properties of rat myometrium primary culture. *American Journal of Pharmacology.* **245 (Cell Physiology 14):** C84-C90.
- Giordani, R., Siepaio, M., Moulin, T.J. and Regly, P. (1991). Antifungal action of *Carica papaya* latex: isolation of fungal cell wall hydrolyzing enzymes. *Mycoses.* **34:** 469-477.
- Gimpl, G. and Fahrenholz, F. (2001). The oxytocin receptor system: structure, function, and regulation. *Physiological Reviews.* **81(2):** 629-683.
- Godfraind, T., Milier, R. and Wibo, M. (1986). Calcium antagonism and calcium entry blockade. *Pharmacological Reviews.* **38:** 321-413.
- Govindachari, T.R., Nagarajan, K. and Viswanathan, N. (1965). Carpaine and pseudocarpaine. *Tetrahedron Letters.* **24:** 1907-1916.

- Grover, A.K., Kwan, C.Y. and Daniel, E.E. (1983). High-affinity pH-dependent passive Ca binding by myometrial plasma membrane vesicle. *American Journal of Physiology*. **244**: C213-C255.
- Gupta, A., Wambebe, C.O. and Parsons, D.L. (1990). Central and cardiovascular effects of the alcoholic extract of the leaves of *Carica papaya*. *International Journal of Crude Drugs Research*. **28**: 257-266.
- Gyton, A.C. (1986). "Membrane action potential and action potentials" in *Textbook of Medicinal Physiology*. pp. 100-115. 7th ed. London: Saundar & Company.
- Haeberle, J.R., Hathway, D.R. and De-Paoli-Roach, A.A. (1985). Dephosphorylation of myosin by the catalytic subunit of a type-2 phosphate produced toleration of chemically skinned uterine smooth muscle. *Journal of Biological Chemistry*. **260**: 9965-9968.
- Hare, J.M. (2003). Nitric oxide and excitation-contraction coupling. *Journal of Molecular and Cellular Cardiology*. **35(7)**: 719-729.
- Hartman, H.T., Flocker, W.J. and Kofranek, A.M. (1981). "Papaya (*Carica papaya L.*)" in *Plant Science: Growth, Development, and Utilization of Cultivated Plant*. pp. 631-640. New Jersey: Prentice-Hall.
- Hess, P., Lansman, J.B. and Tsien, R.W. (1984). Different modes of Ca channel gating behavior favored by dihydropyridine Ca agonists and antagonist. *Nature*. **311**: 538-544.
- Horowitz, A., Constance, B., Regent Laporte, M. and Morgan, K.G. (1996). Mechanism of smooth muscle contraction. *Physiological Reviews*. **76**: 967-992.
- Hurnick, C.A., Sanders, L.I. and Lin, Y.C. (1978). Effect of carpaine, a papaya alkaloid, on the circulatory function in rat. *Research Communication in Clinical Pathology and Pharmacology*. **22**: 277-289.
- Inoue, Y. and Sperakis, N. (1991). Gestation change in Na⁺ and Ca²⁺ channel current densities in rat myometrial smooth muscle cells. *American Journal of Physiology*. **260**: C658-C663.

- Izumi, H. and Garfield, R.E. (1995). Relaxant effect of nitric oxide and cyclic GMP on pregnant rat uterine longitudinal smooth muscle. *European Journal of Obstetrics and Gynecology and Reproductive Biology*. **60**: 171-180.
- Kalsner, S. (1997). Vasodilator action of calcium antagonists in coronary arteries in vitro. *The Journal of Pharmacology and Experimental Therapeutics*. **281**: 634-642.
- Kafali, H., Kaya, T., Gursoy, S., Bagcivan, I., Karadas, B. and Sarioglu, Y. (2002). The role of K^+ channels on the inhibitor effect of sevoflurane in pregnant rat myometrium. *Anesthesia and analgesia* **94**: 174-178.
- Karaki, H., Ozaki, H., Hori, M., Mitsui-saito, M., Amano, K., Harada, K., Miyamoto, S., Nakazawa, H., Won, K.J. and Sato, K. (1997). Calcium movements, distribution, and functions in smooth muscle. *Pharmacological Reviews*. **49**: 157-230.
- Keereevong, K. 2002. Effect of alkaloid from *Carica papaya* L. leaves on uterine muscle contraction in rats. *Master of Science Thesis in Pharmacology*. Prince of Songkla University.
- Kitazawa, T., Maezono, Y. and Taneike, T. (2000). The mechanisms of α_2 -adrenoceptor agonist-induced contraction in longitudinal muscle of porcine uterus. *European Journal of Pharmacology*. **390**: 185-195.
- Kitazawa, T., Nakagoshi, K., Teraoka, H. and Taneike T. (2001). 5-HT (7) receptor and beta (2)-adrenoceptor share in the inhibition of porcine uterine contractility in a muscle layer-dependent manner. *European Journal of Pharmacology*. **433**: 187-197.
- Kitazawa, T., Uchiyama, F., Hirose, K. and Taneike, T. (1999). Characterization of the muscarinic receptor subtype that mediates the contractile response of acetylcholine in the swine myometrium. *European Journal of Pharmacology*. **367**: 325-334.
- Kuenzli, K.A., Buxton, I.L.O. and Bradley, M.E. (1998). Nitric oxide regulation of monkey myometrial contractility. *British Journal of Pharmacology*. **124**: 63-68.
- Kupittayanant, S., Luckas, M.J. and Wray, S. (2002). Effect of inhibiting the sarcoplasmic reticulum on spontaneous and oxytocin-induced contractions of human myometrium. *British Journal of Obstetrics and Gynaecology*. **109**: 289-296.

- Kuriyama, H., Kitamura, K., Itoh, T. and Inoue, R. (1998). Physiological features of visceral smooth muscle cells, with special reference to receptors and ion channels. *Physiological Reviews*. **78**(3): 811-920.
- Lammers, W.J.P., Ahmad, H.R. and Arafat, K. (1996). Spatial and temporal variations in pacemaking and conduction in the isolated renal pelvis. *American Journal of Physiology*. **270**: F567-F574.
- Lammers, W.J.P., Arafat, K., el-Kays, A. and el-Sharkawy, T.Y. (1994). Spatial and temporal variations in local spike propagation in the myometrium of the 17-day pregnant rat. *American Journal of Physiology*. **267**: C1210-C1223.
- Lawson, K. (1996). Potassium channel activation: a potential therapeutic approach? *Pharmacology & Therapeutics*. **70**(1): 39-63.
- Lodish, B., Berk, A., Zipursky, S.L., Matsudaira, P., Baltimore, D. and Darnell, J. (2000). "Cell motility and shape I: microfilaments" in *Molecular Cell Biology*. pp. 751-793. 4th ed. U.S.A.: W.H. Freeman and Company.
- Lohiya, N.K., Pathak, N., Mishra, P.K. and Manivannan, B. (2000). Contraceptive evaluation and toxicological study of aqueous extract of the seeds of *Carica papaya* in male rabbits. *Journal of Ethnopharmacology*. **70**: 17-27.
- MacDonald, P.C. and Casey, M.L. (1993). The accumulation of prostaglandins (PG) in amniotic fluid is an after effect of labor and not indicative of a role for PGE₂ and PGE_{2α} in the initiation of human parturition. *Journal of Clinical Endocrinology and Metabolism*. **76**: 1332-1339.
- Macmillan, H.F. (1991). "*Carica papaya*" in *Tropical Planting and Gardening*, pp. 272. Barlow, H.S., Enoch, I. and Russell, R.A. eds. 6th ed. Malayan Nature Society, Kuala Lumpur, Malaysia.
- Maggi, C.A., Giuliani, S. and Santicioli, P. (1995). Effect of the Ca²⁺ - ATPase inhibitor, cyclopiazonic acid, on electromechanical coupling in the guinea pig ureter. *British Journal of Pharmacology*. **114**: 127-137.
- Marc, S., Leiber, D. and Harbon, S. (1988). Fluoroaluminates mimic muscarinic- and oxytocin-receptor-mediated generation of inositol phosphates and contraction in the

- guinea pig myometrium. Role for pertussis/cholera toxin insensitive G protein. *Journal of Biochemistry*. **255**: 705-713.
- McDonald, T.F., Pelzer, S., Trautwein, W. and Pelzer, D.J. (1994). Regulation and modulation of calcium channels in cardiac, skeletal and smooth muscle cells. *Physiological Reviews*. **74**: 365-507.
- McMarkin, P.D. (1996). "Papaya" in *Flowering Plants of Thailand*, 3rd ed. pp.105. Bangkok: White Lotus.
- Mehta, A.A., Dave, K.C. and Goyal, R.K. (1995). Involvement of K⁺ channels in the relaxant responses to various agonist in estrogen primed rat uterus. *Indian Journal of Physiology and Pharmacology*. **39**: 140-144.
- Michale, B.F. (1998). "Drug affecting uterine motility" in *Human Pharmacology Molecular to clinical*. pp. 559-570. Brown, M. eds. 3rd ed. U.S.A.: Mosby-Yearbook.
- Modzelewaka, B., Kleszczewski, T. and Kostrzewska, A. (2003). The effect of a selective inhibition of potassium channels on the relaxation induced by nitric oxide in the human pregnant myometrium. *Cellular and Molecular Biology Letters*. **8**: 69-75.
- Monga, M. and Sanborn, B.M. (1992). "Uterine Biological and the control of Myometrial Contraction" in *Uterine Function: Molecular and Cellular Aspects*. pp. 95-101. Carsten, M.E. and Miller, J.D. eds. New York: Plenum.
- Montorsi, F., Corbin, J. and Phillips, S. (2004). Review of phosphodiesterases in the urogenital system: new directions for therapeutic intervention. *The Journal Sexual Medicine*. **1**: 322-336.
- Morton, J.F. (1977). "Papaya" in *Major Medicinal Plants: Botany, Culture and Uses*. pp. 223-230. U.S.A.:Charles C Thomas.
- Mulkijanyan, K., Sulavelidze, M. and Abuladze, G. (1991). Effect of alkaloid carpaine on cardiovascular system. *Bulletin Academic Science Georgia*. **144**: 441-444.
- Nechay, B.R. (1984). Mechanisms of action of vanadium. *Annual Reviews of Pharmacology and Toxicology*. **24**: 501-524.
- Norman, J. (1996). Nitric oxide and the myometrium. *Pharmacology & Therapeutics*. **70(2)**: 91-100.

- Norman, J.E. and Cameron, I.T. (1996). Nitric oxide in the human uterus. *Reviews of Reproduction.* **1:** 61-68.
- Oishi, K., Takano-Ohmuro, N., Minakawa-Matsuo, N., Suga, O., Karibe, H., Kohama, K. and Uchida, M.K. (1991). Oxytocin contracts rat uterine smooth muscle in Ca^{2+} -free medium without any phosphorylation of myosin light chain. *Biochemical and Biophysical Research Communications.* **176:** 122-128.
- Ogan, A.U. (1971). Caricaceae the basic constituents of the leaves of *Carica papaya*. *Phytochemistry.* **10:** 2544-2547.
- Okabe, K., Inoue, Y. and Soeda, H. (1999). Estradiol inhibits Ca^{2+} and K^+ channels in smooth muscle cells from pregnant rat myometrium. *European Journal of Pharmacology.* **376:** 101-108.
- Osato, J.A., Santiago, L.A., Remo, GM., Cuadra, M.S. and Mori, A. (1993). Antimicrobial and antioxidant activities of unripe papaya. *Life Sciences.* **53:** 1383-1389.
- Parkington, H.C. and Coleman, H.A. (1990). "The role of membrane potential in the control of uterine motility" in *Uterine Function: Molecular and Cellular Aspects*, pp. 195-248., Carsten M.E. and Miller, J.D. eds. New York: Plenum.
- Pelletier, S.W. (1970). *Chemistry of the alkaloids*. pp. 395-408. New York: Van Nostand Reingold Company.
- Pérez-Guerrero, C., Herrera, M.D. and Marhueuda, E. (1996). Relaxant effect of tetrazepam on rat uterine smooth muscle: role of calcium movement. *Journal of Pharmacy and Pharmacology.* **48:** 1169-1173.
- Pérez-Vallina, J.R., Revuelta, M.P., Cantabrana, B. and Hidalgo, A. (1997). Effect of Rp diastereoisomer of adenosine 3', 5' cyclicmonophosphothioate on the cAMP-dependent relaxation of smooth muscle. *Life Sciences.* **61(9):** 869-880.
- Pérez-Vallina, J.R., Antolin, L.M., Cantabrana, B., Sánchez, M. and Hidalgo, A. (1998). Nitric oxide and cyclic nucleotides participate in the relaxation of diclofenac on rat uterine smooth muscle. *General Pharmacology.* **30(1):** 25-29.
- Piper, I.T. and Hollingsworth, M. (1995). Cromakalim- and RP 49356-induced $^{42}\text{K}^+$ and $^{86}\text{Rb}^+$ efflux in rat myometrium. *European Journal of Pharmacology.* **283:** 1-8.

- Poonpanang, P (1994). Effects of *Piper longum*, *Piper sarmentosum* and *Quercus infectoria* on amoebiasis in mice and on small intestine motility in rats and guinea-pigs. *Master of Science Thesis in Pharmacology*. Prince of Songkla University.
- Pusch, M. and Jentsch, T.M. (1994). Molecular physiology of voltage-gated chloride channels. *Physiological Reviews*. **74(4)**: 813-827.
- Quast, U. (1993). Do the K⁺ channel openers relax smooth muscle by opening K⁺ channels? *TiPS Reviews*. **14**: 332-337.
- Rall, T.W. (1999). "Drug affecting uterine motility" in *Goodman's & Gilman the pharmacological basis of the therapeutic*. pp. 953-962. Molinoff, P.B. and Ruddon, R.W. ed. 9th eds. U.S.A.: McGraw Hill company.
- Revuelta, M.P., Cantabrana, B. and Hidalgo, A. (2000). Mechanism involved in kaempferol-induced relaxation in rat uterine smooth muscle. *Life Sciences*. **67**: 25-259.
- Revuelta, M.P., Cantabrana, B. and Hidalgo, A. (1997). Pharmacological evidence for the contribution of polyamines as mediators of the transcriptional component involved in smooth muscle relaxation elicited by Forskolin. *Life Sciences*. **61**: 2443-2454.
- Riemer, R.K. and Heyman, M.A. (1998). Regulation of uterine smooth muscle function during gestation. *Pediatric Research*. **4**: 1-31.
- Riemer, D., Huber, IG., Garcia, B.L., Hoase, H. and Striessnig, J. (2000). β-subunit heterogeneity of L-type Ca²⁺ channels in smooth muscle tissue. *FEBS Letters*. **467**: 65-69.
- Roberts, J.M., Insel, P.A., Goldfien, R.D. and Goldfien, A. (1977). α-adrenoceptors but not β-adrenoceptors increase in rabbit uterus with oestrogen. *Nature(Lond)*. **270**: 624-625.
- Rosenfeld, C.R., White, R.E., Roy, T. and Cox, B.E. (2000). Calcium-activated potassium channels and nitric oxide coregulate estrogen-induced vasodilation. *American Journal of Physiology Heart Circular Physiology*. **279**: H319–H328.
- Ross, W. (1999). "Pharmacodynamics: Cytoplasmic Second Messenger" in *Goodman's & Gilman the pharmacological basis of therapeutics*. pp. 34-35. Molinoff, P.B. and Ruddon, R.W. ed. 9th eds. U.S.A.: McGraw Hill company.

- Runnie, I., Salleh, M.N., Mohamed, S., Head, R.J. and Abeywardena M.Y. (2004). Vasorelaxation induced by common edible tropical plant extracts in isolated rat aorta and mesenteric vascular bed. *Journal of Ethnopharmacology*. **92**: 311-316.
- Sakata, K. and Karaki, H. (1992). Effects of endothelin on cytosolic Ca^{2+} level and mechanical activity in rat uterine smooth muscle. *European Journal of Pharmacology*. **221**: 9-15.
- Sanborn, B.M. (2000). Regulation of ion channel activity to control of myometrial calcium. *Journal of Society for Gynecologic Investigation*. **7**: 4-11.
- Satrija, F., Nansen, P., Bjorn, H., Murtini, S. and He, S. (1994). Effect of papaya latex against *Ascaris suum* in naturally infected pigs. *Journal of Helminthology*. **68**: 343-346.
- Scharmm, M., Thomas, G., Towart, R. and Franckowiak, G. (1983). Novel dihydropyridines with positive inotropic action through activation of Ca^{2+} channels. *Nature*. **303**: 535-537.
- Scheid, C.R., Honeyman, T.W. and Fay, F.S. (1979). Mechanism of β -adrenergic relaxation of smooth muscle. *Nature*. **277**: 32-36.
- Schwede, F., Maronde, E., Genieser, H.G. and Jastorff, B. (2000). Cyclic nucleotide analogs as biochemical tools and prospective drugs. *Pharmacology and Therapeutics*. **87**: 199–226.
- Segal, S., Csavay, A.N. and Datta, D. (1998). The tocolytic effect of cathecolamines in the gravid rat uterus. *Obstetric Anesthesia*. **87**: 864-869.
- Sharma, V.C. and Ogbeide, O.N. (1982). Pawpaw as a renewable energy resource for the production of alkaloid fuels. *Energy*. **7**: 871-873.
- Shier, D., Butler, J. and Levis, R. (1999). “Reproductive System” in *Hole’s Human Anatomy & Physiology*, pp. 857-862. 8th ed. North America: McGraw-Hill.
- Shinohara, K., Funabashi, T., Nakamura, T.J. and Kimura, F. (2001). Effects of estrogen and progesterone on the expression of connexin-36 mRNA in suprachiasmatic nucleus of female rat. *Neuroscience Letter*. **309**: 37-40.
- Shmigol, A.V., Eisner, D.A. and Wray, S. (1999). The role of sarcoplasmic reticulum Ca^{2+} uterine smooth muscle cells. *Journal of Physiology*. **520**: 153-183.

- Somlyo, A.P. and Somlyo, A.V. (1994). Signal transduction and regulation of smooth muscle. *Nature*. **372**: 231-236.
- Sprelakis, N. (1995)."Origin of Resting Membrane Potential: Ca/Na Exchange Reaction" in *Cell Physiology*, pp. 72-73. Sprelakis, N. eds. California: Academic Press.
- Sripanidkulchai, B., Wongpanich, V., Laupattarakasem, P., Suwansaksri, J. and Jarakulsomchok, D. (2001). Diuretic effect of selected Thai indigenous medicinal plants in rats. *Journal of Ethnopharmacology*. **75**: 185-190.
- Tang, C.T. (1979). New macrocyclic Δ^1 -piperidine alkaloids from papaya leaves: dehydrocarpaine I and II. *Phytochemistry*. **18**: 651-652.
- Teng, C.M., Kang, J., Cheng, Y.W., Ko, F.N., Kuo, M.L. and Lin, C.N. (1996). Induction of calcium release from sarcoplasmic reticulum of skeletal muscle by xanthone and norathyriol. *British Journal of Pharmacology*. **118**: 1736-1742.
- Trujilo, M.M., Ausina, P., Savinea, J.P., Mathan, R., Strippoli, G., Adinier, C., Pinto, E.M. and Cadenas, M.L. (2000). Cellular mechanism involved in iso-osmotic high K⁺ solution-induces contraction of estrogen-primed rat myometrium. *Life Sciences*. **66**: 2441-2453.
- Tuffley, B.J.M. and Williams, C.H. (1951). The pharmacology of carpaine. *The Australasian Journal of Pharmacy*. **52**: 796-798.
- Uyama, Y., Imaizumi, Y. and Watanabe, M. (1993). Cyclopiazonic acid, an inhibitor for Ca²⁺ - ATPase in sarcoplasmic reticulum, increase excitability in ilea smooth muscle. *British Journal of Pharmacology*. **110**: 565-572.
- Vaghy, P.L. (1998). "calcium antagonisms" in *Human pharmacology: molecular to clinical*, pp. 227-237. Bron, M. eds.3rd ed. U.S.A.: Mosby-Year book.
- Varshney, A. and Mathew, M.K. (2003). Review : A tale of two tails: cytosolic termini and K⁺ channel function. *Progress in Biophysics and Molecular Biology*. **83**:153–170.
- Verma, S.C. and Mcneill, J.H. (1976). Isoproterenol-induced relaxation, phosphorylase activation and cyclic adenosine monophosphate levels in the depolarized rat uterus. *Journal of Pharmacology and Experimental Therapeutics*. **198**: 539-547.

- Vuorela, H., Vuorela, P., Törnquist, K. and Alaranta, S. (1997). Calcium channel blocking activity: Screening methods for plant derived compounds. *Phytomedicine*. **4(2)**: 167-181.
- Webb, R.C. (2003). Smooth muscle contraction and relaxation. *Advances in Physiology Education*. **27(4)**: 201-206.
- Wickenden, A.D. (2002). K⁺ channels as therapeutic drug targets. *Pharmacology and Therapeutics*. **94**: 157-182.
- Williams, C.N. (1975). "Papaya [Carica spp.]" in *The agronomy of the major tropical crops*. pp. 200-205. New York: Oxford University Press.
- Wilson, L., Parsons, M.T. and Flouret, G. (1997). Inhibition of spontaneous uterine contraction during the last trimester in pregnant baboons by an oxytocin antagonist. *American Journal of Obstetrics and Gynecology*. **163**: 1875-1882.
- Wilson, R.K., Kwan, T.K., Kwan, C.-Y. and Sorger, G.J. (2002). Effect of papaya seed extract and benzyl isothiocyanate on vascular contraction. *Life Sciences*. **71**: 497-507.
- Wray, S. (1993). Uterine contraction and physiological mechanism of contraction. *American Journal of Physiology. 264 (Cell Physiology 33)*: C1-C18.
- Wray, S., Jones, K., Kupittayanant, S., Li, Y., Matthew, A., Monir-Bishty, E., Noble, K., Pierce, S. J., Quenby, S. and Shmygol, A. V. (2003). Calcium signaling and uterine contractility. *Journal of Society Gynecologic Investigation*. **10**: 252-264.
- Wu,X., Somlyo, A.V. and Somlyo,A.P. (1996). Cyclic GMP-dependent stimulation reverse G protein coupled inhibition of smooth muscle myosin light chain phosphatase. *Biochemical and Biophysical Research Communication*. **220**: 658-663.
- Young, R.C., Schumann, R. and Zhang, P. (2001). Intracellular calcium gradients in cultured human uterine smooth muscle: a functionally important subplasmalemmal space. *Cell Calcium*. **29(3)**: 183-189.
- Zhuge, R., Li, S., Chen, T.H. and Hsu, W.H. (1995). Oxytocin induced a biphasic increase intracellular Ca²⁺ concentration of porcine myometrial cell: participation of a pertussis toxin-insensitive G-protein, inositol 1,4,5 triphosphate-sensitive Ca²⁺ pool, and Ca²⁺ channels. *Molecular Reproductive Reviews*. **41**: 20-28.