

BIBLIOGRAPHY

- Aarons, R.D., Nies, A.S., Gerber, J.G., (Molinoff, P.B. (1994). Decreased beta-adrenergic receptor density on human lymphocytes after chronic treatment of reserpine. *J. Pharmacol. Exp. Ther.*, 224, 1-6.
- Abel, P.W., Johnson, R.D., Martin, T.J. (Minneman, K.P. (1985). Sympathetic denervation does not alter the density or properties of alpha-1 adrenergic receptors in rat vas deferens. *J. Pharmacol. Exp. Ther.*, 233, 570-577.
- Abel, P.W., Urquilla P.R., Goto, K., Westfall, D.P., Robinson, R.L., (Fleming, W.W. (1981). Chronic reserpine treatment alters the sensitivity and membrane potential of the rabbit saphenous artery. *J. Pharmacol. Exp. Ther.*, 217, 430-439.
- Abrahams, I.P. Faust, M.L. (Varnar, K.J. (1996). The depletion of monoamines blocks the sympathoinhibitory response to cocaine. *J. Aut. Nerv. Sys.*, 58, 170-176.
- Adelstein, R.S. Conti, M.A., (Hathaway, D.R. (1978). Phosphorylation of smooth muscle myosin light chain kinase by the catalytic subunit of adenosine 3: monophosphate-dependent protein kinase. *J. Bio. Chem.*, 253, 8347-8350.
- Albertson T.E., Derlet R.W., (Van Hoozen, B.E. (1999). Methamphetamine and the expanding complications of amphetamines. *West. J. Med.*, 170 (4), 214-219.
- Albertson T.E., Walby, W., (Derlet R.W. (1995). Stimulants induced pulmonary toxicity. *Chest*, 108, 1140-1149.
- Albertson, T.E., Marellich, G.P., (Tharratt, R.S. (1998). Cocaine. In: Haddad LM, Shannon, M.W., Winchester, J.F., Clinical management of poisoning and drug overdose, 3rd edn. Philadelphia: WB Saunders Company, 542-551.
- Albertson, T.E., William, F.W. (Robert, W.D. (1995). Stimulant-induced pulmonary toxicity. *Chest*, 108, 1140-1149.
- Alburges, M.E. (Wamsley, J.K. (1996). Effects on monoamine levels in rat CNS after

- chronic administration of cocaine. *Invest. Clin. J.*, 34, 181-192.
- Alburges, M.E. Crouch, D.J., Andrenyak, D.M. (Wamsley, J.K. (1996). Lack of long-term changes in cocaine and monoamine concentrations in rat CNS following chronic administration of cocaine. *Neuroche. Int.*, 28, 51-57.
- Alburges, M.E., N. Narang, (J.K. Wamsley. (1993). Alterations in the dopaminergic receptor system after chronic administration of cocaine. *Synapse*, 14, 314-323.
- Ambre, J.J., Belknap, S.M., Nelson, J., Ruo,T.I., Shin,S.-G., & Atkinson, A.J., Jr. (1988). Acute tolerance to cocaine in human. *Clin. Pharmacol. Ther.*, 44, 1-8.
- Ambre, J.J., Connelly, T.J. & Ruo, T.I. (1991). A kinetic model of benzoylecgonine disposition after cocaine administration in humans. *J. Anal. Toxicol.*, 15, 17-20
- American Heart Association in Collaboration with ILCOR (2000): Toxicology in ECC. In: Guidelines 2000 for cardiopulmonary resuscitation and emergency cardiovascular care. Am. Heart Assoc., I-223-I-228.
- Amin, M., Gabelman, G., Karpel, J. (Buttrick, P., (1990). Acute myocardial infarction and chest pain syndromes after cocaine use. *Am. J. Cardiol.*, 66, 1434-1437.
- Ansah, T.A., Wade, L.H. (Shockley, D.C. (1993). Effects of calcium channel entry blockers on cocaine and amphetamine-induced motor activities and toxicities. *Life Sci.*, 53, 1947-1956.
- Araki, K., (Y. Gomi (1982). Pharmacological studies on supersensitization. VIII. Dissociation of induction of supersensitivity from presynaptic action of cocaine on isolated vas deferens of guinea pig. *J. Pharmacobiodyn.*, 5, 796-802.
- Araki, K., M. Muramatsu, H. Kontani, (Y. Gomi (1982b). Pharmacological studies on supersensitization. VII. Inhibitory effect of dibenamine on cocaine-induced supersensitivity of isolated vas deferens of guinea pig. *J. Pharmacobiodyn.*, 5, 789-795.
- Araki, K., Ohashi, T. (Gomi, Y. (1982a). Pharmacological studies on supersensitization. IX. Non-specific supersensitivity of vas deferens of guinea pig induced by tripelennamine,

N,N-dimethyl-N',N'-dibenzylethylenediamine and N,N-dibenzyl-N',N'-dimethyl-1,2-propanediamine. *J. Pharmacobiodyn.*, 5, 905-910.

Arch, J. R. S. (Kaumann, A. J. (1993). (3 and atypical (-adrenoceptors. *Med. Res. Rev.*, 13, 663-729.

Ariens, E.J. (Simonis, A.M. (1983). Physiological and pharmacological aspects of adrenergic receptors classification. *J. Pharmacol.*, 32, 1539-1545.

Avakian, E.V., Dunlop, C.E. Zoltoski, R.K. (LeRoy, M.R. (1987). Effects of chronic cocaine administration on cardiac beta-adrenoceptor concentration in rat. *Proc. West. Pharmacol. Soci.*, 30, 299-301.

Avakian, E.V., LeRoy, M., St John-Allan, K., Sayre, F.W. (Malone, M.H. (1990). Effect of chronic cocaine administration and cocaine withdrawal on coronary flow rate and heart rate responses to epinephrine and cocaine in isolated perfused rat hearts. *Life Sci.*, 46, 1569-1574.

Axelrod, J. (Weinshilboum, R. (1972). Catecholamines. *New Engl. J. Med.*, 287, 237-243.

Badino, P., Odore, R. (Re, G. (2005). Are so many adrenergic receptor subtypes really present in domestic animal tissues? A pharmacological perspective. *Veter. J.*, HYPERLINK
["http://www.sciencedirect.com/science?_ob=PublicationURL&_tokey=%23TOC%237163%232005%23998299997%23605112%23FLA%23&_cdi=7163&_pubType=J&view=c&_auth=y&_acct=C000015658&_version=1&_urlVersion=0&_userid=267327&md5=017f59dd5c9d860669804c2d83cbabd7"](http://www.sciencedirect.com/science?_ob=PublicationURL&_tokey=%23TOC%237163%232005%23998299997%23605112%23FLA%23&_cdi=7163&_pubType=J&view=c&_auth=y&_acct=C000015658&_version=1&_urlVersion=0&_userid=267327&md5=017f59dd5c9d860669804c2d83cbabd7)
170 (2), 163-174.

Bailey, D. N., (1997). Cocaethylene: a novel cocaine homolog. *West. J. Med. J.*, 167 (1), 38-39.

- Bailey, M.E., Fraire, A.E., Greenberg, S.D., Barnard, I., (Cagle, P.T. (1994). Pulmonary histopathology in cocaine abusers. *Hum. Pathol.*, 25, 203-207.
- Barners, P. J. (1993).
- symbol 98 \f "Symbol" \s 16
- b \square -Adrenoceptors on smooth muscle, nerve and inflammatory cell. *Life Sci.*, 52 (26), 2101-2109.
- Barnes, P.J. (1992). Modulation of neurotransmission in airways. *Pharmacol. Rev.*, 72, 699-729.
- Barnett, D.B. (1989). Myocardial (-adrenoceptor function and regulation in heart failure: implications for therapy. *Br. J. Pharm.*, 27, 527-537.
- Barrett, M. E. (De Palo, M.P. (1999). Community-based intervention to reduce demand for drugs in northern Thai tribal villages. *Substance Use and Misuse*, 34 (13), 1837-1879.
- Barroso-Moguel, R., Villeda-Hernandez, J., Mendez-Armenta,M. Santamaria, A. (Galvan-Arzte, S. (1999). Alveolar lesions induced by systemic administration of cocaine to rats. *Toxicol. Let.*, 110, 113-118.
- Barsan, W.G., (Kothari, R. (1998). Stroke. In: Rosen P, ed. *Emergency Medicine: Concepts and Clinical Practice*. 4th ed. St Louis, Mo: Mosby-Year Book.
- Barselt, R.C. (1989). Disposition of toxic drug and chemical in man. 2nded, Davis, California, Biomed. Pub., 208-213.
- Battaglia, G., T.M. Cabrera-Vera, (L.D. Van De Kar. (2000). Prenatal cocaine exposure potentiates 5-HT (2a) receptor function in male and female rat offspring. *Synapse* 35,163-172.
- Baumann, B.M., Perrone, J., (Hornig, S.E. (2000). Cardiac and hemodynamic assessment of patients with cocaine-associated chest pain syndromes. *J. Toxicol. Clin. Toxicol.*, 38 (3), 283-290.
- Bean, B.P., Nowycky, M. (Tsien, R.W. (1984). (-Adrenergic modulation of calcium

- channels in frog ventricular heart cells. *Nature (Lond)*, 307, 371-375.
- Beckman, K.J., Parker, R.B., (Hariman, R.J. (1991). Hemodynamic and electrophysiological actions of cocaine. Effects of sodium bicarbonate as an antidote in dogs. *Circulation*, 83(5), 1799-1807.
- Belfrage, E., (S. Rosell. (1976). The role of neuronal uptake at alpha- and beta-adrenoceptor sites in subcutaneous adipose tissue. *Naunyn Schmiedebergs Arch. Pharmak.*, 294, 9-15.
- Bellows, C.F. (Raafat, A.M. (2002). The surgical abdomen and cocaine use. *J. Emerg. Med.*, 23, (4), 383-386.
- Bennett, T., (Malmfors, T. (1974). Regeneration of the noradrenergic innervation of the cardiovascular system of the chick following treatment with 6-hydroxydopamine. *J. Physiol.*, 242, 517-532.
- Benuck, M., Lajtha, A., (Reith, E.A. (1987). Pharmacokinetics of systemically administered cocaine and locomotor stimulation in mice. *J. Pharmacol. Exp. Ther.*, 242, 144-149.
- Benzaquen, B.S., Cohen, V., (Eisenberg, M.J. (2001). Effects of cocaine on coronary arteries. *Am. Hear.t J.*, 142, 402-410.
- Billman, G.E. (1994). The effect of adrenergic receptor antagonists on cocaine-induced ventricular fibrillation: alpha but not beta adrenergic receptor antagonists prevent malignant arrhythmias independent of heart rate. *J. Pharmacol. Exp. Ther.*, 269(1), 409-416.
- Billman, G.E. (1995). Cocaine: A review of its toxic actions on cardiac function. *Crit. Rev. Toxicol.*, 25, 113-132.
- Boghdadi, M. S., (Henning, R. J. (1997). Cocaine: pathophysiology and clinical toxicology. *Heart & Lung*, 26, 466-483.
- Boni, J.P., Barr, W.H., (Martin, B.R. (1991). Cocaine inhalation in the rat:

- pharmacokinetics and cardiovascular responses. *J. Pharmacol. Exp. Ther.*, 257, 307-325.
- Booze, R.M., Lehner, A.F., Wallace, D.R., Welch, M.A. (Mactutus, C.F. (1997). Dose-response cocaine pharmacokinetics and metabolite profile following intravenous administration and arterial sampling in unanesthetized, freely moving male rats. *Neurotoxicol. Teratol.*, 19, 7-15.
- Bowkoski, K.R. (1988). Pre-and postjunctional (-adrenoceptors and hypertension. *J Auto Pharmacol*, 8, 153-171.
- Bowman, W.C. (Rand, M.J. (1980). "Peripheral adrenergic mechanisms" in *Textbook of Pharmacology*, pp. 11.1, 2nd ed. Oxford: Blackwell Scientific Publication.
- Bozarth, M.A. (1989). New perspective on cocaine addiction: recent finding from animal studies. *Can. J. Physio. & Pharmacol.*, 67, 1158-1167.
- Brady, K.T., Lydiard, R.B., Malcolm, R. (Ballenger, J.C. (1991). Cocaine-induced psychosis. *J. Clin. Psych.*, 52, 509-512.
- Brady, W.J., Ferguson, J.D., Ullman, E.A., (Perron, A.D. (2004). Myocarditis: emergency department recognition and management. *Emerg. Med. Clin. North. Am.*, 22 (4), 865-885.
- Branch, C.A. (Knuepfer, M.M. (1994). Causes of differential cardiovascular sensitivity to cocaine II: Sympathetic, metabolic and cardiac effects. *J. Pharmacol. Exp. Ther.*, 271(2), 1103-1113.
- Branch, C.A. (Knuepfer, M.M., (1994). Causes of differential cardiovascular sensitivity to cocaine: I. Studies in conscious rats. *J. Pharmacol. Exp. Ther.*, 269, 674-683.
- Branch, C.A. (Knuepfer, M.M., (1994). Causes of differential cardiovascular sensitivity to cocaine:II. Sympathetic, metabolic and cardiac effects. *J. Pharmacol. Exp. Ther.*, 271, 1103-1113.
- Brandao, F. (Guimaraes, S. (1972). The termination of exogenous noradrenaline in the isolated cat spleen tissue. *Naunyn-Schmiedeberg's Arch. Pharmak.* 275, 119-123.

- Brickner, M.R., Willard, J.E., Eichhorn, E.J., Black, J. (Grayburn, P.A. (1991). Left ventricular hypertrophy associated with chronic cocaine abuse, *Circulation*. 84, 1130-1135.
- Brodde, O.E. (Martin, C.M. (1999). Adrenergic and muscarinic receptors in the human heart. *Pharmacol. Rev.*, 51(4), 651-690.
- Brodde, O.E. (1989). “(-adrenoceptor” in Receptor pharmacology and function, pp. 207. Williams, M. et al., Eds. New York: Marcel Decker Inc.
- Brodde, O.E. (1991). (1-and (2-Adrenoceptors in the human heart: properties, function, and alteration in chronic heart failure. *Pharmacol. Rev.*, 43 (2), 203-234.
- Brody, S.L., Slovis, C.M., (Wrenn, K.D. (1990). Cocaine-related medical problems: consecutive series of 233 patients. *Am. J. Med.*, 88(4), 325-331.
- Brown, M.D. (1992). Chronotropic and inotropic responses to adrenoceptor agonists in vitro after chronic dobutamine treatment in the rabbit. *J. Auto. Pharmacol.*, 12, 117-124.
- Buckner, C.K., K. Bohuski, (C.F. Ryan. (1975). Influence of temperature and cocaine on responses of the isolated mouse vas deferens to adrenergic amines. *Arch. Int. Pharmacodyn. Ther.*, 216, 19-27.
- Bulbring, E. (Tomita, T. (1987). Catecholamine actions on smooth muscles, *Pharmacol. Rev.*, 39, 49-96.
- Bulster, R.L. (1994). “Drugs and substance abuse” in Human pharmacology: molecular to clinical, pp. 435. Brady et al., eds. 2nd ed. St. Louis : Mosby Company.
- Bylund, D.B., Bond, R.A., Clarke, D.E., Eikenberg, D.C., Hieble, J.P., Langer, S.Z., Lefkowitz, R.J., Minneman, K.P., Molinoff, P.B., Ruffolo, R.R., Strosberg A.D., (Trendelenburg, U.G. (1998). Adrenoceptors. In: D. Girdlestone, Editor, IUPHAR Compendium of Receptor Characterization and Classification, IUPHAR Media, London 58-74.
- Bylund, D.B., Eikenberg, D.C., Hieble, J.P., Langer, S.Z., Lefkowitz, R.J. (Minneman,

- K.P. (1994). International union of pharmacology nomenclature of adrenoceptors. *Pharmacol. Rev.*, 46, 121-136.
- Callaway C., (Clark, R.F., (1994): Hyperthermia in psychostimulant overdose. *Ann. Emerg. Med.*, 24, 68-76.
- Cardoso, F.E. (Jankovic, J. (1993). Cocaine related movement disorders. *Mov. Disord. Soc.*, 8, 175-178.
- Catravas, J.D. (Waters, I.W. (1981). Acute cocaine intoxication in the conscious dogs: studies on the mechanism of lethality, *J. Pharmacol. Exp. Ther.*, 200, 350-356.
- Catterall, W.A. (Mackie, K. (1996). Drug acting on the central nervous system “Local Anesthetics” in *The Pharmacology Basis of Therapeutics*, pp. 331. Goodman, L.S. and Gilman, A. eds. 9th ed. New York : Pergamon Press.
- Cautrecasas, P. Tell, G.P., Sica, V. (Parikle, J. (1974). Noradrenaline binding and the Search for catecholamine receptor. *Nature*, 247, 92-97.
- Chang, H.Y. Klein, R.M. (Kunos, G. (1982). Selective desensitization of cardiac beta-adrenoceptors by prolonged in vivo infusion of catecholamines in rat. *J. Pharmacol. Exp. Ther.*, 221, 748-789.
- Chasnoff, I.J. Burns, W.J. Schnoll, S.H. (Burns, K.A. (1985). Cocaine use in pregnancy. *New. Engl. J. Med.*, 313, 403-411.
- Chess-Williams, R. (1993). Noradrenaline desensitized (- but not (-adrenoceptor mediated cardiac responses in vitro. *J. Aut. Pharmaco.*, 13, 403-411.
- Chouykool, P. (1998). Responsiveness of (-adrenoceptors to some catecholamines in chronic cocaine treated guinea-pig: a study in atria and trachea. Master Science Thesis in Pharmacology. Prince of Songkla University.
- Chow, M.J, Ambre, J.A., Ruo, T.I., Atkinson, A.J., Bowsher, D.J. (Fischman, M.W. (1985). Kinetics of cocaine distribution, elimination and chronotropic effects. *Clin. Pharmacol. (Ther.*, 38, 318-324.

- Clusin, W.T. Bristow, M.R. (Karaguezian, H.S. (1982). Do calcium-dependent ionic current mediated ischemic ventricular fibrillation? Am. J. Cardio., 49, 606-612.
- Cobaugh, D.J., Schneider, S.M., Benitez, J.G., (Donahoe, M.P. (1997). Cocaine balloon aspiration: successful removal with bronchoscopy. Am. J. Emerg. Med., 15(5), 544-546.
- Collier, H.O. (1968). Supersensitivity and dependence on cocaine. Nature, 220, 1327-1328.
- Colucciello, S.A., (Tomaszewski, C. (1998). Substance abuse. In: Rosen P, ed. Emergency Medicine: Concepts and Clinical Practice. 4th ed. St Louis, Mo: Mosby-Year Book.
- Comerci, G., Buffon, A., (Biondi-Zoccai, G.G. (2005). Coronary vasospasm secondary to hypercholinergic crisis: an iatrogenic cause of acute myocardial infarction in myasthenia gravis. Int. J. Cardiol., 103, 335-337.
- Cook, C.E., (Jeffcoat, A.R. (1990). Pyrolytic degradation of heroin, phencyclidine, and cocaine: identification of products and some observations on their metabolism. NIDA Res Monogr, 99, 97-120.
- Cook, S.J. Small, R.C., Berry,J.L. Chiu, P., Downing, S.J. (Foster, R.W. (1993). (-adrenoceptor subtypes and the opening of plasmalemmal K+-channels in trachealis muscles: electrophysiological and mechanical studies in guinea pig tissue, Br. J. Pharmacol., 109, 1140-1141.
- Cornish, E.J., Goldie, R.G. (Miller, R.C. (1978). Catecholamine uptake by isolated coronary arteries and atria of the kitten. Br. J. Pharmacol., 63, 445-56.
- Cowan, F.F., Wong, S.K., Westfall, D.P., (Fleming, W.W. (1985). Effects of postganglionic denervation and pretreatment with reserpine on
INCLUDEPICTURE "http://jpet.aspetjournals.org/math/12pt/normal/alpha.gif" * MERGEFORMATINET
adrenoceptors of the guinea pig vas deferens. Pharmacol, 30, 289-295.

- Cregler, L.L. (Mark, H. (1985). Relation of acute myocardial infarction to cocaine abuse. Am. J. Cardio., 56, 794-799.
- Cregler, L.L. (Mark, H. (1986). Cardiovascular dangers of cocaine abuse. Am. J. Cardio., 57, 1185-1186.
- Cregler, L.L., (Mark, H. (1986). Medical complications of cocaine abuse. N. Engl. J. Med., 315(23), 1495-1500.
- Cruickshank, J. M. (Prichard, B.N.C. (1994). Beta-Adrenoceptors" in Beta Blocker in Clinical Practice, pp. 9. 2nd ed. London d: Churchill Livingstone.
- Crumb, W.J. (Clarkson, C.W. (1990). Characterization of cocaine-induced- block of cardiac sodium channels. Biophysio, J., 57, 589-599.
- Cryer, P.G. (1990). Physiology and pathophysiology of the human sympathoadrenal neuroendocrine. New Eng. J. Med., 303, 436-444.
- Cutting, C.B., Robson, M.C. (Koss, N. (1978). Denervation supersensitivity and the delay phenomenon. Plast. Reconstr. Surg., 61, 881-887.
- Dagget, R.B., Haghghi, P., (Terkeltaub, R.A. (1990). Nasal cocaine abuse causing an aggressive midline intranasal and pharyngeal destructive process mimicking midline reticulositis and limited Wegener's granulomatosis. J. Rheumato., 17, 838-840.
- Danforth, E. (Himms-Hagen, J. (1997). Obesity and diabetes and the (3-Adrenergic receptor. Eur. J. Endocrin., 136, 362-365
- Darmani, N.A. (1997). Withdrawal from chronic cocaine administration causes prolonged deficits in L-tryptophan-induced head-twitch response in mice. Life Sci., 61, 1147-1158.
- Darmani, N.A., (Ahmad, B. (2000). Early postnatal cocaine exposure causes sequential, dose-dependent, enduring but reversible supersensitivity in 5-HT2A receptor-mediated function during development in male mice. Neurotoxicol. Teratol., 22, 61-69.
- Darmani, N.A., Martin, B.R. (Glennon, R.A. (1992). Repeated administration of low doses of cocaine enhances the sensitivity of 5-HT2 receptor function. Pharmacol.

- Biochem. Behav., 41, 519-27.
- Darmani, N.A., Martin, B.R. (Glennon, R.A. (1992). Repeated administration of low doses of cocaine enhances the supersensitivity of 5-HT receptor function. Pharmacol. Biochem. (Behav., 41, 519-527.
- Day, M.D. (1979). "Noradrenaline: Its Storage, Synthesis, Release and Inactivation in the "Body" in Autonomic Pharmacology. pp.103. New York: Churchill Livingstone.
- De Jong, R.H. (1994). "Local Anesthetics:from Cocaine to Xylocaine" in Local Anesthetics. pp. 14. St. Louis: Mosby Year Book Inc.
- DeGaris, R.M. (Pennefather, J.N. (1987). Prolonged supersensitivity to noradrenaline of smooth muscle of the epididymal half of the rat vas deferens. J. Auto. Pharmacol., 7, 267-279.
- Delaney, K., (Hoffman, R.S. (1991). Pulmonary infarction associated with crack cocaine use in a previously healthy 23-year-old woman. Am. I. Med., 91, 92-94.
- DeMoraes, S., (Capaz, F.R. (1977). An analysis of the effects of cocaine on the responsiveness of the isolated guinea pig vas deferens to noradrenaline and other agonists. Pharmacol., 15, 461-468.
- Dempsey, P.J., (Cooper, T. (1968). Supersensitivity of the chronically denervated feline heart. Am. J. Physiol., 215, 1245-1249.
- Derlet, R. W. (1998). More on lidocaine use in cocaine toxicity. J. Emerg. Nurs., 24(4), 303.
- Derlet, R.W., (Horowitz, B Z (1995). Cardiotoxic drugs. Emerg. Med. Clin. North. Am., 13(4), 771-91.
- Derlet, R.W., Tseng, C.C., (Albertson, T.E. (1994). Cocaine toxicity and the calcium channel blockers nifedipine and nimodipine in rats. J. Emerg. Med., 12(1), 1-4.
- Devane, C.L., Simpkins, J.W. Miller, R.L. (Braun, S.B. (1989). Tissue distribution of cocaine in the pregnant rat, Life sci., 45, 1271-1276.

- Dombrowski, M.P., Wolfe, H.M., Welch, R.A., (Evans, M.I. (1991). Cocaine abuse is associated with abruptio placentae and decreased birth weight, but not shorter labor. *Obstet. Gynecol.*, 77, 139-141.
- Dong, H.W., Gan, Q. (Knuepfer, M.M., (2001). Central corticotropin releasing factor (CRF) and adrenergic receptors mediate hemodynamic responses to cocaine. *Brain Res.*, 893, 110.
- Dressler, F.A., Malekzadeh S., (Roberts, W.C. (1990). Quantitative analysis of amounts of coronary artery narrowing in cocaine addicts. *Am. J. Cardiol.*, 65, 303-308.
- Dzoljic, M., B. Benazic, (T. Miculinic. (1970). The supersensitivity to 5-hydroxytryptamine induced by cocaine in terminal part of guinea-pig ileum. *Pharmacol.*, 3, 282-90.
- Edvinsson, L., Aubineau, P., Owman, C., Sercombe, R., (Seylaz, J. (1975). Sympathetic innervation of cerebral arteries: prejunctional supersensitivity to norepinephrine after sympathectomy or cocaine treatment. *Stroke*, 6, 525 - 530.
- Egashira, K., Morgan, K.G. (Morgan, J.P. (1991). Effects of cocaine on excitation-contraction coupling of aortic smooth muscle from the ferret. *J. Clin. Invest.*, 87, 1322-1328.
- Eged, M. (Davis, G. K. (2005). Cocaine and the heart. *Postgrad. Med. J.*, 81(959), 568 - 571.
- Ellison, G. (1994). Stimulant-induced psychosis, the dopamine theory of schizophrenia, and the habenula. *Brain Res. Brain Res. Rev.*, 19, 223-239.
- Erwin, M.B., Hoyle, J.R., Smith, C.H., (Deliargyris, E.N. (2004). Cocaine and accelerated atherosclerosis: insights from intravascular ultrasound. *Int. J. Cardiol.*, 93, 301-303.
- Estroff, T.W. (Gold, M.S. (1986). Medical and psychiatric complication of cocaine abuse with possible points of pharmacological treatment. *Adv. Alcohol Substance Abuse*. 5, 61-68.

- Evans, B., Iwayama, T., (Burnstock, G. (1973). Long-lasting supersensitivity of the rat vasdeferens to norepinephrine after chronic guanethidine administration. *J. Pharmacol. Exp. Ther.*, 185 (1), 60-69.
- Evans, B., T. Iwayama, (G. Burnstock. (1973). Long-lasting supersensitivity of the rat vas deferens to norepinephrine after chronic guanethidine administration. *J. Pharmacol. Exp. Ther.*, 185, 60-9.
- Fajemirokun-Odudeyi, O. (Lindow, S.W., (2004). Obstetric implications of cocaine use in pregnancy: a literature review. *Eur. J. Obs. Gyna.e Rep. Biol.*, 112, 2-8
- Fernandez, M.S., Pichard, A.D., Marchant E., (Lindsay, Jr. J., (1983). Acute myocardial infarction with normal coronary arteries: in vivo demonstration of coronary thrombosis during the acute episode. *Clin. Cardiol.*, 6, 553-559.
- Fines, R.E., Brady, W.J., (DeBehnke, D.J. (1997). Cocaine-associated dystonic reaction. *Am. J. Emerg. Med.*, 15(5), 513-515.
- Fleming, W.W. (Hawkins, D.F. (1960). The actions of dichloroisoproterenol in the dog heart-lung preparation and the isolated guinea-pig atrium. *J. Pharmacol. Exp. Ther.*, 129, 1-10.
- Fleming, W.W. (Trendelenburg, U. (1961). The development of supersensitivity to norepinephrine after pretreatment with reserpine. *J. Pharmacol. Exp. Ther.*, 133, 41-51.
- Fleming, W.W. (Westfall, D.P. (1975). Altered resting membrane potential in the supersensitive vas deferens of the guinea pig. *J. Pharmacol. Exp. Ther.*, 192, 381-389.
- Fleming, W.W. (1963). A comparative study of supersensitivity to norepinephrine and acetylcholine produced by denervation, decentralization and reserpine. *J. Pharmacol. Exp. Ther.*, 141, 173-179.
- Fleming, W.W. (1975). Symposium on supersensitivity in smooth muscle: Introduction and historical perspective. *Fed. Proc.*, 34, 169-170.
- Fleming, W.W. (1999). Cellular adaptation: journey from smooth muscle cells to neurons.

- J. Pharmacol. Exp. Ther., 291(3), 925-931.
- Fleming, W.W., McPhillips, J.J., (Westfall, D.P. (1973). Postjunctional supersensitivity and subsensitivity of excitable tissues to drugs. *Ergebn. Physiol.*, 68, 55-119.
- Flemming, J.A., Byck, R. (Barash, P.G. (1990). Pharmacology and therapeutic application of cocaine. *Anesth.*, 73, 518-531.
- Flores, E.D., Lange, R.A., Cigarroa, R.G. (Hillis, L.D., (1990). Effect of cocaine on coronary artery dimensions in atherosclerotic coronary artery disease: enhanced vasoconstriction at sites of significant stenoses. *J. Am. Coll. Cardiol.*, 16, 74-79.
- Foltin, R.W., Fischman, M.W. (1992). Self-administration of cocaine by humans: choice between smoked and intravenous cocaine. *J. Pharmacol. Exp. Ther.*, 261, 841-849.
- Forrester, J.M., Steele, A.W., Wadron, J.A., (Parsons, P.E. (1990). Crack lung: an acute pulmonary syndrome with a spectrum of clinical and histopathologic findings. *Am. Rev. Respir. Dis.*, 142, 462-7.
- Fracker, T.D. Temesy-Amors, P.N., Brewster, P.S. (Willkinson, R.D. (1990). Mechanism of cocaine-induced myocardial depression in dogs, *Circulation*, 81, 1012-1016.
- Frank, D.A., Bauchner, H., Parker, S., Huber, A.M., Kyei-Aboagye, K., (Cabral, H., (1990). Neonatal body proportionality and body composition after in utero exposure to cocaine and marijuana position after in utero exposure to cocaine and marijuana. *J. Pediatr.*, 117, 622-6.
- Freeman, R.W. (Harbison, R.D. (1980). Hepatic periportal necrosis induced by chronic administration of cocaine, *Biochem. Pharmacol.*, 30, 777-783.
- Galligan, J.J. (North, R.A. (1988). Drug receptors on single enteric neurons. *Life Sci.*, 43: 2183-2192.
- Gawin, F.H. (Ellinwood, E.H. (1988). Cocaine and other stimulants: actions, abuse and treatment. *N. Eng. J. Med.*, 318, 1173-1182.
- Gawin, F.H. (1989). Cocaine abuse and addiction. *J. family pract.*, 29, 193-197.

- Geffen, L.B., (C.C. Hughes. (1972). Degeneration of sympathetic nerves in vitro and development of smooth muscle supersensitivity to noradrenaline. *J. Physiol.*, 221, 71-84.
- Gerthoffer, W.T., Fedan, J.S., Westfall, D.P., Goto, K. (Fleming, W.W. (1979). Involvement of the sodium-potassium pump in the mechanism of postjunctional supersensitivity of the vas deferens of the guinea pig. *J. Pharmacol. Exp. Ther.*, 210, 27-36.
- Ghuran A, (Nolan, J. (2000). Recreational drug misuse: issues for the cardiologist. *Heart*, 83(6), 627-33.
- Glaubiger, G. Tsai, B.S. (Lefkowitz, R.J. (1978). Chronic guanethidine treatment increases cardiac (-adrenergic receptors, *Nature*, 273, 240-242.
- Goel, P., (Flaker, G.C. (2001). Cardiovascular complications of cocaine use. *N. Engl. J. Med.*, 345, 1575- 6.
- Gokhale, S.D., Gulati, O.D. (Kelkar, V.V. (1967). Supersensitivity to catecholamines following guanethidine. *Br. J. Pharmacol. Chemother.*, 30, 445-62.
- Goldfrank, L.R., (Hoffman, R.S. (1991). The cardiovascular effects of cocaine. *Ann. Emerg. Med.*; 20,165-175.
- Goldfrank, L.R., Flomenbaum, N.E., Lewin, N.A., (Weisman, R.S. (1986), Nonseasonal heatstroke. In: Goldfrank LR, et al, eds. *Goldfrank's Toxicologic Emergencies*. 3rd ed. Norwalk, Conn: Appleton Century Crofts.
- Goldfrank, L.R., Flomenbaum, N.E., Lewin, N.A., Howland, M.A., Hoffman, R.S., Nelson, L.S. (2002). Principles of managing the poisoned or overdosed patient: An overview. In: Goldfrank LR, et al, eds. *Goldfrank's Toxicologic Emergencies*, 7th ed.
- Gorelick, D.A. (1995). "Pharmacology Therapeutics of Cocaine Addiction" in *Pharmacological Therapeutics for Drug & Alcohol Addiction*, pp. 143. Miller, N.S. and Gold, M.S. eds. New York: Marcel Decker Inc.
- Goto, K., Westfall, D.P., (Fleming, W.W. (1978). Denervation-induced changes in

- electrophysiologic parameters of the smooth muscle of the guinea-pig and rat vas deferens. J. Pharmacol. Exp. Ther., 204, 325-333.
- Govier, W.C., Sugrue, M.F. (Shore, P.A. (1969). On the inability to produce supersensitivity to catecholamines in intestinal smooth muscle. J. Pharmacol. Exp. Ther., 165, 71-77.
- Graefe, K.H. (Trendelenburge, U. (1970). The effect of cocaine on uptake of and sensitivity to noradrenaline in isolated nictitating membranes before and after storage in the cold. Naunyn-Schmiedeberg's Arch. Pharmak., 267, 383-398.
- Grassby, P.F. (Broadley, K.J. (1986). Response mediated via Beta-1 Adrenoceptors but not Beta-2 Adrenoceptors Exhibit supersensitivity after Chronic Reserpine Treatment. J. Pharmacol. Exp. Ther., 237, 950-958.
- Green, R.D., 3rd, (Fleming, W.W. (1968). Analysis of supersensitivity in the isolated spleen of the cat. J. Pharmacol. Exp. Ther., 162, 254-262.
- Greenberg, R., (Innes, I.R. (1976). The role of bound calcium in supersensitivity induced by cocaine. Br. J. Pharmacol., 57, 329-34.
- Greenburge, S. (Long, J. P. (1971). The effects of cocaine norepinephrine and ionic stimulants on the isolated, superfuses rat vas deferens: antagonism by "adrenergic neuron blockers". J. Pharmacol. Exp. Ther., 177(1), 136-144.
- Greenebaum, E., Copeland, A., (Grewal, R. (1993). Blackened bronchoalveolar lavage fluid in crack smokers: a preliminary study. Am. J. Clin. Pathol., 100, 481-487.
- Guimaraes, S., Osswald, W., Cardoso, W., (Branco, D. (1971). The effects of cocaine and denervation on the sensitivity to noradrenaline, its uptake and the termination of its action in isolated venous tissue. Naunyn-Schmiedeberg's Arch. Pharmak, 271(3), 262-273.
- Guimaraes, S., Paiva, M.Q. Moura, D., (Proenca, J. (1985). The saturability of a site of loss and the degree of supersensitivity to agonists which are substrates of this site of loss. Naunyn Schmiedebergs Arch. Pharmacok., 329, 30-35.

- Haeusler, G., (W. Haefely. (1970). Pre-and postjunctional supersensitivity of the mesenteric artery preparation from normotensive and hypertensive rats. Naunyn Schmiedebergs Arch Pharmak., 266, 18-33.
- Haim, D.Y., Lippmann, M.L., Goldberge, S.K., & Walkenstein, M.D. (1995). The pulmonary complications of crack cocaine. Chest, 107, 233-240.
- Hale, S.L. Lehman, M.H. (Kloner, R.A. (1989). Electrocardiographic abnormalities after acute administrations of cocaine in the rat. Am. J. Cardio., 63, 1529-1530.
- Hale, S.L., Alker, K.J., Rezkalla, S.H., Eisenhauer, A.C., (Kloner, R.A. (1991). Nifedipine protects the heart from the acute deleterious effects of cocaine if administered before but not after cocaine. Circulation, 83, 1437 - 1443.
- Hammond, H.K. Roth, D.A., Ford, C.E., Stamnas, G.W., Ziegler, M.G. (Ennis, C. (1992). Myocardial adrenergic denervation supersensitivity depends on the postreceptor mechanism not linked with increased cAMP production. Circulation, 85, 666-679.
- Hansson, E. (1971). Local Anesthetics “absorption, distribution, metabolism and excretion of local anesthetics” in International Encyclopedia of Pharmacology and Therapeutics, pp. 239. Lechart, P. eds. Vol 1, Section 8. Oxford: Pergamon Press.
- Harms, H.H. (1976). Isoproterenol antagonism of cardioselective beta adrenergic receptor blocking agents: a comparative study of human and guinea-pig cardiac and bronchial beta adrenergic receptors. J. Pharmacol. Exp. Ther., 199(2), 329-335.
- Hashiguchi, T., Ito, Y. (Kuriyama, H. (1974). Effects of cocaine on a hypogastric nerve-vas deferens preparation of the guinea pig. Jpn. J. Physiol., 24, 633-647.
- Hassan, T.B., Pickett, J.A., (Durham, S. (1996). Diagnostic indicators intheearly recognition of severe cocaine intoxication. J. Acad. Emerg. Med., 13(4), 261-263.
- Hawthorn, M.H., Taylor, D.A., (Flemming, W.W. (1987). Characteristic of adaptive supersensitivity in the left atrium of the guinea pig. J. Pharmacol. Exp. Ther., 241 (2), 453-457.

He, G.Q., Zhang, A. Altura, B.T. (AItura, B.M. (1994). Cocaine- induced cerebrovasospasm and its possible mechanism of action. *J. Pharmacol. Exp. Ther.*, 268, 1532-1539.

Hebra, A., Brown, M.F., McGeehin, K., O'Neil, J.A., Ross, A.J. (1993). Systemic and mesenteric vascular effects of platelet-activating factor and cocaine: in vivo effects on a neonatal swine model. *Am. Surg.*, 59, 50 - 54.

Hein,

HYPERLINK "http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6T4P-4M93KCX-

1&_user=267327&_coverDate=04%2F15%2F2007&_alid=552371884&_rdoc=2&_fmt=f ull&_orig=search&_cdi=4980&_sort=d&_docanchor=&view=c&_ct=428&_acct=C0000 15658&_version=1&_urlVersion=0&_userid=267327&md5=d0299d9b011ee95225ef424 4693c7cec" \l "aff1#aff1"

P., (Martin C. M. (2007). Signal transduction and regulation: Are all (1-adrenergic receptor subtypes created equal?

HYPERLINK

"http://www.sciencedirect.com/science?_ob=PublicationURL&_cdi=4980&_pubType=J&_auth=y&_acct=C000015658&_version=1&_urlVersion=0&_userid=267327&md5=cec98b823ed48c75eaa81fa9c00818be"

Biochem. Pharmacol.,

HYPERLINK

"http://www.sciencedirect.com/science?_ob=PublicationURL&_tockey=%23TOC%234980%232007%23999269991%23646644%23FLA%23&_cdi=4980&_pubType=J&view=c&_auth=y&_acct=C000015658&_version=1&_urlVersion=0&_userid=267327&md5=af3be07b85c706b009c583b63bbe005"

), 1097-1106.

- Heinonen, S., Penttinen, J., (Ryynanen, M. (1996). Severe intraperitoneal hemorrhage in ectopic pregnancy. Int. J. Gyne. Ob., 52, 189 -90.
- Hendriks, R., Bornstein, J.C. (Furness, J.B. (1990). An electrophysiological study of the projections of putative sensory neurons within the myenteric plexus of the guinea pig ileum. Neurosci. Lett., 110, 286-290.
- Henry, D.J., M.A. Greene, (F.J. White. (1989). Electrophysiological effects of cocaine in the mesoaccumbens dopamine system: repeated administration. J. Pharmacol. Exp. Ther., 251, 833-839.
- Henzlova, M.J. Smith, S.H. Prchal, V.M. (Helmcke, F.R. (1991). Apparent reversibility of cocaine induced congestive cardiomyopathy. Am. Heart J., 122, 577-579.
- Herning, R.I., Better, W. Nelson, R. Gorelick, D., (Cadet, J.L. (1999). The regulation of cerebral blood flow during intravenous cocaine administration in cocaine abusers. Ann. NY. Acad. Sci., 890, 489-494.
- Herning, R.I., Better, W., Nelson, R., Gorelick, D., (Cadet, J.L. (1999). The regulation of cerebral blood flow during intravenous cocaine administration in cocaine abusers. Ann. NY Acad. Sci., 890, 489-494.
- Hershman, K.M., Fleming, W.W. (Taylor, D.A. (1993a). A quantitative method for assessing protein abundance using enhanced chemiluminescence. Bio Tech., 15, 790-793.
- Hershman, K.M., Taylor, D.A. (Fleming, W.W. (1995). Adaptive supersensitivity and the Na⁺/K⁺ pump in the guinea pig vas deferens: Time course of the decline in the
INCLUDEPICTURE "http://jpet.aspetjournals.org/math/12pt/normal/alpha.gif" * MERGEFORMATINET
2 subunit. Mol. Pharmacol., 47, 726-729.
- Hershman, K.M., Taylor, D.A., (Fleming, W.W. (1993b). Adaptive supersensitivity in the guinea pig vas deferens is associated with a reduction in the abundance of the
INCLUDEPICTURE "http://jpet.aspetjournals.org/math/12pt/normal/alpha.gif" *

MERGEFORMATINET

2 subunit isoform of Na⁺/K⁺-ATPase. Mol. Pharmacol., 43, 833-837.

Hertting, G., Axelrod, J. Kopins, I.J., (Withby, L.G. (1961). Lack of catecholamine uptake after chronic denervation of sympathetic nerves. Nature, 201, 66.

Hoffman, B.B. (Lefkowitz, R.J. (1996). Drug acting at synaptic and neuroeffector junctional sites “catecholamine, sympathomimetic drugs and adrenergic receptor” in The Pharmacology Basis of Therapeutics, pp. 199. Goodman L.S. and Gilman, A. eds. 9th ed. New York: Pergamon Press.

Hoffman, B.B. (1998). Autonomic Drugs “Adrenoceptor-activating drugs” in Basic & Clinical Pharmacology, pp. 109. Katzung, B.G. eds. 7th ed. New Jersey: Prentice Hall International.

Hoffman, R.S. (2002). Respiratory principles. In: Goldfrank LR, et al, eds. Goldfrank's Toxicologic Emergencies. 7th ed New York: McGraw-Hill.

Hogestatt, E.D., O. Johansson, K.E. Andersson, (C.M. Kullendorff. (1988). Influence of renal denervation on vascular responsiveness of isolated rat intrarenal arteries. Acta. Physiol. Scand., 132, 59-66.

Holland, R.W., Marx, J.A., Earnest, M.P. (Ranniger, S. (1992). Grand mal seizures temporally related to cocaine use: clinical and diagnostic features. Ann. Emerg. Med. 21, 772–776.

Hollander, J. E. (1995). The management of cocaine-associated myocardial ischemia. N. Engl. J. Med., 333(9), 1267-1272.

Hollander, J.E. (1996). Cocaine associated myocardial infarction. JRSM , 89, 443-447.

Hollander, J.E., (Hoffman, R.S. (1992). Cocaine-induced myocardial infarction: an analysis and review of the literature. J. Emerg. Med., 10(2), 169-177.

Hollander, J.E., Hoffman, R.S., Burstein, J.L., Shih, R.D., (Thode, H.C. Jr. (1995). Cocaine-associated myocardial infarction: mortality and complications. Arch. Intern.

Med., 155, 1081-1086.

Hollander, J.E., Todd, K.H., (Green, G., (1995). Chest pain associated with cocaine: an assessment of prevalence in suburban and urban emergency departments. Ann. Emerg. Med., 26(6), 671-676.

Hollander, J.E., Vignona, L., (Burstein, J. (1997). Predictors of underlying coronary artery disease in cocaine associated myocardial infarction: a meta-analysis of case reports. Vet. Hum. Toxicol., 39, 276-280.

Hollenberg, M.M. (Severson, D.L. (1995). Pharmacology: drug receptors and receptors/mechanisms in Principles of Pharmacology: Basic Concepts and Clinical Application. pp.7. Munson, P.L. eds. New York: Chapman and Hall.

Horowitz, B.Z., Panacek, E.A., (Jouriles, N.J. (1997). Severe rhabdomyolysis with renal failure after intranasal cocaine use. J Emerg Med, 15(6), 833-7.

Howard, R.E., Hueter, D.C. (Davis, G.J. (1985). Acute myocardial infarction following cocaine abuse in a young woman with normal coronary arteries. J. Am. Med. Assoc., 254, 95-96.

Hudgins, P.M. (Fleming, W.W. (1966). A relatively nonspecific supersensitivity in aortic strips resulting from pretreatment with reserpine. J. Pharmacol. Exp. Ther., 153, 70-80.

Huestis, M.A., Oyler, J.M., Cone, E.J., Wstadik, A.T., Schoendorfer, D, (Joseph, R.E. Jr. (1999). Sweat testing for cocaine, codeine and metabolites by gas chromatography-mass spectrometry. J. Chromatogr. B Biomed. Sci .Appl., 733, 247-264.

Hurd, W.W., Robertson, P.A., Riemer, K., Goldfien, A., (Roberts, J.M. (1991). Cocaine directly augments the alpha adrenergic contractile response of the pregnant rabbit uterus. Am. J. Obstet. Gynecol., 164, 182-187.

Inaba, T., Stewart, D.J., (Kalow, W. (1978). Metabolism of cocaine in man. Clin. Pharmacol. Ther., 23, 547-552.

Inaba, T. (1989). Cocaine: pharmacokinetics and biotransformation in man. Can. J.

- Physiol. Pharmacol., 67, 1154-1157.
- Innes, I.R., (Karr, G.W. (1971). Protection against induction of supersensitivity to catecholamines by cocaine. Br. J. Pharmacol., 42, 603-610.
- Inoue, H. (Zipes, D.P. (1988). Cocaine-induced supersensitivity and arrhythmogenesis, J. Am. Coll. Cardiol., 11, 867-874.
- Isner, J.M., Ester, M., Thompson, P.D., Costanzo-Nordin, M., Subranian, R., Miller, G. Katsas, G., Sweeney, K. (Struner, W.Q. (1986). Acute cardiac events temporally related to cocaine abuse. N. Eng. J. Med., 3, 1438-1443.
- Ito, M., Grujic, D., Abel, E.D., Vidalpuig, A., Susulic, V.S., Lawitts, J., Harper, J., Himmshagen, M.E., Strosberg A.D., (Lowell, B.B. (1998). Mice expressing human but not murine β -adrenergic receptors under the control of human gene regulatory elements. Diabetes, 47, 1464-1471.
- Ito, Y., Takagi, K. (Tomita, T. (1985). Relaxation actions of isoprenaline on the guinea pig isolated tracheal smooth muscle. Br. J. Pharmacol., 116, 273 adrenergic receptors under the control of human gene regulatory elements. Diabetes, 47, 1464-1471.
- Ito, Y., Takagi, K. (Tomita, T. (1985). Relaxation actions of isoprenaline on the guinea pig isolated tracheal smooth muscle. Br. J. Pharmacol., 116, 2738
8-2742.
- Iversen, L.L. (1967). The catecholamines. Nature. 214, 8-16.
- Jacobsen, T.N., Grayburn, P.A., Snyder, R.W., Hansen, J., Chavosen, B., Landau, C., Lange, R.A., Hillis, L.D. (Victor, R.G., (1997). Effects of intranasal cocaine on sympathetic nerve discharge in humans. J. Clin. Invest., 99, 628-634.
- Jain, R.K., Bachenheimer, L.C., Visner, M.S. Hamosh, P., Tracy, C.M. (Gillis, R.A. (1990). Factor determining whether cocaine will potentiate the cardiac of neuronally

- released norepinephrine. *J. Pharmacol. Exp. Ther.*, 252, 147-153.
- Jatlow, P. (1988). Cocaine: analysis, pharmacokinetics, and metabolic disposition. *Yale J. Biol. Med.*, 61, 105-113.
- Jatlow, P.I. (1987). Drug of abuse profile: cocaine. *Clin. Chem.*, 33, 66B-71B.
- Javaid, J.J. (Davis, J.M. (1993).Cocaine disposition in discrete regions of rat brain. *Biopharm. Drug Disp.*, 14, 357-364
- Javaid, J.J. Fischman, M.W. Schuster, C., Dekirmenjian, H. (Davis, J.M. (1978). Cocaine plasma concentration: relation to physiological and subjective effects in humans. *Sci*, 202, 227-228.
- Jeffcoat, A.R., Perez-Reyes, M., Hill, J.M., Sadler, B.M., (Cook, C.E. (1989). Cocaine disposition in humans after intravenous injection, nasal insufflation (snorting), or smoking. *Drug Metab Dispos*, 17, 153-159.
- Jekel, J.F., Allen, D.F., Podlewski, H., Clarke, N., Dean-Patterson, S., (Cartwright, P. (1986). Epidemic free-base cocaine abuse. Case study from the Bahamas. *Lancet*, 1, 459-462.
- Jennings, L.K., White, M.M., Sauer, C.M., Mauer, A.M., and Robertson, J.T. (1993). Cocaine-induced platelet defects. *Stroke*, 24, 1352-1359.
- Johanson, C.H. (Fischman, M.W. (1989).The Pharmacology of Cocaine Related to Its Abuse. *Pharmacol. Rev.*, 41, 3-52.
- Johansson, B., Ljung, B., Malmfors, T., (Olson, L. (1970). Prejunctional supersensitivity in the rat portal vein as related to its pattern of innervation. *Acta. Physiol. Scand. Suppl.*, 349, 5-16.
- Johnson, B.A., Devous, M.D., Ruiz, P., (Ait-Daoud, N. (2001). Treatment advances for cocaine-induced ischemic stroke: focus on dihydropyridine-class calcium channel antagonists. *Am. J. Psychiatry.*, 158, 1191-1198.
- Johnson, M. (2001). (2-adrenoceptors: mechanisms of action of (2-agonists. *Ped. Resp.*

Rev., 2, 57-62.

Johnson, S.M., Westfall, D.P., Howard, S.A. (Fleming, W.W. (1978). Sensitivities of the isolated ileal longitudinal smooth muscle-myenteric plexus and hypogastric nerve-vas deferens of the guinea pig after chronic morphine pellet implantation. *J. Pharmacol. Exp. Ther.*, 204, 54-66.

Jones, J.S., Dickson, K., (Carlson, S. (1997). Unrecognized pregnancy in the overdosed or poisoned patient. *Am. J. Emerg. Med.*, 15(5), 538-541.

Jones, R. (1990). The pharmacology of cocaine smoking in humans. 99 NIDA. Res. Monogr. Series., 30-41.

Jonsson, S.J., O' Meara, M. (Young, J.B. (1983). Acute cocaine poisoning. *Am. J. Med.*, 75, 1061-1064.

Joseph, R.E. Jr., Oyler, J.M., Wstadik, A.T., Ohuoha, C., (Cone, E.J. (1998). Drug testing with alternative matrices. I. Pharmacological effects and disposition of cocaine and codeine in plasma, sebum and stratum corneum. *J. Anal. Toxicol.*, 22, 6-17.

Kacinko, S.L., Barnes, A.J., Schwilke, E.W., Cone, E.J., Moolchan, E.T., (Huestis, M.A. (2005). Disposition of cocaine and its metabolites in human sweat after controlled cocaine administration. *Clin. Chem.*, 51, 2085 - 2094.

Kaiman, M., (Shibata, S. (1978). Mechanisms by which smooth muscle sensitivity may be altered by calcium. *Blood Vessels*, 15, 93-109.

Kaiman, M., (Shibata, S. (1976). Calcium influx and postjunctional supersensitivity in guinea pig aortic strips. *Eur. J. Pharmacol.*, 37, 213-216.

Kalivas, P.W. Duffe, P. Dumas, L.A. (Skinner, C. (1988). Behavioral and neurochemical effects of acute and daily cocaine administration in rat. *J. Pharmacol. Exp. Ther.*, 245, 485-492.

Kalsner, S. (Chan, C. (1979). Adrenergic antagonists and the presynaptic receptor hypothesis in vascular tissue. *J. Pharmacol. Exp. Ther.*, 211(2), 257-264.

- Kalsner, S. (Nickerson, M. (1969). Disposition of norepinephrine and epinephrine in vascular tissue, determinated by the technique of oil immerson. *J. Pharmacol. Exp. Ther.*, 165 (2), 152-165
- Kalsner, S. (Nickerson, M. (1969). Mechanism of cocaine potentiation of responses to amines. *Br. J. Pharmacol.*, 35, 428-439.
- Kalsner, S. (1980). Limitation of presynaptic adrenoceptor theory: The characteristics of the effects of noradrenaline and phenoxamine on stimulation-induced efflux of [H]
3noradrenaline in vas deferens. *J. Pharmacol. Exp. Ther.*, 212 (2), 232-239.
- Kalsner, S. (1993). Cocaine sensitization of coronary artery contractions : mechanism of drug-induced spasm. *J. Pharmacol. Exp. Ther.*, 264, 1132-1140.
- Kamikawa, Y. (1994). Neurogenic control of airway smooth muscle function. *JPN. J. Pharmacol.*, 31, 207-213.
- Karch, S.B. (Stephens, B.S. (1991). When is cocaine the cause of death? *Am. J. Forensic. Med. Patho.*, 12, 1-2.
- Karch, S.B. (1991). Introduction to the forensic pathology of cocaine. *Am. J. Foren. Med. Patho.*, 12, 126-131.
- Karch, S.B. (1996). Cardiac arrest in cocaine users. *Am J Emerg Med*, 14(1), 79-81.
- Karch, S.B., Stephens, B. (Ho, C.H., (1998). Relating cocaine blood concentrations to toxicity—an autopsy study of 99 cases. *J. Forens. Sci.*, 43, 41-45.
- Karlsson, J.O., Elwing, H., Grundstrom, N., (Andersson, R.G. (1988). Pronounced supersensitivity of postjunctional alpha adrenoceptors after denervation of fish melanophores. *J. Pharmacol. Exp. Ther.*, 246, 345-51.
- Kasuya, Y., (Goto. K. (1968). The mechanism of supersensitivity to norepinephrine induced by cocaine in rat isolated vas deferens. *Eur. J. Pharmacol.*, 4,355-362.
- Kasuya, Y., (Suzuki. N. (1978). Regional differences in the effects of denervation, cocaine and chronic reserpine administration on the responses of the rat vas deferens to

- norepinephrine and acetylcholine. Arch. Int. Pharmacodyn. Ther., 236, 202-213.
- Kasuya, Y., K. Goto, H. Hashimoto, H. Watanabe, H. Munakata, (M. Watanabe. (1969). Nonspecific denervation supersensitivity in the rat vas deferens "in vitro". Eur. J. Pharmacol., 8, 177-184.
- Katz, A., Hoffman, R.S., (Silverman, R. (1992). Phenytoin toxicity from smoking crack cocaine adulterated with dilantin. Vet. Hum. Toxicol., 34, 347.
- Katz, A.A., Hoffman, R.S., (Silverman, R.A. (1993). Phenytoin toxicity from smoking crack cocaine adulterated with phenytoin. Ann. Emerg. Med., 22(9), 1485-1487.
- Katzung, B.G. (1998). Autonomic Drugs "Introduction to Autonomic Pharmacology" in Basic & Clinical Pharmacology, pp. 73. Katzung, B.G. eds. 7th ed. New Jersey: Prentice Hall International.
- Keller, K.B., (Lemberg, L. (2003). The cocaine-abused heart. Am. J. Crit. Care., 12(6), 562-566.
- Kercher, E.E. (1998). Anxiety disorders. In: Rosen P, ed. Emergency Medicine: Concepts and Clinical Practice. 4th ed. St Louis, Mo: Mosby-Year Book.
- Kerns, W., Garvey, L., (Owens, J. (1997). Cocaine-induced wide complex dysrhythmia. J. Emerg. Med., 15(3), 321-329.
- Khan, M., Gupta, P.K. Cristie, R., Nangia, A., Winter, H., Lam, F.C. (Pirrier, D.G. (1987). Determination of Pharmacokinetics of Cocaine in Sheep by Liquid Chromatography. J. Pharmacol. Sci., 76, 39-43.
- Kibayashi, K. Mastri, A.R., (Hirsch, C.S. (1995). Cocaine induced intracerebral hemorrhage: analysis of predisposing factors and mechanisms causing hemorrhagic strokes. Hum. Pathol., 26, 659-663.
- Kilbourne, E.M. (1998). Cocaine use and death during heat waves. JAMA, 279(22), 1828-1829.
- Kimura, S. Basset, A.L., Xi, H. (Myerburgs, R.J. (1992). Early after-depolarization and

triggered activity induced by cocaine: a possible mechanism of cocaine arrhythmogenesis, Circulation. 85, 2227-2235.

King, G.R. Ellinwood, E.H., Silvia, C.M. Xue, Z., Caron, M. and Lee, T.H. (1994).

Withdrawal from continuous or intermittent cocaine administration: changes in D2 receptor function. J. Pharmacol. Exp. Ther., 259, 743-739.

Kline, J.N. (Hirasuna, J.D. (1990). Pulmonary edema after freebase cocaine smoking not due to an adulterant. Chest, 97, 1009-1010.

Klinger, I.R., Bensadoun, E., (Corrao, W.M. (1992). Pulmonary complications from alveolar accumulation of carbonaceous material in a cocaine smoker. Chest, 101, 1171-1173.

Kloner, R.A. (Rezkalla, S.H. (2003). Cocaine and the heart. N. Engl. J. Med., 348, 487-488.

Kloner, R.A., Hale, S., Alker, K. (Rezkalla, S. (1992). The effects of acute and chronic cocaine use on the heart. Circulation, 85 (2), 407-419.

Kloss, M.W., Rosen, G.M. (Rauckman, E.J. (1984). Cocaine-mediated hepatotoxicity: a critical review, Biochem. Pharm., 33, 169-173.

Knochel, J.P. (1993). Mechanisms of rhabdomyolysis. Curr Opin Rheum, 5, 725-31.

Knuepfer, M.M. (2003). Cardiovascular disorders associated with cocaine use: myths and truths. Pharmacol. (ther., 97, 181-222.

Knuepfer, M.M. Branch, C.E., Gan, Q. (Fischer, V.W. (1993). Cocaine-induced myocardial ultrastructural alterations and cardiac output responses in rat. Exper. (Mol. Pharmacol., 59, 155-168.

Knuepfer, M.M., (Branch, C.A. (1993). Calcium channel antagonists reduce the cocaine-induced decrease in cardiac output in a subset of rats. J. Cardiovasc. Pharmacol., 21, 390-396.

Kompa, A. R. (Summers, R. J. (1999). Desensitization and resensitization of

1- and putative α 4-adrenoceptor mediated responses occur in parallel in a rat model of cardiac failure. Br. J. Pharmacol., 128, 1399 - 1406.

Kong, J-Q, Fleming, W.W. (Taylor, D.A. (1999). Adaptational tolerance of guinea pig (GP) locus ceruleus neurons to α α α

o opioids is associated with cellular depolarization. Soc. Neurosci. Abst., in press.

Kopin, I.J. (1985). Catecholamine metabolism: basic aspects and clinical significance. Pharmacol Rev., 37, 333-366.

Korczyn, A.D. 1975. Denervation supersensitivity in Horner's Syndrome.

Ophthalmologic.,a 170, 313-319.

Korczyn, A.D. Shavit, S., Gassner, S. (Vidine, B. (1982). Denervation supersensitivity in the cocaine heart: catecholamines-enhanced positive chronotropic without altered arrhythmogenesis, Am. Heart J., 103, 443-445.

Kossowski, W.A. (Lyon, A.F. (1984). Cocaine and acute myocardial infarction, a probable connection, Chest, 86, 729-731.

Kulig K (1998). General management principles. In: Rosen P, ed. Emergency medicine: concepts clinical practice. 4th ed. St Louis, Mo: Mosby-Year Book.

Kumar, M.A. (1978). The Basis of Beta Adrenergic Bronchodilation. J. Pharmacol. Exp. The.r, 204, 528-534.

Lago, J.A. (Kosten, T.R. (1994). Stimulant withdrawal. Addiction, 89, 1477-1481.

Lands, A.M., Arnold, A., McAuliff, J.P., Luduena, F.P. (Brown, T.G. (1967).

Differentiation of receptor systems activated by sympathomimetic amines. Nature, 214, 597-598.

Lange, R. A. & Hillis, L.D. (2001). Cardiovascular complications of cocaine use. N. Engl. J. Med., 345 (5), 351-358.

Lange, R.A., Gigarroa, R.G, Yancy Jr., C.W. Willard, J.E., Popma J.J., Sillis, M.N., McBride, W., Kim, A.S. & Hillis, L.D. (1989). Cocaine induced coronary artery

- vasoconstriction. N. Engl. J. Med., 321, 1557-1566.
- Langer, S. Z. (Trendelenburge, U. (1968). Decrease in effectiveness of phenoxybenzamine after chronic denervation and chronic decentralization of the nictitating membrane of the pithed cat. J. Pharmacol. Exp. Ther., 163, 290 - 299.
- Langer, S.Z. (1966). Presence of tone in the denervated and in the decentralized nictitating membrane of the spinal cat and its influence on determinations of supersensitivity. J Pharmacol Exp Ther, 154, 14-34.
- Langer, S.Z., (1981). Presynaptic regulation of the release of catecholamines. Pharmacol. Rev., 32, 337-359.
- Langer, S.Z., Draskoczy, P.R. & Trendelenburg, U. (1967). Time course of the development of supersensitivity to various amines in the nictitating membrane of the pithed cat after denervation or decentralization. J. Pharmacol. Exp. Ther., 157, 255-273.
- Lefkowitz, R.J. & Caron, M.G. (1988). Adrenergic receptors. J. Bio. Chem., 263, 4993-4996.
- Lefkowitz, R.J. Hoffman B.B. & Talor, P. (1996). Drug acting at synaptic and neuroeffector junctional sites "neurohumural transmission: the Autonomic and somatic motor nervous system" in The Pharmacological Basis of Therapeutics, pp. 105. Goodman, L.S. and Gilman, A. eds. 9th ed. New York: Pergamon Press.
- Levy, M.N. & Blattberg, B. (1978). The influence of cocaine and desipramine on the cardiac responses to exogenous and endogenous norepinephrine. Eur. J. Pharmacol., 194, 119-122.
- Liberty, H.J., Johnson, B.D., (Fortner, N. (2004). Detecting cocaine use through sweat testing: multilevel modeling of sweat patch length-of-wear data. J. Anal Toxicol., 28, 667-673.
- Lim, E.K. (Peters, T.J. (1984). Ammonium acetate: a general purpose buffer for clinical applications of high-performance liquid chromatography. J. Chromatogr., 316, 397-406.

- Linder, J.D., Monkemuller, K.E., Rajzman, I., Johnson, L., Lazenby, A.J., (Wilcox, C.M. (2000). Cocaine associated ischemic colitis. *South. Med. J.*, 93, 909-913.
- Liu, J-G & Anand, K.J.S. (2001). Protein kinase modulate the cellular adaptations associated with opioid tolerance and dependence. *Brain Res. Rev.*, 38, 1-19.
- Isenrichmid, D.S. Levine, B.S. (Caplan, Y.H. (1989).A comprehensive study of the stability of cocaine and its metabolites. *J. Anal. Toxicol.*, 13, 250-256.
- Ma, Y.C. (Haung, X.N. (2002). Novel signaling pathway through the (-adrenergic receptor. *Trend Cardiovasc. Med.*, 12, 46-49.
- Macgreger, S.N. Kieth, L.G. Classnof, J.J. Rosner, M.A., Chism, G.M., Shaw, P. (Minogue, J.P. (1987). Cocaine use in pregnancy: adverse perinatal outcome. *Am. J. Ob. Gyne.*, 157, 686-690.
- Mahone, P.R., Scott, K. Sleggs, G. D Antoni, T. (Wood, Jr., J.R. (1994). Cocaine and metabolites in amniotic fluid may prolong fetal drug exposure. *Am. J. Ob. Gyne.*, 171, 465-470.
- Martin J.M. (Broadley, K.J. (1994). Effects of chronic infusion of doxepamine and isoprenaline to rats on (1-and (2-receptor-mediated responses. *Br. J. Pharmacol.*, 112, 595-603.
- Martin-Duce, A. (2002). A developmental history of local anaesthesia. *Ambul. Surg.*, 9, 187-189.
- Marzuk, P.M., Tardiff, K., (Leon, A.C. (1998). Ambient temperature and mortality from unintentional cocaine overdose. *JAMA*, 279(22), 1795-1800.
- Masuda, Y1., Masuda, Y2. (Levy, M.N. (1980). The effects of cocaine and metanephrine on the cardiac responses to norepinephrine infusions. *J. Pharmacol. Exp. Ther.*, 215, 20-27.
- Mattana, J. Gibbons,N. (Singhal, P.C. (1994), Cocaine interacts with macrophages to modulate mesangial cell proliferation. *J. Pharmacol. Exp. Ther.*, 271, 311-318.

- Maxwell, R. A, Plummer, A. J., Povalski, H., Schneider, F., (Coombs, H. (1959). A comparison of some of the cardiovascular actions of methylphenidate and cocaine. *J. Pharmacol. Exp. Ther.*, 126, 250 - 257.
- Maxwell, R. A., Wastila, W. B., (Eckhardt, S. B. (1966). Some factors determining the response of rabbit aortic strips to dl-norepinephrine-7-H3 hydrochloride and the influence of cocaine, guanethidine and methylphenidate on these factors. *J. Pharmacol. Exp. Ther.*, 151, 253 - 261.
- McCarron, M.M., Wood, J.D. (1983). The cocaine 'body packer' syndrome, diagnosis and treatment. *JAMA*, 250(11), 1417-20.
- McMullen, M.J. (1998), Cocaine, amphetamines, and other stimulants. In: Rosen P, ed. *Emergency Medicine: Concepts and Clinical Practice*. 4th ed. St Louis, Mo: Mosby-Year Book.
- Meldelson, J.H. (Mello, N.K. (1996). Management of cocaine abuse and dependence. N. Engl. J. Med., 334 (15), 965-972.
- Meltser, H., Bhakta, D., (Kalaria, V. (2004). Multivessel coronary thrombosis secondary to cocaine use successfully treated with multivessel primary angioplasty. *Int. J. Cardiovasc. Intervent.*, 6, 39-42.
- Mendelson, J.H. (Mello, N.K. (1996). Management of cocaine abuse and dependence. N. Engl. J. Med., 334, 965 - 972.
- Merkel, P.A., Koroshetz, W.J, Irizarry, M.C. (Cudkowicz, M.E. (1995). Cocaine associated cerebral vasculitis. *Sem. Arth. Rheum.*, 25 (3), 172-183.
- Mets, B., Soo, E., Diaz, J., Pantuck, C., Singh, G, (Blair, I.A. (2000). Chronic continuous cocaine infusion in rats: effect on urine cocaine, ecgonine methylester and benzoylecgonine concentrations and bolus-dose cocaine pharmacokinetics. *J. Pharm. Pharmacol.*, 52, 389-395.
- Miller, M.B. (1998). Arrhythmias associated with drug toxicity. *Emerg. Med. Clin. North.*

- Am., 16(2), 405-417.
- Minor, R.L., Scott, B.D., Brown, P.D. (Winford, M.D. (1991). Cocaine-Induced Myocardial Infarction in Patients with Normal Coronary Arteries. Ann. Int. Med., 115, 798-806.
- Mittleman, R.E. (Welti, C.V. (1984). Death caused by recreational cocaine use. J. Am. J. Med. Assoc., 252, 1889-1893.
- Mokhlesi, B., (Corbridge, T. (2003). Toxicology in the critically ill patient. Clin. Chest Med., 24(4), 689-711.
- Mokhlesi, B., Leiken, J.B., Murray, P., (Corbridge, T.C. (2003). Adult toxicology in critical care: part I: general approach to the intoxicated patient. Chest, 123(2), 577-592.
- Mokhlesi, B., Leikin, J.B., Murray, P., (Corbridge, T.C. (2003). Adult toxicology in critical care: Part II: specific poisonings. Chest, 123(3), 897-922.
- Morrison, J.M. (Fleming, W.W. (1971) Supersensitivity of decentralized and denervated nictitating membranes to barium. Proc. Soc. Exp. Biol. Med., 136, 196-199
- Mouhaffel, A.H., Madu, E.C., Sadmary, W.A. (Fraker, T.D. (1995). Cardiovascular complications of cocaine. Chest, 107, 1426-1434.
- Mueller, E. (Breeman, C. (1979). Role of intracellular Ca²⁺ sequestration in (-adrenergic relaxation of smooth muscle. Nature, 281, 682-683.
- Mueller, P.D., Benowitz, N.L., (Olson, K.R. (1990). Cocaine. Emerg. Med. Clin. North. Am., 8(3), 481-493.
- Mueller, P.J. (Knuepfer, M.M. (1994). Coronary vascular effects of cocaine in rats. J. Pharmacol. Exp. Ther., 268(1), 97-103.
- Naga Prasad, S.V., Nienaber, J. (Rockman, H.A. (2001). □-adrenergic axis and heart disease. Trends in Genetics, 17, 10. S44-S49.
- Nahas, G., Trouve, R., Demus, J.R. (von Sitbon, M. (1985). A calcium-channel blocker as antidote to the cardiac effects of cocaine intoxication. New Engl. J. Med., 3□ □

13, 519-520

Nakahara, Y, (1999). Hair analysis for abused and therapeutic drugs. *J. Chromatogr. B. Biomed. Sci.*, 733, 161-180.

Nakatsu, K. (Reiffenstein, R.J. (1968). Increased receptor utilization: mechanism of cocaine potentiation. *Nature*, 217, 1276-1277.

Nanji, A.A. (Filipenko, J.D. (1984). Asystole and ventricular fibrillation associate with cocaine intoxication. *Chest*, 85, 132-133.

Nasseri, A., Barakeh, J.F., Abel, P.W. (Minneman, K.P. (1985). Reserpine-induced postjunctional supersensitivity in rat vas deferens and caudal artery without changes in alpha adrenergic receptors. *J. Pharmacol. Exp. Ther.*, 234, 350-357.

National Institute on Drug Abuse (2005): NIDA InfoFacts: Crack and cocaine. Available at: <http://www.nida.nih.gov/Infofacts/cocaine.html>.

National Institute on Drug Abuse (2005): NIDA InfoFacts: Hospital visits. Available at: <http://www.drugabuse.gov/infofacts/HospitalVisits.html>.

National Institute on Drug Abuse: NIDA InfoFacts: Crack and cocaine. Available at: <http://www.nida.nih.gov/Infofacts/cocaine.html>.

National Institute on Drug Abuse: NIDA InfoFacts: Hospital visits. Available at:

HYPERLINK "<http://www.drugabuse.gov/infofacts/HospitalVisits.html>"

<http://www.drugabuse.gov/infofacts/HospitalVisits.html>

Nayak, P.K., Misra, A.L. (Mule, S.J. (1976). Physiological disposition and biotransformation of [3H] cocaine in acutely and chronically treated rats. *J. Pharmacol. Exp. Ther.*, 196, 556-569

Nelson, D.L. (Molinoff, P.B. (1985). Distribution and properties of adrenergic storage v vesicle in nerve terminals. *J. Pharmacol. Exp. Ther.*, 196, 345-359.

Noda, K., Saad, Y., Graham R.M. (Karnik, S.S. (1994). The high affinity state of the α_2 -adrenergic receptor requires unique interaction between conserved and non-conserved extracellular 1 $\square \square \square \square$
oop cysteines. J. Biol. Chem., 269, 6743-6752.

O'Brien, C.P. (1996). Drug acting on central nervous system "Drug addiction and drug abuse" in The Pharmacology Basis of Therapeutics, pp. 557. Goodman, L.S. and Gilman, A. eds. 9th ed. New York: Pergamon Press.

Office of Applied Statistics, SAMHSA: Cocaine abuse. Available at:

[HYPERLINK "http://www.health.org/govpubs/rpo926/#Coca"](http://www.health.org/govpubs/rpo926/#Coca)

<http://www.health.org/govpubs/rpo926/#Coca>

.

Office of Applied Statistics, SAMHSA: Drug Abuse Warning Network (DAWN) Detailed Emergency Department Tables 1999. Available at: <http://www.samhsa.gov/oas/dawn.htm>.

Office of Applied Statistics, SAMHSA: Drug Abuse Warning Network (DAWN) Annual Medical Examiner Data 1999. Available at:

<http://www.samhsa.gov/oas/dawn.htm#MEcomp>.

Office of Applied Statistics, SAMHSA: Drug-Related Emergency Room Cases Decline Nationally. 1997; Available at: <http://www.samhsa.gov/press/97/971230>.

Office of Applied Studies, SAMHSA: Summary of Findings from the 1998 National Household Survey on Drug Abuse. Available at:

<http://www.samhsa.gov/oas/nhsda/98SummHtml/TOC.htm>.

Office of National Drug Control Policy. The National Drug Control Strategy. Washington DC, The White House, 1996.

O'Halloran, R.L., (Lewman, L.V. (1993). Restraint asphyxiation in excited delirium. Am. J. Forensic. Med. Pathol., 14(4), 289-295.

O'Keefe, D. D., Grantham, R. N., Beierholm, E. A., Kapellakis, G. Z., Vasu, M. A.,

- Guyton, R. A. (Daggett, W. M. (1977). Cocaine and the contractile response to catecholamines in right ventricular failure. Am. J. Physiol. Heart. Circ. Physiol., 233, H399 - H403.
- Oppermann, J. A., Ryan, C. F. (Haavik, C. O. (1971). Temperature dependent sensitivity of isolated guinea-pig atria to sympathomimetic amines. Life Sci., 10(11), 613-622.
- Oubeid, M., Bickel, J.T., Ingram, E.A., (Scott, G.C. (1990). Pulmonary talc granulomatosis in a cocaine sniffer. Chest, 98, 237-239.
- Ozawa, H. (Sugawara, K. (1970). Sensitivity of the isolated vas deferens of the guinea-pig to norepinephrine and acetylcholine after denervation, decentralization and treatments by various agents. Eur. J. Pharmacol., 11(1), 56-66.
- Pack, R.J. (Richardson, P.S. (1984). The Aminergic innervation of the human bronchus: a light and electron microscopic study. J. Anat., 138, 439-502.
- Pandya, K.H., Jindal, M.N. (Kelkar, V.V. (1969). Mechanism of amodiaquine-induced supersensitivity to catecholamines. Eur. J. Pharmacol., 6, 265-273.
- Parkinson, D. (1990). "Adrenergic Receptors in the Autonomic Nervous System" in Central Regulation of Autonomic Functions, pp. 17. Lowley, A.D. and Syper, K.M. eds. New York: Oxford University Press.
- Pasternack, P.F., Clovin, S.B. (Bauman, F.G. (1985). Cocaine induced angina pectoris and acute myocardial infarction in patients younger than 40 years. Am. J. Cardio., 55, 847-848.
- Patrick, R.L. (1977). "Amphetamine and cocaine: biological mechanisms" in Psychopharmacology, pp. 331. Barash, J.D. et al., 2nd ed. New York: Oxford University press.
- Peel, S. (1990). Addiction as a cultural concept. Ann. NY. Acad. Sci., 602, 205-220.
- Pendry, Y.D. (Macglagam, J. (1991). Evidence for inhibition of sympathetic neurotransmission by endogenously released acetylcholine in the guinea pig trachea, Br. J.

- Pharmacol., 104, 817-822.
- Pennefather, J.N. (1976). The effects pf cocaine and diphenhydramine upon the reactivity of rat vas deferens to supramaximal doses of noradrenaline and of other agonists: The mode of action of cocaine. *Eur. J. Pharmacol.*, 35(2), 333-339.
- Perez-Reyes, M., Di Giuseppi, S., Ondrussek, G. Jeffcoat, A. (Cook, C.E. (1982). Free-base cocaine smoking. *Clin. Pharmacol. Ther.*, 32, 459-465.
- Peris, J. Boyson, S.J. Cass, W.A., Curella, P., Dwoskin, L., Larson, G. Lin, L.H., Yasuda, R.P. and Zahniser, N.R. (1990). Persistence of neurochemical changes in dopamine systems after repeated cocaine administration. *J. Pharmacol. Exp. Ther.*, 253, 38-44.
- Perron, A.D., (Gibbs, M. (1997). Thoracic aortic dissection secondary to crack cocaine ingestion. *Am. J. Emerg. Med.*, 15(5), 507-509.
- Perrone, J., (Hoffman, R.S. (1996). Cocaine. In: Tintinalli, J.E., ed. Emergency medicine: a Comprehensive study guide. 4th ed. NY: McGraw-Hill.
- Pik, K. (Wolleman, M. (1977). Catecholamines hypersensitivity of adenylate cyclase after chemical denervation in rat heart. *Biochem. Pharmacol.*, 36, 1448-1449.
- Pollack, C.V., (Pollack, E.S. (1998). Seizures. In: Rosen P, ed. Emergency Medicine: Concepts and Clinical Practice. 4th ed. St Louis, Mo: Mosby-Year Book.
- Poon, J. (van den Buuse, M., (1998). Autonomic mechanisms in the acute cardiovascular effects of cocaine in conscious rats. *Eur. J. Pharmacol.*, 363, 147-152.
- Post, R.M. (Rose, H. (1976). Increasing effects of repetitive cocaine administration in rat, *Nature*, 260, 731-732.
- Pozner, C.N., Levine, M. (Zane, R. (2005). The cardiovascular effects of cocaine. *J. Emerg. Med.*, 29 (2), 173-178.
- Prakash, A. (Das, G. (1993). Cocaine and the nervous system. *Int. J. Clin. Pharmacol. Ther.* Toxicol., 31, 575-581.
- Premkumar, L. S. (1999). Selective potentiation of L-type calcium channel currents by

- cocaine in cardiac myocytes. *Molecul. Pharmacol.*, 56 (6), 1138-1142.
- Premkumar, L.S. and Ahern, J.P. (1995). Blockade of a resting potassium channel and modulation of synaptic transmission by ecstasy in the hippocampus. *J. Pharmacol. Exp. Ther.*, 274, 718-722.
- Przwarra, D.A. (Dambach, G.C. (1989). Direct actions of cocaine on the cardiac cellular electron activity, *Circulation*, 65, 185-192.
- Pudiak, C.M., (Bozarth, M.A. (1994). Cocaine fatalities increased by restraint stress. *Life Sci*, 55(19), PL379-382.
- Pudiak, C.M., (M.A. Bozarth. (1997). Nitric oxide synthesis inhibition attenuates haloperidol-induced supersensitivity. *J. Psy. Neurosci*, 22, 61-4.
- Qiu, Z. (Morgan, P. (1993). Differential effects of cocaine on intracellular Ca²⁺ and myocardial contraction in cardiac myocyte. *Br. J. Pharmacol.*, 109, 293-298.
- Qureshi, A.I., Suri, M.F., Guterman, L.R., (Hopkins, L.N. (2001). Cocaine use and the likelihood of nonfatal myocardial infarction and stroke: data from the Third National Health and Nutrition Examination Survey. *Circulation*, 103(4), 502-6.
- Raczkowski, U., Herandez, Y., Erzouki, H. (Abrahams, T. (1991). Cocaine acts in the central nervous system to inhibit sympathetic neural activity. *J. pharmacol. Exp. Ther.*, 258, 511.
- Rang, H.P. (Dale, M.M. (1991). "Adrenergic Transmission" in *Pharmacology*, pp. 106. 2nd ed. Grate Britain: Churchill Livingstone.
- Reiffenstein R.J. (Triggle, C.R. (1974). Cocaine-induced supersensitivity in the human umbilical artery. *Can. J. Physio. Pharmacol.*, 52, 687-698.
- Reith, E.A. Benuck, M. (Lajtha, A. (1987). Cocaine disposition in the brain after continuous or intermittent treatment and locomotor stimulation in mice. *J. Pharmacol. Exp. Ther.*, 243, 281-287.
- Resnick, R.B., Kestenbaum, R.S. (Schwartz, L.K. (1976). Acute systemic effects of

cocaine in man: a controlled study by intranasal and intravenous routes. Sci., 195, 696-698.

Rezkalla, S.H. Hale, S. (Kloner, R.A., (1990). Cocaine-induced heart diseases. Am Heart J, 120, 1403-1407.

Rice, P.J., Taylor, D.A., Valinski, W.A., Head, R.J., (Flemming, W.W. (1987).

Norepinephrine depletion and sensitivity changes in rat heart induced by pretreatment with reserpine. J. Pharmacol. Exp. Ther., 240 (3), 764-772.

Ritchie, J.M. (1971). Local Anesthetics "The Mechanism of action of local anesthetic agent" in International Encyclopedia of Pharmacology and Therapeutics, pp. 131. Lechart, P. eds. Vol 1 section 8. Oxford: Pergamon Press.

Robert, S.M. Munson, J.W. James, R.C. (Harbison, R.D. (1991). An assay for cocaethylene and other cocaine metabolites in liver using high-performance liquid chromatography. Anal. Biochem., 202, 256-261.

Robinson, E. (Hudson, A. (1998). Adrenoceptor pharmacology. Tocris. Rev., 8 (11), 1-6.

Rose, J.S (1994). Cocaethylene: a current understanding of the active metabolite of cocaine and ethanol. Am. J. Emerg. Med., 12(4), 489-490.

Ross, D.L. (1998). Factors associated with excited delirium deaths in police custody. Modern Pathol., 11, 1127-1137.

Rothlin, R.P., Pardal, J.F., Pardal, M.M. (Pinto, J.E. (1977). Supersensitivity to norepinephrine induced in vitro by crude Latrodectus mactans venom in the rabbit ear artery. Toxicon., 15, 71-74.

Rowbotham, M.C., Hooker, W.D., Mendelson, J. (Jones, R.T. (1987). Cocaine-calcium channel antagonist interactions. Psychopharmacol., 93, 152-154.

Rozec, B. (Gauthier, C. (2006).

3-Adrenoceptors in the cardiovascular system: Putative roles in human pathologies . J. Pharmacol. & Ther., 111(3), 652-673.

- Rubin,R.B. (Neugarten, J. (1990). Cocaine-associated asthma. Am. J. Med., 88, 438–439.
- Rump, A.F.E., Theisohn, M. (Klaus, W. (199
39.
- Rump, A.F.E., Theisohn, M. (Klaus, W. (1995
5). The pathophysiology of cocaine cardiotoxicity. Forens. Sci. Int., 71, 103-115.
- Ruttenber, A.J. McAnally, H.B. (Wetli, C.V. (1999). Cocaine associated rhabdomyolysis and excited delirium: different stages of the same syndrome. Am. J. Forens. Med. Pathol., 20, 120-127.
- Ruttenber, A.J., Lawler-Heavner, J., (Yin, M. (1997). Fatal excited delirium following cocaine use: epidemiologic findings provide new evidence for mechanisms of cocaine toxicity. J. Forens. Sci., 42 (1), 25-31.
- Sabra, R., Khoury, H.A., Bechara, G., Sharaf, L.H. & Al-Bizri, N.M. (2000). Post-junctional mechanisms involved in the potentiation of cardiac adrenergic response by cocaine. Eur. J. Pharmacol., 397, 139-150.
- Salluzzo, R.F. (1998). Rhabdomyolysis. In: Rosen P, ed. Emergency Medicine: Concepts and Clinical Practice. 4th ed. St Louis, Mo: Mosby-Year Book.
- Sanberg, E.A. (Olsen, G.D. (1991).Cocaine Pharmacokinetics in the pregnant guinea pig. J. Pharmacol. Exp. Ther., 258, 477-482.
- Sannomiya, P., (S. De Moraes. (1979). Denervation supersensitivity to noradrenaline in the guinea-pig vas deferens in vivo: absence of the postjunctional component. Eur. J. Pharmacol., 54, 167-171.
- Sannomiya, P., (S. De Moraes. (1981). Denervation supersensitivity to norepinephrine in the guinea-pig vas deferens in vivo and in vitro: influence of the bathing solution. Arch. Int Pharmacodyn. Ther., 252, 53-66.
- Sarper, R., Faraj, B.A., Tarcan, Y.A., Chandora, D.B., (Lenton, J.D. (1993). Assessment of splanchnic blood flow in alcohol and drug abuse using radionuclide angiography. J.

- Subst. Abuse, 5, 295-303.
- Satayavivad, J. (Kraivaphan, P. (1987). Hypersensitivity of Cardiac Muscarinic Receptors during Sodium Barbital Tolerance and Withdrawal. Asia Pacific J. Pharmacol., 2, 29-32.
- Sato, K. Sawada, M. Kojima, M. (Dohi, Y. (1995). Biphasic Pressor Responses to Norepinephrine in Humans. Clin. Pharmacol and Ther., 58, 583-587.
- Sauter, D, Habal, R, (1998). Drug use in pregnancy. In: Rosen, P, ed. Emergency Medicine: Concepts and Clinical Practice. 4th ed. St Louis, Mo: Mosby-Year Book.
- Savitt, D.L., Roberts, J.R., (Merigian, K.S. (1992). Psychoactive drug abuse. In: Rosen P, ed. Emergency Medicine Concepts and Clinical Practice. 3rd ed. St Louis, Mo: Mosby-Year Book.
- Schachne, J.S. Robed, B.H. (Thompson, P.D. (1984). Coronary Artery Spasm and Myocardial Infarction Associated with Cocaine Use. N. Engl. J. Med., 310, 1665-1666.
- Schenk, S., B.A. Horger, R. Peltier, (K. Shelton. (1991). Supersensitivity to the reinforcing effects of cocaine following 6-hydroxydopamine lesions to the medial prefrontal cortex in rats. Brain Res., 543, 227-235.
- Sears, M.R. (Lotvall, J. (2004). Past, present and future- α 2-adrenoceptor agonists in asthma management. Resp. Med., 1-19
- Shappell, C.M. (Grieger, T.A. (1997). Medical complications of cocaine abuse. Med. update psy., 2 (2), 34-38.
- Sharff, J.A. (1984). Renal infarction associated with intravenous cocaine use. Ann. Emerg. Med., 13, 1145-1147.
- Shelley, R. S. (Nicholas, S. B. (2007). Use of β -blockers and α -agonists in COPD: $\square \square \square \square$
- A review of clinical outcomes. Resp Med: COPD Update, 2 (4), 133-139.
- Sheppard, M.N. Kurian, S.S. Logman-Schenzen, S.C., Michetti, F., Cocchia, D., Cole, P., Marrangos, P.J., Bloom, S.R. (Polak, J.M. (1983). Neurone-specific enolase and S-100:

new markers for delineating the innervation of the respiratory tract in man and other mammals. *Thorax.*, 38, 333-340.

Shibata, K., S. Takei, T. Kawai, Y. Imaizumi, (M. Watanabe. (1989). Decrease in neuronal uptake of noradrenaline simply explains the supersensitivity after sympathectomy in the rat iris dilator. *Jpn. J. Pharmacol.*, 50, 19-29.

Shibata, S., Hattori, K., Mori, J. (Fujiwara, M. (1971). Adrenergic innervation and cocaine-induced potentiation of adrenergic responses of aortic strips from young and old rabbits. *J. Pharmacol. Exp. Ther.*, 177, 621-632.

Shih, R.D., Hollander, J.E., (Burstein, J.L. (1995). Clinical safety of lidocaine in patients with cocaine-associated myocardial infarction. *Ann. Emerg. Med.*, 26(6), 702-706.

Signs, S.A., Dickey-White, H.I., (Vanek, V.W., (1996). The formation of cocaethylene and clinical presentation of ED patients testing positive for the use of cocaine and ethanol. *Am. J. Emerg. Med.*, 14(7), 665-670.

Smart, R.G. (1991). Crack cocaine use: a review of prevalence and adverse effects. *Am J Drug Alcohol Abuse*, 17, 13-26.

Smith, C.B., Trendelenburg, U. Langer, S. Z. (Tsai, T. H. (1966). The relation of retention of norepinephrine-H₃ to the norepinephrine content of the nictitating membrane of the spinal cat during development of denervation of supersensitivity. *J. Pharmacol. Exp. Ther.*, 151, 87 - 94.

Soares, R.D., M.L. de Abreu, (Porto, C.S. (1993). Post-natal development modulates the rat seminal vesicle sensitivity to sympathomimetic agonists. *Naunyn Schmiedebergs Arch. Pharmak.*, 348, 53-57.

Spadari, R.C., Bassani, R.A. (Moraes, S. De (1988). Supersensitivity to isoprenaline and epinephrine in right atria isolated from rats submitted to a single swimming session. *Gen. Pharmacol.*, 19, 129-135.

Sporn, J.K. Harden, T.K. (Molinff, P.B. (1976). (-Adrenergic Receptor Involvement in 6-

Hydroxydopamine-Induced supersensitivity in Rat Cerebral Cortex. *Science*, 26, 624-626.

Staff, Department of Pharmacology. (1995). Manual laboratory for pharmaceutical student. pp. 6.1, 4th ed. Songkhla: Department of Pharmacology, Faculty of Science, Prince of Songkla University.

Staley, J.K., Rothman,R.B., Rice, K.C., Partilla, J. (Mash, D.C. (1997). Kappa2 opioid receptors in limbic areas of the human brain are up-regulated by cocaine in fatal overdose victims. *J. Neurosci.*, 17, 8225-8233.

Starke, K., Endo, T. (Taube, H.D. (1975). Pre- and postsynaptic components in effects of drug with (-adrenoceptor affinity. *Nature*, 254, 440-441.

Strasser, R.H. Marquetant, R. (Kubler, W. (1990). Independent sensitization of (-adrenoceptors in acute myocardial ischemia. *Br. J. Pharmacol.*, 30, 27S-35S.

Strosberg, A.D. (Gerhardt, C.C., (2000). Structure and function of the 3-adrenoceptor. In: A.D. Strosberg, Editor, The □3-Adrenoceptor, Taylor & Francis, London.1-19.

Stuart, M. W. & Cheryl, J. T. L. (2003). The pathophysiology of cocaine abuse. *J. Clin. Forensic. Med.*, 10, 27-39.

Sudhakar, C.B., Al-Hakeem, M., MacArthur, J.
9.

Stuart, M. W. & Cheryl, J. T. L. (2003). The pathophysiology of cocaine abuse. *J. Clin. Forensic. Med.*, 10, 27-39.

Sudhakar, C.B., Al-Hakeem, M., MacArthur, J.D
D., Sumpio, B.E. (1997), Mesenteric ischemia secondary to cocaine abuse: case reports and literature review. *Am. J. Gastroenterol.*, 92(6), 1053-1054.

Suhara, T., Farde, L., Halldin, C., Nargren, K. (Karlsson, P. (1996). Effects of cocaine on [11C] norepinephrine and [11C] beta-1 uptake in the primate peripheral organs measured by PET. *Ann. Nucleo. Med.*, 10, 85-88.

- Summers, R.J. (Tillman, J. (1979). Investigation of the role of calcium in the supersensitivity produced by cocaine in cat spleen strips. Br. J. Pharmacol., 65, 689-699.
- Summers, R.J., (Tillman, J. (1979). Investigation of the role of calcium in the supersensitivity produced by cocaine in cat spleen strips. Br. J. Pharmacol., 65, 689-699.
- Sunbhanich, M. (1980). The Pharmacodynamics of (-Adrenoceptor Agonists and Antagonists and Other Studies, Doctor of Philosophy Dissertation, Department of Pharmacology, University of Melbourne.
- Surprenant, A. (Williams, J.T. (1987). Inhibitory Synaptic Potentials Recorded from Mammalian Neurones Prolonged by Blockade of Noradrenaline Uptake. J. Physio., 382, 87-103.
- Susskind, H., Weber, D.A., Volkow, N.D., (Hitzemann, R. (1991). Increased lung permeability following long-term use of freebase cocaine (crack). Chest, 100, 903-909.
- Sven Jähnichen, Manfrid Eltze (Heinz H. Pertz. (2004). Evidence that 1B-adrenoceptors are involved in noradrenaline-induced contractions of rat tail artery. Eur. J. Pharmacol., 488 (19), 157-167.
- Szakacs, C.J. (Mehlman, B. (1960). Pathologic changes induced by 1-norepinephrine. Am. J. Cardio., 60, 619-627.
- Tagliaro, F., □ □ □ □
- Antonioli, C., De Battisti, Z. Ghielmi, S. (Marigo, M. (1994). Reversed-Phase High-performance Liquid Chromatographic Determination of Cocaine in Plasma and Human Hair with Direct Fluorimetric Detection. J. Chromato., 674, 207-215.
- Tamayo, L., E. Contreras, (L. Quijada. (1974). Supersensitivity to alpha and beta effects of adrenaline induced by cocaine. Arch. Int. Pharmacodyn. Ther., 212, 60-6.
- Tashkin, D.P. (2002). Evidence of chronic damage to the pulmonary microcirculation in habitual users of alkaloidal (Crack) Cocaine. Chest, 121(4), 1231-1238.
- Tashkin, D.P., Khalsa, M.E., Gorelick, D., Chang, P., Simmons, M.S., Coulson, A.H.,

(1992). Pulmonary status of habitual cocaine smokers. *Am. Rev. Respir. Dis.*, 145, 92-100.

Tazelaar, H.D., Karch, S.B., Stephens, B.G., Billingham, M.E. (1987), Cocaine and the heart. *Hum. Pathol.*, 18(2), 195-199.

Tella, S.R. (Goldberge, S.R. (1998). Monoamine transporter and sodium channel mechanisms in the rapid pressure response to cocaine. *Pharmacol. Biochem. Behav.*, 59, 305-312.

Tella, S.R., Schindler, C.W. (Goldberg, S.R. (1991). Rapid sensitization to the cardiovascular effects of cocaine metabolism. *Eur. J. Pharmacol.*, 194, 119-122.

Tella, S.R., Schindler, C.W. (Goldberg, S.R. (1993). Cocaine cardiovascular effects in relation to inhibition of peripheral neuronal monoamine uptake and central stimulation of the sympathoadrenal system. *J. Pharmacol. Exp. Ther.*, 267(1), 153-162.

Tella, S.R., Schindler, C.W. (Goldberg, S.R., (1992). Pathophysiological and pharmacological mechanisms of acute cocaine toxicity in conscious rats. *J. Pharmacol. Exp. Ther.*, 262, 936-946.

Tenner, T.E., Young, J., Riker, B.J., (Ramanadham, S. (1988). Nonspecific supersensitivity induced by reserpine in guinea pig cardiac ventricle tissue. *J. Pharmacol. Exp. Ther.*, 264 (1), 1-5.

Thompson, M.L., Shuster, L. (Shaw, K. (1979). Cocaine-Induced Hepatic Necrosis in Mice: The Role of Cocaine Metabolism. *Biochem. Pharmacol.*, 28, 2389-2395.

Tisdale, J.E. Ducharme, M.P., Shimoyama, H., Webb, C., Sabbah, H.N. and Edwards, D.J. (1996). Electrophysiologic and electrocardiographic pharmacodynamics of cocaine. *Pharmacotherapy*, 16, 438-445.

Tomashefski, J. F. (Felo, J. A. (2004). The pulmonary pathology of illicit drug and substance abuse. *Cur. Diagnos. Patho.*, 10 (5), 413-426.

Tomita, F. Bassett, A.L. Myerberg, R.J. (Kimura, S. (1993). Effects of cocaine on