

BIBLIOGRAPHY

- Anwer, K., Obertic, C., Perez, G.J., Perez-Reyes, N., Mc Dogall, J.K., Monga, M., Sanborn, B.M., Stefani, E. and Toro, L. (1993). Calcium-activated K^+ channels as modulators of human myometrial contractile activity, *American Journal of Physiology*. **265**, C976-C985.
- Batra, S. (1986). Effect of estrogen and progesterone treatment on calcium uptake by the myometrium and smooth muscle of the lower urinary tract, *European Journal of Pharmacology*. **127**, 37-42.
- Breman, M.C. (2000). Characterization of thapsigargin-release Ca^{2+} -ATPase of sarcoplasmic reticulum at limitation $[Ca^{2+}]_i$, *Biochemical et Biophysical Acta (BBA)-Biomembrane*. **1509**, 42-54.
- Bolton, T.B. (1979). Mechanism of action of transmitters on smooth muscle, *Physiological Reviews*. **59**, 606.
- Boothman, M.D. and Berridge, M. (1995). The elemental principles of calcium signaling, *Cell*. **83**, 675-678.
- Bourne, H.R. and Zastrow, M.V. (1998). "Drug receptors & pharmacodynamics" in *Basic & Clinical Pharmacology*. pp. 9-33. Katzung B.G. eds, 8th ed. New York: Pergamon Press.
- Breuill-Fouche, M., Maka, D.-B.K., Geny, B. and Ferre, F. (1991). Alpha-1 adrenergic receptor: Binding and phosphoinositide

breakdown in human myometrium, *Journal of Pharmacology and Experimental Therapeutics*. **258**, 82-87.

Brouk, B. (1975). "Papaya" in *Plants Consumed by Man*. pp. 190. London: Academic Press.

Brown, A.M., Kunze, D.L. and Yatani, A. (1984). The agonist effect of dihydropyridines on Ca channels, *Nature*. **311**, 570-572.

Burdick, E.M. (1971). Carpaine: An alkaloid of *Caricar papaya* – Its chemistry and pharmacology, *Economic Botany*. **25**, 363-365.

Bylund, D.B., Eikenberg, D.C., Hieble, J.P., Langer, S.Z., Lefkowitz, R.J., Minneman, K.P., Molinoff, P.B., Rufolo, R.R. and Trendelenburg, U. (1994). International union of pharmacology nomenclature of adrenoceptors, *Pharmacological Reviews*. **43**, 121-134.

Challis, J.R.G. and Lye, S.J. (1994). "Parturition-Estrogen" in *The Physiology of Reproduction*, pp. 996-997. Knobil, E. and Neill, J.D. eds. 2nd ed. New York: Raven Press.

Chen, S.R.W., Li, X., Ebisawa, K. and Zhang, L. (1997). Functional characterization of recombinant type 3 Ca²⁺ release channel (ryanodine receptor) expressed in HEN 293 cells, *Journal of Biological Chemistry*. **272**, 24234-24264.

Chen, Z.-Q., Lefebvre, D., Bai, X.H., Reaume, A., Rossant, J. and Lye, S.J. (1994). Identification of two regulatory elements within the promoter region of the mouse connexin 43 gene, *Journal of Biological Chemistry*. **270**, 3863-3868.

- Choppin, A., Stepann, G.J., Loury, D.N., Watson, N. and Eglen, R.M. (1991). Characterization of the muscarinic receptor in isolated uterus of sham operated and ovariectomized rats, *British Journal of Pharmacology*. **127**, 1551-1558.
- Cole, W.C. and Garfield, R.E. (1986). Evidence of physiological regulation of myometrial gap junction permeability, *American Journal of Physiology*. **251** (Cell physiology 20), C411-C420.
- Cole, W.C., Garfield, R.E. and Kirkaldy, J.S. (1985). Gap junction and direct intercellular communication between rat uterine smooth muscle cells, *American Journal of Physiology*. **249** (Cell physiology 18), C20-C31.
- Cordell, G.A. (1981). Introduction to alkaloids. pp. 9-25. Canada: John Wiley & Sons.
- Di, W.L., Lachelin, G.C., McGarrigle, H.H., Thomas, N.S. and Becker, D.L. (2001). Oestriol and oestradiol increase cell to cell communication and connexin 43 protein expression in human myometrium, *Molecular Human Reproduction*. **7**, 671-9.
- Ehlert, F.J. (1995). Drugs affecting the parasympathetic nervous system and autonomic ganglia, in *Essentials of Pharmacology*. pp. 101-139. Smith C.M. and Reynard A.M., eds. U.S.A.: Saunders Company.
- Fan, G.H., Zhang, W.B., Yao, C.P. and Pei, G. (1997). Modulation by calcium/calmodulin-dependent protein kinase II of functional

- response of delta opioid receptor in neuroblastoma x glioma hybrid (NG 108-15) cells, *Neuropharmacology*. **36**, 1763-1769.
- Fortier, M., Chase, D., Korenman, S.G. and Krall, J.F. (1983). β -adrenergic cathecholamine-dependent properties of rat myometrium primary cultures, *American Journal of Physiology*. **245** (Cell Physiology 14), C84-C90.
- Fu, X., Favini, R., Kindahl, K. and Ulmsten, U. (2000). Prostaglandin F₂ alpha-induced Ca²⁺ oscillations in human myometrial cells and the role of Ru 486, *American Journal of Obstetric and Gynecology*. **182**, 582-588.
- Fujita, A., Takeuchi, T. Nakajima, H., Nishio, H. and Hata, F. (1995). Involvement of heterotrimeric GTP-binding protein and rho protein, but not proteinkinase C, in agonist-induced Ca²⁺ sensitization of skinned muscle of guinea pig vas deferens, *Journal of Pharmacology and Experimental Therapeutics*. **274**, 551-561.
- Garcia, J.G., Verin, A.D., Schaphorst, K., Siddiqui, R., Patterson, C.E., Csortos, C. and Natarajan, V. (1999). Regulation of endothelial cell myosin light chain kinase by Rho, cortactin, and p60(src), *American Journal of physiology*. **276(6 Pt1)**, L989-98.
- Giordan, R., Siepaio, M., Moulin, T.J. and Regly, P. (1993). Antifungal action of *Carica papaya* latex: isolation of fungal cell wall hydrolyzing enzymes, *Mycoses*. **34**, 469-477.

Godfraind, T., Milier, R. and Wibo, M. (1986). Calcium antagonism and Calcium entry blockade, *Pharmacological Reviews*. **38**, 321-413.

Grover, A.K., Kwan, C.Y. and Daniel, E.E. (1983). High-affinity pH-dependent passive Ca binding by myometrial plasma membrane vesicles, *American Journal of Physiology*. **244** (Cell Physiology), C213-C255.

Gupta, A., Wambebe, C.O. and Parsons, D.L. (1990). Central and cardiovascular effects of the alcoholic extract of the leaves of *Carica papaya*, *International Journal of Crude Drugs Research*. **28**, 257-266.

Gyton, A.C. (1986). "Membrane action potentials and action potentials" in Texbook of Medicinal Physiology. pp. 100-115. 7th ed. London: Saunder & Company.

Haeberle, J.R., Hathway, D.R. and De-Paoli-Roach, A.A. (1985). Dephosphorylation of myosin by the catalytic subunit of a type-2 phosphate produces toleration of chemically skinned uterine smooth muscle, *Journal of Biological chemistry*. **260**, 9965-9968.

Harsha, J. and Chinoy, N.J. (1996). Reversible antifertility effects of benzene extract of papaya seed on female rats, *Phytotherapy Research*. **10**, 327-328.

Hartman, H.T., Flocker, W.J. and Kofranek, A.M. (1981). "Papaya (*Carica papaya L.*)" in *Plant Science: Growth, developments,*

and Utilization of Cultivated Plants. pp. 631-640. New Jersey: Prentice-Hall.

Hess, P., Lansman, J.B. and Tsien, R.W. (1984). Different modes of Ca channel gating behavior favored by dihydropyridine Ca agonists and Antagonists, *Nature*. **311**, 538-544.

Hirata, K., Kikuchi, A., Saraki, T., Kuroda, S., Kaibuchi, K., Masura, Y., Seki, H., Saida, K. and Kakai, Y. (1992). Involvement of rho p21 GTP-enhanced calcium ion sensitivity of smooth muscle contraction, *Journal of Biological Chemistry*. **267**, 8719-8722.

Horowitz, A., Constance, B., Regent Laporte, M. and Morgan, K.G. (1996). Mechanism of smooth muscle contraction, *Physiological Reviews*. **76**, 967-992.

Hurnick, C.A., Sanders, L.I. and Lin, Y.C. (1978). Effect of carpaine, a papaya alkaloid, on the circulatory function in the rat, *Research Communication in Clinical Pathology and Pharmacology*. **22**, 277-289.

Kalsner, S. (1997). Vasodilator action of calcium antagonists in coronary arteries in vitro, *Journal of Pharmacology and Experimental Therapeutics*. **281**, 634-642.

Karaki, H., Ozaki, H., Hori, M., Mitsui-saito M., Amano, K.I., Harada, K.I., Migamoto, S., Nakazawa, H., Won, K.J. and Sato, K. (1997). Calcium movements, distribution, and functions in smooth muscle, *Pharmacological Reviews*. **49**, 157-230.

- Kitazawa, T., Maezono, Y. and Taneike, T. (2000). The mechanism of α_2 -adrenoceptor agonist-induced contraction in longitudinal muscle of porcine uterus, *European Journal of Pharmacology.* **390**, 185-195.
- Kitazawa, T., Nakagoshi, K. Teraooka, H. and Taneike T. (2001). 5-HT (7) and beta(2)-adrenoceptor share in the inhibition of porcine uterine contractility in a muscle layer-dependent manner, *European Journal of Pharmacology.* **433**, 187-97.
- Kitazawa, T., Uchiyama, F.; Hirose, K. and Taneike, T. (1999). Characterization of the muscarinic receptor subtype that mediates the contractile response of acetylcholine in the swine myometrium. *European Journal of Pharmacology.* **367**, 325-334.
- Lammers, W.J.E.P., Ahmad, H.R. and Arafat, K. (1996). Spatial and temporal variations in pacemaking and contraction in the isolated renal pelvis, *American Journal of Physiology.* **270**, F567-F574.
- Lammers, W.J.E.P., Arafat, K., el-Kays, A. and el-Sharkawy, T.Y. (1994). Spatial and temporal variation in local spike propagation in the myometrium of the 17-day pregnant rat, *American Journal of Physiology.* **267**, C1210-C1223.
- Lands, A.M., Arnold, A., Mc Auliff, J.P., Luduena, F.P. and Brown, T.G. (1967). Differentiation of Receptor Systems Activated by Sympathomimetic Amines, *Nature (Lond).* **214**, 597-598.

- Lodish, B., Berk, A., Zipursky, S.L., Matsudaira, P., Baltimore, D. and Darnell, J. (2000). "Cell motility and shape I: microfilaments" in *Molecular Cell Biology*. pp. 751-793. 4th ed. U.S.A.: W.H. Freeman and Company.
- Lohiya, N.K., Goyal R.B., Jayaprakash, D., Sharma, S., Kuma, M. and Ansari, A.S. (1992). Introduction of reversible antifertility with a crude ethanol extract of *Carica papaya* seeds in albino male rats, *International Journal of Pharmacology*. **30**, 308-320.
- Mackenzie, L.W., Word, R.A., Casey, M.L. and Stull, J.T. (1990). Myosin light chain phosphorylation in human myometrial smooth muscle, *American Journal of Physiology*. **258** (Cell Physiology **27**), C92-C98.
- Macmillan, H.F. (1991). "*Carica papaya*" in *Tropical planting and Gardening*, pp. 272. Barlow, H.S., Enoch, I. and Russell, R.A. eds, 6th ed. Kuala Lumpur: Mayayan Kuala Lumpur.
- Maggi, C.A., Giuliani, S. and Santicioli, P. (1995). Effects of the Ca²⁺-ATPase inhibitor, cytoplasmic acid, on electromechanical coupling in the guinea pig ureter, *British Journal of Pharmacology*. **114**, 127-137.
- Marc, S., Leiber, D. and Harbon, S. (1988). Fluoroaluminates mimic muscarinic- and oxytocin-receptor-mediated generation of inositol phosphates and contraction in the guinea pig myometrium. Role for pertussis/cholera toxin insensitive G protein, *Journal of Biochemistry*. **265**, 705-713.

- Maribe, E.N. (2001). "Anatomy of the female reproductive system", in *Human Anatomy and Physiology*. 5th ed. pp. 1087-1092. New York: Benjamin Coming.
- Marston, S.B., Redwood, C.S. and Lehman, W. (1998). Reversal of caldesmon function by anti-caldesmon antibodies confirms its role in the calcium regulation of vascular smooth muscle thin filament, *Biochemical and Biophysical Research Communications*. **155**, 197-202.
- McDonald, P.C. and Casey M.L. (1993). The accumulation of prostaglandin (PGs) in amniotic fluid is an effect of labor and not indication of a role for PGE₂ and PGF_{2α} in the initiation of human parturition, *Journal of Clinical Endocrinology and Metabolism*. **76**, 132-1339.
- McDonald, T.F., Pelzer, S., Trautwein, W. and Pelzer, D.J. (1994). Regulation and modulation of calcium channels in cardiac, skeletal and smooth muscle, *Physiological Reviews*. **74**, 365-461.
- McMarkin, P.D. (1996). "Papaya" in *Flowering Plants of Thailand*, 3rd ed. pp. 105. Bangkok: White Lotus.
- Mehta, A.A., Dave, K.C. and Goyal, R.F. (1995). Involvement of K⁺ channels in the relaxant responses to various agonist in estrogen primed rat uterus, *Indian Journal of Physiology and Pharmacology*. **39**, 140-144.

- Michale, B.F.: (1998). "Drug affecting uterine motility" in *Human Pharmacology Molecular to Clinical*. pp. 559-570. Brown, M. eds. 3th ed. U.S.A.: Mosby-Yearbook.
- Molnar, M. and Hertelendy, F. (1990). Regulation of intracellular free calcium in human myometrial cells by prostaglandin F₂ alpha: comparison with oxytocin, *Journal of Clinical Endocrinology and Metabolism*. **71**, 1243-50.
- Monga, M. and Sanborn, B.M., (1992). "Uterine Biology and the Control of Myometrial Contraction" in *Uterine Function: Molecular and Cellular Aspects*. pp. 95-101. Carsten, M.E. and Miller, J.D. eds. New York: Plenum.
- Morton, J.F. (1977). "Papaya" in *Major Medicinal Plants: botany, culture and uses*. pp. 223-230. U.S.A.:Charles C Thomas.
- Mulkijanyan, K., Sulavelidze, M. and Abuladze, G. (1991). Effect of alkaloid carpaine on cardiovascular system. *Bulletin Academic Science Georgia*. **144**, 441-444.
- Nechay, B.R.: (1984). Mechanisms of action of vanadium, *Annual Reviews of Pharmacology and Toxicology*. **24**, 501-524.
- Oishi, K., Takno-Ohmuro, N., Minakawa-Matsuo, N., Saga, O., Karide, H., Kohama, K. and Uchida, M.K. (1991). Oxytocin contracts rat uterine smooth muscle in Ca²⁺-free medium without any phosphorylation of myocin light chain, *Biochemical and Biophysical Research Communications*. **176**, 122-128.

- Osato, J.A., Santiago, L.A., Reno, G.M., Cuadra, M.S. and Mori, A. (1993). Antimicrobial antioxidant activity of unripe papaya, *Life Sciences*. **53**, 1383-1389.
- Ozaki, H., Ishihara, H., Kohama, K., Nonomura, Y., Shibata, S. and Karaki, H. (1987). Calcium-independent phosphorylation of smooth muscle myosin light chain by okadaic acid isolated from black sponge (*Halichondria okadai*), *Journal of Pharmacology and Experimental Therapeutics*. **243**, 1167-73.
- Parkington, H.C. and Coleman H.A. (1990). "The role of membrane potential in the control of uterine motility" in *Uterine Function: Molecular and Cellular Aspects*, pp. 195-248. , Carsten M.E. and Miller J.D. eds. Newyork: Plenum.
- Pelletier, S.W. (1970). *Chemistry of the alkaloids*. pp. 395-408. New York: Van Nostand Reingoid Company.
- Perez-Guerrero, C., Herrera, M.D. and Marhueuda, E. (1996). Relaxant effect of tetrazepam on rat uterine smooth muscle: role of calcium movement, *Journal of Pharmacy and Pharmacology*. **48**, 1161-1173.
- Philippe, M., Saunders, T. and Basa, A. (1997). Intracellular mechanism underlying prostagaldin F_{2α} stimulated phasic myometrial contraction, *American Journal of Obstetrics and Gynecology*. **273**, E665-E673.
- Rall, T.W. (1991). "Drug affecting uterine motility" in *Goodman's & Gilman the pharmacological basis of the therapeutic*. pp. 953-

962. Molinoff, P.B. and Rudden, R.W. ed. 9th eds. U.S.A.: McGraw Hill company.
- Revuelta, M.P., Cantabrana, B. and Hidalgo, A. (2000). Mechanism involved in kaemperol-induced relaxation in rat uterine smooth muscle, *Life Sciences*. **67**, 25-259.
- Revuelta, M.P., Cantabrana, B. and Hidalgo, A. (1997). Pharmacological evidence for the contribution of polyamines as mediators of the transcriptional component involved in smooth muscle relaxation elicited by forskolin; *Life Sciences*. **61**, 2443-2454.
- Riemer, R.K. and Heyman, M.A. (1998). Regulation of uterine smooth muscle function during gestation, *Pediatric Research*. **4**, 1-31.
- Riemer, D., Huber, IG., Garcia, B.L., Hoase, H. and Striessnig, J. (2000). β -subunit heterogeneity of L-type Ca^{2+} channels in smooth muscle tissue, *FEBS Letters*. **467**, 65-69.
- Roberts, J.M., Insel, P.A., Goldfien, R.D. and Goldfien, A. (1977). α -Adrenoceptors but not β -adrenoceptors increase in rabbit uterus with oestrogen, *Nature (Lond)*. **270**, 624-625.
- Ross, W. (1999). "Pharmacodynamics: Cytoplasmic Second Messenger" in *Goodman's & Gilman the pharmacological basis of therapeutics*. pp. 34-35. Molinoff, P.B. and Rudden, R.W. ed. 9th eds. U.S.A.: McGraw Hill company.
- Sakata, K. and Karaki, H. (1992). Effects of endothelin on cytosolic Ca^{2+} level and mechanical activity in rat uterine smooth muscle, *European Journal of Pharmacology*. **221**, 9-15.

- Sanborn, B.M. (2000). Regulation of ion channel activity to control of myometrial calcium, *Journal of Society for Gynecologic Investigation*. **7**, 4-11.
- Satrija, F., Nansen, P., Bjorn, H., Murtini, S. and He, S. (1994). Effect of papaya latex against *Ascaris suum* in naturally infected pigs, *Journal of Helminthology*. **68**, 343-346.
- Scharmm, M., Thomas, G., Towart, R. and Franckowiak, G. (1983). Novel dihydropyridines with positive inotropic action through activation of Ca^{2+} Channels, *Nature*. **303**, 535-537.
- Scheid, C.R., Honeyman, T.W. and Fay, F.S. (1979). Mechanism of β -adrenergic relaxation of smooth muscle, *Nature*. **277**, 32-36.
- Segal, S., Csavay, A.N. and Datta, D. (1998). The tocolytic effect of cathecholamines in the gravid rat uterus, *Obstetric Anesthesia*. **87**, 864-869.
- Sharma, V.C. and Ogbeide, O.N. (1982). Pawpaw as a renewable energy resource for the production of alkaloid fuels, *Energy*. **7**, 871-873.
- Shi, C., Barnes, S., Coca-Prados, M. and Kelly, M.E. (2002). Protein tyrosin kinase and protein phosphatase signalling pathways regulate volume-sensitive chloride currents in a nonpigmented ciliary epithelial cell line, *Investigative Ophthalmology Visual Science*. **43**, 1525-32.

- Shier D., Bultet, J. and Levis, R. (1999). "Reproductive Systems" in *Hole's Human Anatomy & Physiology*, pp. 857-862. 8th ed. North America: McGraw-Hill.
- Shinohara, K. Funabashi, T. Nakamura, T.J. and Kimura, F. (2001). Effects of estrogen and progesterone on the expression of connexin-36 mRNA in the suprachiasmatic nucleus of female rats, *Neuroscience Letter*. 309, 37-40.
- Shmigol, A.V., Eisner, D.A. and Wray, S. (1999). The role of sarcoplasmic reticulum Ca^{2+} uterine smooth muscle cells, *Journal of Physiology*. 520, 153-183.
- Sironi, J.J., Yen, S.H., Gondal, J.A., Wu, Q., Grundke-Iqbali, I. and Iqbal, K. (1998). Ser-262 in human recombinant tau protein is a markedly more favorable site for phosphorylation by CaMKII than PKA or PhK, *FEBS Letter*. 436, 471-5.
- Somlyo A.P. and Somlyo A.V. (1994). Signal transduction and regulation of smooth muscle, *Nature*. 372: 231-236.
- Sperelakis, N. (1995). "Origin of Resting Membrane Potentials: Ca/Na Exchange Reaction" in *Cell Physiology*, pp. 72-73. Sperelakis, N. eds. California: Academic Press.
- Teng, C.M., Kang, J., Cheng, Y.W., Ko, F.N., Kuo, M.L. and Lin, C.N. (1996). Induction of calcium release from sarcoplasmic reticulum of skeletal muscle by xanthone and norathyriol, *British Journal of Pharmacology*. 118, 1736-1742.

- Trujillo, M.M., Ausina, P., Savinea, JP., Mathan, R., Strippoi, G., Advinier, C., Pinto, E.M. and Cadenas, M.L. (2000). Cellular mechanism involved in iso-osmotic high K⁺ solution-induces contraction of estrogen-primed rat myometrium, *Life Sciences.* **66**, 2441-2453.
- Uyama, Y., Imaizzumi, Y. and Watanabe, M. (1993). Cyclopiazonic acid, an inhibitor for Ca²⁺-ATPase in sarcoplasmic reticulum, increase excitability in ilea smooth muscle, *British Journal of Pharmacology.* **110**, 565-572.
- Vaghy, P.L. (1998). “Calcium antagonisms” in *Human pharmacology: molecular to clinical*, pp. 227-237. Bron, M. eds. 3th ed USA: Mosby-Year book.
- Verma, S.C. and McNeill, J.H. (1976). Isoproterenol-induced relaxation, phosphorylase activation and cyclic adenosine monophosphate levels in the depolarized rat uterus, *Journal of Pharmacology and Experimental Therapeutics.* **198**, 539-547.
- Williams, L.T. and Lefkowitz, R.T. (1977). Regulation of rabbit myometrial alpha-adrenergic receptors by estrogen and progesterone, *Journal of Clinical Investigation.* **60**, 815-88.
- Williams, C.N. (1975). “Papaya [Carica spp.]” in *The agronomy of the major Tropical crops.* pp. 200-205. New York: Oxford University Press.
- Wilson, L., Parsons, M.T. and Flouret, G. (1997). Inhibition of spontaneous uterine contraction during the last trimester in

- pregnant baboons by an oxytocin antagonist, *American Journal of Obstetrics and Gynecology*. **163**, 1875-1882.
- Wray, S. (1993). Uterine contraction and physiological mechanisms of contraction, *American Journal of Physiology*. **264** (cell physiology 33), C1-C18.
- Wu, X., Somlyo, A.V. and Somlyo, A.P. (1996). Cyclic GMP-dependent Stimulation Reverses G protein Coupled Inhibition of Smooth Muscle Myosin Light Chain Phosphatase, *Biochemical and Biophysical Research Communications*. **220**, 658-663.
- Yamashita, M., Dimauga, P., Kaul, S., Shah, P.K., Regnstrom, J., Nilsson, J. and Cercek, B. (1999). Phosphatase activity in the arterial wall after balloon injury: effects of somatostatin analog octreotide, *Laboratory Investigation*. **78**, 935-44.
- Yuan, Y., Huang, Q. and Wu, H.M. (1997). Myosin light chain phosphorylation: modulation of basal and agonist-stimulated venular permeability, *American Journal of Physiology*. **272**(3 Pt 2), H1437-43.
- Zhu, W., Zou, Y., Shiojima, I., Kudoh, S., Akiwa, R., Hayashi, D., Mizukami, M., Toko, H., Shibasaki, F., Yazaki, Y., Nagai, R. and Komuro, I. (2000). Ca^{2+} /calmodulin-dependent kinase II and calcineurin play critical roles in endothelin-1-induced cardiomyocyte hypertrophy, *Journal of Biological Chemistry*. **275**, 15239-45.

Zhuge, R., Li, S., Chen, T.H. and Hsu, W.H. (1995). Oxytocin induced a biphasic increase intracellular Ca^{2+} concentration of porcine myometrial cells: participation of a pertussis toxin-insensitive G-protein, inositol 1,4,5 triphosphate-sensitive Ca^{2+} pool, and Ca^{2+} channels, *Molecular Reproductive Reviews*. 41, 20-28.