

REFERENCES

- Achim, C.L., Heyes, M.P., Wiley, C.A. (1993) Quantitation of human immunodeficiency virus, immune activation factors, and quinolinic acid in AIDS brains. *J. Clin. Invest.* 91, 2769-2775.
- Aggarwal, B.B. (2003) Signaling pathways of the TNF superfamily: A double-edged sword. *Nature Reviews Immunology.* 3, 745-756.
- Ahles, T.A., Saykin, A.J., Furstenberg, C.T., Cole, B., Mott, L.A, Skalla, K., Whedon, M.B., Bivens, S., Mitchell, T., Greenberg, E.R., Silberfarb, P.M. (2002) Neuropsychologic impact of standard-dose systemic chemotherapy in long-term survivors of breast cancer and lymphoma. *J. Clin. Oncol.* 20, 485-493.
- Ahles, T.A., Saykin, A.J. (2002) Breast cancer chemotherapy-related cognitive dysfunction. *Clin. Breast Cancer.* 3, 84-90.
- Akama, K.T., Van Eldik, L.J. (2000) Beta-amyloid stimulation of inducible nitric-oxide synthase in astrocytes is interleukin-1 β - and tumor necrosis factor- α (TNF- α)-dependent, and involves a TNF- α receptor-associated factor- and NF- κ B-inducing kinase-dependent signaling mechanism. *J. Biol. Chem.* 275, 7918-7924.
- Arcamone, F., Cassinelli, G., Fantini, G., Grein, A., Orezzi, P., Pol, C., Spalla, C. (2000) Adriamycin, 14-hydroxy-daunomycin, a new antitumor antibiotic from *S. peuceetius* var. *caesius*. Reprinted from *Biotechnology and Bioengineering*, Vol. XI, Issue 6, Pages 1101-1110 (1969). *Biotechnol. Bioeng.* 67(6), 704-713.
- Baldus, S., Eiserich, J.P., Mani, A., Castro, L., Figueroa, M., Chumley, P., Ma, W., Tousson, A., White, C.R., Bullard, D.C., Brennan, M.L., Luscis, A.J., Moore, K.P., Freeman, B.A. (2001) Endothelial transcytosis of myeloperoxidase confers specificity to vascular ECM proteins as targets of tyrosine nitration. *J. Clin. Invest.* 108, 1759-1770.
- Baldus, S., Eiserich, J.P., Brennan, M.L., Jackson, R.M., Alexander, C.B., Freeman, B.A. (2002) Spatial mapping of pulmonary and vascular nitrotyrosine reveals the pivotal role of myeloperoxidase as a catalyst for tyrosine nitration in inflammatory diseases. *Free Radic. Biol. Med.* 33, 1010-1019.

- Ball, M.J., Fisman, M., Hachinski, V., Blume, W., Fox, A., Kral, V.A., Kirshen, A.J., Fox, H., Merskey, H. (1985) A new definition of Alzheimer's disease: a hippocampal dementia. *Lancet*. 1(8419), 14-16.
- Beal, M.F. (1995) Aging, energy and oxidative stress in neurodegenerative diseases. *Ann. Neurol.* 38, 357-366.
- Beckman, J.S. (1996) Oxidative damage and tyrosine nitration from peroxynitrite. *Chem. Res. Toxicol.* 9, 836-844.
- Bennett, D.A., Wilson, R.S., Schneider, J.A., Evans, D.A., Aggarwal, N.T., Arnold, S.E., Cochran, E.J., Berry-Kravis, E., Bienias, J.L. (2003) Apolipoprotein E ϵ 4 allele, AD pathology, and the clinical expression of Alzheimer's disease. *Neurology*. 60, 246-252.
- Berberoglu, U., Yildirim, E., Celen, O. (2004) Serum levels of tumor necrosis factor alpha correlate with response to neoadjuvant chemotherapy in locally advanced breast cancer. *Int. J. Biol. Markers*. 19(2), 130-134.
- Berg, L., Miller, J.P., Storandt, M., Duchek, J., Morris, J.E., Rubin, E.H., Burke, W.J., Coben, L.A. (1988) Mild senile dementia of the Alzheimer's type: (2) longitudinal assessment. *Ann. Neurol.* 23, 478-484.
- Besedovsky, H.O., del Ray, A. (1996) Immuno-neuro-endocrine interactions: facts and hypothesis. *Endocr. Rev.* 17, 64-102.
- Bigotte, L., Arvidson, B., Olsson, Y. (1982) Cytofluorescence localization of Adriamycin in the nervous system: Distribution of the drug in the central nervous system adult mice after intravenous injection I. *Acta. Neuropathol.* 57, 121-129.
- Bigotte, L., Olsson, Y. (1982) Cytofluorescence localization of adriamycin in the nervous system: Distribution of the drug in the central nervous system adult mice after intravenous injection III. *Acta. Neuropathol.* 58, 193-202.
- Blattleis, C.M., Sehic, E., 1998 Cytokine and fever. *Ann. NY. Acad. Sci.* 840, 608-618.
- Bond, A.S., Jennifer, Z., Myron, W., Roger, R., William, F., Hope, B.M. (2002) Discourse changes in early Alzheimer disease, mild cognitive impairment, and normal aging. *Alzheimer Disease & Associated Disorders*. 16(3), 177-186,

- Borchelt, D.R., Ratovitski, T., van Lare, J., Lee, M.K., Gonzales, V., Jenkins, N.A., Copeland, N.G., Price, D.L., Sisodia, S.S. (1997) Accelerated amyloid deposition in the brains of transgenic mice coexpressing mutant presenilin 1 and amyloid precursor proteins. *Neuron*. 19, 939-945.
- Bradford, M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* 72, 248-254.
- Bredt, D.S. (1999) Endogenous nitric oxide synthesis: biological functions and pathophysiology. *Free Radic. Res.* 31(6), 577-596.
- Brezden, C.B., Phillips, K.A., Abdoell, M., Bunston, T., Tannock, I.F. (2000) Cognitive function in breast cancer patients receiving adjuvant chemotherapy. *J. Clin. Oncol.* 18, 2665-2670.
- Brown, G.C., Cooper, C.E. (1994) Nanomolar concentrations of nitric oxide reversibly inhibit synaptosomal respiration by competing with oxygen at cytochrome oxidase. *FEBS. Lett.* 356(2-3), 295-298.
- Brown, G.C. (1997) Nitric oxide inhibition of cytochrome oxidase and mitochondrial respiration: Implications for inflammatory, neurodegenerative and ischaemic pathologies. *Mol. Cell. Biochem.* 174, 189-192.
- Brown, H., Turner, G., Rogerson, S., Tembo, M., Mwenechanya, J., Malcolm Molyneux, M., Taylor, T. (1999) Cytokine Expression in the Brain in Human Cerebral Malaria. *J. Infec. Dis.* 180, 1742-1746.
- Bruserud, O., Nesthus, I., Buhning H.J. (1995) Cytokine modulation of interleukin-1 and tumor necrosis factor-alpha secretion from acute myelogenous leukemia blast cells in vitro. *Leuk. Res.* 19, 15-22.
- Bertani, T., Cuttillo, F., Zoja, C., Broggin, M., Remuzzi, G. (1986). Tubulo-interstitial lesions mediate renal damage in adriamycin glomerulopathy. *Kidney Int.* 30(4), 488-496.
- Butterfield, D.A. (1997) beta-Amyloid-associated free radical oxidative stress and neurotoxicity: implications for Alzheimer's disease. *Chem. Res. Toxicol.* 10(5), 495-506.
- Butterfield, D.A., Castegna, A., Pocernich, C., Drake, J., Scapagnini, G., Calabrese, V. (2002) Nutritional approaches to combat oxidative stress in Alzheimer's disease. *J. Nutr. Biochem.* 13, 444.

- Butterfield, D.A., Griffin, S., Munch, G., Pasinetti, G.M. (2001) Amyloid β -peptide and amyloid pathology are central to the oxidative stress and inflammatory cascades under which Alzheimer's disease brain exists. *J. Alz. Dis.* 4, 193-201.
- Butterfield, D.A., Drake, J., Pocernich, C., Castegna, A. (2001) Evidence of oxidative damage in Alzheimer's disease brain: central role for amyloid β -peptide. *Trends Mol. Med.* 7(12), 548-554.
- Butterfield, D.A., Lauderback, C.M. (2002) Lipid peroxidation and protein oxidation in Alzheimer's disease brain: potential causes and consequences involving amyloid β -peptide-associated free radical oxidative stress. *Free Radic. Biol. Med.* 32, 1050-1060.
- Butterfield, D.A., Stadtman, E.R. (1997) Protein Oxidation Processes in Aging Brain. *Adv. Cell Aging Gerontol.* 2, 161-191.
- Calabrese, V., Butterfield, D.A., Stella, A.M. (2003) Nutritional antioxidants and the heme oxygenase pathway of stress tolerance: novel targets for neuroprotection in Alzheimer's disease. *Ital. J. Biochem.* 52, 177-181.
- Camandola, S., Mattson, M.P. (2000) Pro-apoptotic action of Par-4 involves inhibition of NF- κ B activity and suppression of BCL-2 expression. *J. Neurosci. Res.* 61, 134-139.
- Campbell, A. (2004) Inflammation, Neurodegenerative Diseases, and Environmental Exposures. *Ann. New York Acad. Sci.* 1035, 117-132.
- Candolfi, M., Jaita, G., Zaldivar, V., Zarate, S., Pisera, D., Seilicovich, A. (2004) Tumor necrosis factor- α -induced nitric oxide restrains the apoptotic response of anterior pituitary cells. *Neuroendocrinology.* 80, 83-91.
- Canevari, L., Clark, J.B., Bates, T.E. (1999) Beta-amyloid fragment 25-35 selectively decreases complex IV activity in isolated mitochondria. *FEBS Lett.* 457, 131-134.
- Carswell, E.A., Old, L.J., Kassel, R.L., Green, S., Fiore, N., Williamson, B. (1975) An endotoxin-induced serum factor that causes necrosis of tumors. *Proc. Natl. Acad. Sci. USA.* 72, 3666-3670.
- Cassina, A., Radi, R. (1996) Differential inhibitory action of nitric oxide and peroxynitrite on mitochondrial electron transport. *Arch. Biochem. Biophys.* 328, 309-316.

- Castegna, A., Thongboonkerd, V., Klein, J.B., Lynn, B., Markesbery, W.R., Butterfield, D.A. (2003) Proteomic identification of nitrated proteins in Alzheimer's disease brain. *J. Neurochem.* 85, 1394-1401.
- Castro, L., Rodriguez, M., Radi, R. (1994) Aconitase is readily inactivated by peroxynitrite, but not by its precursor, nitric oxide. *J. Biol. Chem.* 269(47), 29409-29415.
- Chaiswing, L., Cole, M.P., St Clair, D.K., Ittarat, W., Szweda, L. I., Oberley, T.D. (2004) Oxidative damage precedes nitrative damage in adriamycin-induced cardiac mitochondrial injury. *Toxicol. Pathol.* 32, 536-547.
- Chipuk, J.E., Kuwana, T., Bouchier-Hayes, L., Droin, N., Newmeyer, D.D., Schuler, M., Green, D.R. (2004) Direct activation of Bax by p53 mediates mitochondrial membrane permeabilization and apoptosis. *Science.* 303, 1010-1014.
- Chipuk, J.E., Maurer, U., Green, D.R., Schuler, M. (2003) p53 induces Bax translocation, mitochondrial cyto-chrome C release, and apoptosis in the presence of macromolecular synthesis inhibitors. *Cancer cell.* 4, 371.
- Choi, J.S., Chung, H.Y., Kang, S.S., Jung, M.J., Kim, J.W., No, J.K., Jung, H.A. (2002) The structure-activity relationship of flavonoids as scavengers of peroxynitrite. *Phytother. Res.* 16, 232-235.
- Cleeter M. W. J., Cooper J. M., Darley-Usmar V. M., Moncada S., Schapira A. H. (1994) Reversible inhibition of cyto-chrome c oxidase, the terminal enzyme of the mitochondrial respiratory chain, by nitric oxide. Implications for neurodegenerative diseases. *FERS Lett.* 345, 50-54.
- Cohen, R.A., Moser, D.J., Clark, M.M. (1999) Neurocognitive functioning and improvement in quality of life following participation in cardiac rehabilitation. *Am. J. Cardiol.* 83, 1374-1378.
- Combs, C.K., Karlo, J.C., Kao, S.C., Landreth, G.E. (2001) beta-Amyloid stimulation of microglia and monocytes results in TNFalpha-dependent expression of inducible nitric oxide synthase and neuronal apoptosis. *J. Neurosci* 21, 1179-1188.
- Cooper, C.E., Brown, G.C. (1994) The interactions between nitric oxide and brain nerve terminals as studied by electron paramagnetic resonance. *FEBS. Lett.* 356, 295-298.

- Cooper, C.E., Davies, N.A., Psychoulis, M., Canevari, L., Bates, T.E., Dobbie, M.S., Casley, C.S., Sharpe, M.A. (2003) Nitric oxide and peroxynitrite cause irreversible increases in the K(m) for oxygen of mitochondrial cytochrome oxidase: in vitro and in vivo studies. *Biochem. Biophys. Acta.* 17, 27-34.
- Cooper, J.M., Mann, V.M., Schapira, A.H. (1992) Analyses of mitochondrial respiratory chain function and mitochondrial DNA deletion in human skeletal muscle: effect of ageing. *J. Neurol. Sci.* 113, 91-98.
- Culmsee, C., Zhu, X., Yu, Q.S., Chan, S.L., Camandola, S., Guo, Z., Greig, N.H., Mattson, M.P. (2001) A synthetic inhibitor of p53 protects neurons against death induced by ischemic and excitotoxic insults, and amyloid β -peptide. *J. Neurochem.* 77, 220-228.
- Davis, R.E., Miller, S., Herrstadt, C., Ghosh, S.S., Fahy, E., Shinobu, L.A., Galasko, D., Thal, L.J., Beal, M.F., Howell, N., Parker, W.D.Jr. (1997) Mutations in mitochondrial cytochrome c oxidase genes segregate with late onset Alzheimer disease. *Proc. Natl. Acad. Sci. USA.* 94, 4526-4531.
- DeAtley, S.M., Aksenov, M.Y., Aksenov, M.V., Carney, J.M., Butterfield, D.A. (1998) Adriamycin induces protein oxidation in erythrocyte membranes. *Pharmacol. Toxicol.* 83, 62-68.
- DeAtley, S.M., Aksenov, M.Y., Aksenova, M.V., Harris, B., Hadley, R., Harper, P.C., Carney, J.M. and Butterfield, D.A. (1999) Antioxidants protect against reactive oxygen species associated with adriamycin-treated cardiomyocytes. *Cancer Letts.* 136, 41-46.
- De Luigi, A., Fragiaco, C., Lucca, U., Quadri, P., Tettamanti, M., Grazia De Simoni, M. (2001) Inflammatory markers in Alzheimer's disease and multi-infarct dementia. *Mechanisms of Ageing and Development.* 122 (16), 1985-1995.
- DeStrooper, B., Simons, M., Multhaup, G., Leuven, F.V., Beyreuther, K., Dotti, C.G. (1995) Production of intracellular amyloid-containing fragments in hippocampal neurons expressing human amyloid precursor protein and protection against amyloidogenesis by subtle amino acid substitutions in the rodent sequence. *EMBO. J.* 14, 4932-4938.
- Dhanasekaran, A., Kotamraju, S., Kalivendi, S.V., Matsunaga, T., Shang, T., Keszler, A., Joseph, J., Kalyanaraman, B. (2004) Supplementation of endothelial cells with mitochondria-targeted

- antioxidants inhibit peroxide-induced mitochondrial iron uptake, oxidative damage, and apoptosis. *J. Biol. Chem.* 279, 37575-37587.
- Dickson, D.W. (2004) Apoptotic mechanisms in Alzheimer neurofibrillary degeneration: cause or effect? *J. Clin. Invest.* 114, 23-27.
- D’Introno, A., Panza, F., Colacicco, A.M., Mild cognitive impairment and related entities: role of vascular risk factors, in *Diet and Cognitive Decline*. Edited by Panza F, Solfrizzi V, Capurso A. New York, Nova Science Publishers, Inc., 2004, pp 1–33.
- Doroshov, J.H. (1983) Anthracycline antibiotic-stimulated superoxide, hydrogen peroxide and hydroxyl radical production by NADH dehydrogenase. *Cancer Res.* 43, 4543–4551.
- Dugan, L.L., Sensi, S.L., Canzoniero, L.M., Handran, S.D., Rothman, S.M., Goldberg, M.P., Choi, D.W. (1995) Mitochondrial production of reactive oxygen species in cortical neurons following exposure to N-methyl-D-aspartate. *J. Neurosci.* 15, 6377-6388.
- Echtay, K.S., Murphy, M.P., Smith, R.A., Talbot, D.A., Brand, M.D. (2002) Superoxide activates mitochondrial uncoupling protein 2 from matrix side. Studies using targeted antioxidants. *J. Biol. Chem.* 277, 47129-47135.
- Eckert, A., Keil, U., Marques, C.A., Bonert, A., Frey, C., Schussel, K., Muller, W.E. (2003) Mitochondrial dysfunction, apoptotic cell death, and Alzheimer’s disease. *Biochem. Pharmacol.* 66, 1627-1634.
- El Khoury, J., Hickman, S.E., Thomas, C.A., Loike, J.D., Silverstein, S.C. (1998) Microglia, scavenger receptors, and the pathogenesis of Alzheimer’s disease. *Neurobiol. Aging.* 19, S81-S84.
- Endoh, M., Maiese, K., Wagner, J. (1994) Expression of the inducible form of nitric oxide synthase by reactive astrocytes after transient global ischemia. *Brain Res.* 651(1-2), 92-100.
- Eric, A., Walter, Z., Huangui, X., Howard, G.E. (2002) HIV-1-Associated Dementia: A Metabolic Encephalopathy Perpetrated by Virus-Infected and Immune-Competent Mononuclear Phagocytes. *JIADS.* 31, S43-S54.
- Estabrook, R. (1967) Mitochondrial respiration control and the polarographic Measurements of ADP:O ratios. *Met. Enzymol.* 10, 41-47.

- Evans, D.A., Funkenstein, H.H., Albert, M.S., Scherr, P.A., Cook, N.R., Chown, M.J., Hebert, L.E., Hennekens, C.H., Taylor, J.O. (1989) Prevalence of Alzheimer's disease in a community population of older people. *JAMA*. 262, 2551-2556.
- Ferrell, B.R., Hassay, D.K. (1997) Quality of life among long-term cancer survivors. *Oncology*. 11, 565-576.
- Fisher, B., Redmond, C., Wickerham, D.L., Bowman, D., Schipper, H., Wolmark, N. (1989) Doxorubicin-containing regimens for the treatment of stage II breast cancer: The National Surgical Adjuvant Breast and Bowel Project experience. *J. Clin. Oncol.* 7, 572-582.
- Flood, D.G., Reaume, A.G., Dorfman, K.S., Lin, T.G., Lang, D.M., Trusko, S.P., Savage, M.J., Annaert, W.G., Strooper, B.D., Siman, R., Scott, R.W. (2002) FAD mutant PS-1 gene-targeted mice: Increased A β 42 and A β deposition without APP overproduction. *Neurobiol. Aging* 23, 335-348.
- Freeman, J.R., Broshek, D.K. (2002) Assessing cognitive dysfunction in breast cancer: What are the tools? *Clin. Breast Cancer*. 3, S91-S99.
- Games, D., Adams, D., Alessandrini, R., Barbour, R., Borthellette, P., Blackwell, C., Carr, T., Clemens, J., Donaldson, T., Gillespie, F., Guido, T., Hagopian, S., Johnson-Wood, K., Khan, K., Lee, M., Leibowitz, P., Lieberburg, I., Little, S., Masliah, E., McConlogue, L., Montoya-Zavala, M., Mucke, L., Paganini, L., Penniman, E., Power, M., Schenk, D., Seubert, P., Snyder, B., Soriano, F., Tan, H., Vitale, J., Wadsworth, S., Wolozin, B., Zhao, J. (1995) Alzheimer-type neuropathology in transgenic mice overexpressing V717F beta-amyloid precursor protein. *Nature*. 373, 523-527.
- Gilman, C.P., Chan, S.L., Guo, Z., Zhu, X., Greig, N., Mattson, M.P. (2003) p53 is present in synapses where it mediates mitochondrial dysfunction and synaptic degeneration in response to DNA damage, and oxidative and excitotoxic insults. *Neuromolecular Med.* 3(3), 159-172.
- Giuffrè, A., Sarti, P., Emilio D'Itri, E., Gerhard Buse, G., Soulimane, T., Brunori, M. (1996) On the Mechanism of Inhibition of Cytochrome c Oxidase by Nitric Oxide. 271, (52), 33404-33408.
- Gomez-Chiarri, M., Ortiz, A., Lerma, J.L., Lopez-Armada, M.J., Mampaso, F., Gonzalez, E., Egido, J. (1994) Involvement of tumour necrosis factor and platelet-activating factor in the pathogenesis of experimental nephrosis in rats. *Lab Invest* 70, 449-459.

- Goodman, J., Hochstein, P. (1977) Generation of free radicals and lipid peroxidation by redox cycling of adriamycin and daunomycin. *Biochem. Biophys. Res. Commun.* 77, 797–803.
- Goossens, V., Grooten, J., De Vos, K., Fries, W., (1995) Direct evidence for tumor necrosis factor-induced mitochondrial reactive oxygen intermediates and their involvement in cytotoxicity. *Proc. Natl. Acad. Sci. USA.* 92, 8115-8119.
- Gosch, K.M., Motimer, J.A., Smith, C.D., Markesbery, W.R., Snowdon, D.A. (2002) Hippocampal volume as an index of Alzheimer neuropathology. *Neurology.* 58, 1476-1482.
- Graham, A., Hogg, N., Kalyanaraman, B., O'Leary, V., Darley-Usmar, V., Moncada, S. (1993) Peroxynitrite modification of low-density lipoprotein leads to recognition by the macrophage scavenger receptor. *FEBS Lett.* 330(2), 181-185.
- Greig, N.H., Mattson, M.P., Perry, T., Chan, S.L., Giordano, T., Sambamurti, K., Rogers, J.T., Ovidia, H., Lahiri, D.K. (2004) New Therapeutic Strategies and Drug Candidates for Neurodegenerative Diseases: p53 and TNF- α Inhibitors, and GLP-1 Receptor Agonists. *Ann. NY. Acad. Sci.* 1035, 290–315.
- Grune, T., Blasig, I.E., Sitte, N., Roloff, B., Haseloff, R., Davies, K.J. (1998) Peroxynitrite increases the degradation of aconitase and other cellular proteins by proteasome. *J. Biol. Chem.* 273, 10857-10862.
- Gonzalez-Zulueta, M., Ensz, L.M., Mukhina, G., Lebovitz, R.M., Zwacka, R.M., Engelhardt, J.F., Oberley, L.W., Dawson, V.L., Dawson, T.M. (1998) Manganese superoxide dismutase protects nNOS neurons from NMDA and nitric oxide-mediated neurotoxicity. *J. Neurosci.* 18, 2040-2055.
- Good, P.F., Werner, P., Hsu, A., Olanow, C.W., Perl, D.P. (1996) Evidence of neuronal oxidative damage in Alzheimer's disease. *Am. J. Pathol.* 149, 21-28.
- Gow, A.J., Duran, D., Malcolm, S., Ischiropoulos, H. (1996) Effects of peroxynitrite-induced protein modifications on tyrosine phosphorylation and degradation. *FEBS. Lett.* 385, 63-66.
- Gutierrez, E.G., Banks, W.A., Kastin, A.J. (1993) Murine tumor necrosis factor alpha is transported from blood to brain in the mouse. *J. Neuroimmunol.* 47, 169-176.
- Gutteridge, J.M. (1984) Lipid peroxidation and possible hydroxyl radical formation stimulated by the self-reduction of a doxorubicin-iron (III) complex. *Biochem Pharmacol.* 33(11), 1725-1728.

- Gyorffy, B., Serra, V., Jurchott, K., Abdul-Ghani, R., Garber, M., Stein, U., Petersen, I., Lage, H., Dietel, M., Schafer, R. (2005) Prediction of doxorubicin sensitivity in breast tumors based on gene expression profiles of drug-resistant cell lines correlates with patient survival. *Oncogene*. 24, 7542-7551.
- Hanan, M. Abd El-Gawad., Maha M. El-Sawalhi (2004) Nitric oxide and oxidative stress in brain and heart of normal rats treated with doxorubicin: Role of aminoguanidine. *J. Biochem. And Mol.Tox.*18 (2) , 69 – 77.
- Handa, K., Sato, S. (1975) Generation of free radicals of quinone group-containing anti-cancer chemicals in NADPH-microsome system as evidenced by initiation of sulfite oxidation. *Gann*. 66(1), 43–47.
- Halliwell, B., Gutteridge, J.M.C. (1999) *Free Radicals in Biology and Medicine*. 3rd. Edition. New York: Oxford UP. pp 246-343.
- Hauser, S.L., Doolittle, T.H., Lincoln, R., Brown, R.H., Dinarello, C.A. (1990) Cytokine accumulations in CSF of multiple sclerosis patients: Frequent detection of IL-1 and tumor necrosis factor but not interleukin-6. *Neurology*. 40, 1735-1739.
- Hausladen, A., Fridovich, I. (1994) Superoxide and peroxynitrite inactivate aconitases, but nitric oxide does not. *J. Biol. Chem*. 269 (47), 29405-29408.
- Hensley, K., Maidt, M.L., Yu, Z., Sang, H., Markesbery W.R., Floyd, R.A. (1998) Electrochemical analysis of protein nitrotyrosine and dityrosine in the Alzheimer brain indicates region-specific accumulation. *J. Neurosci*. 18(20), 8126-8132.
- Hernandez-Pando, R., Schon, T., Orozco, E.H., Serafin, J., Estrada-Garcia, I. (2001) Expression of inducible nitric oxide synthase and nitrotyrosine during the evolution of experimental pulmonary tuberculosis. *Exp Toxicol Pathol* 53, 257-265.
- Higuchi, M., Proske, M.R., Yeh, E.T.1998 Inhibition of mitochondrial respiratory chain complex I by TNF results in cytochrome c release, membrane permeability transition, and apoptosis. *Oncogene*.17, 2515-2524.
- Hitchcock-Bryan, S., Gelber, R.D., Cassady, J.R., Sallan, S.E. (1986) The impact of induction anthracycline on long-term failure-free survival in childhood acute lymphoblastic leukemia. *Med. Pediatr. Oncol*. 14, 211-215.

- Holcomb, L., Gordon, M.N., McGowan, E., Yu, X., Benkovic, S., Jantzen, P., Wright, K., Saad, I., Mueller, R., Morgan, D., Sanders, S., Zehr, C., O'Campo, K., Hardy, J., Prada, C.M., Eckman, C., Younkin, S., Hsiao, K., Duff, K. (1998) Accelerated Alzheimer-type phenotype in transgenic mice carrying both mutant amyloid precursor protein and presenilin 1 transgenes. *Nat. Med.* 4, 97-100.
- Holsinger, R. M. D., McLean, C. A., Beyreuther, K. (2002) Increased expression of the amyloid precursor β -secretase in Alzheimer's disease. *Ann. Neurol.* 51, 783-786.
- Hong, S.J., Ted M. Dawson, T.M., Dawson, V.L. (2004) Nuclear and mitochondrial conversations in cell death: PARP-1 and AIF signaling. *TRENDS in Pharm. Sci.* 25 (5), 259-264.
- Hsia, A.Y., Masliah, E., McConlogue, L., Yu, G.Q., Tatsuno, G., Hu, K., Kholodenko, D., Malenka, R.C., Nicoll, R.A., Mucke, L. (1999) Plaque-independent disruption of neural circuits in Alzheimer's disease mouse models. *Proc. Natl. Acad. Sci. USA.* 96, 3228-3233.
- Hsiao, K., Chapman, P., Nilsen, S., Eckman, C., Harigaya, Y., Younkin, S., Yang, F., Cole, G. (1996) Correlative memory deficits, A β elevation, and amyloid plaques in transgenic mice. *Science.* 274, 99-102.
- Hsu, J.L., Hsieh, Y., Tu, C., O'Connor, D., Nick, H.S., Silverman, D.N. (1996) Catalytic properties of human manganese superoxide dismutase. *J. Biol. Chem.* 271, 17687-17691.
- Huang, T.T., Carlson, E.J., Raineri, I., Gillespie, A.M., Kozy, H., Epstein, C.J. (1999) The use of transgenic and mutant mice to study oxygen free radical metabolism. *Ann. N.Y. Acad. Sci.* 893, 95-112.
- Hyma, B.T., Van Horsen, G.W., Damasio, A.R., Barnes, C.L. (1984) Alzheimer's disease: cell-specific pathology isolates the hippocampal formation. *Science.* 225, 1168-1170.
- Inoue, S., Kawanishi, S. (1995) Oxidative DNA damage induced by simultaneous generation of nitric oxide and superoxide. *FEBS Lett.* 371(1), 86-88.
- Ischiropoulos H. (1998) Biological tyrosine nitration: a pathophy-siological function of nitric oxide and reactive oxygen species. *Arch. Biochem. Biophys.* 356, 1-11.
- Ischiropoulos, H., Zhu, L., Chen, J., Tasi, M., Martin, J.C., Smith, C.D., Beckman, J.S. (1992) Peroxynitrite-mediated tyrosine nitration catalyzed by superoxide dismutase. *Arch. Biochem. Biophys.* 298, 431-437.

- Iwatsubo, T., Odaka, A., Suzuki, N., Mizusawa, H., Nukina, N., Ihara, Y. (1994) Visualization of A β 42 (43) and A β 40 in senile plaques with end-specific A β monoclonals: evidence that an initially deposited species is A β 42 (43). *Neuron*. 13, 45-53.
- James, A.M., Cocheme, H.M., Smith, R.A., Murphy, M.P. (2005) Interactions of mitochondria-targeted and untargeted ubiquinones with the mitochondrial respiratory chain and reactive oxygen species. Implications for the use of exogenous ubiquinones as therapies and experimental tools. *J. Biol. Chem.* 280, 21295-21312.
- Janssen-Heininger, Y.M., Poynter, M.E., Baeuerle, P.A. (2000) Recent advances towards understanding redox mechanisms in the activation of nuclear factor kappaB. *Free Radic. Biol. Med.* 28, 1317-1327.
- Jensen, M., Schroder, J., Blomberg, M., Engvall, B., Pantel, J., Ida, N., Basun, H., Wahlund, L.O., Werle, E., Jauss, M., Beyreuther, K., Lannfelt, L., Hartmann, T. (1999) Cerebro-spinal fluid A β 42 is increased early in sporadic Alzheimer's disease and declines with disease progression. *Ann. Neurol.* 45, 504-511.
- Joshi, G., Sultana, R., Tangpong, J., Cole, M.P., St Clair, D.K., Vore, M., Estus, S., Butterfield, D.A. (2005) Free radical mediated oxidative stress and toxic side effects in brain induced by the anti cancer drug adriamycin: Insight into chemobrain. *Free Radic. Res.* 39, 1147-1154.
- Julka, D., Sandhir, R., Gill, K.D. (1993) Adriamycin cardio-myopathy: pathophysiology and prevention. *FASEB J.* 11, 931-936.
- Kalivendi, S.V., Kotamraju S., Zhao H., Joseph J., Kalyana-raman, B. (2001) Doxorubicin-induced apoptosis is associated with increased transcription of endothelial nitric-oxide synthase. Effect of anti-apoptotic antioxidants and calcium. *J. Biol. Chem.* 276, 47266-47276.
- Kalyanaraman, B., Joseph, J., Kalivendi, S., Wang, S., Konorev, E., Kotamraju, S. (2002) Doxorubicin-induced apoptosis: implications in cardiotoxicity. *Mol. Cell. Biochem.* 234-235, 119-124.
- Kamisaki, Y., Wada, K., Bian, K., Balabanli, B., Davis, K., Martin, E., Behbod, F., Lee, Y.C., Murad, F. (1998) An activity in rat tissues that modifies nitrotyrosine-containing proteins. *Proc. Natl. Acad. Sci. USA.* 95, 11584-11589.

- Kang, Y.J., Chen, Y., Epstein, P.N. (1996) Suppression of doxorubicin cardiotoxicity by overexpression of catalase in the heart of transgenic mice. *J. Biol. Chem.* 271 (21), 12610-12616.
- Kaufmann, P.A., Rimoldi, O., Gneocchi-Ruscione, T., Bonser, R.S., Luscher, T.F., Camici, P.G. (2004) Systemic inhibition of nitric oxide synthase unmasks neural constraint of maximal myocardial blood flow in humans. *Circulation.* 110, 1431-1436.
- Keller, J.N., Kindy, M.S., Holtsberg, F.W., St Clair, D.K., Yen, H.C., Germeyer, A., Steiner, S.M., Bruce-Kelle, A.J., Hutchins, J.B., Mattson, M.P. (1998) Mitochondrial manganese superoxide dismutase prevents neural apoptosis and reduces ischemic brain injury: suppression of peroxynitrite production, lipid peroxidation, and mitochondrial dysfunction. *J. Neurosci.* 18, 687-697.
- Kelso, G.F., Porteous, C.M., Coulter, C.V., Hughes, G., Porteous, W.K., Ledgerwood, E.C., Smith, R.A., Murphy, M.P. (2001) Selective targeting of a redox-active ubiquinone to mitochondria within cells: antioxidant and antiapoptotic properties. *J. Biol. Chem.* 276, 4588-4596.
- Kim, Y.M., Kim, T.H., Seol D.W., Talanian, R.V., Billiar, T.R. (1998) Nitric oxide suppression of apoptosis occurs in association with an inhibition of Bcl-2 cleavage and cytochrome c release. *J. Biol. Chem.* 273 (47), 31437-31441.
- Kim, J.I., Ju, W.K., Choi J.H., Choi E., Carp R.I., Wisniewski H.M., Kim, Y.S. (1999) Expression of cytokine genes and increased nuclear factor-kappa B activity in the brains of scrapie-infected mice. *Brain Res. Mol. Brain Res.* 73, 17-27.
- Kish, S.J., Mastrogiacomo, F., Guttman, M., Furukawa, Y., Taanman, J.W., Dozic, S., Pandolfo, M., Lamarche, J., DiStefano, L., Chang, L.J. (1999) Decreased brain protein levels of cytochrome oxidase subunits in Alzheimer's disease and in hereditary spinocerebellar ataxia disorders: a nonspecific change? *J. Neurochem.* 72, 700-707.
- Kokoszka, J.E., Coskun, P., Esposito, L.A., Wallace, D.C. (2001) Increased mitochondrial oxidative stress in the Sod2 (+/-) mouse results in the age-related decline of mitochondrial function culminating in increased apoptosis. *Proc. Natl. Acad. Sci. USA.* 98, 2278-2283.

- Kontol, A., Christine, B., Wilfried, W., Violeta, A., Sonke, A., Sven, S., Ulrike, B. (2001) Amyloid- β is an antioxidant for lipoproteins in cerebrospinal fluid and plasma. *Free Radic. Biol.Med* 30(1), 119-128.
- Kroemer, G., Zamzami, N., Susin, S.A. (1997) Mitochondrial control of apoptosis. *Immunol. Today*. 18, 44-51.
- LaFerla, F.M., Tinkle, B.T., Bieberich, C.J., Haudenschild, C.C., Jay, G. (1995) The Alzheimer's A beta peptide induces neurodegeneration and apoptotic cell death in transgenic mice. *Nat. Genet.* 9, 21-30.
- Lam, F.C., Liu, R., Shapiro, A.B., Renoir, J.M., Sharom, F.J., Reiner, P.B. (2001) β -amyloid efflux mediated by p-glycoprotein. *J. Neurochem.* 76, 1121-1128.
- Lamb, B.T., Bardel, K.A., Kulnane, L.S., Anderson, J.J., Holtz, G., Wagner, S.L., Sisodia, S.S., Hoeger, E.J. (1999) Amyloid production and deposition in mutant amyloid precursor protein and presenilin-1 yeast artificial chromosome transgenic mice. *Nat. Neurosci.* 2, 695-697.
- Lamb, B.T., Sisodia, S.S., Lawler, A.M., Slunt, H.H., KItt, C.A., Kearns, W.G., Pearson, P.L., Price, D.L., Gearhart, J.D. (1993) Introduction and expression of the 400 kilobase amyloid precursor protein gene in transgenic mice. *Nat. Genet.* 5, 22-30.
- Lancaster, J.R., Laster, S.M., Gooding, L.R. (1989) Inhibition of target cell. Mitochondrial electron transfer by tumor necrosis factor. *FEBS Lett.* 248, 169-174.
- Laster, S.M., Wood, J.G., Gooding, L.R. (1988) Tumor necrosis factor can induced both apoptotic and necrotic forms of cell lysis. *J. Immunol.* 141, 2629-2634.
- Lauderback, C.M., Hackett, J.M., Huang, F.F., Keller, J.N., Szweda, L.I., Markesbery, W.R., Butterfield, D.A. (2001) The glial glutamate transporter, GLT-1, is oxidatively modified by 4-hydroxy-2-nonenal in the Alzheimer's disease brain: the role of A beta1-42. *J. Neurochem.* 78, 413-416.
- Lebovitz, R.M., Zhang, H., Vogel, H., Cartwright, J.Jr., Dionne, L., Lu, N., Huang, S., Matzuk, M.M. (1996) Neurode-generation, myocardial injury, and perinatal death in mitochondrial superoxide dismutase-deficient mice. *Proc. Natl. Acad. Sci. U S A.* 93, 9782-9787.

- Lee, M., Hyun, D.H., Marshall, K.A., Ellerby, L.M., Bredesen, D.E., Jenner, P., Halliwell, B. (2001) Effect of overexpression of Bcl-2 on cellular oxidative damage, nitric oxide production, antioxidant defenses, and the proteasome *Free Radic. Biol. Med.* 31(12), 1550-1559.
- Li, Y., Copin, J. C., Reola, L. F., Calagui, B., Gobbel, G.T., Chen, S.F., Sato, S., Epstein C.J., Chan, P.H. (1998) Reduced mitochondrial manganese superoxide dismutase activity exacerbates glutamate toxicity in cultured mouse cortical neurons. *Brain Res.* 814, 164-170.
- Li, Y., Huang, T.T., Carlson, E.J., Melov, S., Ursell, P.C., Olson, J.L., Noble, L.J., Yoshimura, M.P., Berger, C., Chan, P.H., Wallace, D.C., Epstein, C.J. (1995) Dilated cardiomyopathy and neonatal lethality in mutant mice lacking manganese superoxide dismutase. *Nat. Genet.* 11, 376-381.
- Li, J.M., Shah, A.M. (2004) Endothelial cell superoxide generation: regulation and relevance for cardiovascular pathophysiology. *Am. J. Physiol. Regul. Integr. Comp. Physiol.* 287, R1014-R1030.
- Lin, K.T., Xue J.Y., Wong, P.Y.K. (1997) Bcl-2 blocks peroxynitrite-induced apoptosis in HL-60 cells, an association with reactive oxygen species *Inflamm. res.* 46, S157–S158
- Licinio, J. (1997) Central nervous system cytokines and their relevance for neurotoxicity and apoptosis. *J. Neural. Transm. Suppl.* 49, 169-175.
- Licinio, J., Wong, M.L. (1997) Pathways and mechanisms for cytokine signaling of the central nervous system. *J. Clin. Invest.* 100, 2941-2947.
- Liu, H., Ma, Y., Pagliari, L.J., Perlman, H., Yu, C., Lin, A., Pope, R.M. (2004) TNF- α -Induced apoptosis of macrophages following inhibition of NF-kB: A central role for disruption of mitochondria. *J.of Immunol.* 172, 1907-1915.
- Lizasoain, I., Moro, M.A., Knowles, R.G., Darley-usmar, V., Moncada, S. (1996) Nitric oxide and peroxynitrite exert distinct effects on mitochondrial respiration which are differentially blocked by glutathione or glucose. *Biochem. J.* 314, 877–880.
- Locksley, R.M., Killeen, N., Lenardo, M.J. (2001) The TNF and TNF receptor superfamilies: integrating mammalian biology. *Cell.* 104, 487-501.

- Lodish, L., Berk, A., Zipursky, L., Matsudaira, P., Baltimore, D., Darnell, J.E. (1999) Aberrantly folded proteins are implicated in slowly developing diseases: Molecular cell biology. Fourth edition. W.H. Freeman and company. USA. 67-68.
- Loo, D.T., Copani, A., Pike, C.J., Whitemore, E.R., Walencewicz, A.J., Cotman, C.W. (1993) Apoptosis is induced by β -amyloid in cultured central nervous system neurons. Proc. Natl. Acad. Sci. USA. 90, 7951-7955.
- Lopez-Figueroa, M.O., Day, H.E., Lee, S., Rivier, C., Akil, H., Watson, S.J. (2000) Temporal and anatomical distribution of nitric oxide synthase mRNA expression and nitric oxide production during central nervous system inflammation. Brain Res. 852, 239-46.
- Lovell, M.A., Ehmann, W.D., Butler, S.M., Markesbery, W.R. (1995) Elevated thiobarbituric acid-reactive substances and antioxidant enzyme activity in the brain in Alzheimer's disease. Neurology. 45, 1594-1601.
- MacMillan-Crow, L.A., Crow, J.P., Kerby, J.D., Beckman, J.S., Thompson, J.A. (1996) Nitration and inactivation of manganese superoxide dismutase in chronic rejection of human renal allografts. Proc. Natl. Acad. Sci. U S A. 93, 11853-11858.
- Madrigal, J.L., Hurtado, O., Moro, M.A., Lizasoain, I., Lorenzo, P., Castrillo, A., Bosca, L., Leza J.C. (2002) The increase in TNF-alpha levels is implicated in NF-kappaB activation and inducible nitric oxide synthase expression in brain cortex after immobilization stress. Neuropsychopharmacology. 26, 155-163.
- Mandi, Y., Ocsovszki, I., Szabo, D., Nagy, Z., Nelson, J., Molnar, J. (1998) Nitric oxide production and MDR expression by human brain endothelial cells. Anticancer Res. 18, 3049-3052.
- Manish, K.P., Veeranna, A., Niranjana, D.A., Harish, C.P. (2002) Phosphorylation activity in Alzheimer's disease and normal brain is modulated by microtubule-associated protein, tau in vitro. J of Alzheimer's disease 1(3), 169-182.
- Marchenko, N.D., Zaika, A., Moll, U.M. (2000) Death signal-induced localization of p53 protein to mitochondria a potential role in apoptotic signaling. J. Biol. Chem. 275, 16202-16212.
- Marcus, J.S., Karackattu, S.L., Fleegal, M.A., Sumners, C. (2003) Cytokine-stimulated inducible nitric oxide synthase expression in astroglia: role of Erk mitogen-activated protein kinase and NF-kappaB. Glia. 41, 152-160.

- Mark, R.J., Blance, E.M., Mattson, M.P. (1996) Amyloid β -peptide and oxidative cell injury in Alzheimer's disease. *Mol. Neurobiol.* 12, 211-224.
- Mark, S.K., Yu J., Guo, J.T., Zhu, H. (2002) Apolipoprotein serum amyloid in Alzheimer's disease. *J of Alzheimer's disease.* 1(3), 155-167.
- Markesbery, W.R. (1997) Oxidative stress hypothesis in Alzheimer's disease. *Free Radic. Biol. Med.* 23, 134-147.
- Markesbery, W.R., Lovell, M.A. (1998) Four-Hydroxynonenal, a product of lipid peroxidation, is increased in the brain in Alzheimer's. *Neurobiol. of Aging.* 19 (1), 33-36.
- Markesbery, W.R., Carney, J.M. (1999) Oxidative alterations in Alzheimer's disease. *Brain Pathol.* 9, 133-146.
- Marklund, S.L., Adolfsson, R., Gottfries, C.G., Windblad, B. (1985) Superoxide dismutase isoenzymes in normal brains and in brains from patients with dementia of Alzheimer type. *J. Neurol. Sci.* 67, 319-325.
- Mathews, C.K., van Holde, K.E. (1990) *Biochemistry 1990*, Benjamin/Cummings, Redwood City, CA.
- Mattiazzi, M., D'Aurelio, M., Gajewski, C.D., Martushova, K., Kiaei, M., Beal, M.F., Manfredi, G. (2002) Mutated human SOD1 causes dysfunction of oxidative phosphorylation in mitochondria of transgenic mice. *J. Biol. Chem.* 277, 29626-29633.
- Mattson, M.P. (1997) Cellular actions of β -amyloid precursor protein, and its soluble and fibrillogenic peptide derivatives. *Physiol. Rev.* 77, 1081-1132.
- Mattson, M.P., Haughey, N.J., Nath, A. (2005) Cell death in HIV dementia. *Cell Death and Differentiation.* 1350-9047/05, 1-12.
- Maurer, I., Zierz, S., Moller, H.J. (2000) A selective defect of cytochrome C oxidase is present in brain of Alzheimer disease patients. *Neurobiol. Aging.* 21: 455-462.
- McGowan, E., Sanders, S., Iwatsubo, T., Takeuchi, A., Saido, T., Zehr, C., Yu, X., Uljon, S., Wang, R., Mann, D., Dickson, D., Duff, K. (1999). Amyloid phenotype characterization of transgenic mice overexpressing both mutant amyloid precursor protein and mutant presenilin 1 transgenes. *Neurobiol. Dis.* 6, 231-244.

- McCusker, S.M., Curran, M.D., Dynan, K.B., McCullagh, C.D., Urquhart, D.D., Middleton, D., Patterson, C.C., McIlroy, S.P., Passmore, A.P. (2001) Association between polymorphism in regulatory region of gene encoding tumour necrosis factor alpha and risk of Alzheimer's disease and vascular dementia: a case-control study. *Lancet*. 357(9254), 436-439.
- Mecocci, P., MacGarvey, U., Beal, M.F. (1994) Oxidative damage to mitochondrial DNA is increased in Alzheimer's disease. *Ann. Neurol.* 36, 747-751.
- Meda, L., Cassatella, M.A., Szendrei, G.I., Otvos, L.Jr., Baron, P., Villalba, M., Ferrari, D., Rossi, F. (1995) Activation of microglial cells by beta-amyloid protein and interferon-gamma. *Nature*. 374, 647-650.
- Meredith, M.J., Reed, D.J. (1983) Depletion in vitro of mitochondrial glutathione in rat hepatocytes and enhancement of lipid peroxidation by Adriamycin and 1,3 chloroethyl-nitrosurea (BCNU). *Biochem. Pharmacol.* 32, 1383-1388.
- Meyers, C.A. (2000) Neurocognitive dysfunction in cancer patients. *Oncology*. 14, 75-81.
- Mihara, M., Erster, S., Zaika, A., Petrenko, O., Chittenden, T., Pancoska, P., Moll, U.M. (2003) p53 has a direct apoptogenic role at the mitochondria. *Molecular Cell*. 11, 577-590.
- Mimnaugh, E.G., Siddik, Z.H., Drew, R., Sikic, B.I., Gram, T.E. (1979) The effects of alpha-tocopherol on the toxicity, disposition, and metabolism of adriamycin in mice. *Toxicol Appl Pharmacol.* 49(1), 119-126.
- Mitchell, T.H., Mufson, E.J., Schneider, J.A., Elizabeth J. Cochran, E.J. Nissanov, J., Han, L.Y., Bienias, J.L., Lee, V.M.Y., Trojanowski, J.Q., Bennett, D.A., Arnold, S.E. (2002) Parahippocampal tau pathology in healthy aging, mild cognitive impairment, and early Alzheimer's disease. *Ann. Neurology*. 51(2), 182-189.
- Mohan, N., Meltz, M.M. (1994) Induction of nuclear factor kB after low-dose ionizing radiation involves a reactive oxygen intermediate signaling pathway. *Rad. Res.* 140, 97-104.
- Moncada, S. and Higgs A. (1993) The L-arginine-nitric oxide pathway. *N. Engl. J. Med.* 329, 2002-2012.
- Montine, K.S., Olson, S.J., Amarnath, V., Whetsell, W.O., Graham, D.G., Montine, T.J. (1997) Immunohisto-chemical detection of 4-hydroxy-2-nonenal adducts in Alzheimer's disease is associated with inheritance of ApoE4. *Am. J. Pathol.* 150, 437-443.

- Mori, E., Lee, K.U., Yasuda, M. (2002) Accelerated hippocampal atrophy in Alzheimer's disease with Apolipoprotein E ϵ 4 allele. *Ann. Neurol.* 51, 209-214.
- Morris, J.C., Storandt, M., Miller, J.P., (2001) Mild cognitive impairment represents early-stage Alzheimer disease. *Arch. Neurol.* 58, 397-405.
- Nagy Z., Esiri M.M., Jobst K.A., Johnston C., Litchfield S., Sim E., Smith A.D. (1995) Influence of the apolipoprotein E genotype on amyloid deposition and neurofibrillary tangle formation in Alzheimer's disease. *Neuroscience.* 69(3), 757-761.
- Nawroth, P.P., Bank, I., Handley, D., Cassimeris, J., Chess, L., Stern, D. (1986) Tumor necrosis factor/cachectin interacts with endothelial cell receptors to induce release of interleukin 1. *J. Exp. Med.* 163(6), 1363-1375.
- Nuhomura, A., Perry, G., Pappolla, M.A., Wade, R., Hirai, K., Chiba, S., Smith, M.A. (1999) RNA oxidation is a prominent feature of vulnerable neurons in Alzheimer's disease. *J Neurosci.* 19, 1959-1964.
- Nuovo, G.J., Gallery, F., MacConnell, P., Braun, A. (1994) In situ detection of polymerase chain reaction-amplified HIV-1 nucleic acids and tumor necrosis-a RNA in the central nervous system. *Am. J. Pathol.* 144, 659-666.
- Olson R. D., Mushlin P. S. (1990) Doxorubicin cardiotoxicity: analysis of prevailing hypotheses. *FASEB J.* 4, 3076-3086.
- Osburg, B., Peiser, C., Domling, D., Schomburg, L., Ko, Y.T., Voigt, K., Bickel, U. (2002) Effect of endotoxin on expression of TNF receptors and transport of TNF- α at the blood-brain barrier of the rat. *Am. J. Physiol. Endocrinol. Metab.* 283, E899-908.
- Oteki, T., Nagase, S., Yokoyama, H., Ohya, H., Akatsuka, T., Tada, M., Ueda, A., Hirayama, A., Koyama, A. (2005) Evaluation of adriamycin nephropathy by an in vivo electron paramagnetic resonance. *Biochem. Biophys. Res. Commun.* 332, 326-331.
- Ozen, S., Usta, Y., Sahin-Erdemli, I., Orhan, D., Gumusel, B., Yang, B., GURSOY, Y., Tulunay, O., Dalkara, T., Bakkaloglu, A., El-Nahas, M. (2001) Association of nitric oxide production and apoptosis in a model of experimental nephropathy. *Nephrol. Dial. Transplant.* 16, 32-38.
- Packer, M.A., Porteous, C.M., Murphy, M.P. (1996) Superoxide production by mitochondria in the presence of nitric oxide forms peroxynitrite. *Biochem. Mol. Biol. Int.* 40, 527-534.

- Pan, S.S., Bachur, N.R. (1980) Xanthine oxidase catalyzed reactive cleavage of anthracycline antibiotics and free radical formation. *Mol. Pharmacol.* 17, 95-99.
- Panza, F., D'Introno, A., Colacicco, A.M., Capurso, C., Del Parigi, A., Caselli, R.J., Pilotto, A., Argentieri, Scapicchio, P.L., Scafato, L., Capurso, A., Solfrizzi, V. (2005) Current epidemiology of mild cognitive impairment and other predementia syndromes. *Am. J. Geriatr. Psychiatry* 13, 633-644.
- Parks, J.K., Smith, T.S., Patricia A. Trimmer, P.A., Bennett J.P., Parker W.D.J. (2001) Neurotoxic A β -peptides increase oxidative stress in vivo through NMDA-receptor and nitric oxide synthase mechanisms, and inhibit complex IV activity and induce a mitochondrial permeability transition in vitro. *J. Neurochem.* 76, 1050-1056.
- Perry, S.W., Dewhurst, S., Bellizzi, M.J., Gelbard, H.A. (2002) Tumor necrosis factor-alpha in normal and diseased brain: Conflicting effects via intraneuronal receptor crosstalk? *J. Neurovirol.* 8, 611-624.
- Petersen, R.C., Smith, G.E., Waring, S.C. (1999) Mild cognitive impairment: clinical characterization and outcome. *Arch Neurol.* 56, 303-308.
- Petersen, R.C., Stevens, J.C., Ganguli, M., (2001) Practice parameter: early detection of dementia: mild cognitive impairment (an evidence-based review). Report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology.* 56, 1133-1142.
- Piantadosi, C.A., Zhang, J. (1996) Mitochondrial generation of reactive oxygen species after brain ischemia in the rat. *Stroke.* 27, 327-331.
- Picklo, M.J., Olson, S.J., Markesbery, W.R., Montine, T.J. (2001) Expression and activities of aldo-keto oxidore-ductases in Alzheimer disease. *J. Neuropathol. Exp. Neurol.* 60, 686-695.
- Pratico, D., Delanty, N. (2000) Oxydative injury in diseases of the central nervous system: Focus on Alzheimer's disease. *Am. J. Med.* 109, 577-585.
- Pocernich, C.B., Sultana, R., Mohmmad Abdul, H., Nath, A., Butterfield, D.A. (2005) HIV dementia, Tat-induced oxidative stress, and antioxidant therapeutic considerations. *Brain Res. Brain Res. Rev.* 50, 14-26.

- Poderoso, J.J., Carreras, M.C., Lisdero, C., Riobó, N., Schöpfer, F., Boveris A. (1996) Nitric oxide inhibits electron transfer and increases superoxide radical production in rat heart mitochondria and sub-mitochondrial particles. *Arch. Biochem. Biophys.* 328, 85-92.
- Poljakovic, M., Nygren, J.M., Persson, K. (2003) Signalling pathways regulating inducible nitric oxide synthase expression in human kidney epithelial cells. *Eur. J. Pharmacol.* 23, 21–28.
- Polster, B.M., Fiskum, G. (2004). Mitochondrial mechanisms of neural cell apoptosis. *J. Neurochem.* 90(6), 1281-1289.
- Powis, G. (1989) Free radical formation by anti-tumor quinones. *Free Radic. Biol. Med.* 6, 63-101.
- Radi, R. (2004) Nitric oxide, oxidants, and protein tyrosine nitration. *Proc. Natl. Acad. Sci. U S A.* 101, 4003-4008.
- Radi, R., Beckman, J.S., Bush, K.M., and Freeman, B. A. (1991) Peroxynitrite-induced membrane lipid peroxidation: the cytotoxic potential of superoxide and nitric oxide. *Arch. Biochem. Biophys.* 288, 481-487.
- Reaume, A.G., Howland, D.S., Trusko, S.P., Savage, M.J., Lang, D.M., Greenberg, B.D., Siman, R., Scott, R.W. (1996) Enhanced amyloidogenic processing of the β -Amyloid precursor protein in gene-targeted mice bearing the Swedish familial Alzheimer's disease mutations and a "humanized" A β sequence. *J. Biol. Chem.* 271, 23380-23388.
- Reynolds, W.F., Rhee, J., Maciejewski, D., Paladino, T., Sieburg, H., Maki, R.A., Masliah, E. (1999) Myeloperoxidase polymorphism is associated with gender specific risk for Alzheimer's disease. *Exp. Neurol.* 155, 31-41.
- Richardson, J.S. (1993) Free radicals in the genesis of Alzheimer's disease. *Ann. NY. Acad. Sci.* 695, 73-76.
- Richter, C. (1995) Oxidant in mitochondria: from physiology to diseases. *Biochem, Biophys. Acta.* 1271, 67.
- Rubbo, H., Trostchansky, A., Botti, H., Batthyany, C. (2002) Interactions of nitric oxide and peroxynitrite with low-density lipoprotein. *Biol. Chem.* 383, 547-552.
- Saez, J.C., Kessler, J.A., Bennett, M.V., Spray, D.C. (1987) Superoxide dismutase protects cultured neurons against death by starvation. *Proc. Natl. Acad. Sci. U S A.* 84, 3056-3059.

- Santoro, M.G., Rossi, A., Amici, C. (2003) NF-kappaB and virus infection: who controls whom. *EMBO. J.* 22, 2552-2560.
- Sawyer, D.B., Furakazawa, R., Arstall, M.A., Kelly, R.A., (1999) Daunorubicin-induced apoptosis in rat cardiac myocytes is inhibited by dexrazoxane. *Circ. Res.* 84(3), 257-265.
- Schagen, S.B., Hamburger, H.L., Muller, M.J., Boogerd, W., van Dam, F.S. (2001) Neurophysiological evaluation of late effects of adjuvant high-dose chemotherapy on cognitive function. *J. Neurooncol.* 51, 159-165.
- Schagen, S.B., van Dam, F.S., Muller, M.J., Boogerd, W., vd Wall, E., Lindeboom, J., Bruning, P.F. (1999) Cognitive difficulties after postoperative adjuvant chemotherapy for breast carcinoma. *Cancer.* 85, 640-650.
- Schreck, R., Albermann, K., Baeuerle, P.A. (1992) Nuclear factor kappa B: an oxidative stress-responsive transcription factor of eukaryotic cells (a review). *Free Radic. Res. Commun.* 17, 221-237.
- Schuler, M., Green, D.R. (2001) Mechanisms of p53-dependent apoptosis. *Biochem. Soc. Trans.* 29, 684-688.
- Schulze-Osthoff, K., Bakker, A.C., Vanhaesebroeck, B., Beyaert, R., Jacob, W.A., Fiers. (1992) Cytotoxic activity of tumor necrosis factor is mediated by early damage of mitochondrial functions. Evidence for involvement of mitochondrial radical generation. *J. Biol. Chem.* 267, 5317-5323.
- Schulze-Osthoff, K., Los, M., Baeuerle, P.A. (1995) Redox signalling by transcription factors NF-kB and AP-1 in lymphocytes. *Biochem. Pharmacol.* 50, 735-41.
- Selkoe, D. J. (1996) Amyloid β -protein and the genetics of Alzheimer's disease. *J. Biol. Chem.* 271, 18295-18298.
- Selkoe, D. J. (1998) The cell biology of beta-amyloid precursor protein and presenilin in Alzheimer's disease. *Trends Cell Biol.* 8, 447-453.
- Selkoe, D.J. (2001) Clearing the brain's amyloid cobwebs. *Neuron.* 25, 177-180
- Sharief, M.K., Hentges, R. (1991) Association between tumor necrosis factor-alpha and disease progression in patients with multiple sclerosis. *New Eng. J. Med.* 325, 467-472.

- Sharief, M.K., Ciardi, M., Thompson, E.J. (1992) Blood-brain barrier damage in patients with bacterial meningitis: association with tumor necrosis factor-alpha but not interleukin-1 β . *J. Infect. Dis.* 166, 350-358.
- Shin, C.M., Chung, Y.H., Kim, M.J., Lee, E.Y., Kim, E.G., Cha, C.I. (2002) Age related changes in the distribution of nitrotyrosine in the cerebral cortex and hippocampus of rats. *Brain Res.* 931, 194-199.
- Siman, R., Reaume, A.G., Savage, M.J., Trusko, S., Lin, Y.G., Scott, R.W., Flood, D.G. (2000) Presenilin-1 P264L knock-in mutation: differential effects on A β production, amyloid deposition and neuronal vulnerability. *J. Neurosci.* 20, 8717-8726.
- Singal, P.K., Deally, C.M., Weinberg, L.E. (1987) Subcellular effects of adriamycin in the heart. A concise review. *J. Mol. Cell Cardiol.* 19, 817-828.
- Singal, P.K., Iliskovic, N. (1998) Adriamycin cardiomyopathy. *N. Eng. J. Med.* 339, 900-905.
- Singal, P.K., Li, T., Kumar, D., Danelisen, I., Iliskovic, N. (2000) Adriamycin-induced heart failure: mechanism and modulation. *Mol. Cell. Biochem.* 207, 77-86.
- Skovronsky, D.M., Doms, R.W., Lee, V.M. (1998) Detection of novel, intraneuronal pool of insoluble A β that accumulates with time in culture. *J. Cell. Biol.* 141, 1031-1039.
- Sloane, J.A., Hollander, W., Moss, M.B., Rosene, D.L., Abraham, C.R. (1999) Increased microglial activation and protein nitration in white matter of the aging monkey. *Neurobiol. Aging.* 20, 395-405.
- Smith, M.A., Perry, G., Richey, P.L., Sayre, L.M., Anderson, V.E., Beal, M.F., Kowall, N. (1996) Oxidative damage in Alzheimer's. *Nature.* 382, 120-121.
- Smith, M.A., Richey, H.P.L., Sayre, L.M., Beckman, J.S., Perry G. (1997) Widespread peroxynitrite-mediated damage in Alzheimer's disease. *J. Neurosci.* 17, 2653-2657.
- Snyder, A.R., Morgan, W.F. (2005) Differential induction and activation of NF-kappaB transcription complexes in radiation-induced chromosomally unstable cell lines. *Environ. Mol. Mutagen.* 45, 177-187.
- Souza, J.M., Choi, I., Chen, Q., Weisse, M., Daikhin, E., Yudkoff, M., Obin, M., Ara, J., Horwitz, J., Ischiropoulos, H. (2000) Proteolytic degradation of tyrosine nitrated proteins. *Arch. Biochem. Biophys.* 380, 360-366.

- Spitz, D.R., Oberley L.W. (1989) An assay for superoxide dismutase activity in mammalian tissue homogenates. *Anal. Biochem.* 179, 8-18.
- Steinherz, L.J., Graham, T., Hurwitz, R., Sondheimer, H.M., Schwartz, R.G., Shaffer, E.M., Sandor, G., Benson, L., Williams, R. (1992) Guidelines for cardiac monitoring of children during and after anthracycline therapy: report of the Cardiology Committee of the Childrens Cancer Study Group. *Pediatrics.* 89, 942-949.
- Ste-Marie, L., Hazell, A.S., Bemeur, C., Butterworth, R., Montgomery, J. (2001) Immunohistochemical detection of inducible nitric oxide synthase, nitrotyrosine and manganese superoxide dismutase following hyperglycemic focal cerebral ischemia. *Brain Res.* 918, 10-19.
- Sternberg, E.M. (1997) Neural-immune interactions in health and disease. *J. Clin. Invest.* 100, 2641-2647.
- Subramaniam, R., Koppal, T., Green, M., Yatin, S., Jordan, B., Drake, J., Butterfield, D.A. (1998) The free radical antioxidant vitamin E protects cortical synaptosomal membranes from amyloid β -peptide (25-35) toxicity but not from hydroxynonenal toxicity: relevance to the free radical hypothesis of Alzheimer's disease. *Neurochem. Res.* 23(11), 1403-1410.
- Sultana, R., Poon, H.F., Cai, J., Pierce, W.M., Merchant, M., Klein, J.B., Markesbery, W.R., Butterfield, D.A. (2005) Identification of nitrated hippocampal proteins in Alzheimer's disease brain using a redox proteomics approach. *Neurobiol. of Dis.* (In press)
- Suzuki, N., Cheung, T.T., Cai, X.D., Odaka, A., Otvos, L.Jr., Eckman, C., Golde, T.E., Younkin, S.G. (1994) An increased percentage of long amyloid β -protein secreted by familial amyloid β -protein precursor (β APP717) mutants. *Science.* 264, 1336-1340.
- Szelenyi, J. (2001) Cytokines and the central nervous system. *Brain Research Bulletin.* 54, 329-338.
- Szewczyk, A., Wojtczak, L., (2002) Mitochondria as a pharmacological target. *Pharmacol. Rev.* 54, 101-127.
- Tan, Z., Tu, W., Schreiber, S.S. (2001) Downregulation of free ubiquitin: a novel mechanism of p53 stabilization and neuronal cell death. *Brain Res. Mol. Brain Res.* 91(1-2), 179-188.
- Thomas, W.M., Elliott, J.M., Julie, A.S., Elizabeth, J.C., Jonathan, N., Li-Ying, H., Jlia, L.B., Virginia, M., Lee, Y., John, Q.T., David, A.B., Steven, E.A. (2002) Hippocampal tau pathology in

- healthy aging, mild cognitive impairment, and early Alzheimer's disease. *Ann. Neurol.* 51, 182-189.
- Tracey, K.J., Cerami, A. (1993) Tumor necrosis factor, other cytokines and disease. *Annu. Rev. Cell Biol.* 9, 317-343.
- Tohgi, H., Abe, T., Yamazaki, K., Murata, T., Ishizaki, E., Isobe, C. (1999) Alterations of 3-nitrotyrosine concentration in the cerebrospinal fluid during aging and in patients with Alzheimer's disease. *Neurosci. Lett.* 269, 52-54.
- Turner, R.S., Suzuki, N., Chyung, A.S., Younkin, S.G., Lee, V.M. (1996) Amyloids β 40 and β 42 are generated intracellularly in cultured human neurons and their secretion increases with maturation. *J. Biol. Chem.* 271, 8966-8970.
- Turrens, J.F. (1997) Superoxide production by the mitochondrial respiratory chain. *Biosci. Rep.* 17, 3-8.
- Ujhazy, P., Zaleskis, G., Mihich, E., Ehrke, M.J., Berleth, E.S. (2003) Doxorubicin induces specific immune functions and cytokine expression in peritoneal cells. *Cancer Immunol. Immunother.* 52, 463-472.
- Ulberto, D.G., Douglas, C.A., Matthew, P.F. (1999) Alzheimer's disease: Degenerative diseases affecting the cerebral cortex. In *Pathologic basis of disease*. sixth edition. W.B. Saunders company. USA. 1329-1333.
- Usta, Y., Ismailoglu, U.B., Bakkaloglu, A., Orhan, D., Besbas, N., Sahin-Erdemli, I., Ozen, S. (2004) Effects of pentoxifylline in adriamycin-induced renal disease in rats. *Pediatr. Nephrol.* 19, 840-843.
- Valcour, V., Shikuma, G., Cecilia, M., Watters, M., Sacktor, R., Ned, C.B. (2004) Cognitive impairment in older HIV-1 seropositive individuals: prevalence and potential mechanisms. *AIDS.* 8, 79-86.
- van Dam, F.S., Schagen, S.B., Muller, M.J., Boogerd, W., vd Wall, E., Droogleever Fortuyn, M.E., (1998) Impairment of cognitive function in women receiving adjuvant treatment for high-risk breast cancer: high-dose versus standard-dose chemotherapy. *J. Natl. Cancer Inst.* 90, 210-218.

- Van Remmen, H., Williams, M.D., Guo, Z., Estlack, L., Yang, H., Carlson, E.J., Epstein, C.J., Huang, T.T., Richardson, A. (2001) Knockout mice heterozygous for Sod2 show alterations in cardiac mitochondrial function and apoptosis. *Am. J. Physiol. Heart Circ. Physiol.* 281, H1422-H1432
- Vasquez-Vivar, J., Hogg, N., Martasek, P., Karoui, H., Tordo, P., Pritchard, K. A., Jr., Kalyanaraman, B. (1999) Effect of redox-active drugs on superoxide generation from nitric oxide synthases: biological and toxicological implications. *Free Radic. Res.* 31, 607-617.
- Vodovotz, Y., Lucia, M.S., Flanders, K.C., Chesler, L., Xie, Q.W., Smith, T.W., Weidner, J., Mumford, R., Webber, R., Nathan, C., Roberts, A.B., Lippa, C.F., Sporn, M.B. (1996) Inducible nitric oxide synthase in tangle-bearing neurons of patients with Alzheimer's disease. *J. Exp. Med.* 184, 1425-1433.
- Waage, A., Halstensen, A., Shalaby, R., Brandtzaeg, P., Kierulf, P., Espevik, T. (1989) Local production of tumor necrosis factor alpha, interleukin 1, and interleukin 6 in meningococcal meningitis. Relation to the inflammatory response. *J. Exp. Med.* 170(6), 1859-1867.
- Wang, J., Dickson, D.W., Trojanowski, J.Q., Lee, V.M. (1999) The levels of soluble versus insoluble brain A β distinguish Alzheimer's disease from normal and pathologic aging. *Exp. Neurol.* 158, 328-337.
- Wefel, J.S., Lenzi, R., Theriault, R., Buzdar, A., Mayers, C. (2004) Chemobrain in breast carcinoma. *Cancer.* 101, 466-475.
- Wei, Y.H., Lee, H.C. (2002) Oxidative stress, mitochondrial DNA mutation, and impairment of antioxidant enzymes in aging. *Exp. Biol. Med.* 227, 671-682.
- Wei, Y.H. (1998) Oxidative stress and mitochondrial DNA mutations in human aging. *Proc. Soc. Exp. Biol. Med.* 217, 53-63.
- Weinreb, O., Mandel, S., Amit, T., Youdim, M.B. (2004) Neurological mechanisms of green tea polyphenols in Alzheimer's and Parkinson's diseases. *J. Nutr. Biochem.* 15(9), 506-516.
- Weinstein, D.M., Mihm, M.J., Bauer, J.A. (2000) Cardiac peroxynitrite formation and left ventricular dysfunction following doxorubicin treatment in mice. *J. Pharmacol. Exp. Ther.* 294, 396-401.
- Wieneke, M.H., Dienst, E.R. (1995) Neuropsychological assessment of cognitive functioning following chemo-therapy for breast cancer. *Psychooncology.* 4, 61-6.

- Wilkerson M. K., Lesniewski L. A., Golding E. M., Bryan R. M., Jr., Amin A., Wilson E. and Delp M. D. (2005) Simulated microgravity enhances cerebral artery vasoconstriction and vascular resistance through endothelial nitric oxide mechanism. *Am. J. Physiol. Heart Circ. Physiol.* 288, 1652-1661.
- Wiseman, H., Halliwell, B. (1996) Damage to DNA by reactive oxygen and nitrogen species: role in inflammatory disease and progression to cancer. *Biochem. J.* 313, 17-29
- Wisniewski, H.M., Wegiel, J., Wisniewski, T. (1998) Pathogenesis of amyloid- β plaques: activated microglia the cause of fibrillar amyloid formation and neuropil degeneration. *Neurosci. News.* 1, 30-34.
- Woodroffe, M.N., Cuzner, M.L. (1993) Cytokine mRNA expression in inflammatory multiple sclerosis lesions: detection by non-radioactive in situ hybridization. *Cytokine.* 6, 583-588.
- Xu, J., Chen, S., Hinan Ahmed, S., Chen, H., Ku, G., Goldberg, M.P., Hsu, C.Y. (2001a) Amyloid- β peptides are cytotoxic to oligodendrocytes. *J. Neurosci.* 21, 118:1-5.
- Xu, J., Chen, S., Ku, G., Hinan Ahmed, S., Xu, J., Hong Chen, H., Hsu, C.Y. (2001b) Amyloid- β peptide-induced cerebral endothelial cell death involves mitochondrial dysfunction and caspase activation. *J. Cerebral Blood Flow & Metabolism.* 21, 702-710.
- Yamakura, F., Taka, H., Fujimura, T., Murayama, K. (1998) Inactivation of human manganese superoxide dismutase by peroxynitrite is caused by exclusive nitration of tyrosine 34 to 3-nitrotyrosine. *J. Biol. Chem.* 273, 14085-14089.
- Yatin, S., Varadarajan, S., Butterfield, D.A. (2000) Vitamin E prevents Alzheimer's amyloid-peptide (1-42)-induced protein oxidation and reactive oxygen species formation. *J. Alzheimer's Dis.* 2, 123-131.
- Yen, H.C., Oberley, T.D., Vichitbandha, S., Ho, Y.S., St Clair, D. K. (1996) The protective role of manganese superoxide dismutase against adriamycin-induced acute cardiac toxicity in transgenic mice. *J. Clin. Invest.* 98, 1253-1260.
- Yen, H.C., Oberley, T.D., Vichitbandha, S., Giarola, C.G., Szweda, L.I., St. Clair, D.K. (1999) Manganese superoxide dismutase protects mitochondrial complex I against Adriamycin-induced cardiaomyopathy in in transgenic mice. *Ach. of Biochem. Biophys.* 362, 59-66.

- Yen, T.C., Chen, Y.S., King, K.L., Yeh, S.H., Wei, Y.H. (1989) Liver mitochondrial respiratory functions decline with age. *Biochem. Biophys. Res. Commun.* 165, 994-1003.
- Yermilov, V., Rubio, J., Ohshima, H. (1995) Formation of 8-nitroguanine in DNA treated with peroxynitrite in vitro and its rapid removal from DNA by depurination. *FEBS Lett.* 376, 207-210.
- Zeng, C., Lee, J.T., Chen, H., Chen, S., Hsu, C.Y., Xu, J. (2005) Amyloid-beta peptide enhances tumor necrosis factor-alpha-induced iNOS through neutral sphingo-myelinase/ceramide pathway in oligodendrocytes. *J. Neurochem.* 94, 703-712.