

BIBLIOGRAPHY

- Ana ES, Shelila AV, Agnes CF, Eny MG, Marileila V. 2002. Tetrasomy 15q11-13 identified by fluorescence in situ hybridization in a patient with autistic disorder. *Arq. Neuropsiquiatr.* 60:290-294.
- Anderlid B, Schoumans J, Anneren G, Sahlen S, Kyllerman M, Vujic M, Hagberg B, Blennow E, Nordenskjold M. 2002. Subtelomeric rearrangements detected in patients with idiopathic mental retardation. *Am. J. Med. Genet.* 107:275-284.
- Baralle D. 2001. Chromosomal aberrations, subtelomeric defects, and mental retardation. *Lancet* 358:7-8.
- Ballif BC, Yu W, Shaw CA, Kashork CD, Shaffer LG. 2003. Monosomy 1p36 breakpoint junctions suggest pre-meiotic breakage-fusion-bridge cycles are involved in generating terminal deletions. *Hum. Mol. Genet.* 12:2153-2165.
- Ballif BC, Wakui K, Gajecka M, Shaffer LG. 2004. Translocation breakpoint mapping and sequence analysis in three monosomy 1p36 subjects with der(1)t(1;1)(p36;q44) suggest mechanism for telomere capture in stabilizing de novo terminal rearrangements. *Hum. Genet.* 114:198-206.
- Barker E, Hinton L, Callen DF, Altree M, Dobbie A, Eyre HJ, Sutherland GR, Thompson E, Thompson P, Woollant E, Haan E. 2002. Study of 250 children with idiopathic mental retardation reveals nine cryptic and diverse subtelomeric chromosome anomalies. *Am. J. Med. Genet.* 107:285-293.
- Battaglia A, Bonaglia MC. 2006. The yield of subtelomeric FISH analysis in the evaluation of autistic spectrum disorder. *Am. J. Med. Genet.* 142C:8-12.
- Bocian E, Helias-Rodzewicz Z., Suchenek K, Obersztyn E, Kutkowska-kazmierczak A, Stankiewicz P, Kostyk E, Mazurczak T. 2004. Subtelomeric rearrangements: results from FISH studies in 84 families with idiopathic mental retardation. *Med. Sci. Monit.* 10:CR143-151.
- Borg I, Squire M, Menzel C, Stout K, Morgan D, Willatt L, O'Brien PCM, Ferguson-Smith MA, Ropers HH, Tommerup N, Kalscheuer VM, Sargan DR. 2002. A cryptic deletion of 2q35 including part of the PAX3 gene detected by breakpoint mapping in a child with autism and a de novo 2;8 translocation. *J. Med. Genet.* 39:391-399.

- Campbell LE, Daly E, Toal F, Stevens A, Azuma R, Catani M, Ng V, van Amelsvoort T, Chitnis X, Cutter W, Murphy DG, Murphy KC. 2006. Brain and behaviour in children with 22q11.2 deletion syndrome: a volumetric and voxel-based morphometry MRI study. *Brain* 129:1218-1228.
- Clarkson B, Pavenski K, Dupuis L, Kennedy S, Meyn S, Nezrati MM, Nie G, Weksberg R, Withers S, Quercia N, Teebi A S, Teshima I. 2002. Detecting rearrangements in children using subtelomeric FISH and SKY. *Am. J. Med. Genet.* 107:267-274.
- Clousto HJ. 2001, Lymphocyte culture, p.33-54. In Rooney DE (ed), *Human cytogenetics: constitutional analysis*, 3rd edition, Oxford University Press, Oxford.
- de Vries BBA, White SM, Knight SJL, Regan R, Homfray T, Young ID, Super M, McKeown C, Splitt M, Quarrell OWJ, Trainer AH, Niermeijer MF, Malcolm S, Flint J, Hurst JA, Winter RM. 2001. Clinical studies on submicroscopic subtelomeric rearrangements: a checklist. *J. Med. Genet.* 38:145-150.
- de Vries BBA, Winter R, Schinzel A, van Ravenswaaij-Arts C. 2003. Telomeres: a diagnosis at the end of the chromosomes. *J. Med. Genet.* 40:385-398.
- Deuel R K. 2002. Autism: A cognitive developmental riddle. *Pediatr Neurol* 26:349-357.
- Flint J, Wilkie AO, Buckle VJ, Winter RM, Holland AJ, McDermid HE. 1995. The deletion of subtelomeric chromosomal rearrangements in idiopathic mental retardation. *Nat. Genet.* 9:132-140.
- Flint J, Knight SJL. 2003. The use of telomere probes to investigate submicroscopic rearrangement associated with mental retardation. *Curr. Opin. Genet. Dev.* 13:310-316.
- Harada N, Hatchwell E, Okamoto N, Tsukakara M, Kurosawa K, Kawame H, Kondoh T, Ohashi H, Tsukino R, Kondoh Y, Shimokawa O, Ida T, Nagai T, Fukushima Y, Yoshiura K, Niikawa N, Matsumoto N. 2004. Subtelomere specific microarray based comparative genomic hybridisation: a rapid detection system for cryptic rearrangements in idiopathic mental retardation. *J. Med. Genet.* 41:130-136.
- Helias-Rodzewicz Z, Bocian E, Stankiewicz P, Obersztyń E, Kostyk E, Jakubow-Durska K, Kutkowska-Kazmierczak A, Mazurczak T. 2002. Subtelomeric rearrangements detected by FISH in three of 33 families with idiopathic

- mental retardation and minor physical anomalies. *J Med Genet* [serial on the internet] 39: [About 9p.]. Available from:
<http://www.jmgjnl.com/cgi/content/full/39/9/e53>
- Honda H, Shimizu Y, Misumi K, Ohashi Y. 1996. Cumulative incidence and prevalence of childhood autism in children in Japan. *Br. J. Psychiatry.* 169:228-235.
- Hutcheson HB, Bradford Y, Flostein SE, Gardiner MB, Satangelo SL, Sucliffe JS, Haines JL. 2003. Defining the autism minimum candidate gene region on chromosome 7. *Am. J. Med. Genet.* 117B:90-96.
- Ingram JL, Stodgell CJ, Hyman SL, Figlewicz DA, Weitkamp LR, Rodier PM. 2000. Discovery of allelic variants of *HOXA1* and *HOXB1*: Genetic susceptibility to autism spectrum disorders. *Teratology* 62:393-405.
- ISCN. 2005, An International System for Human Cytogenetic Nomenclature, Shaffer LG, Tommerup N (eds); S. Karger, Basel.
- Jorde LB, Mason-Brothers A, Waldmann R, Ritvo ER, Freeman BJ, Pingree C, McMahon WM, Petersen B, Jenson WR, Mo A. 1990. The UCLA-University of Utah epidemiology survey of autism: genealogical analysis of familial aggregation. *Am. J. Med. Genet.* 36:85-88.
- Joyce CA, Dennis NR, Cooper S, Browne CE. 2001. Subtelomeric rearrangements : results from a study of selected and unselected probands with idiopathic mental retardation and control individuals by using high-resolution G-banding and FISH. *Hum. Genet.* 109:440-451.
- Kearney L, Buckle VJ. 2001, The application of fluorescence in situ hybridization to chromosome analysis, p.175-209. In Rooney DE (ed), *Human cytogenetics: constitutional analysis*, 3rd edition, Oxford University Press, Oxford.
- Keller K, Williams C, Wharton P, Paulk M, Bent-Williams A, Gray B, Ward A, Stalker H, Wallace M, Carter R, Zori R. 2003. Routine cytogenetic and FISH studies for 17p11/15q11 duplications and subtelomeric rearrangement studies in children with autism spectrum disorder. *Am. J. Med. Genet.* 117A:105-111.
- Knight SJL, Regan R, Nicod A, Horsley SW, Kearney L, Homfray T, Winter RM, Bolton P, Flint J. 1999. Subtle chromosomal rearrangements in children with unexplained mental retardation. *Lancet* 354:1676-1681.

- Knight SJL, Flint J. 2000a. Perfect endings: a review of subtelomeric probes and their use in clinical diagnosis. *J. Med. Genet.* 37:401-409.
- Knight SJL, Lese CM, Precht KS, Kuc J, Ning Y, Lucas S, Regan R, Brenan M, Nicod A, Lawrie M, Cardy DLN, Nguyen H, Hudson TJ, Riethman HC, Ledbetter DH, Flint J. 2000b. An optimized set of human telomere clones for studying telomere integrity and architecture. *Am. J. Med. Genet.* 67:320-332.
- Koochek M, Harvard C, Hildebrand MJ, Van Allen M, Wingert H, Mickelson E, Holden JJA, Rajcan-Separovic E, Lewis MES. 2006. 15q duplication associated with autism in a multiplex family with a familial cryptic translocation t(14;15)(q11.2;q13.3) detected using array-CGH. *Clin. Genet.* 69:124-134.
- Lawce HJ, Brown MG. 1997 Cytogenetics, p.19-50. In Barch MJ, Knutsen T, Spurbeck J. (ed), *The AGT cytogenetics laboratory manual*, 3rd edition, Lippincott-Raven Publishers, Philadelphia.
- Lukusa T, Vermeesch JR, Holvoet M, Fryns JP, Devriendt K. 2004. Deletion 2q37.3 and autism: molecular cytogenetic mapping of the candidate region for autistic disorder. *Genet. Couns.* 15:293-301.
- Manning MA, Cassidy SB, Clericuzio C, Cherry AM, Schwartz S, Hudgins L, Enns GM, Hoyme HE. 2004. Terminal 22q deletion syndrome: a newly recognized cause of speech and language disability in the autism spectrum. *Pediatrics* 114:451-457.
- Medne L, Russell K, Ming J, Krantz ID, Souders M, Levy S, Gupta A, Spinner NB, Zakai EH, Morrissette JJD. 2003. Subtelomeric FISH Analysis in 108 Autistic Patients as Adjunct to Chromosome Analysis and Fragile X Testing. *Am. J. Hum. Genet.* 73:314.
- Miles JH, McCathren RB. 2003. Autism overview. Available from:
<http://www.geneclinics.org>
- Montgomery KD, Keitges EA, Meyne J. 1997, *Molecular cytogenetics: Definitions, Clinical aspects, and protocols*, p. 557-590. In Barch MJ, Knutsen T, Spurbeck J. (ed), *The AGT cytogenetics laboratory manual*, 3rd edition, Lippincott-Raven Publishers, Philadelphia.
- Muhle R, Trentacoste SV, Rapin I. 2004. The genetics of autism. *Pediatrics* 113:472-486.

- Nair-Miranda K, Murch A, Petterson B, Hill W, Nikolova-Hill A, Bradley L, Jackson S, Hallmayer J. 2004. An investigation into sub-telomeric deletions of chromosome 22 and pervasive developmental disorders. *Am. J. Med. Genet.* 125B:99-104.
- Niklasson L, Rasmussen P, Oskarsdottir S, Gillberg C. 2005. Attention deficits in children with 22q.11 deletion syndrome. *Dev Med Child Neurol* 47:803-807.
- Oliveira G, Matoso E, Vicente A, Ribeiro P, Marques C, Ataide A, Miguel T, Saraiva J, Carreira I. 2003. Partial tetrasomy of chromosome 3q and mosaicism in a child with autism. *J. Autism. Dev. Disord.* 33:177-185.
- Popp S, Schulze B, Granzow M, Keller M, Holtgreve-Grez H, Schoell B, Brough M, Hager H, Tariverdian G, Brown J, Kearney L, Jauch A. 2002. Study of 30 patients with unexplained developmental delay and dysmorphic features or congenital abnormalities using conventional cytogenetics and multiplex FISH telomere (M-TEL) integrity assay. *Hum. Genet.* 111:31-39.
- Rapin I, Dunn M. 2003. Update on the language disorders of individuals on the autistic spectrum. *Brain. Dev.* 25:166-172.
- Reddy KS. 2005. Cytogenetic abnormalities and fragile-X syndrome in Autism Spectrum Disorder. *BMC Med Genet* [serial on the internet] 6(3). [About 16p.]. Available from: <http://www.biomedcentral.com/1471-2350/6/3>
- Rio M, Molinari F, Heuertz S, Ozilou C, Gosset P, Raoul O, Cormier-Daire V, Amiel J, Lyonnet S, Merrer ML, Turleau C, de Blois MC, Prieur M, Romana S, Vekemans M, Munnich A, Colleaux L. 2002. Automated fluorescent genotyping detects 10% of cryptic subtelomeric rearrangements in idiopathic syndromic mental retardation. *J. Med. Genet.* 39:266-270.
- Rodriguez-Revenga L, Badenas C, Sanchez A, Mallolas J, Carrio A, Pedrinaci S, Barrionuevo JL, Mila M. 2004. Cryptic chromosomal rearrangement screening in 30 patients with mental retardation and dysmorphic features. *Clin. Genet.* 65:17-23.
- Roubertie A, Semprino M, Chaze AM, Rivier F, Humbertclaude V, Cheminal R, Lefort G, Echenne B. 2001. Neurological presentation of three patients with 22q11 deletion (CATCH 22 syndrome). *Brain. Dev.* 23:801-814.
- Sambrook J, Russel DW. 2001, Plasmids and their usefulness in molecular cloning, p.1.1-1.34. In *Molecular cloning: A laboratory manual*, 3rd edition. Cold spring harbor laboratory Press, New York.

- Sauter S, von Beust G, Burfeind P, Weise A, Starke H, Liehr T, Zoll B. 2003. Autistic disorder and chromosomal mosaicism 46,XY[123]/46,XY, del(20)(pter->p12.2)[10]. *Am. J. Med. Genet.* 120A:533-535.
- Schoumans J, Ruienkamp C, Holmberg E, Kyllerman M, Anderlid BM, Nordenskjold M. 2005. Detection of chromosomal imbalances in children with idiopathic mental retardation by array based comparative genomic hybridisation (array-CGH). *J. Med. Genet.* 42:699-705.
- Skjeldal HO, Sponheim E, Ganes T, Jellum E, Bakke S. 1998. Childhood autism: the need for physical investigations. *Brain. Dev.* 20:227-233.
- Slavotinek A, Rosenberg M, Knight S, Gaunt L, Fergusson W, Killoran C, Clayton-Smith J, Kingston H, Campbell RHA, Flint J, Donnai D, Biesecker L. 1999. Screening for submicroscopic chromosome rearrangements in children with idiopathic mental retardation using microsatellite markers for the chromosome telomeres. *J. Med. Genet.* 36:405-411.
- Smeets DF. 2004. Historical prospective of human cytogenetics: from microscope to microarray. *Clin. Biochem.* 37:439-446.
- Smith M, Escamilla JR, Filipek P, Bocian ME, Modahl C, Flodman P, Spence MA. 2001. Molecular genetic delineation of 2q37.3 deletion in autism and osteodystrophy: report of a case and of new markers for deletion screening by PCR. *Cytogenet. Cell. Genet.* 94:15-22.
- Sogaard M, Tumer Z, Hjalgrim H, Hahnemann J, Friis B, Ledaal P, Pederson FV, Baekgaard P, Tommerup N, Cingoz S, Duno M, Brondum-Nielsen K. 2005. Subtelomeric study of 132 patients with mental retardation reveals 9 chromosomal anomalies and contributes to the delineation of submicroscopic deletions of 1pter, 2qter, 4pter, 5qter and 9qter. *BMC Med Genet* [serial on the internet] 6:21 [about 10p.]. Available from: <http://www.biomedcentral.com/14171-23506/21>
- Sripo T, Charalsawadi C, Limprasert P. A simple screening for Fragile X syndrome using a multiplex PCR of *FMR1*, *FMR2* and *SRY* genes. Poster presentation at 5th Human Genetics Organization(HUGO)Pacific Meeting&6th Asia-Pacific Conference on Human Genetics. Nov 17-20, 2004. Biopolis, Singapore.
- Steele MM, Al-Adeimi M, Siu VM, Fan YS. 2001. Brief report: A case of autism with interstitial deletion of chromosome 13. *J. Autism. Dev. Disord.* 31:231-234.

- Tonk VS, Wyandt HE, Huang X, Patel N, Morgan DL, Kukolich M, Lockhart LH, Velagaleti GV. 2003. Disease associated balanced chromosome rearrangements (DBCR): report of two new cases. *Ann. Genet.* 46:37-43.
- van Karnebeek CDM, Koevoets C, Sluijter S, Bijlsma EK, Smeets DF, Redeker EJ, Hennekam RCM, Hoovers JMN. 2002a. Prospective screening for subtelomeric rearrangements in children with mental retardation of unknown aetiology; the Amsterdam experience. *J. Med. Genet.* 39:546-553.
- van Karnebeek CDM, van Gelderen I, Nijhof GJ, Abeling NG, Vreken P, Redeker EJ, van Eeghen AM, Hoovers JMN, Hennekam RCM. 2002b. An aetiological study of 25 mentally retarded adults with autism. *J. Med. Genet.* 39:205-214.
- Velagaleti GV, Robinson SS, Rouse BM, Tonk VS, Lockhart LH. 2005. Subtelomeric rearrangements in idiopathic mental retardation. *Indian. J. Padiatr.* 72:679-685.
- Verri A, Marachio P, Devriendt K, Uggetti C, Spadoni E, Haeusler E, Federico A. 2004. Chromosome 10p deletion in a patient with hypoparathyroidism, severe mental retardation, autism and basal ganglia calcification. *Ann Genet* 47:281-287.
- Volkmar FR, Pauls D. 2003. Autism. *Lencet* 362:1133-1141.
- Wassink TH, Piven J, Patil SR. 2001. Chromosomal abnormalities in a clinic sample of individuals with autistic disorder. *Psychiatr. Genet.* 11:57-63.
- Weidmer-Mikhail E, Sheldon S, Ghaziuddin M. 1998. Chromosomes in autism and related pervasive developmental disorder: a cytogenetic study. *J. Intellect. Disabil. Res.* 42:8-12.
- White SJ, Vink GR, Kriek M, Wuyls W, Schouten J, Bakker, Breuning MH, den Dunnen JT. 2004. Two-color multiplex ligation-dependent probe amplification: Detecting genomic rearrangements in hereditary multiple exostoses. *Hum. Mutat.* 24:86-92.
- Wieczorek D. 2003. Wolf-Hirschhorn syndrome. Orphanet encyclopedia. Available from: <http://www.orpha.net/data/patho/GB/uk-WHS.pdf>
- Wolff DJ, Clifton K, Karr C, Charles J. 2002. Pilot assessment of the subtelomeric regions of children with autism: Detection of a 2q deletion. *Genet. Med.* 4:10-32.
- Xu J, Zwaigenbaum L, Szatmari P, Scherer SW. 2004. Molecular cytogenetics of autism. *Current Genomics* 5:347-364.