

Bibliography

- Burianova L., Sulc M. and Prokopova M. 2001. "Determination of the Piezoelectric Coefficients d_{ij} of PZT Ceramics and Composites by Laser Interferometry", J.European Ceramic Society, Vol. 21., p1387-1390.
- Byer F.L. and Roundy C.B. 1972. "Pyroelectric Coefficient Direct Measurement Technique and Application to a NSEC Response Time Detector", Ferroelectrics, Vol. 3., p 333-338.
- Chan H.L.W., Ng P.K.L. and Choy C.L. 1999. "Effect of Poling Procedure on the Properties of Lead Zirconate Titanate/Vinylidene fluoride–Trifluoroethylene Composites", Appl.Phys.Lett. Vol. 74. No. 20., p 3029-3031.
- Chan H.L.W., Chan W.K., Zhang Y. and Choy C.L. 1998. "Pyroelectric and Piezoelectric Properties of Lead Titanate/Polyvinylidene Fluoride-Trifluoroethylene 0-3 Composites", IEEE Trans.Dielec.,Electric. Vol. 5. No 4., p 505-512.
- Chan H.L.W. and Unsworth J. 1989. "Simple Model for Piezoelectric Ceramic/Polymer 1-3 Composites Used in Ultrasonic Transducer Applications", IEEE Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol.36. No.4., p 434-441.
- Chen W. and Lynch C.S. 2001. "Multiaxial Constitutive Behavior of Ferroelectric Materials", J.Eng.Mater.Tech. Vol. 123., p 169-175.
- Dias C.J. and Das-Gupta D.K. 1994. "Piezo-and Pyroelectricity in Ferroelectric Ceramic-Polymer Composites", Key Engineering Materials. Vol. 92-93 p 217-248.

Fabel G.W. and Henisch H.K. 1971. "Technique for the Measurement of Pyroelectric Coefficients", Solid-State Electronics. Vol. 14., p 1281-1283.

Furukawa T. 1989. "Piezoelectricity and Pyroelectricity in Polymers", IEEE Trans on Electr. Vol. 24 No. 3., p 375-394.

Geng X., Ritter T.A., Shung K.K. 1999. "1-3 Piezoelectric Composites for High Power Ultrasonic Transducer Applications", Proceeding IEEE Ultrasomics Symposium, p 1191-1194.

IEEE Standard on Piezoelectricity. 1987. ANSI/IEEE Standard 176-1987, The Institute of Electrical and Electronics Engineers.Inc.,New York.

Kwok K.W., Chan H.L.W. and Choy C.L. 1995. "Piezoelectric Properties of 1-3 composites of PZT in P(VDF-TrFE) Copolymer" IEEE Trans. Ultrason.,Ferroelec.,Freq.Contr., p 194-197.

Kwok K.W., Chan H.L.W., Choy C.L. 1997. "Evaluation of the Material Parameters of Piezoelectric Materials by Various Methods", IEEE Trans. Ultrason.,Ferroelec.,Freq. Contr. Vol. 44. No. 4., p 733-742.

Lang S.B. and Das-Gupta D.K. 1986. "Laser-Intensity-Modulation Method: A Technique for Determination of Spatial Distributions of Polarization and Space Charge in Polymer Electrets", J.Appl.Phys. Vol. 59 No. 15., p 2151-2160.

Lang S.B 1989. "Technique for the Measurement of Thermal Diffusivity Based on the Laser Intensity Modulation Method(LIMM)", Ferroelectrics. Vol.93., p 87-93.

Lang S.B. and Das-Gupta. 2000. "Pyroelectricity: Fundamentals and Application", Ferroelectrics Review. Vol. 2., p 217-354.

Lau S.T., et al. 1994. "PZT/P(VDF-TrFE) Nanocomposites for Ultrasonic Hydrophone Application", Proceeding of 10th International Symposium on Electrets., p 755-758.

Levassort F. and Lethiecq M. 1998. "Modeling of Highly Loaded 0-3 Piezoelectric Composites Using a Matrix Method", IEEE Trans. Ultrason., Ferroelec., Freq. Contr. Vol. 45 No. 6., p 1497-11504.

Limbong A. and Guy I.L. 1998. "Pyroelectric Hysteresis in Ferroelectric Polymers", Thin Solid Films. Vol. 325., p 187-191.

Limbong A. 2000. "An Investigation of the Pyroelectric Properties of Ferroelectric Polymer Films", PhD. Thesis. School of Mathematics, Physics, Computing and Electronics. Macquarie University, Sydney, NSW, Australia.

Muensit S. 1998. "Piezoelectric Coefficients of Gallium Arsenide, Gallium Nitride and Aluminium Nitride ", PhD. Thesis. School of Mathematics, Physics, Computing and Electronics. Macquarie University, Sydney, NSW, Australia.

Muensit S. and Lang S.B. in press. "Pyroelectric Technique for Measurement of Thermal Diffusivity of Thin Solid Materials", Ferroelectric Taylor&Francis. New York.

Newnham R.E., Skinner D.P., Cross L.E. 1978. "Connectivity and Piezoelectric-Pyroelectric Composites", Mater.Res.Bull. Vol. 13. No. 5., p 525-536.

Ng K.L., Chan H.L.W., and Choy C.L. 2000 "Piezoelectric and Pyroelectric Properties of PZT/P(VDF-TrFE) Composites with Constituent Phases Poled in Parallel or Antiparallel Directions", IEEE Trans. Ultrason., Ferroelec., Freq. Contr. Vol. 47 No. 6., p 1308-1315.

Ng W.Y., Ploss B., Chan H.L.W., Shin F.G. and Choy C.L. 2001. "Pyroelectric Properties of PZT/P(VDF-TrFE) 0-3 Composites", Proceeding of 12th IEEE International Symposium., p 767-770.

Ploss B., Emmerich R. and Bauer S. 1992. "Thermal Wave Probing of Pyroelectric Distributions in the Surface Region of Ferroelectric Materials: A New Method for the Analysis", J.Appl.Phys. Vol. 72. No. 11., p 5363-5370.

Ploss B. and Domic A.. 1994. "Static and Dynamic Pyroelectric Properties of PVDF", Ferroelectrics. Vol. 159., p 263-268.

Setter N. 2002. Piezoelectric Materials In Devices. Switzerland : EPFL Swiss Federal Institute of Technology.

Smith W.A. 1989. "The Role of Piezocomposites in Ultrasonic Transducers", Proceeding IEEE Ultrasomics Symposium. Vol.2., p 755-766.

Smith W.A. 1993. "Modeling 1-3 Composite Piezoelectrics: Hydrostatic Response", IEEE Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol.40. No.1., p 41-49.

Smith W.A. and Auld B.A. 1991. "Modeling 1-3 Composite Piezoelectrics: Thickness-Mode Oscillations", IEEE Trans. Ultrason.,Ferroelec.,Freq.Contr. Vol.40. No.1., p 41-49.

Tajtsu Y., Ogura H. and Chiba A. 1987 "Investigation of switching Characteristics of vinylidene/trifluoroethylene copolymer in relation to their structure", Jpn.J.Appl.Phys. Vol.26., p 554-560.

Taunaumang H. and Guy I.L. 1994. "Electromechanical Properties of 1-3 Piezoelectric Ceramic/Piezoelectric Polymer Composites", J.Appl.Phys. Vol. 76. No. 1. , p 484-489.

Uchino K. 2000. Ferroelectric Devices. USA : Marcel Dekker Inc.

Zhang Q.M., Pan W.Y. and Cross L.E. 1988. "Laser Interferometer for the Study of Piezoelectric and Electrostrictive Strains", J.Appl.Phys. Vol. 63. No. 8., p 2492-2496.