

REFERENCES

- Achenbach, H., Stocker, M. and Constenla, M.A. 1988. "Flavonoid and other constituents of *Bauhinia manca*", *Phytochemistry* 27 (6), 1835-1841.
- Ali, S., Goundar, R., Sotheeswaran, S., Beaulieu, C. and Spino, C. 2000. "Benzophenones of *Garcinia pseudoguttifera* (Clusiaceae)", *Phytochemistry* 53(2), 281-284.
- Ansari, W.H., Rahman, W., Barraclough, D., Maynard, M.R. and Scheinmann, F. 1976. "Biflavonoids and a flavanone-chromone from the leaves of *Garcinia dulcis* (Roxb.) Kurz", *J. Chem. Soc. Perkin Trans I*. 1458-1463.
- Bakana, P., Claeys, M., Totte, J., Pieters, L.A., Van Hoof, L., Tamba-Vemba., Van den Berghe, D.A. and Vlietinck, A.J. 1987. "Structure and chemotherapeutical activity of a polyisoprenylated benzophenone from the stem bark of *Garcinia huillensis*", *J. Ethnopharmacology* 21(1), 75-84.
- Balasubramanian, K. and Rajagopalan, K. 1988. "Novel xanthones from *Garcinia mangostana*, structures of BR-xanthone-A and BR-xanthone-B", *Phytochemistry* 27(5), 1552-1554.
- Bennett, G.J., Harrison, L.J., Sia, G.-L. and Sim, K.-Y. 1993. "Triterpenoids, tocotrienols and xanthones from the bark of *Cratoxylum cochinchinense*", *Phytochemistry* 32(5), 1245-1251.
- Bennett, G.J. and Lee, H.H. 1989. "Review Article Number 43. Xanthones from Guttiferae", *Phytochemistry* 28(4), 967-998.
- Berghöfer, R. and Hözl, J. 1987. "Biflavonoids in *Hypericum perforatum*; Part. Isolation of I3,II8-Biapigenin", *Planta Medica* 53, 216-217.
- Blois, M.S. 1958. "Antioxidant determination by the use of a stable free radical", *Nature* 181, 1199-1200.

- Blount, J.F. and Williams, T.H. 1976. "Revised structure of xanthochymol", *Tetrahedron Letters* 34, 2921-2924.
- Chairerk, P. 2001. "Chemical constituents from the latex of *Garcinia cowa* and antioxidation properties", Master of Science Thesis in Organic Chemistry. Prince of Songkla University, Thailand.
- Chairungsrierd, N., Furukawa, K.-I., Ohta, T., Nozoe, S. and Ohizumi, Y. 1996. "Histaminergic and serotonergic receptor blocking substances from the medicinal plant *Garcinia mangostana*", *Planta medica* 62, 471-472.
- Chanmahasathien, W., Li, Y., Satake, M., Oshima, Y., Ishibashi, M., Ruangrungsi, N. and Ohizumi, Y. 2003a. "Prenylated xanthones from *Garcinia xanthochymus*", *Chem. Pharm. Bull.* 51(11), 1332-1334.
- Chanmahasathien, W., Li, Y., Satake, M., Oshima, Y., Ruangrungsi, N. and Ohizumi, Y. 2003b. "Prenylated xanthones with NGF-potentiating activity from *Garcinia xanthochymus*", *Phytochemistry* 64, 981-986.
- Chiang, Y.-M., Kuo, Y.-H., Oota, S. and Fukuyama, Y. 2003. "Xanthones and benzophenones from the stems of *Garcinia multiflora*", *J. Nat. Prod.* 66, 1070-1073.
- Chupin, V., Boots, J.-W.P., Killian, J.A., Demel, R.A. and de Kruijff, B. 2001. "Lipid organization and dynamics of the monostearoylglycerol-water system, A2H NMR study", *Chemistry and Physics of Lipids* 109(1), 15-28.
- Cuesta R.O., Padron, A., Castro, H.V., Pizza, C. and Rasirelli, L. 2001. "Aristophenones A and B, a new tautomeric pair of polyisoprelated benzophenones from *Garcinia aristata*", *J. Nat. Prod.* 64(7), 937-975.
- Daniel, J., Abraham, L., Balaji, K. and Rajasekharan R. 2003. "Biosynthesis of stearate-rich triacylglycerol in developing embryos and microsomal membranes from immature seeds of *Garcinia indica* Chois", *Curr. Sci.* 85 (3), 363-370.

- Dasgupta, B., Burke, B.A. and Stuart, K.L. 1981. "Biflavanoids, norditerpenes and a nortriterpene from *Podocarpus urbanii*", *Phytochemistry* 20, 153-156.
- Delle Monache, F., Botta, B., Nicoletti, M., de Barros Coelho, J.S. and de Andrade Lyra, F.D. 1981. "Three new xanthones and macluraxanthone from *Rheedia benthamiana* PI. Triana (Guttiferae)", *J. Chem. Soc. Perkin 1* 484-488.
- Delle Monache, F., Delle Monache, G. and Gacs-Baitz, E. 1991. "Prenylated benzophenones from *Clusia sandiensis*", *Phytochemistry* 30(6), 2003-2005.
- Dianpeng, L.I., Mingan, O., Jansakul, C. and Chongren, Y. 1999. "Two isoflavonoid glycosides from *Derris scandens*", *Yaoxue Xuebao* 34(1), 43-45.
- Ee, G.C.L., Phong, K.H., Mong, X.H., Shaari, K. and Sukari, M.A. 2003. "Cuneifolin, a new xanthone from *Garcinia cuneifolia* (Guttiferae)", *Natural Product Sciences* 9(3), 174-176.
- Elix, J.A., Evans, J.E. and Nash, T.H. 1988. "III New depsidones from *Dimelaena lichens*", *Australian Journal of Chemistry* 41(11), 1789-1796.
- Evans, W.H., McGookin, A., Jurd, L., Robertson, A. and Williamson, W.R.N. 1957. "Vitexin Part I.", *J. Chem. Soc.* 3510.
- Faisal, Z.A.M., Sotheeswaran, S. and Wijesundera, C. 1982. "Economically useful plants of Sri Lanka Part V. Seed fats of some *Garcinia* species (Guttiferae)", *J. Natl. Sci. Coun. Sri Lanka* 10(2), 221-223.
- Falshaw, C.P., Harmer, R.A., Oills, W.D. and Wheeler, R.E. 1969. "Natural occurrence of 3-aryl-4- hydroxycoumarins. Part II. Phytochemical examination of *Derris scandens* (Roxb.) Benth.", *J. Chem. Soc. C.* 3, 374-382.
- Farombi, E.O., Tahnteng, J.G., Agboola, A.O., Nwankwo, J.O. and Emerole, G.O. 2000. "Chemoprevention of 2-acetylaminofluorene-induced hepatotoxicity and lipid peroxidation in rats by kolaviron — a *Garcinia kola* seed extract", *Food Chem. Toxicol.* 38(6), 535-541.

- Fujita, T., Liu, D.-Y., Ueda, S. and Takeda, Y. 1992. "Xanthones from *Polygala tenuifolia*", *Phytochemistry* 31(11), 3997-4000.
- Gopalakrishnan, G. and Balaganesan, B. 2000. "Two novel xanthones from *Garcinia mangostana*", *Fitoterapia* 71(5), 603-605.
- Govindachari, T.R., Kalyanaraman, P.S., Muthukumaraswamy, N. and Pai, B.R. 1971. "Xanthones of *Garcinia mangostana* Linn.", *Tetrahedron* 27, 3919-3926.
- Gunatilaka, A.A.L., Jasmin De Silva, A.M.Y., Sotheeswaran, S., Balasubramaniam, S. and Wazeer, M.I.M. 1984. "Terpenoid and biflavonoid constituents of *Calophyllum calaba* and *Garcinia spicata* from Sri Lanka", *Tetrahedron* 27, 3919-3926.
- Gustafson, K.R., Blunt, J.W., Munro, M.H.G., Fuller, R.W., McKee, T.C., Cardellina II, J.H., McMahon, J.B., Cragg, G.M. and Boyd, M.R. 1992. "The guttiferones, HIV-inhibitory benzophenones from *Sympodia globulifera*, *Garcinia livingstonei*, *Garcinia ovalifolia* and *Clusia rosea*", *Tetrahedron* 48 (46), 10093-10102.
- Hano, Y., Okamoto, T., Suzuki, K., Negishi, M. and Nomura, T. 1993. "Components of the root bark of *Morus insignis* Bur. 3. Structures of three new isoprenylated xanthones morusignins I, J, and K and an isoprenylated flavone morusignin L", *Heterocycles* 36(6), 1359-1366.
- Harrison, L.J., Leong, L.-S., Leong, Y.-W., Sia, G.-L., Sim, K.-Y. and Tan, H.T.-W. 1994. "Xanthone and flavonoid constituents of *Garcinia dulcis* (Guttiferae)", *Nat. Prod. Lett.* 5(2), 111-116.
- Henry, N., Ridley, C.M.G., F.R.S., F.L.S. and J. Hutchinson, F.L.S. 1967. The flora of the Malay Peninsula. Vol. I-Polypetaleae, London : L. Reeve & Co., Ltd.
- Herbin, G.A., Jackson, B., Locksley, H.D., Scheinmann, F. and Wolstenholme, W.A. 1970. "The biflavonoids of *Garcinia volkensii* (Guttiferae)", *Phytochemistry* 9, 221-226.

- Ho, C.-K., Huang, Y.-L. and Chen, C.-C. 2002. "Garcinone E, a xanthone derivative, has potent cytotoxic effect against hepatocellular carcinoma cell lines", *Planta Medica* 68, 975-979.
- Huang, Y.L., Chen, C.C., Chen, Y.J., Huang, R.L. and Shieh, B.J. 2001. "Three xanthones and a benzophenone from *Garcinia mangostana*", *J. Nat. Prod.* 64, 903-906.
- Iinuma, M., Ito, T., Tosa, H., Tanaka, T. and Riswan, S. 1996a. "Five new xanthones from *Garcinia dulcis*", *J. Nat. Prod.* 59(5), 472-475.
- Iinuma, M., Tosa, H., Ito, T., Tanaka, T. and Riswan, S. 1996b. "Garciduol A and B, new benzophenone-xanthone dimers, from *Garcinia dulcis*", *Heterocycles* 43 (3), 535-538.
- Iinuma, M., Tosa, H., Ito, T., Tanaka, T. and Riswan, S. 1996c. "Three new benzophenone-xanthones dimers from the root of *Garcinia dulcis*", *Chem. Pharm. Bull.* 44(9), 1744-1747.
- Ilyas, M., Parveen, M., Shafiullah and Ahmad, S.M. 2002. "A novel chalcone from *Garcinia nervosa*", *Journal of Chemical Research, Synopses* 5, 231-233.
- Ito, C., Miyamoto, Y., Nakayama, M., Kawai, Y., Rao, K.S. and Furukawa, H. 1997. "A novel depsidone and some new xanthones from *Garcinia* species", *Chem. Pharm. Bull.* 45(9), 1403-1413.
- Ito, C., Itoigawa, M., Furukawa, H., Rao, K.S., Enjo, F., Bu, P., Takayasu, J., Tokuda, H. and Nishino, H. 1998. "Xanthones as inhibitors of Epstein-Barr virus activation", *Cancer Lett.* 132(1/2), 113-117.
- Ito, C., Itoigawa, M., Mishina, Y., Tomoyasu, H., Litaudon, M., Cosson, J.-P., Mukainaka, T., Tokuda, H., Nishino, H. and Furukawa, H. 2001. "Cancer chemopreventive agents. New depsidones from *Garcinia* plants", *J. Nat. Prod.* 64(2), 147-150.
- Ito, C., Itoigawa, M., Miyamoto, Y., Onoda, S., Rao, K.S., Mukainaka, T., Tokuda, H.,

- Nishino, H. and Furukawa, H. 2003a. "Polyprenylated benzophenones from *Garcinia assigu* and their potential cancer chemopreventive activities", *J. Nat. Prod.* 66, 206-209.
- Ito, C., Itoigawa, M., Takakura, T., Ruangrungsi, N., Enjo, F., Tokuda, H., Nishino, H. and Furukawa, H. 2003b. "Chemical constituents of *Garcinia fusca*: structure elucidation of eight new xanthones and their cancer chemopreventive activity", *J. Nat. Prod.* 66, 200-205.
- Ito, K. and Lai, J. 1978. "Study on the constituents of *Marsdenia tinctoria* var. *tomentosa* Masamune.", *Yakugaku Zasshi* 98(9), 1285-1287.
- Jackson, B., Locksley, H.D., Scheinmann, F. and Wolstenholme, W.A. 1971. "Extractives from Guttiferae. Part XXII. The isolation and structure of four novel biflavanones from the heartwoods of *Garcinia buchananii* Baker and *G. eugeniiifolia* Wall", *J. Chem. Soc. C* 3791-3804.
- Karanjgaokar, C.G., Radhakrishnan, P.V. and Venkataraman, K. 1967. "Morellolflavone, a 3-(8-) flavonylflavanone, from the heartwood of *Garcinia morella*", *Tetrahedron Letters* 33, 3195-3198.
- Karanjgaokar, C.G., Rama Rao, A.V., Venkataraman, K., Yemul, S.S. and Palmer, K.J. 1973. "The constitution of xanthochymol and isoxanthochymol", *Tetrahedron Letters* 50, 4977-4980.
- Kartnig, Th., Bucar, F., Wagner, H. and Seligmann, O. 1991. "Flavonoide aus den oberirdischen Teilen von *Ruscus aculeatus*. Flavonoids from the aboveground parts of *Ruscus aculeatus*", *Planta Medica* 57(1), 85.
- Kartnig, Th., Gruber, A. and Stachel, J. 1985. "Zur kenntnis des flavonoidmusters von *Asparagus officinalis*", *Planta Medica* 3, 288.
- Kasahara, S. and Henmi, S. 1986. "Medicine herb index in Indonesia", Jakarta: Eisai Indonesia, pp. 92.

- Keawpradub, N., Salaeh, S. and Muangwong, S. 2001. "Free radical scavenging activity of star anise (*Illicium verum*)", *Songklanakarin J. Sci. Technol.* 23 (4), 527-536.
- Kim, B.J., Kim, J.H., Kim, H.P. and Heo, M.Y. 1997. "Biological screening of 100 plant extracts for cosmetic use (II) : antioxidative activity and free radical scavenging activity", *International Journal of Cosmetic Science* 19, 299-307.
- Konoshima, M. and Ikeshiro, Y. 1970a. "Fukugiside, the first biflavonoids glycoside from *Garcinia spicata* Hook. F.", *Tetrahedron Letters* 20, 1717-1720.
- Konoshima, M., Ikeshiro, Y., Miyahara, S. and Yen, K.-Y. 1970b. "The constitution of biflavonoids from *Garcinia* plants", *Tetrahedron Letters* 48, 4203-4206.
- Kosela, S., Hu, L.-H., Yip, S.-C., Rachmatia, T., Sukri, T., Daulay, T.S., Tan, G.-K., Vittal, J.J. and Sim, K.-Y. 1999. "Dulxanthone E: a pyranoxanthone from the leaves of *Garcinia dulcis*", *Phytochemistry* 52(7), 1375-1377.
- Kosela, S., Hu, L.-H., Rachmatia, T., Hanafi, M. and Sim, K.-Y. 2000. "Dulxanthones F-H, three new pyranoxanthones from *Garcinia dulcis*", *J. Nat. Prod.* 63, 406-407.
- Krishnamurthy, N., Lewis, Y.S. and Ravindranath, B. 1981. "On the structures of garcinol, isogarcinol and camboginol", *Tetrahedron Letters* 22, 793-796.
- Lakshmi, C., Kumar, K.A. and Dennis, T.J. 2002. "Polyprenylated benzophenones From *Garcinia indica*", *Journal of the Indian Chemical Society* 79(12), 968-969.
- Larson, R.A. 1988. "Review article number 30, the antioxidants of higher plants", *Phytochemistry* 27(4), 969-978.
- Lee, H.-H. 1981. "Synthesis of the mangostins", *Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry* 12, 3205-3213.
- Likhitwitayawuid, K., Chanmahasathien, W., Ruangrungsi, N. and Krungkrai, J.

- 1998a. "Xanthones with antimalarial activity from *Garcinia dulcis*", *Planta Medica* 64(3), 281-282.
- Likhitwitayawuid, K., Phadungcharoen, T. and Krungkrai, J. 1998b. "Antimalarial xanthones from *Garcinia cowa*", *Planta Medica* 64, 70-72.
- Likhitwitayawuid, K., Phadungcharoen, T., Mahidol, C. and Ruchirawat, S. 1997. "7-O-Methylgarcinone E from *Garcinia cowa*", *Phytochemistry* 45(6), 1299-1301.
- Lin, Y.-M., Anderson, H., Flavin, M.T., Pai, Y.-H.S., Mata-Greenwood, E., Pengsuparp, T., Pezzuto, J.M., Schinazi, R.F., Hughes, S.H. and Chen, F.-C. 1997. "In vitro anti-HIV activity of biflavonoids isolated from *Rhus succedanea* and *Garcinia multiflora*", *J. Nat. Prod.* 60, 884-888.
- Locksley, H.D. and Murray, I.G. 1971. "Extractives from Guttiferae. Part XIX. The isolation and structure of two benzophenones, six xanthones and two biflavonoids from the heartwood of *Allanblackia floribunda* Oliver", *J. Chem. Soc. (C)*, 1332-1340.
- Mackeen, M.M., Ali, A.M., Lajis, N.H., Kawazu, K., Hassan, Z., Amran, M., Habsah, M., Mooi, L.Y. and Mohamed, S.M. 2000. "Antimicrobial, antioxidant, antitumour-promoting and cytotoxic activities of different plant part extracts of *Garcinia atroviridis* Griff. Ex T. Anders.", *Journal of Ethnopharmacology* 72, 395-402.
- Mackeen, M.M., Ali, A.M., Lajis, N.H., Kawazu, K., Kikuzaki, H. and Nakatani, N. 2002. "Antifungal garcinia acid esters from the fruits of *Garcinia atroviridis*", *Journal of Biosciences* 57(3/4), 291-295.
- Macías, F.A., Simonet, A.M. and Esteban, M.D. 1994. "Potential allelopathic lupane triterpenes from bioactive fractions of *Melilotus messanensis*", *Phytochemistry* 36(6), 1369-1379.

- Mahabusarakam, W 1992. "Chemical and biological studies on natural xanthones and derivatives", Ph.D. Dissertation. The University of Sydney, Australia.
- Mahabusarakam, W, Proudfoot, J. Taylor, W. and Croft, K. 2000. "Inhibition of lipoprotein oxidation by prenylated xanthones derived from mangostin", *Free Rad. Res.* 33, 643-659.
- Mahabusarakam, W, Wiriyachitra, P. and Taylor. W.C. 1987. "Chemical constituents of *Garcinia mangostana*", *J. Nat. Prod.* 50(3), 474-478.
- Markham, K.R., Sheppard, C. and Geiger, H. 1987. "¹³C NMR studies of some naturally occurring amentoflavone and hinokiflavone biflavonoids", *Phytochemistry* 26(12), 3335-3337.
- Masaoud, M., Ripperger, H., Porzel, A. and Adam, G. 1995. "Flavonoids of dragon's blood from *Dracaena cinnabari*", *Phytochemistry* 38(3), 745-749.
- Meksuriyen, D. and Cordell, G.A. 1988. "Retrodihydrochalcones from *Dracaena loureiri*", *J. Nat. Prod.* 51(6), 1129-1135.
- Meksuriyen, D., Cordell, G.A., Ruangrungsi, N. and Tantivatana, P. 1987. "Traditional medicinal plants of Thailand, XI. 10-hydroxy-11-methoxydracaenone and 7,10-dihydroxy-11-methoxydracaenone from *Dracaena loureiri*", *J. Nat. Prod.* 50(6), 1118-1125.
- Minami, H., Kuwayama, A., Yoshizawa, T. and Fukuyama, Y. 1996. "Novel prenylated xanthones with antioxidant property from the wood of *Garcinia subelliptica*", *Chem. Pharm. Bull.* 44, 2103-2106.
- Minami, H., Takahashi, E., Fukuyama, Y., Kodama, M., Yoshizawa, T. and Nakagawa, K. 1995. "Novel xanthones with superoxide scavenging activity from *Garcinia subelliptica*", *Chem. Pharm. Bull.* 43, 347-349.
- Moyo, F., Gashe, B.A. and Majinda, R.R.T. 1999. "A new flavan from *Elephantorrhiza goetzei*", *Fitoterapia* 70, 412-416.
- Na Pattalung, P., Thongtheeraparp, W., Wiriyachitra, P. and Taylor, W.C. 1994.

- “Xanthones of *Garcinia cowa*”, *Planta Medica* 60, 365-368.
- Nguyen, L.-H.D. and Harrison, L.J. 2000. “Xanthones and triterpenoids from the bark of *Garcinia vilersiana*”, *Phytochemistry* 53, 111-114.
- Nguyen, L.-H.D., Vo, H.T., Pham, H.D., Connolly, J.D. and Harrison, L.J. 2003. “Xanthones from the bark of *Garcinia merguensis*”, *Phytochemistry* 63, 467-470.
- Nilar and Harrison, L.J. 2002. “Xanthones from the heartwood of *Garcinia mangostana*”, *Phytochemistry* 60, 541-548.
- Okudaira, C., Ikeda, Y., Kondo, S., Hirabayashi, Y., Koyano, T., Saito, Y. and Umezawa, K. 2000. “Inhibition of acidic sphingomyelinase by xanthone compounds isolated from *Garcinia speciosa*”, *J. of Enzyme Inhibition* 15(2), 129-138.
- Okunii, C.O., Ware, T.A., Hicks, R.P., Iwu, M.M. and Skanchy, D.J. 2002. “Capillary electrophoresis determination of biflavanones from *Garcinia kola* in three traditional African medicinal formulations”, *Planta Medica* 68(5), 440-444.
- Parveen, M. and Khan, N.U.-D. 1988. “Two xanthones from *Garcinia mangostana*”, *Phytochemistry* 27(11), 3694-3696.
- Pelter, A., Warren, R., Chexal, K.K., Handa, B.K. and Rahman, W. 1971. “Biflavonyls from Guttifereae-*Garcinia livingstonii*”, *Tetrahedron* 27, 1625-1634.
- Permana, D., Lajis, N.H., Shaari, K., Ali, A.M., Mackeen, M.M., Kitajima, M., Takayama, H. and Aimi, N. 2003. “A new prenylated hydroquinone from the roots of *Garcinia atroviridis* Griff ex T. Anders (Guttiferae)”, *Chemical Sciences* 58(4), 332-335.
- Pistelli, L., Spera, K., Flamini, G., Mele, S. and Morelli, I. 1996. “Isoflavonoids and chalcones from *Anthyllis hermanniae*”, *Phytochemistry* 42(5), 1455-1458.

- Pyo, M.K., Park, K.M. and Yun-Choi, H.S. 2002. "Isolation and anti-thrombotic activity of citric", *Natural Product Sciences* 62(2), 53-55.
- Rama Rao, A.V., Venkatswamy, G. and Pendse, A.D. 1980. "Camboginol and cambogin", *Tetrahedron Letters* 21, 1975-1978.
- Roesler, H., Mabry, T.J. and Kagan, J. 1965. "Sphaerobioside, an isoflavone glycoside from *Baptisia sphaerocarpa*", *Chemische Berichte* 98(7), 2193-2196.
- Rukachaisirikul, V., Adair, A. and Dampawan, P. 2000a. "Lanostanes and friedolanostanes from the pericarp of *Garcinia hombroniana*", *Phytochemistry* 55(2), 183-188.
- Rukachaisirikul, V., Kaewnok, W., Koysomboon, S., Phongpaichit, S. and Taylor, W.C. 2000b. "Caged-tetraprenylated xanthones from *Garcinia scortechinii*", *Tetrahedron* 56, 8539-8543.
- Rukachaisirikul, V., Painuphong, P., Sukpondma, Y., Koysomboon, S., Sawangchote, P. and Taylor, W.C. 2003a. "Caged-triprenylated and -tetraprenylated xanthones from the latex of *Garcinia scortechinii*", *J. Nat. Prod.* 66, 933-938.
- Rukachaisirikul, V., Ritthiwigrom, T, Pinsa, A., Sawangchote, P. and Taylor, W.C. 2003b. "Xanthones from the stem bark of *Garcinia nigrolineata*", *Phytochemistry* 64, 1149-1156.
- Sen, A.K., Sarkar, K.K., Mazumder, P.C., Banerji, N., Uusvuori, R. and Hase, T.A. 1982. "The structures of garcinones A, B and C: three new xanthones from *Garcinia mangostana*", *Phytochemistry* 21(7), 1747-1750.
- Sethi, V.K., Taneja, S.C., Dhar, K.L. and Atal, C.K. 1984. "(-)-Epiafzelechin 5-O- β -D-glucoside from *Crataeva religiosa*", *Phytochemistry* 23(10), 2402-2403.
- Shahidi, F. and Wandasundara, P.K. 1992. "Phenolic antioxidants", *Critical Reviews in Food Science and Nutrition* 32(1), 67-103.

- Sheehan, E.W., Zemaitis, M.A., Slatkin, D.J. and Schiff, Jr.P.L. 1983. "A constituent of *Pterocarpus marsupium*, (-)-epicatechin, as a potential antidiabetic agent", *J. Nat. Prod.* 46(2), 232-234.
- Soman, A.G., Gloer, J.B. and Wick, D.T. 1999. "Antifungal and antibacterial metabolites from a selerotium-colonizing isolate of *Mortierella vinacea*", *J. Nat. Prod.* 62(2), 386-388.
- Stout, G.H., Christensen, E.N., Balkenhol, W.J. and Stevens, K.L. 1973. "Xanthones of the Gentianaceae-II *Frasera albicaulis* Dougl. EX Griesb", *Tetrahedron* 25, 1961-1973.
- Subhadhirasakul, S., Jankeaw, B. and Malinee, A. 2003. "Chemical constituents and antioxidative activity of the extracts from *Dyera costulata* leaves", *Songklanakarin J. Sci. Technol.* 25(3), 351-357.
- Subhadhirasakul, S. and Khumfang, P. 2000. "Screening of barakol from *Cassia* plants and some of its biological activities", *Songklanakarin J. Sci. Technol.* 22(4), 430-434.
- Sukavisite, D. 2003. "Caged-polyprenylated xanthones from the twigs of *Garcinia merguensis*", Master of Science Thesis in Organic Chemistry. Prince of Songkla University, Thailand.
- Suksamrarn, S., Suwannapoch, N., Phakhodee, W., Thanuhiranlert, J., Ratananukul, P., Chimnoi and Suksamrarn, A. 2003. "Antimycobacterial activity of prenylated xanthones from the fruits of *Garcinia mangostana*", *Chem. Pharm. Bull.* 51(7), 857-859.
- Suksamrarn, S., Suwannapoch, N., Ratananukul, P., Aroonlerk, N. and Suksamrarn, A. 2002. "Xanthones from the green fruit hulls of *Garcinia mangostana*", *J. Nat. Prod.* 65, 761-763.
- Sundaram, B.M., Gopalakrishnan, C., Subramanian, S., Shankaranarayanan, D. and Kameswaran, L. 1983. "Antimicrobial activities of *Garcinia mangostana*",

- Planta Medica* 49, 60.
- Tahara, S., Katagiri, Y., Ingham, J.L. and Mizutani, J. 1994. "Prenylated flavonoids in the roots of yellow lupin", *Phytochemistry* 36(5), 1261-1271.
- Tahara, S., Orihara, S., Ingham, J.L. and Mizutani, J. 1989. "Seventeen isoflavonoids from *Lupinus albus* roots", *Phytochemistry* 28(3), 901-911.
- Tamura, A., Sato, T. and Fuji, T. 1990. "Antioxidant activity of indapamide and its metabolite", *Chem. Pharm. Bull.* 38(1), 255-257.
- Terashima, K., Shimamura, T., Tanabayashi, M., Aqil, M., Akinniyi, J.A. and Niwa, M. 1997. "Constituents of the seeds of *Garcinia kola*: two new antioxidants, garcinoic acid and garcinol", *Heterocycles* 45(8), 1559-1566.
- Thoison, O., Fahy, J., Dumontet, V., Chiaroni, A., Riche, C., Tri, M.V. and Sevenet, T. 2000. "Cytotoxic prenylxanthones from *Garcinia bracteata*", *J. Nat. Prod.* 62(4), 441-446.
- Tosa, H., Iinuma, M., Tanaka, T., Nozaki, H., Ikeda, S., Tsutsui, Ke., Tsutsui, Ki., Yamada, M. and Fujimori, S. 1997. "Inhibitory activity of xanthone derivatives isolated from some guttiferous plants against DNA topoisomerases I and II", *Chem. Pharm. Bull.* 45, 418-420.
- Wang, H., Nair, M.G., Strasburg, G.M., Chang, Y.-C., Booren, A.M., Gray, J.I. and DeWitt, D.L. 1999. "Antioxidant and antiinflammatory activities of anthocyanins and their aglycon, cyanidin, from tart cherries", *J. Nat. Prod.* 62, 294-296.
- Williams, P., Ongsakul, M., Proudfoot, J., Croft, K. and Beilin, L. 1995. "Mangostin inhibits the oxidative modification of human low density lipoprotein", *Free Rad. Res.* 23(2), 175-184.
- Williams, R.B., Hoch, J., Glass, T.E., Evans, R., Miller, J.S., Wisse, J.H. and Kingston, D.G.I. 2003. "A novel cytotoxic guttiferone analogue from *Garcinia macrophylla* from the Suriname rainforest", *Planta Medica* 69,

864-866.

- Wu, J., Xu, Y.-J., Cheng, X.-F., Harrison, L.J., Sim, K.-Y. and Goh, S.H. 2001. "A highly rearranged tetraprenylxanthonoid from *Garcinia gaudichaudii* (Guttiferae)", *Tetrahedron Letters* 42, 727-729.
- Xu, Y.J., Lai, Y.H., Imiyabir, Z. and Goh, S.H. 2001. "Xanthones from *Garcinia parvifolia*", *J. Nat. Prod.* 64(9), 1191-1195.
- Yamaguchi, F., Ariga, T., Yoshimura, Y. and Nakazawa, H. 2000. "Antioxidative and anti-glycation activity of garcinol from *Garcinia indica* fruit rind", *J. Agric Food Chem.* 48(2), 180-185.
- Yamasaki, K., Hashimoto, A., Kokusenya, Y., Miyamoto, T. and Sato, T. 1994. "Electrochemical method for estimating the antioxidative effect of methanol extracts of crude drugs", *Chem. Pharm. Bull.* 42(8), 1663-1665.
- Yasukawa, K. and Takido, M. 1987. "A flavonol glycoside from *Lysimachia mauritiana*", *Phytochemistry* 26(4), 1224-1226.
- Yates, P. and Bhat, H.B. 1968. "Structure of β -mangostin", *Canadian Journal of Chemistry* 46(23), 3770-3772.
- Yoshikawa, M., Harada, E., Miki, A., Tsukamoto, K., Liang, S.Q., Yamahara, J. and Murakami, N. 1994. "Antioxidant constituents from the fruit hulls of mangosteen (*Garcinia mangostana* L.) originating in Vietnam", *Yakugaku Zasshi* 114(2), 129-133.
- เต็ม สมิตินันท์. 2523. ชื่อพืชในไม้แห่งประเทศไทย (ชื่อพฤกษศาสตร์-ชื่อพื้นเมือง). 379 หน้า. กรุงเทพฯ : พนิพัฒน์ลิสซิ่ง.
- มาโนช วามานนท์ และ เพ็ญนภา ทรัพย์เจริญ. 2540. ยาสมุนไพรสำหรับงานสาธารณสุขมูลฐาน. 133 หน้า. สำนักงานปลัดกระทรวงกรุงเทพฯ.
- วุฒิ วุฒิธรรมเวช. 2540. สารานุกรมสมุนไพร: รวมหลักเภสัชกรรมไทย. 358 หน้า. กรุงเทพฯ : โอดีียนสโตร์.