

REFERENCE

- Ammanamanchi, S. R. A., and Vadali, L. R. (2002) Cericopsins A-D, diterpenoids from *Cericops decandra*. Phytochemistry 60, 777-82.
- Ammanamanchi, S. R. A., and Vadali, L. R. (2003) Cericopsins F and G, diterpenoids from *Cericops decandra*. Phytochemistry 62, 1207-1211.
- Andrade, M. R., Almeida, E. X., and Conserva L. M. (1998) Alkyl chromone and other compounds from *Clusia nemorosa*. Phytochemistry 47(7), 1431-33.
- Antonio, G. G., Braulio M. F., Melchor G. H., and James R. H. (1981) The ^{13}C NMR spectra of some *ent*-18-hydroxykaur-16-enes. Phytochemistry 20(4), 846-47.
- Burns, D.; Reynolds, W. F.; Buchanan, G.; Reese, P. B.; Enriquez, R. G. (2000) Assignment of ^1H and ^{13}C spectra and investigation of hindered side-chain rotation in lupeol derivatives. *Magn. Reson. Chem.* 38, 488-493.
- Bao, S., Deng, Z., Fu, H., Proksch, P., and Lin, W. (2005) Diterpenes and disulfides from the marine mangrove plant *Bruguiera sexangula* var. *rhynchospetala*. *Helvetica Chimica Acta* 88(10), 2757-2763.
- Bohlmann, F., Jakupovic, J., Schuster, A., King, R. M., and Robinson, H. (1982) Diterpenes from *Baccharis* species. Phytochemistry 21, 2317-2327.
- Chantrapromma, S., Salae, A. W., Fun, H.K., and Ponglimanont, C. (2007) *ent*-Kaur-16-en-19- al. *Acta Crystallographica, Section E* 63, o4329.

Charoen, P., Karalai, C., Ponglimanont, C., Subhadhirasakul., and Chantrapromma K. (2005) Dammarane Triterpenes from the Hypocotyls and Fruits of *Ceriops tagal*. Journal of Natural Products 68, 1787-89.

Cheenpracha, S. (2004) Chemical constituents from the seeds of *Cerbera manghas* and the stems of *Derris trifoliata*. Master of Science Thesis in Organic Chemistry, Prince of Songkla University, 137 pp.

Chumkaew, P., Kato, S., and Chantrapromma, K. (2005) A new triterpenoid ester from the fruits of *Bruguiera parviflora*. Chemical & Pharmaceutical Bulletin 53(1), 95-96.

Daengrot, C. (2006) Chemical constituents from the bark of *Heritiera littoralis*. Master of Science Thesis in Organic Chemistry, Prince of Songkla University, 46 pp.

Della Greca, M.; Monaco, P.; Previtera, L. (1990) Stigmasterols from *Typha latifolia*. Journal of Natural Products 53, 1430-1435.

Ghosh, A., Misra, S., Dutta, A. K., and Choudhury, A. (1985) Pentacyclic triterpenoids and sterols from seven species of mangrove. Phytochemistry 24(8), 1725-7.

Gonzalez, A., Amaro, J., Fraga, B. M., and Luis, J. G., (1983) 3-Oxo-6 β -hydroxyolean-18-en-28-oic acid from *Orthopterygium huancuy*. Phytochemistry 22, 1828-30.

Han, L., Huang, X., Sattler, I., Dahse, H. -M., Fu, H., Lin, W., and Grabley, S. (2004) New Diterpenoids from the Marine Mangrove *Bruguiera gymnorhiza*. Journal of Natural Products 67(9), 1620-1623.

Han, Li., Huang, X., Sattler, I., Dahse, H.-M., Fu, H., Grabley, S., and Lin, W. (2005) Three new pimaren diterpenoids from marine mangrove plant, *Bruguiera gymnorhiza*. *Pharmazie* 60(9), 705-707.

Han, Li., Huang, X., Sattler, I., Dahse, H.-M., Fu, H., Grabley, S., Lin, W., and Grabley, S. (2005) New aromatic compounds from the marine mangrove *Bruguiera gymnorhiza*. *Planta Medica* 71(2), 160-164.

Herz, W., and Kulanthaivel, P. (1983) Eudesmanolides and ent-pimaranes from *Liatris laevigata*. *Phytochemistry* 22(3), 715-720.

Homhual, S., Bunyapraphatsara, N., Kondratyuk, T., Herunsalee, A., Chaukul, W., Pezzuto, J. M., Fong, H. H. S., and Zhang, H. -J. (2006) Bioactive dammarane triterpenes from the mangrove plant *Bruguiera gymnorhiza*. *Journal of Natural Products* 69(3), 421-424.

Karalai, C., and Laphookhieo, S. (2005) Triterpenoid esters from *Bruguiera cylindrica*. *Australian Journal of Chemistry* 58(7), 556-559.

Kato, A., and Numata, M. (1972) Brugierol and isobrugierol, trans- and cis-1,2-dithiolane 1-oxide, from *Bruguiera conjugata*. *Tetrahedron Letters* 3, 203-6.

Kato, A. (1975). Brugine from *Bruguiera cylindrica*. *Phytochemistry* 14(5-6), 1458.

Kato, A., and Takahashi, J. (1976). A new naturally occurring 1,2-dithiolane from *Bruguiera cylindrica*. *Phytochemistry* (Elsevier) 15(1), 220-1.

Kitajima, J., Shindo, M., and Tanaka, Y. (1990) Two new triterpenoids sulfates from the leaves of *Schefflera octophylla* Chemical & Pharmaceutical Bulletin 38, 714-16.

- Kokpol, U., Chavasiri, W., Chittawong, V., Bruce, M., Cunningham, G. N., Miles, D. H. (1993) Long chain aliphatic alcohols and saturated carboxylic acids from heartwood of *Rhizophora apiculata*. *Phytochemistry* 33(5), 1129-31.
- Koul, S., Razdan, T. K., Andotra, C. S., Kalla, A. K., Koul, S., Taneja, S. C., Dhar, K. L. (2000) Koelpinin-A, B and C- three triterpenoids from *Koelpinia linearis*. *Phytochemistry* 53, 305-09.
- Laphookhieo, S., Karalai, C., Ponglimanont, C., Chantrapromma, K. (2004) Pentacyclic triterpenoid esters from the fruits of *Bruguiera cylindrica*. *Journal of Natural Products* 67(5), 886-888.
- Loder, J. W., and Russell, G. B. (1969) Tumor-inhibitory plants. Alkaloids of *Bruguiera sexangula* and *Bruguiera exaristata*. *Australian Journal of Chemistry* 22(6), 1271-5.
- Misra, S., Choudhury, A., Pal, P. K., and Ghosh, A. (1986) Effect on the leaf lipids of three species of mangrove of periodic submergence in tidal water. *Phytochemistry* 25(5), 1083-7.
- Oliveira, B. H., Santos, M. C., and Leal, P. C. (1999) Biotransformation of the diperpenoid, isosteviol, by *Aspergillus niger*, *Penicillium chrysogenum* and *Rhizopus arrhizus*. *Phytochemistry* 51, 737-41.
- Ponglimanont, C. and Thongdeeying, P. (2005) Lupane-triterpene esters from the leaves of *Ceriops decandra* (Griff.) Ding Hou. *Australian Journal of Chemistry* 58(8), 615-618.
- Piozzi, F., Passannanti, S., and Paternostro, M. P. (1971) Kauranoid diterpenes in *Espeletia Grandiflora*. *Phytochemistry* 10, 1164-66.

- Raihan, S. M. Abu. (1994) Gramrione: a novel flavone from *Bruguiera gymnorhiza* Lam. ACGC Chemical Research Communications 2, 21-24.
- Raihan, A. (1995) Chemical investigation of *Bruguiera gymnorhiza*. Journal of the Bangladesh Chemical Society 8(2), 101-104.
- Razdan, T. K., Harkar, S., Qadri, B., and Qurishi, M. A. (1988) Lupane derivatives from *Skimmia laureola*. Phytochemistry 27, 1890-92.
- Richter, A., Thonke, B., and Popp, M. (1990) 1D-1-O-Methyl-muco-inositol in *Viscum album* and members of the Rhizophoraceae. Phytochemistry 29(6), 1785-6
- Ruan, H. L., Zhou, X. F., Zhang, Y. H., Pi, H. F., Wu, J. Z., and Sun, H. D. (2007) Ferulic acid esters from *Euphorbia hylonomo*. Fitoterapia 78, 72-73
- Salae, A. W., Chantrapromma, S., Fun, H.K., and Ponglimanont, C. (2007) ent-Kaur-16-ene-13,19-diol. Acta Crystallographica, Section E 63(4), o1899-o1901.
- Sarkar, Alok., and Ganguly, S. N. (1978) Gymnorhizol, a new triterpene alcohol from *Bruguiera gymnorhiza*. Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry 16B(8), 742.
- Saxena, E., and Garg, H. S. (1994) Apiculol, 1 β -hydroxy-13-epimanoyl oxide from roots of *Rhizophora apiculata* mangrove. Natural Product Letters 4(2), 149-54.
- Seshadri, T. R., and Trikha, R. K. (1971) Procyanidin of *Bruguiera parviflora*. Indian Journal of Chemistry 9(4), 302-4.
- Stefan M., Carlos R. T., Ana M. O., Renato M., Victor C., and Irmgard M. (2003) Studies of ent-kaurane diterpenes from *Oyedaea verbesinoides* for their inhibitory activity on vascular smooth muscle contraction. Phytochemistry 63, 391-96.

Subrahmanyam, C., Rao, B. V., Ward, R. S., Hursthouse, M. B., and Hibbs, D. E. (1999) Diterpenes from the marine mangrove *Bruguiera gymnorhiza*. *Phytochemistry* 51(1), 83-90.

Yang, C. W., Yu, C. H., Fang, R. C., Mark, C., Hui, K., and Kuo, H. L. (1996) Identification of ent-16 β ,17-Didydroxykauran-19-oic Acid as an anti-HIV principle and isolation of the new diterpenoids annosquamosins A and B from *Annona squamosa*. *Journal of Natural Products* 69, 421-424.