

Surat Laphookhieo

	TO A WILLIAM	Ser Carr			of the special section is
	- Spanisty (1) - Anti-Spanisty	monthly of the server of the server to			
	-			•	The second secon
	- 1				
ลขา	ni Pl	271-2	1 5	97	2002
	Key		4996		
310	Ney				•••••
		1 .00 1	4 W.E.	256	

Master of Science Thesis in Organic Chemistry

Prince of Songkla University

2002

Thesis Title Chemical Constituents from Cerbera odollam

Author Mr. Surat Laphoohkieo

Major Program Organic Chemistry

Academic Year 2001

ABSTRACT

One new cardenolide glycoside [3\beta-O-(L-2'-O-acetyl thevetosyl)- $15(8 \rightarrow 14)$ -abeo-5 β -(8R)-14-oxo-card-20(22)-enolide (SCO5)] together with four known cardenolide glycosides $[3\beta-O-(L-thevetosyl)-14\beta-hydroxy-5\beta-card-20(22)$ enolide (SCO1), 3β -O-(L-2'-O-acetyl thevetosyl)-14 β -hydroxy-5 β -card-20(22)enolide (SCO2), 3β -O-(L-thevetosyl)-14 β -hydroxy-5 β -17 β -card-20(22)-enolide 3β -O-(L-thevetosyl)-15(8 \longrightarrow 14)-abeo-5 β -(8R)-14-oxo-card-20(22)enolide (SCO4)] were isolated from the fresh seeds of Cerbera odollam. Fresh latex of this plant yielded seven known compounds: five triterpenes [Urs-12-ene-3 β -acetate (LCO1), Olean-12-ene-3 β -acetate (LCO2), Lup-20(29)-ene-3 β -acetate (LCO3), Lanosta-7-24-dien-3 β -ol. (LCO4) and Ergosta-8,24(28)-dien-3 β -ol (LCO5)] and two steroids [5,24(28)-Stigmastadien-3 β -ol (LCO6) and 7,24(28)-Stigmastadiene-3 β ol (LCO7)]. Four known compounds were isolated from the barks of C.odollam: Cerbinal (BCO1), 3β -Sitosterol (BCO2), 2,6-Dimethoxybenzoquinone (BCO3) and 3, 5-dimethoxy-4-hydroxybenzaldehyde (BCO4). Their structures were elucidated by spectroscopic methods. In addition, the structures of SCO1, SCO2, LCO1, LCO2 and BCO1 were confirmed by X-ray diffraction.

SCO1: R= H: 17α -H; 3β -O-(L-thevetosyl)- 14β -hydroxy- 5β -card-20(22)-enolide

SCO2: R= Ac: 17α -H; 3β -O-(L-2'-O-acetyl thevetosyl) - 14β -hydroxy- 5β -card-20(22)-enolide

SCO3: R= H: 17β -H; 3β -O-(L-thevetosyl)- 14β -hydroxy- 5β -card-20(22)-enolide

SCO4: R= H; 3β -O-(L- thevetosyl)-15(8 \longrightarrow 14)-abeo-5 β -(8R)-14-oxo-card-20(22)-enolide

SCO5: R= Ac; 3β -O-(L-2'-O-acetyl thevetosyl)-15(8 \longrightarrow 14)-abeo-5 β -(8R)-14-oxo-card-20(22)-enolide

LCO1: Urs-12-en-3β-acetate

LCO2: Olean-12-en-3 β -acetate

LCO3: Lup-20(29)-en-3 β -acetate

LCO4: Lanosta-7-24-dien-3 β -ol

LCO5: 4α , 14α ,-Simethyl- 5α -ergosta-8,24(28)-dien- 3β -ol.

LCO6: 5, 24(28)-Stigmastadien-3 β -ol

LCO7: 7, 24(28)-Stigmastadien-3 β -ol

BCO1: Cerbinal

BCO2: β-Sitosterol

BCO3: 2, 6-Dimethoxybenzoquinone

BCO4: 3,5-Dimethoxy-4-hydroxybenzaldehyde