

## REFERENCES

- Ali, M.; Heaton, A.; Leach, D. 1997. "Triterpene ester from *Australian acacia*", *J. Nat. Prod.* 60, 1150-1151.
- Ali, M. S.; Saleem, M.; Erian, A. W. 2001. "A new acylated steroid glucoside from *Perovskia artriplicifolia*", *Fitoterapia* 72, 712-714.
- Alverenga, N.; Ferro, E. A. 2000. "A new lupane caffeoyl ester from *Hippocratea volubilis*", *Fitoterapia* 71, 719-721.
- Anjaneyulu, A. S. R.; Rao, V. L. 2002. "Ceriopsins A-D, diterpenoids from *Ceriops decandra*", *Phytochemistry* 60, 777-782.
- Anjaneyulu, A. S. R.; Rao, V. L.; Lobsky, E.; Clardy, J. 2002. "Ceriopsin E, a new epoxy ent-kaurene diterpenoids from *Ceriops decandra*", *J. Nat. Prod.* 65, 592-594.
- Anjaneyulu, A. S. R.; Rao, V. L. 2003. "Ceriopsins F and G, diterpenoids from *Ceriops decandra*", *Phytochemistry* 62, 1207-1211.
- Bamroongrugs, N. 1999. "Bioactive substances from the mangrove resource", *Songklanakarin J. Sci. Techno.* 21, 377-386.
- Burns, D.; Reynolds, W. F.; Buchanan, G.; Reese, P. B.; Enriquez, R. G. 2000. "Assignment of <sup>1</sup>H and <sup>13</sup>C spectra and investigation of hindered side-chain rotation in lupeol derivatives", *Magn. Reson. Chem.* 38, 488-493.

Cheenpracha, S. 2004. "Chemical constituents from the seeds of *Cerbera manghas* and the stems of *Derris trifoliata*", Master of Science Thesis in Organic Chemistry, Prince of Songkla University, 137 pp.

Ghosh, A.; Misra, S.; Dutta, A. K.; Choudhury, A. 1985. "Pentacyclic triterpenoids and steroids from seven species of mangrove", *Phytochemistry* 24, 1725-1727.

Gonzalez, A. G.; Guillermo, J. A.; Ravelo, A. G.; Jimenez, I. A. 1994. "4, 5-Dihydroblumenol A, a new nor-isoprenoid from *Perrottetia multiflora*", *J. Nat. Prod.* 57, 400-402.

Gonzalez, A. G.; Jimenez, I. A.; Ravelo, A. G. 1992. "Triterpenes from *Maytenus canariensis* and synthesis of a derivative from betulin", *Phytochemistry* 31, 2069-2072.

Kisiel, W.; Michalska, K.; Szneler, E. 2004. "Norisoprenoids from aerial parts of *Cichorium pumilum*", *Biochemical Systematics and Ecology* 32, 343-346.

Kitajima, J.; Shindo, M.; Tanaka, Y. 1990. "Two new triterpenoids sulfates from the leaves of *Schefflera octophylla*", *Chem. Pharm. Bull.* 38, 714-716.

Koul, S.; Razdan, T. K.; Andotra, C. S.; Kalla, A. K.; Koul, S.; Taneja, S. C.; Dhar, K. L. 2000. "Koelpinin-A, B and C- three triterpenoids from *Koelpinia linearis*", *Phytochemistry* 53, 305-309.

Kuo, Y. H.; Chang, C. I.; Kuo, Y. H. 1997. "Triterpenes from *Diospyros maritima*", *Phytochemistry* 46, 1135-1137.

- Kushrestha, D. K. 1977. "Three new oxygenated triterpenoids of the lupane series from *Gymnosporia walliciana*", *Phytochemistry* 16, 1783-1785.
- Lin, C. N.; Chung, M. I., Gan, K. H.; Chiang, J. R. 1987. "Xanthones from *Formosan gentianaceous* plants", *Phytochemistry* 26, 2381-2384.
- Macias, F. A.; Simonet, A. M.; Esteban, M. D. 1994. "Potential allelopathic lupane triterpenes from bioactive fractions of *Melilotus messanensis*", *Phytochemistry* 36, 1369-1379.
- Monaco, P.; Previtera, L. 1984. "Isoprenoids from the leaves of *Quercus suber*", *J. Nat. Prod.* 47, 673-676.
- Ponglimanont, C.; Thongdeeying P. 2005. "Lupane-triterpene esters from the leaves of *Ceriops decandra* (Griff.) Ding Hou", *Aust. J. Chem.* 58, 615-618.
- Rao, M. S.; Kumar, J. K.; Rao, P. S.; Toth, G.; Simon, A.; Balazz, B.; Duddeck, H. 1999. "Constituents of *Crotalaria trifoliastrum* roots", *Fitoterapia* 70, 200-202.
- Razdan, T. K.; Harkar, S.; Qadri, B.; Qurishi, M. A. 1988. "Lupane derivatives from *Skimmia laureola*", *Phytochemistry* 27, 1890-1892.
- Reynolds, W. F.; Mclean, S.; Poplawski, J.; Enriquez, R. G.; Escobar, L. I.; Lenon, I. 1986. "Total assignment of  $^{13}\text{C}$  and  $^1\text{H}$  spectra of three isomeric triterpenol derivatives by 2D NMR: an investigation of the potential utility of  $^1\text{H}$  chemical shifts in structural investigations of complex natural products", *Tetrahedron* 42, 3419-3428.

Richter, A.; Thonke, B.; Popp, M. 1990. "1D-1-O-Methyl-muco-inositol in *Viscum album* and members of the Rhizophoraceae", *Phytochemistry*, 29, 1785-6.

Seebacher, W.; Simic, N.; Weis, R.; Saf, R.; Kunert, O. 2003. "Complete assignments of  $^1\text{H}$  and  $^{13}\text{C}$  NMR resonances of oleanolic acid,  $18\alpha$ -oleanolic acid, ursolic acid and their 11-oxo derivatives", *Magn. Reson. Chem.* 41, 636-638.

Smitinand, T.; Larsen, K. 1970. "Flora of Thailand", vol. 2 part 1, 1-92.

Sung, T. V.; Steglich, W.; Adam, G. 1991. "Triterpene glycosides from *Schefflera octophylla*", *Phytochemistry* 30, 2349-2356.

Thongdeeying, P.; Chantrapromma, S.; Fun, H. K.; Anjum, S.; Ali, S.; Ponglimanont, C. 2005. "2-(9-Hydroxy-3a, 5a, 5b, 8, 8, 11a-hexamethylicosahydro-1H-cyclopenta-[a] chrysen-1-yl) propanoic acid ( $3\beta$ -hydroxylupan-29-oic acid)", *Acta Cryst. E*61, o1861-o1863.

Tinto, W. F.; Blair, L. C.; Alli, A. 1992. "Lupane triterpenoids of *Salacia cordata*", *J. Nat. Prod.*, 55, 395-398.

Tomlinson, P. B. 1986. "The Botany of mangroves", Cambridge University Press; Cambridge. 352-357.

Yuruker, A.; Orjala, J.; Sticher, O.; Rali, T. 1998. "Triterpenes from *Rhus taitensis*", *Phytochemistry* 48, 863-866.

Zhang, Y.; Deng, Z.; Gao, T.; Proksch, P.; Lin, W. 2005(a) "Tagalsins A-H, dolabrate-type diterpenes from the mangrove plant, *Ceriops tagal*", *Phytochemistry* 66, 1465-1471.

Zhang, Y.; Lu, Y.; Mao, L.; Proksch, P.; Lin, W. 2005(b). "Tagalsins I and J, two novel tetraterpenoids from the mangrove plant, *Ceriops tagal*", *Org. Lett.* 7, 3037-3040.

Zhang, Z.; Guo, D.; Li, C.; Zheng, J.; Kokie, K. 1999. "Gaultherins A and B, two lignans from *Gaultheria yunnanensis*", *Phytochemistry* 51, 469-472.