

REFERENCE

- Ajisaka, K. and Fujimoto, H. and Nishida, H. 1988. Enzymic synthesis of disaccharides by use of the reversed hydrolysis activity of β -D-galactosidases. *Carbohydr. Res.* 180: 35-42.
- Ajisaka, K. and Fujimoto, M. 1989. Regioselective synthesis of trisaccharides by use of a reversed hydrolysis activity of α - and β -D-galactosidase. *Carbohydr. Res.* 185(1): 139-146.
- Ajisaka, K., Fujimoto, H. and Isomura, M. 1994. Regioselective transglycosylation in the synthesis of oligosaccharides: comparison of β -galactosidases and sialidases of various origins. *Carbohydr. Res.* 259: 103-115.
- Ajongwen, N.J. and Barker, P.E. 1993. Scale-up studies of non-aerated fed-batch fermentation of dextransucrase and the industrial synthesis of dextran using the enzymatic route. *J. Chem. Technol. Biotechnol.* 56: 113-118.
- Albersheim, P., Nevins, D. J., English, P. D. and Karr, A. 1967. A method for the analysis of sugars on plant cell-wall polysaccharides by gas-liquid chromatography. *Carbohydr. Res.* 5: 340-345.
- Alsop, R.M. 1983. Industrial production of dextrans. In *Progress in industrial microbiology*. Bushell, M.E. (ed). pp. 1-44. Amsterdam: Elsevier.
- Amann, R.I., Ludwig, W., Schleifer, K-H. 1995. Phylogenetic identification and *in situ* detection of individual microbial cells without cultivation. *Microbiol. Rev.* 59:143-169.
- Anindyawati, T., Yamaguchi, H., Iizuki, M. and Minamiura, N. 1995. Synthesis of novel oligosaccharides from leucrose by a glucosidase. *Biosci. Biotechnol. Biochem.* 59(11): 2146-2148.
- Arrigoni, E., Jorger, F., Kolloffel, B., Roulet, I., Herensperger, M., Meile, L. and Amado, R. 2002. *In vitro* fermentability of a commercial wheat germ preparation and its impact on the growth of bifidobacteria. *Food Res. Internal.* 35: 475-481.

- Barker, P.E., Alsop, R.M. and Vlachogiannis, G.J. 1984. Fractionation, purification and concentration of dextran solutions by ultrafiltration. *J. Membr. Sci.* 20: 79-91.
- Ballongue, J., 1993. Bifidobacteria and probiotic action. In *Lactic Acid Bacteria*. Salminen, S., von Wright, A. (eds). pp. 519-587. Marcel Dekker Inc., New York.
- Ballongue, J., Schumann, C. and Quignon, P. 1997. Effects of lactulose and lactitol on colonic microflora and enzymatic activity. *Scandi. J. Gastroenterol.* 32: 41-44.
- Barcenilla, A., Pryde, S., Martin, J.C., Duncan, S.H., Steward, C.S., Henderson, C. and Flint, H. 2000. Phylogenetic relations of butyrate-producing bacteria from the human gut. *Appl. Environ. Microbiol.* 1654-1661.
- Battermann, W. 1997. Lactulose powder-main technological properties and its relevance in functional food. Internal Report Solvay Deutschland GmbH (Report no. AWTLAC 12.041.97).
- Benno, Y., Endo, K., Shiragami, N., Sayama, K. and Mitsuoka, T. 1987. Effects of raffinose intake on human faecal microflora. *Bifidobacteria Microflora.* 6: 59-63.
- Bergey's Manual of Determinative Bacteriology 8th edition (1975).
- Bergey, Eds.D.H., Holt, J.G., Krieg, N.R., Sneath, P.H.A. and Staley, J.T. 1994. *Bergey's manual of determinative bacteriology.* 9th ed. Baltimore: Lippincott, Williams and Wilkins.
- Bezkorovainy, A. 1989. Nutrition and metabolism of *Bifidobacteria*. In: *Biochemistry and Physiology of Bifidobacteria*. Bezkorovainy, A., Miller-Catchpole, R. (eds). CRC Press, Boca Raton.
- Bidnenko, E., Mercier, C., Tremblay, J., Tailliez, P., Kulakauskas, S. 1998. Estimation of the state of the bacterial cell wall by fluorescent *in situ* hybridization. *Appl. Environ. Microbiol.* 64: 3059-3062.
- Biedrzycka, E. and Bielecka, M. 2004. Prebiotic effectiveness of fructans of different degree of polymerization. *Trends in Food Sci & Technol.* 15: 170-175.
- Bielecka, M., Biedrzycka, E. and Majkowska, A. 2002. Selection of probiotics and prebiotics for synbiotics and confirmation of their *in vivo* effectiveness. *Food Res. Internal.* 35: 125-131.

- Blakeney, A. B., Harris, P. J. and Stone, B. A. 1983. A simple and rapid preparation of alditol acetates for monosaccharide analysis. *Carbohydr. Res.* 113: 291-299.
- Blaut, M. 2004. Analysing gut microbiota. In *Functional Foods, Aging and Degenerative Disease*. Remacle, C. and Reusens, B. (eds) pp. 325-348. Woodhead Publishing Ltd., Cambridge, England.
- Bomba, A., Nemcova, R., Gancarcikova, S., Herich, R., Guba, P. and Mudronova, D. 2002. Improvement of the probiotic effect of micro-organisms by their combination with maltodextrins, fructo-oligosaccharides and polyunsaturated fatty acids. *Brit. J. Nutr.* 88(Suppl. 1): S95-S99.
- Bongaerts, G., Severijnen, R., Timmerman, H. 2005. Effect of antibiotics, prebiotics and probiotics in treatment for hepatic encephalopathy. *Medical Hypotheses*. 64: 64-68.
- Boos, W. and Shuman, H. 1998. Maltose/maltodextrin system of *Escherichia coli*: transport, metabolism, and regulation. *Microb. Molec. Biol. Rev.* 62(1): 204-229.
- Bornet, F.R. 1994. Undigestible sugars in food products. *Am. J. Clin. Nutr.* 59: 763S-769S.
- Bouhnik, Y., Flourie, B., D'Agay-Abensour, L., Pochart, P., Gramet, G., Durand, M. and Rambaud, J.C. 1997. Administration of transgalacto-oligosaccharides increases faecal bifidobacteria and modifies colonic fermentation metabolism in healthy humans. *J. Nutr.* 127: 444-448.
- Bouhnik, Y., Vahedi, K., Achour, L., Attar, A., Salfati, J., Pochart, P., Marteau, P., Flourie, B., Bornet, F. and Rambaud, J-C. 1999. Short-chain fructo-oligosaccharide administration dose-dependently increases faecal bifidobacteria in healthy humans. *J. Nutr.* 129: 113-116.
- Brady, L.J., Gallaher, D.D. and Busta, F.F. 2000. The role of probiotic cultures in the prevention of colon cancer. *J. Nutr.* 130: 410S-414S.
- Brouns, G., Kettlitz, B. and Arrigoni, E. 2002. Resistant starch and "the butyrate revolution". *Trends in Food Sci & Technol.* 13: 251-261.
- Bucke, C. 1996. Oligosaccharides synthesis using glycosidases. *J. Chem. Technol. Biotechnol.* 67: 217-220.

- Bucke, C., Packwood, J., Suwasono, S. and Rastall, R.A. 1999. Synthesis of homo- and hetero-oligosaccharides from underivatized sugars using glycosidases. In *Carbohydrate Biotechnology Protocols*. Bucke, C. (ed). pp. 213-219. Humana Press, New Jersey.
- Buddington, R.K., Williams, C.H., Chen and Witherly, S.A. 1996. Dietary supplement of neosugar alters the faecal flora and decreases activities of some reductive enzymes in human subjects. *Am. J. Clin. Nutr.* 63: 709-716.
- Bugaut, M. and Bentejac, M. 1993. Biological effects of short-chain fatty acids in nonruminant mammals. *Ann. Rev. Nutr.* 13: 217-241.
- Campbell, J.M., Fahey, G.C. Jr. and Wolf, B.W. 1997. Selected indigestible oligosaccharides affect large bowel mass, cecal and fecal short-chain fatty acids, pH and microflora in rats. *J. Nutr.* 127: 130-136.
- Casas, I.A. and Dobrogosz, W.J. 2000. Validation of the probiotic concept: *Lactobacillus reuteri* confers broad-spectrum protection against disease in humans and animals. *Microb. Ecol. Health and Disease.* 12: 247-285.
- Caspari, D. and Macy, J.M. 1983. The role of carbon dioxide in glucose metabolism of *Bacteroides fragilis*. *Arch. Microbiol.* 135: 16-24.
- Chaplin, M.F. and Bucke, C. 1992. In *Enzyme Technology*. Cambridge University Press, Cambridge.
- Cheetham, P.S.J. 1987. Principles of industrial enzymology: Basis of utilisation of soluble and immobilized enzyme in industrial processes. In *Hand Book of Enzyme Biotechnology*, 2nd ed. Wiseman, A. (ed). Ellis Horwood Limited Press, Chichester.
- Chen, S.X., Wei, D.Z., Hu, Z.H. 2001. Synthesis of galacto-oligosaccharides in AOT/isooctane reverse micelles by β -galactosidase. *J. Molec. Catalysis B: Enzymatic* 16: 109-114.
- Ciucanu, I. and Kerek., F. 1984. A simple and rapid method for the permethylation of carbohydrates. *Carbohydr. Res.* 131: 209-217.
- Collins, M.D., Lawson, P.A., Willems, A., Cordoba, J.J., Fernandez-Garayzabal, J., Garcia, P., Cai, J., Hippe, H. and Farrow, J.A.E. 1994. The phylogeny of the genus *Clostridium*: proposal of five new genera eleven new species combinations. *Int. J. Syst. Bacteriol.* 44: 812-826.

- Cook, S.I. and Sellin, J.H. 1998. Review article: short chain fatty acids in health and disease. *Alimentary Pharmacology and Therapeutics*. 12(6): 499-507.
- Corradini, C., Bianchi, F., Matteuzzi, D., Amoretti, A., Rossi, M. and Zanoni, S. 2004. High-performance anion-exchange chromatography coupled with pulsed amperometric detection and capillary zone electrophoresis with indirect ultra violet detection as powerful tools to evaluate prebiotic properties of fructooligosaccharides and inulin. *J. of Chromatography A*. 1054: 165-173.
- Crittenden, R. G. 1999. Prebiotics. In *Prebiotics: A Critical Review*. Tannock, G. (ed). pp. 141-156. Horizon Scientific Press, Wymondham.
- Crittenden, R. G. and Playne, M. J. 1996. Production, properties and applications of food-grade oligosaccharides. *Trends Food Sci & Technol*. 7: 353-361.
- Crittenden, R.G., Morris, L.F., Harvey, M.L., Tran, L.T., Mitchell, H.L. and Playne, M.J. 2001. Selection of a Bifidobacterium strain to complement resistant starch in a synbiotic yoghurt. *J. Appl. Bacteriol*. 90: 268-278.
- Csordas, A. 1996. Butyrate, aspirin and colorectal cancer. *Eur. J. Cancer Prevent*. 5: 221-231.
- Cummings, J.H. and Englyst, H.N. 1995. Gastrointestinal effects of food carbohydrate. *Am. J. Clin. Nutr*. 61: 938S-945S.
- Cummings, J.H. and Macfarlane, G.H. 1997. Role of intestinal bacteria in nutrient metabolism. *Clin. Nutr*. 16: 3-11.
- Cummings, J.H., Macfarlane, G.T. and Englyst, H.N. 2001. Prebiotic digestion and fermentation. *Am. J. Clin. Nutr*. 73(Suppl.): 415S-240S.
- Cummings, J.H. and Macfarlane, G.T. 2002. Gastrointestinal effects of prebiotics. *Brit. J. Nutr*. 87(Suppl. 2): S145-151.
- Cummings, J.H., Edmond, L.M. and Magee, E.A. 2004. Dietary carbohydrates and health: do we still need the fibre concept? *Clin. Nutr. Suppl*. 1: 5-17.
- Dahlqvist, A. 1961. The location of carbohydrases in the digestive tract of the pig. *Biochem. J*. 78: 282-288.
- Dahlqvist, A. 1963. Rat-intestinal dextranase: localisation and relation to the other carbohydrases of the digestive tract. *Biochem J*. 86: 72-76.

- Das, D.K. and Dutta, S.K. 1996. Purification, biochemical characterisation and mode of action of an extracellular endo-dextranase from the culture filtrate of *Penicillium lilacinum*. *Internat. J. Biochem. Cell. Biol.* 28: 107-113.
- Debnam, E.S., Denholm, E.E. and Grimble, G.K. 1998. Acute and chronic exposure of rate intestinal mucosa to dextran promotes SGLTI-mediated glucose transport. *Europ. J. Clin. Inves.* 28: 651-658.
- Defloor, I., Vandenreyken, V. Grobet, P.J. and Delcour, J.A. 1998. Fractionation of maltodextrins by ethanol. *J Chromatography A.* 803: 103-109.
- De Leenheer, L. and Hoebregs, H. 1994. Progress in the elucidation of the composition of chicory inulin. *Starch.* 46(5): 193-196.
- De Ley, J. 1961. Comparative carbohydrate metabolism and a proposal for a phylogenetic relationship of the acetic acid bacteria. *J. Gen. Microbiol.* 24: 31-50.
- De Ley, J. and Kersters, K. 1964. Oxidation of aliphatic glycols by acetic acid bacteria. *Bacteriol. Rev.* 28: 164-180.
- De Ley, J. 1970. The status of the generic name *Gluconobacter*. *Int. J. Sys. Bacteriol.* 20: 83-95.
- De Ley, J., Gillis, M. and Swings, J. 1984. Family VI. *Acetobacteraceae*. In *Bergey's Manual of Systematic Bacteriology*. Vol. 1. Krieg, N.R. (ed).
- Delzenne, N., Cherbut, C. and Neyrinck, A. 2003. Prebiotics: actual and potential effects in inflammatory and malignant colonic diseases. *Curr. Opin. Clin. Nutr. Metab. Care.* 6(5): 581-586.
- Delzenne, N.M.D. and Kok, N. 2001. Effects of fructans-type prebiotics on lipid metabolism. *Am. J. Clin. Nutr.* 73(Suppl.): 456S-458S.
- De Vries, W., Gerbrandy, S.J. and Stouthamer., A.H. 1967. Carbohydrate metabolism in *Bifidobacterium bifidum*. *Biochimica et Biophysica Acta (BBA) - General Subjects.* 136(3): 415-425.
- Djouzi, Z., Andrieux, C., Pelenc, V., Somarriba, S., Popot, F., Paul, F., Monsan, P. and Szyliit, O. 1995. Degradation and fermentation of α -gluco-oligosaccharides by bacterial strains from human colon: *in vitro* and *in vivo* studies in gnotobiotic rats. *J. Appl. Bacteriol.* 79: 117-127.

- Djouzi, Z. and Andrieux, C. 1997. Compared effects of three oligosaccharides on metabolism of intestinal microflora in rats inoculated with a human faecal flora. *Brit. J. Nutr.* 78: 313-324.
- Doyle, E. M., Noone, A. M., Kelly, C. T. and Fogarty, W. M. 1999. Comparison of the action pattern of two high maltose-forming α -amylases on linear maltooligosaccharides. *Enzyme Microb. & Technol.* 25: 330-335.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. A. and Smith, F. 1956. Calorimetric method for determination of sugars and related substances. *Anal. Chem.* 28: 350-356.
- Duedahl-Olesen, L., Kragh, K.M., Zimmermann, W. 2000. Purification and characterisation of a malto-oligosaccharide-forming amylase active at high pH from *Bacillus clausii* BT-21. *Carbohydr. Res.* 329: 97-107.
- Edwards, C.A. and Parrett, A.M. 2002. Intestinal flora during the first months of life: new perspectives. *Brit. J. Nutr.* 88(Supp. 1): S11-S18.
- Ellegard, L., Andersson, H. and Bosaeus, I. 1997. Inulin and oligofructose do not influence the absorption of cholesterol, or the excretion of cholesterol, Ca, Mg, Zn, Fe or bile acids but increases energy excretion in ileostomy subjects. *Europe. J. Clin. Nutr.* 51: 1-5.
- EUCAN. 1999. In *EUCAN database, 1998 Estimates, Version 5.0* IARC Press, Lyon.
- Fegatella, F., Lim, J., Kjelleberg, S., Cavicchioli, R. 1998. Implications of rRNA operon copy number and ribosome content in the marine oligotrophic ultramicrobacterium *Sphingomonas* sp. strain RB2256. *Appl. Environ. Microbiol.* 64: 4433-4438.
- Finegold, S.M., Sutter, V.L. and Mathisen, G.E. 1983. Normal indigenous intestinal flora. In *Human Intestinal Microflora in Health and Disease*. Hentges, D.J. (ed). pp. 3-31. Academic Press, London.
- Finnie, I.A., Dwarakanath, A.D., Taylor, B.A. and Rhodes, J.M. 1995. Colonic mucin synthesis is increased by sodium butyrate. *Gut.* 36: 93-99.
- Fooks, L. and Gibson, G.R. 2002. *In vitro* investigations of the effect of probiotics and prebiotics on selected human intestinal pathogens. *FEMS Microbe. Ecol.* 39: 67-75.
- Foster, F.H. 1968a. Dextran-manufacture and use. *Proc. Biochem.* 2: 15-19.

- Foster, F.H. 1968b. Dextran-manufacture and use. *Proc. Biochem.* 3: 55-57.
- Franks, A. H., Harmsen, H. J. M., Raangs, G. C., Jansen, G. J., Schut, F. and Welling, G. W. 1998. Variations of bacterial populations in human faeces measured by fluorescent *in situ* hybridisation with group-specific 16S rRNA-targeted oligonucleotide probes. *Appl. Environ. Microbiol.* 64: 3336-3345.
- Fulcher, R.P. and Inkerman, P.A. 1976. Dextranase I. Characterization of the enzyme for use in sugar mills. *Proceedings-Queenland Society for Sugar Cane Technol.* 43: 295-305.
- Fuller, R. 1989. Probiotics in man and animals. *J. Appl. Bacteriol.* 66: 365-378.
- Garegg, P.J. 1990. Phase-transfer for selective substitutions in carbohydrates and inositols. *Abstracts of Papers of the American Chemical Society.* 199: 10-15.
- Gibson, G.R., Cummings, J.H., Macfarlane, G.T. 1991. Growth and activities of sulphate reducing bacteria in gut contents of healthy subjects and patients with ulcerative colitis. *FEMS Microbe. Ecol.* 103: 103-112.
- Gibson, G. R. and Roberfroid, M.B. 1995. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J. Nutr.* 125: 1401-1412.
- Gibson, G.R., Wynne, A. and Bird, A. 1998. Microflora of the intestine/role and effects. In *Encyclopedia of Human Nutrition*. Sadler, M., Caballero, B., and Strain, S. (eds). pp. 1282-1289. Academic Press, London.
- Gibson, G.R. and Roberfroid, M.B. 1999. *Colonic microbiota, nutrition and health.* Kluwer Academic Publishers, Dordrecht, Netherlands.
- Gibson, G.R. and Wang, X. 1994. Bifidogenic properties of different types of fructo-oligosaccharides. *Food Microbiol.* 11: 491-498.
- Gibson, G.R. 2004. Fibre and effects on probiotic (the prebiotic concept). *Clin. Nutr. Suppl.* 1: 25-31.
- Gilkison, J.S. and Kooi, E.R. 1957. Recovery and purification of enzymes. US Patent 2810677.
- Globocan. 2001. Globocan 2000: Cancer Incidence, Mortality and Prevalence Worldwide, Version 1.0. In *IARC Cancerbase No.5*. IARC Press, Lyon.
- Gottschalk, G. 1979. In *Bacterial Metabolism. Bacterial fermentations*. Starr, M.P (ed). Springer-Verlag, New York.
- Gottschalk, G. 1988. *Bacterial Metabolism* (2nd ed). Springer Verlag, New York.

- Goulas, A.K., Grandison, A.S. and Rastall, R.A. 2003. Fractionation of oligosaccharides by nanofiltration. *J. Sci. Food Agric.* 83: 675-680.
- Goulas, A.K., Fisher, D.A., Grimble, G.K., Grandison, A.S. and Rastall, R.A. 2004. Synthesis of isomaltooligosaccharides and oligodextrans by the combined use of dextransucrase and dextranase. *Enzyme Microb. & Technol.* 35: 327-338.
- Greenfield, S. and Claus, G.W. 1972. Nonfunctional tricarboxylic acid cycle and the mechanism of glutamate biosynthesis in *Acetobacter suboxydans*. *J. Bacteriol.* 112(3): 1295-1301.
- Grimble, G.K., Collins, S. and Silk, D.B.A. 1992. *In vivo* and *in vitro* assimilation of orally administered dextran 40 KDa in man. *Proc. Nutr. Soc.* 51: 120A.
- Gudiel-Urbano, M. and Goni, I. 2002. Effect of fructooligosaccharide on nutritional parameters and mineral bioavailability in rats. *J. Sci. Food Agric.* 82: 913-917.
- Hara, H., Li, S., Sasaki, M., Maruyama, T., Terada, A., Ogata, Y., Fujita, K., Ishigami, K., Ishigami, H., Hara, K., Fujimori, I. and Mitsuoka, T. 1994. Effective dose of lactosucrose on fecal flora and fecal metabolites of humans. *Bifidobacteria Microflora.* 13: 51-63.
- Harmsen, H. J. M., Elferrich, P., Schut, F. and Welling, G. W. 1999. A 16S rRNA-targeted probe for detection of lactobacilli and enterococci in faecal samples by fluorescent *in situ* hybridisation. *Microb. Ecol. Health and Disease.* 11 : 3-12.
- Harmsen, H.J.M, Wildeboer-Veloo, A.C., Raangs, G.C., Wagendorp, A.A., Klijin, N., Bindels, J.G., Welling, G.W. 2000. Analysis of intestinal flora development in breast-fed and formula-fed infants by using molecular identification and detection methods. *J. Ped. Gastroenterol. Nutr.* 30(1): 61-67.
- Harmsen, H.J.M., Raangs, G.C., He, T., Dgener, J.E., Welling, G.W. 2002. Extensive set of 16S rRNA-based probes for detection of bacteria in human feces. *Appl. Environ. Microbiol.* 68(2): 2982-2990.
- Hauge, J.G., King, T.E. and Cheldelin, V.H. 1955. Oxidation of dihydroxyacetone via the pentose cycle in *Acetobacter suboxydans*. *The J. Biol. Chem.* 214: 11-26.
- Hayakawa, K., Mizutani, J., Wada, K., Masai, T., Yoshihara, I. and Mitsuoka, T. 1990. Effects of soybean oligosaccharides on human faecal flora. *Microb. Ecol. Health and Disease.* 3: 293-303.

- Hehre, E.J. and Hamilton, D.M. 1947. Bacterial conversion of dextrin into a polysaccharide with the serological properties of dextran. *Proceedings of the Society for Experimental Biology and Medicine*. 71: 161-74.
- Hehre, E.J. and Hamilton, D.M. 1951. The biological synthesis of dextran from dextrans. *J Biol Chem*. 192: 161-74.
- Hesta, M., Janssens, G.P.J., Debraekeleer, J. and Wilde, R.D. 2001. The effect of oligofructose and inulin on faecal characteristics and nutrient digestibility in healthy cats. *J. Anim. Physiol. A. Anim. Nutr.* 85: 135-141.
- Hoover, D.G. 2000. Bifidobacterium. In *Encyclopedia of Food Microbiology*. Batt, C.A. and Patel, P.D. (eds). pp. 210-217. Academic Press, London.
- Hopkins, M.J., Cummings, J.H. and Macfarlane, G.T. 1998. Inter-species differences in maximum specific growth rates and cell yields of bifidobacteria cultured on oligosaccharides and other simple carbohydrate sources. *J. Appl. Microb.* 85: 381-386.
- Hotchkiss, A.T. Olano-Martin, E., Grace, W.E., Gibson, G.R. and Rastall, R.A. 2003. Pectic oligosaccharides as prebiotics. In *Oligosaccharides in Food and Agriculture*. Eggleston, G. and Cote, G.L. (eds). pp 55-62. ACS Press, Washington DC.
- Hove, H., Holtug, K., Jeppesen, P.B. and Mortensen, P.B. 1995. Butyrate absorption and lactate secretion in ulcerative colitis. *Dis. Colon. Rectum*. 38: 519-525.
- Howard, M.D., Gordon, D.T., Gaeleb, K.A. and Kerley, M.S. 1995. Dietary fructooligosaccharide, xylooligosaccharide and gum arabic have variable effects on caecal and colonic microflora and epithelial cell proliferation. *J. Nutr.* 125(10): 2604-2609.
- Hreczuk-Hirst, D., Chicco, D., German, L. and Duncan, R. 2001. Dextrins as potential carriers for drug targeting: tailored rates of dextrin degradation by introduction of pendant groups. *Internal. J. Phar.* 230: 57-66.
- Ichikawa, Y., Lin, Y.C., Dumas, D.P., Shen, G.H., Garcia-Junceda, E., Williams, M.A., Bayer, R., Ketcham, C., Walker, L.E., Paulson, J.C. and Wong, C.H. 1992. Chemical-enzymatic synthesis and conformational analysis of sialyl Lewis X and derivatives. *J. Am. Chem. Soc.* 114: 9283-9298.

- Ito, M., Deguchi, Y., Miyamori, A., Matsumoto, K., Kikuchi, H., Kobayashi, Y., Yajima, T. and Kan, T. 1990. Effects of administration of galactooligosaccharides on the human fecal microflora, stool weight and abdominal sensation. *Microb. Ecol. Health and Disease*. 3: 285-292.
- Ito, M., Kimura, M., Deguchi, Y., Miyamori, A., Yajima, T. and Kan, T. 1993. Effects of transgalactosylated disaccharides on the human intestinal microflora and their metabolism. *J. Nutr. Sci. Vitamin*. 39: 279-288.
- Itsaranuwat, P., Shal-Haddad, K. and Robinson, R.K. 2003. The potential therapeutic benefits of consuming 'health-promoting' fermented dairy products: a brief update. *Internal. J. Dairy Technol*. 56(4): 203-210.
- Jackson, K.G., Taylor, G.R.J, Clohessy, A.M., Williams, C.M. 1999. The effect of the daily intake of inulin on fasting lipid, insulin and glucose concentrations in middle-aged men and women. *Brit. J. Nutr*. 82: 23-30.
- Jansen, G.J., Veloo, A.C.M., Tonk, R.H.J., Franks, A.H. and Welling, G.W. 1999. Development and validation of an automated, microscopy-based method for enumeration of groups of intestinal bacteria. *J. Microbiol. Meth*. 37: 215-221.
- Jaskari, J., Kontula, P., Siitonen, A., Jousimies-Somer, H., Mattila-Sandholm, T. and Poutanen, K. 1998. Oat β -glucan and xylan hydrolysates as selective substrates for *Bifidobacterium* and *Lactobacillus* strains. *Appl. Microbiol. Biotechnol*. 49: 175-181.
- Jeanes, A. Wilham, C.A., Tsuchiya, H.M. and Haynes, W.C. 1957. Properties of dextrans isolated from whole cultures various stages of incubation. *Archives Biochem. Biophysics*. 71: 293-302.
- Jodelet, A., Rigby, N.M. and Colquhoun, I.J. 1998. Separation and NMR structural characterisation of singly branched α -dextrans which differ in the location of the branch point. *Carbohydr. Res*. 312: 139-51.
- Johansson, E., Hedbys, L., Mosbach, K., Larsson, P.O., Gunnarsson, A. and Svensson, S. 1989. Studies on the reversed α -mannosidase reaction at high concentrations of mannose. *Enzyme Microb. & Technol*. 11: 347-352.
- Johnson, I.T. 2002. Anticarcinogenic effects of diet-related apoptosis in the colorectal mucosa. *Food and Chem. Toxicol*. 40: 1171-1178.

- Kajiwara, S., Gandhi, H. and Ustunol, Z. 2002. Effect of honey on the growth of and acid production by human intestinal *Bifidobacterium* spp. *J. Food Protection*. 65: 214-218.
- Kaneko, T., Kohmoto, T., Kikuchi, H., Shiota, M., Iino, H. and Mitsuoka, T. 1994. Effects of isomaltooligosaccharides with different degree of polymerization on human fecal bifidobacteria. *Biosc. Biotec. Biochem.* 58: 2288-2290.
- Kennedy, J.F. and Paliuga, G. 1994. Oligosaccharides. In *Carbohydrate Analysis: A Practical Approach*. Kennedy, J.F and Chaplin, M.F. (eds). pp. 43-72. Oxford University Press, London.
- Kerstens, W., Wood, W.A. and De Ley, J. 1965. Polyol dehydrogenases of *Gluconobacter oxydans*. *The J. Biol. Chem.* 240: 965-974.
- Kihara, M., Ohba, K., Sakata, T. 1995. Trophic effect of dietary lactosucrose on intestinal tunica muscularis and utilization of this sugar by gut microbes in red sea bream *Pagrus major* a marine carnivorous teleost under artificial rearing. *Comp. Biochem. Physiol A.* 112: 629-634.
- Kihara, M. and Sakata, T. 2002. Production of short-chain fatty acids and gas from various oligosaccharides by gut microbes of carp (*Cyprinus carpio* L.) in micro-scale batch culture. *Comparative Biochem. Physiol. Part A.* 132: 333-340.
- Kim, D. and Day, D.F. 1994. A new process for the production of clinical dextran by mixed-culture fermentation of *Lipomyces starkeyi* and *Leuconostoc mesenteroides*. *Enz. Microb. & Tech.* 16: 844-848.
- Kim, D., Seo, H.C. and Day, D.F. 1996. Dextran production by *Leuconostoc mesenteroides* in the presence of a dextranase producing yeast, *Lipomyces starkeyi*. *Biotechnol. Techniques.* 10: 227-232.
- Kim, S., Kim, W. and Hwang, I.K. 2003. Optimization for the extraction and purification of oligosaccharides from defatted soybean meal. *Internal. J. Food Sci. & Technol.* 38: 337-342.
- Kleessen, B., Sykura, B., Zunft, H. and Blaut, M. 1997. Effects of inulin and lactose on fecal microflora, microbial activity, and bowel habit in elderly constipated persons. *American J. Clin. Nutr.* 65: 1397-1402.

- Kobayashi, M. and Matsuda, K. 1978. Action of the glucoamylase on dextrans as an exo-dextranase. *Agric. Biol. Chem.* 42: 181-183.
- Koga, Y., Shibuta, T. and O'Brien, R. 1993. Soybean oligosaccharides. In *Oligosaccharides: Production, Properties and Applications*. Nakakuki, T. (ed). pp 175-203. *Japanese Technol. Rev.* 3(2): 175-203.
- Kohmoto, T., Fukui, F., Takaku, H., Machida, Y., Arai, M. and Mitsuoka, T. 1988. Effect of isomalto-oligosaccharides on human fecal flora. *Bifidobacteria Microflora.* 7: 61-69.
- Kohmoto, T., Fukui, F., Takaku, H., Mitsuoka, T. 1991. Dose response test of isomaltooligosaccharides for increasing faecal *Bifidobacteria*. *Agric. Biol. Chem. Tokyo.* 55: 2159-2159.
- Kolida, S. 2003. Prebiotic applications in health and ulcerative colitis. Ph.D Thesis, Food Microbial Sciences Unit, School of Food Biosciences, The University of Reading, UK.
- Kono, T. 1993. Fructooligosaccharides. In *Oligosaccharides: Production, Properties, and Applications*. Nakakuki, T. (ed). *Japanese Technology Reviews.* 3(2): 50-78. Gordon and Breach Science Publishers, UK.
- Kooi, E.R. and Grange, L. 1954. US Patent 2689816: Process for producing dextran.
- Korakli, M., Ganzle, M.G. and Vogel, R.F. 2002. Metabolism by bifidobacteria and lactic acid bacteria of polysaccharides from wheat and rye, and exopolysaccharides produced by *Lactobacillus sanfranciscensis*. *J. Appl. Microb.* 92: 958-965.
- Kumemura, M., Hashimoto, F., Fujii, C., Matsuo, K., Kimura, H., Miyazoe, R., Okamatsu, H., Inokuchi, T., Ito, H., Oizumi, K. and Oku, T. 1992. Effect of administration of 4^G-β-D-galactosylsucrose on faecal microflora, putrefactive products, short chain fatty acids, weight, moisture and pH, in the subjective sensation of defecation in the elderly with constipation. *J. Clin. Biochem. Nutr.* 13: 199-210.
- Kwon, K.S., Auh, J.H., Choi, S.K., Kang, G.J., Kim, J.W. and Park, K.H. 1999. Characterization of branched oligosaccharides produced by *Bacillus licheniformis* maltogenic amylase. *J. Food Science.* 64(2): 258-261.

- Laere, K. M. J., Hartemink, R., Beldman, G. Pitson, S., Dijkema, C., Schols, H. A. and Voragen, A. G. J. 1999. Transglycosidase activity of *Bifidobacterium adolescentis* DSM 20083 α -galactosidase. *Appl. Microbiol. Biotechnol.* 52: 681-688.
- Laere, K.M.J.V., Abee, T., Schols, H.A., Beldman, G. and Voragen, A.G.J. 2000. Characterization of a novel β -galactosidase from *Bifidobacterium adolescentis* DSM 20083 active towards transgalactooligosaccharides. *Appl. Environ. Microbiol.* 66(4): 1379-1384.
- Landon, R.S. and Webb, C. 1990. Separating enzyme (dextransucrase) production and product (dextran) synthesis within a traditional fermentation process. *Proc. Biochem.* 19-23.
- Langendijk, P. S., Schut, F., Jansen, G. J., Raangs, G. C., Kamphuis, G. R., Wilkinson, M. H. F. and Welling, G. W. 1995. Quantitative fluorescence *in situ* hybridisation of *Bifidobacterium* spp. with genus-specific 16S rRNA-targeted probes and its application in faecal samples. *Appl. Environ. Microbiol.* 61: 3069-3075.
- Lapasin, R. and Priel, S. 1995. In *Rheology of Industrial Polysaccharides: Theory and Applications*. Chapman and Hall, London.
- Lawhon, S.D., Maurer, S., Suyemoto, M. and Altier, C. 2002. Intestinal short-chain fatty acids alter *Salmonella typhimurium* invasion gene expression and virulence through BarA/SirA. *Molec. Microbiol.* 46(5): 1451-1464.
- Lazi, M.L., Veljkovi, V.B., Vueti., J.I. and Vrvi, M.M. 1993. Effect of pH and aeration on dextran production by *Leuconostoc mesenteroides*. *Enz. Microb. & Technol.* 15(4): 334-338.
- Lebet, V., Arrigoni, E. and Amado, R. 1997. Neutral-sugar determination by HPAEC-PAD to characterise polysaccharide degradation by colonic bacteria. *Z Lebensm Unters Forsch A*: 205: 257-261.
- Lee, H.S., Gilliland, S.E. and Carter, S. 2001. Amyolytic cultures of *Lactobacillus acidophilus*: potential probiotics to improve dietary starch utilization. *J. Food Sci.* 66(2): 338-344.
- Lee, H.S., Auh, J.H., Yoon, H.G., Kim, M.J., Park, J.H., Hong, S.S., Kang, M.H., Kim, T.J. Moon, T.W., Kim, J.W. and Park, K.H. 2002a. Cooperative action of

- α -glucanotransferase and maltogenic amylases for an improved process of isomaltooligosaccharide (IMO) production. *J. Agric. Food. Chem.* 50: 2812-2817.
- Lee, H.W., Park., Y.S., Jung, J.S. Shin, W.S. 2002b. Chitosan ligosaccharides, dp 2-8, have prebiotic effect on the *Bifidobacterium bifidum* and *Lactobacillus* sp. *Anaerobe*. 8: 319-324.
- Levitt, M.D., Gibson, G.R. and Christl, S.U. 1995. Gas metabolism in the large intestine. In *Human Colonic Bacteria: Role in Nutrition, Physiology and Pathology*. Gibson, G.R. and Macfarlane, G.T. (eds). pp. 131-154. CRC Press, London.
- McCartney, A.L. 2002. Application of molecular biological methods for studying probiotics and the gut flora. *Brit. J. Nutr.* 88(Suppl. 1): 29-39.
- MacCormick., C. A., Harris, J. E., Gunning, A. P. and Morris, V. J. 1993. Characterization of a variant of the polysaccharide acetan produced by mutant of *Acetobacter xylinum* strain CR1/4. *J. Appl. Bacteriol.* 74: 196-199.
- Macfarlanes, G.T. and Cummings, J.H. 1991. The colonic flora fermentation and large bowel digestive function. In *The large Intestine: Physiology, Pathophysiology and Disease*. Phillips, S.F., Pemberton, J.H., Shorter, R.G. (eds). pp. 51-92. Raven Press, New York.
- Macfarlane, G.T. and Gibson, G.R. 1997. Carbohydrate fermentation, energy transduction and gas metabolism in the human large intestine. In *Gastrointestinal Microbiology*. vol. 1. Mackie, R.I. and Placebo, B.H. (eds). pp. 269-318. Chapman and Hall, London.
- Macfarlane, G. T., Macfarlane, S. and Gibson, G. R. 1998. Validation of a three-stage compound continuous culture system for investigating the effect of retention time on the ecology and metabolism of bacteria in the human colon. *Microbe. Ecol.* 35: 180-187.
- Madden, J.A.J. and Hunter, J.O. 2002. A review of the gut microflora in irritable bowel syndrome and the effects of probiotics. *Brit. J. Nutr.* 88(Suppl. 1): S67-S72.
- Mallett, A.K., Bearne, C.A., Rowland, I.R., Farthing, M.J.G., Cole, C.B. and Fuller, R. 1987. The use of rats with a human faecal flora as a model for studying the effects of diet on the human gut microflora. *J. Appl. Bacteriol.* 63: 39-45.

- Manning, T.S. and Gibson, G.R. 2004. Prebiotics. *Best Prac. & Res. Clin. Gastroenterol.* 18(2): 287-298.
- Manz, W., Amann, R., Ludwig, W., Vancanneyt, M. and Schleifer, K. H. 1996. Application of a suit of 16S rRNA-specific oligonucleotide probes designed to investigate bacteria of the phylum cytophaga-flavorbacter-bacteroides in the natural environment. *Microb.* 142: 1097-1106.
- Marteau, P. and Boutron-Ruault, M.C. 2002. Nutritional advantages of probiotics and prebiotics. *Brit. J. Nutr.* 87(Suppl. 2): S153-S157.
- Matteuzzi, D., Swennen, E., Rossi, M., Hartman, T. and Lebet, V. 2004. Prebiotic effects of a wheat germ preparation in human healthy subjects. *Food Microbiol.* 2: 119-124.
- Mattila-Sandholm, T. 2000. Lactobacillus. In *LFRA Ingredients Handbook: Prebiotics and Probiotics*. Gibson, G.R. and Angus, F. (eds). pp. 117-134. Leatherhead Publishing, Surrey.
- Matsubara, Y., Iwasaki, K., Nakajima, M., Nabetani, H. and Nakao, S. 1996. Recovery of oligosaccharides from steamed soybean wastewater in tofu processing by reverse osmosis and nanofiltration membranes. *Biosci. Biotech. Biochem.* 60 (3): 421-428.
- McBain, A.J. and Macfarlane, G.T. 1997. Investigations of bifidobacterial ecology and oligosaccharide metabolism in a three-stage compound continuous culture system. *Scandinavian J. Gastroenterol.* 32: 32-40.
- Menne, E., Guggenbuhl, N. and Roberfroid, M. 2000. F_n-type chicory inulin hydrolysate has a prebiotic effect in humans. *J. Nutr.* 130: 1197-1199.
- Michel, C., Kravtchenko, T.P., David, A., Gueneau, S., Kozlowski, F. and Cherbut, C. 1998. *In vitro* prebiotic effects of acacia gums onto the human intestinal microbiota depends on both botanical origin and environmental pH. *Anaerobe.* 4: 257-66.
- Mizota, T. 1996. Functional and nutritional foods containing bifidogenic factors. *Bulletin of the Int. Dairy Fed.* 313: 31-35.
- Modler, H.W. 1994. Bifidogenic factors-sources, metabolism and applications. *Int. Dairy J.* 383-407.

- Mortensen, P.B. and Clausen, M.R. 1996. Short-chain fatty acids in the human colon: relation to gastrointestinal health and disease. *Scand. J. Gastroenterol.* 31: 132-148.
- Mogensen, G. 2000. Bifidobacteria. In *LFRA Ingredients Handbook: Prebiotics and Probiotics*. Gibson, G.R. and Angus, F. (eds). pp. 85-116. Leatherhead Publishing, Surrey.
- Moore, W.E. and Holdeman, L.V. 1974. Human faecal flora: the normal flora of 20 Japanese-Hawaiians. *Appl. Microbiol.* 27: 961-979.
- Monsan, P. and Lopez, A. 1981. On the production of dextran by free and immobilized dextransucrase. *Biotechnol. Bioen.* 23: 2027-2037.
- Monsan, P. and Paul, F. 1995. Enzymatic synthesis of oligosaccharides. *FEMS Microbiol. Rev.* 16: 187-192.
- Morishita, Y. and Konishi, Y. 1994. Effects of high dietary cellulose on the large intestinal microflora and short-chain fatty acids in rats. *Lett. Appl. Microb.* 19: 433-435.
- Morotomi, M., Guillem, J. G., LoGerfo, P. and Weinstein, I. B. 1990. Production of diacylglycerol, an activator of protein kinase C by human intestinal microflora. *Cancer Res.* 50: 3595-3599.
- Mountzouris, K. C., Gilmour, S. G., Jay, A. J. and Rastall., R. A. 1999. A study of dextran production from maltodextrin by cell suspensions of *Gluconobacter oxydans* NCIB 4943. *J. Appl. Microbiol.* 87: 546-556.
- Mountzouris, K. 1999. Biotechnological approaches to production of oligodextrans with potential application as functional food ingredients. PhD Thesis. School of Food Biosciences, The University of Reading, UK.
- Murphy, O. 2001. Non-polyol low digestible carbohydrates: food applications and functional benefits. *Brit. J. Nutr.* 85(Suppl. 1): S47-S53.
- Nakakuki, T. 1993. In *Oligosaccharides: Production, Properties, and Applications*. Japanese Technology Reviews, Section E: Biotechnology. Karube, I. and Kuroda, R. (eds). pp. 1-235. Gordon and Breach Science Publishers, UK.
- Ohkusa, T., Ozaki, Y., Sato, C., Mikuni, K. and Ikeda, H. 1995. Long-term ingestion of lactosucrose increases *Bifidobacterium* sp. in human fecal flora. *Microbial Rev.* 56: 415-420.

- Ohrem, H.L. and Voss, H. 1996. Process model of the oxidation of glycerol with *Gluconobacter oxydans*. Proc. Biochem. 31: 295-301.
- Okazaki, M., Fujikawa, S. and Matsumoto, N. 1990. Effect of xylooligosaccharide on growth of bifidobacteria. J. of the Japanese Society of Nutrition and Food Sciences. 43: 395-401.
- Oku, T. 1994. Special physiological functions of newly developed mono- and oligosaccharides. In *Functional Foods: Designer Foods, Pharmafoods and Nutraceuticals*. Goldberg, I. (ed). pp. 202-218. Chapman and Hall, New York.
- Olano-Martin, E., Mountzouris, K. C., Gibson, G. R. and Rastall, R. A. 2000. *In vitro* fermentability of dextran, oligodextran and maltodextrin by human gut bacteria. Brit. J. Nutr. 83: 247-255.
- Olano-Martin, E., Mountzouris, K.C., Gibson, G.R. and Rastall, R.A. 2001. Continuous production of oligosaccharides from pectin in an enzyme membrane reactor. J. Food Sci. 66(7): 966-971.
- Olano-Martin, E., Williams, M.R., Gibson, G.R. and Rastall, R.A. 2003. Pectins and pectic-oligosaccharides inhibit *Escherichia coli* O157:H7 Shiga toxin as directed towards the human colonic cell line HT29. FEMS Microbiology Letters. 218(1): 101-105.
- Olijve, W. and Kok, J.J. 1979. Analysis of growth of *Gluconobacter oxydans* in glucose containing media. Arch. Microbiol. 121: 283-290.
- Olsen, G.J. Lane, D.J. Giovannoni, S.J. Pace, N., Stahl, D.A. 1986. Microbial ecology and evolution: a ribosomal RNA approach. Ann. Rev. Microbiol. 40: 337-365.
- Palframan, R.J., Gibson, G.R. and Rastall, R.A. 2002. Effect of pH and dose on the growth of gut bacteria on prebiotic carbohydrates *in vitro*. Anaerobe. 8: 287-92.
- Palframan, R.J, Gibson, G.R. and Rastall, R.A. 2003. Development of a quantitative tool for the comparison of the prebiotic effect of dietary oligosaccharides. Lett. Appl. Microbiol. 37: 281-84.
- Parker, R. B. 1974. Probiotics, the other half of the antibiotic story. Ani. Nutr. Health. 29: 4-8.

- Pennell, R.D. and Barker, P.E. 1992. The production of the enzyme dextransucrase using unaerated continuous fermentations. *J. Chem. Technol. Biotechnol.* 53: 21-27.
- Perrin, S., Warchol, M., Grill, J.P. and Schneider, F. 2001. Fermentations of fructo-oligosaccharides and their components by *Bifidobacterium infantis* ATCC 15697 on batch culture in semi-synthetic medium. *J. Appl. Microbiol.* 90: 859-865.
- Pitari, G.M., Zingman, L.V., Hodgson, D.M., Alekseev, A.E., Kazerounian, S., Bienengreber, M., Hajnoczky, G., Terzic, A., Waldman, S.A. 2003. Bacterial enterotoxins are associated with resistance to colon cancer. *Proc. Natl. Acad. Sci. USA.* 100(5): 2695-2699.
- Prapula, S.G., Subhapreda, V. and Karanth, N.G. 2000. Microbial production of oligosaccharides: a review. *Adv. Appl. Microbiol.* 47: 299-343.
- Probert, H.M. and Gibson, G.R. 2002. Investigating the prebiotic and gas-generating effects of selected carbohydrates on the human colonic microflora. *Lett. Appl. Microbiol.* 35: 473-80.
- Pryde, S.E., Duncan, S.H., Hold, G.L., Steward, C.S. and Flint, H.J. 2002. The microbiology of butyrate formation in the human colon. *FEMS Microb. Lett.* 217: 133-139.
- Quigley, M.E., Hudson, G.J. and Englyst, H.N. 1999. Determination of resistant short-chain carbohydrates (non-digestible oligosaccharides) using gas liquid chromatography. *Food Chem.* 6: 381-390.
- Rabiu, B.A., Jay, A.J., Gibson, G.R. and Rastall, R.A. 2001. Synthesis and fermentation properties of novel galacto-oligosaccharides by β -galactosidases from bifidobacterium species. *Appl. Environ. Microbiol.* 67(6): 2526-2530.
- Rafter, J.F. 2002. Scientific basis of biomarkers and benefits of functional foods for reduction of disease risk: cancer. *Brit. J. Nutr.* 88(Suppl. 2): S219-S224.
- Ramakrishna, B.S.I., Roberts-Thomson, C., Pannall, P.R. and Roediger, W.E.W. 1991. Impaired sulphation of phenol by the colonic mucosa in quiescent and active ulcerative colitis. *Gut.* 32: 46-49.

- Raskin, L., Stromley, J.M., Rittmann, B.E. and Stahl, D.A. 1994. Group specific 16S rRNA hybridization probes to describe natural communities of methanogens. *Appl. Envi. Microbiol.* 60: 1232-1240.
- Rastall, R. A. and Bucke, C. 1992. Enzymatic synthesis of oligosaccharides. *Biotechnol. Gen. Eng. Rev.* 10: 253-281.
- Rastall, R.A. 2000. Emerging prebiotics. In *LFRA Ingredients Handbook: Prebiotics and Probiotics*. Gibson, G.R. and Angus, F. (eds). pp. 69-83. Leatherhead Publishing, Surrey.
- Rastall R.A. and Gibson, G.R. 2002. Prebiotics oligosaccharides: evaluation of biological activities and potential future developments. In *Probiotics and prebiotics: where are we going?* Tannock, G.W (ed). pp. 107-148. Caister Academic Press, London.
- Rastall, R.A. and Maitin, V. 2002. Prebiotic and synbiotics: towards the next generation. *Curr. Opin. Biotechnol.* 13(5): 490-496.
- Rastall, R.A. and Hotchkiss, A.T. 2003. Potential for the development of prebiotic oligosaccharides from biomass. In *Oligosaccharides in Food and Agriculture*. Eggleston, G. and Cote, G.L. (eds). pp. 45-53. Oxford University Press, Oxford.
- Reddy, B.S. 1998. Prevention of colon cancer by pre- and probiotics: evidence from laboratory studies. *Brit. J. Nutr.* 80: S219-S223.
- Reese, E.T. and Parrish, F.W. 1966. A comparison of synthetic dextran with a natural product by enzymic methods. *Biopolymers.* 4: 1043-1045.
- Requena, T., Burton, J., Matsuki, T., Munro, K., Simon, M.A. Tanaka, R., Watanabe, K. and Tannock, K. 2002. Identification, detection, and enumeration of human *Bifidobacterium* species by PCR targeting the transaldolase gene. *Appl. Envi. Microbiol.* 2420-2427.
- Richardson, D.P. 1996. Functional foods-shades of gray: an industry perspective. *Nutr. Rev.* 54: S174-S185.

- Rinne, M.M., Gueimonde, M., Kalliomaki, M., Hoppu, U., Salminen, S.J. and Isolauri, E. 2005. Similar bifidogenic effects of prebiotic-supplemented partially hydrolyzed infant formula and breastfeeding on infant gut microbiota. *FEMS Imm. Med. Microb.* 43: 59-65.
- Roberfroid, M.B., Gibson, G.R. and Delzenne, N. 1993. The biochemistry of oligofructose, a nondigestible fiber: an approach to calculate its calorific value. *Nutr. Rev.* 51: 137-146.
- Roberfroid, M.B., Loo, J.A.E. and Gibson, G.R. 1998. The bifidogenic nature of chicory inulin and its hydrolysis products. *J. Nutr.* 128: 11-19.
- Roberfroid, M.B. 1999. Caloric value of inulin and oligofructose. *J. Nutr.* 129(Suppl.): 1436S-1437S.
- Roberfroid, M.B. 2001. Prebiotics: preferential substrates for specific germs? *Am. J Clin. Nutr.* 73(Suppl.): 406S-409S.
- Roby, J.F. 1986. Dextran. In *Encyclopedia of Polymer Science and Engineering*. 2nd ed. Mark, H.F., Bikales, N.M., Overberger, G.C. and Menges, G. (eds). pp. 752-767. John Wiley and Sons, New York.
- Roby, J.F. and Walseth, T.F. 1979. Production, purification and properties of dextransucrase from *Leuconostoc mesenteroides* NRRL B-512F. *Carbohydr. Res.* 68: 95-111.
- Roby, J.F. 1992. Structure, biosynthesis and uses of non-starch polysaccharides: dextran, alternan, pullulan and algin. In *Developments in Carbohydrate Chemistry*. Alexander, R.J. and Zobel, H.F. (eds). pp. 261-292. American Association of Cereal Chemists, Minnesota.
- Roediger, W.E.W. and Moore, P. 1981. Effect of short chain fatty acids on sodium absorption in isolated human colon perfused from the vascular bed. *Digest. Dis.* 26: 100-106.
- Roediger, W.E.W., Kapaniris, O. and Millard, S. 1992. Lipogenesis from n-butyrate in colonocytes: action of reducing agent and 5-amino salicylic acid with relevance to ulcerative colitis. *Mol. Biolchem.* 118: 113-118.
- Rogalski, J., Szczodrak, J., Glowiak, G., Pleszczyńska, M., Szczodrak, Z. and Wiater, A. 1998. Purification and immobilization of dextransucrase. *Acta Biotechnologia.* 18(1): 63-75.

- Roger, P. 1986. Genetics and biochemistry of clostridium relevant to development of fermentation processes. *Adv. Appl. Microbiol.* 3: 1-60.
- Rowan, N.J. and Anderson, J.G. 1997. Maltodextrin stimulates growth of *Bacillus cereus* and synthesis of diarrheal endotoxin in infant milk formulae. *Appl. Environ. Microbiol.* 63(3): 1182-1184.
- Rumney, C.J. and Rowland, I.R. 1992. *In vivo* and *in vitro* models of the human colonic flora. *Crit. Rev. Food Sci. Nutr.* 34: 299-311.
- Rycroft, C. E., Jones, M. R., Gibson, G. R. and Rastall, R. A. 2001a. Fermentation properties of gentio-oligosaccharides. *Lett. Appl. Microbiol.* 32: 156-161.
- Rycroft, C. E., Jones, M. R., Gibson, G. R. and Rastall, R. A. 2001b. A comparative *in vitro* evaluation of the fermentation properties of prebiotic oligosaccharides. *J. Appl. Microbiol.* 91: 878-887.
- Rycroft, C.E. 2001. A comparative *in vitro* evaluation of the fermentation properties of potential prebiotic food ingredients: investigating structure-function relationships. Ph.D. Thesis. School of Food Biosciences. The University of Reading, UK.
- Saito, Y., Takano, T. and Rowland, I. 1992. Effects of soybean oligosaccharides on the human gut microflora in *in vitro* culture. *Microb. Ecol. Health Disease.* 5: 105-110.
- Sako, T., Matsumoto, K. and Tanaka, R. 1999. Recent progress on research and applications of non-digestible galacto-oligosaccharides. *Int. Dairy J.* 9: 69-80.
- Salminen, S., Roberfroid, M., Ramos, P. and Fonden, R. 1998. Prebiotic substrates and lactic acid bacteria. In *Lactic Acid Bacteria: Microbiology and Functional Aspects 2nd ed.* Salminen, S. and Wright, A. (eds). pp. 343-358. Marcel Dekker, Inc, New York.
- Sanderson, P., Johnson, I.T., Mathers, J.C., Powers, H.J., Downes, C.S., McGlynn, A.P., Dare, R., Kampman, E., Pool-Zobel, B.L., Bingham, S.A. and Rafter, J.J. 2004. Emerging diet-related surrogate end points for colorectal cancer: UK Food Standard Agency diet and colonic health workshop report. *Brit. J. Nutr.* 91: 315-22.

- Sarikaya, E., Higasa, T., Adachi, M. and Mikami, B. 2000. Comparison of degradation abilities of α - and β -amylases on raw starch granules. *Proc. Biochem.* 35: 711-715.
- Schley, P.D. and Field, C.J. 2002. The immune enhancing effects of dietary fibres and prebiotics. *Brit. J. Nutr.* 87(Suppl. 2): S221-S230.
- Schneeman, B.O. 2002. Gastrointestinal physiology and functions. *Brit. J. Nutr.* 88 (Suppl. 2): S159-S163.
- Scholz-Ahrens, K.E., Schaafsma, G., van den Heuvel, E.G.H.M. and Schrezenmeir, J. 2001. Effects of prebiotics on mineral metabolism. *Am. J. Clin. Nutr.* 73 (Suppl.): 459S-464S.
- Schumann, C. 2000. Lactulose. In *LFRA Ingredients Handbook: Prebiotics and Probiotics*. Gibson, G.R. and Angus, F. (eds). pp. 47-67. Leatherhead Publishing, Surrey.
- Sghir, A., Chow, J.M. and Mackie, R.I. 1998. Continuous culture selection of bifidobacteria and lactobacilli from human faecal samples using fructooligosaccharide as selective substrate. *J. Appl. Microb.* 85: 769-777.
- Sghir, A., Gramet, G., Suau, A., Rochet, V., Pochart, P. and Dore, J. 2000. Quantification of bacterial groups within human faecal flora by oligonucleotide probe hybridization. *Appl. Environ. Microbiol.* 66(5): 2263-2266.
- Shiga, K., Hara, H., Takahashi, T., Aoyama, Y., Furuta, H. and Maeda, H. 2002. Ingestion of water-soluble soybean fiber improves gastrectomy-induced calcium malabsorption and osteopenia in rats. *Nutr.* 18: 636-642.
- Sidebotham, R.L. 1974. Dextrans. In *Advances in Carbohydrate Chemistry and Biochemistry*. Tipson, R.S. and Horton, D. (eds). pp. 371-444. Academic Press, New York.
- Silvi, S., Rumney, C.J., Cresci, A. and Rowland, I.R. 1999. Resistant starch modifies gut microflora and microbial metabolism in human flora-associated rats inoculated with faeces from Italian and UK donors. *J. Appl. Microbiol.* 86: 521-30.
- Sims, I.M., Thomson, A., Hubl, U, Larsen, N.G. and Furneaux, R.H. 2001. Characterisation of polysaccharides synthesised by *Gluconobacter oxydans* NCIMB 4943. *Carbohydr. Polymers.* 45: 285-92.

- Singh, S., Packwood, J., Samuel, C.J., Critchley, P. and Crout, D.H.G. 1995a. Glycosidase-catalysed oligosaccharide synthesis: preparation of *N*-acetylchitooligosaccharides using the β -*N*-acetylhexosaminidase of *Aspergillus oryzae*. *Carbohydr. Res.* 279: 293-305.
- Singh, S., Gallagher, R., Derrick, P.J. and Crout, D.H.G. 1995b. Glycosidase-catalysed oligosaccharide synthesis: preparation of the *N*-acetylchitooligosaccharides penta-*N*-acetylchitopentaose and hexa-*N*-acetylchitohexaose using the β -*N*-acetylhexosaminidase of *Aspergillus oryzae*. *Tetrahedron Asymmetry.* 6: 2803-2810.
- Smith, J.G., Yokoyama, W.H., German, J.H.B. 1998. Butyric acid from the diet: actions at the level of gene expression. *Crit. Rev. Food. Sci. Nutr.* 38(4): 259-297.
- Smith, M. and Morton, D.G. 2001. Digestion and absorption. In *The Digestive System*. Churchill Livingstone Press. London.
- Stouthamer, A.H. 1959. Oxidative possibilities in the catalase positive *Acetobacter* species. *J. Microbiol. Serology.* 25: 241-264.
- Suau, A., Bonnet, R., Sutren, M., Godon, J.J., Gibson, G.R., Collins, M.D. and Dore, J. 1999. Direct analysis of genes encoding 16s rRNA from complex communities reveals many novel molecular species within the human gut. *Appl. Environ. Microbiol.* 4799-4807.
- Suwasono, S. and Rastall, R.A. 1998. Enzymatic synthesis of manno- and heteromanno-oligosaccharides using α -mannosidases: a comparative study of linkage-specific and non-linkage-specific enzymes. *Chem. Technol. Biotechnol.* 73(1): 37-42.
- Tamura, Z. 1983. Nutriology of bifidobacteria. *Bifidobacteria Microflora.* 2: 3-16.
- Tanaka, R., Takayama, H., Morotomi, M., Kuroshima, T., Ueyama, S., Matsumoto, K., Kuroda, A. and Mutai, M. 1983. Effects of administration of TOS and *Bifidobacterium breve* 4006 on the human fecal flora. *Bifidobacteria Microflora.* 2 : 17-24.
- Tannock, G.W. 2002. Introduction. In *Probiotics and Prebiotics: Where Are We Going?* Tannock, G.W. (ed). pp. 1-40. Caister Academic Press, Norfolk.

- Taylor, G.R.J. and Williams, C.M. 1998. Effects of probiotics and prebiotics on blood lipids. *Brit. J. Nutr.* 80: S225-S230.
- Terada A., Hara H., Kato, S., Kimura, T., Fujimori, I., Hara, K., Maruyama, T. And Mitsuoka, T. 1993. Effect of lactosucrose (4^Gβ-D-galactosylsucrose) on faecal flora and faecal putrefactive products of cats. *J. Veterinary Med. Sci.* 55: 291-295.
- Terashima, M., Hayshi, N., Thomas, B.R., Rodriguez, R.L. and Katoh, S. 1996. Kinetic parameters of two rice α-amylase isozymes for oligosaccharide degradation. *Plant Sci.* 116: 9-14.
- Teuri, U., Korpela, R., Saxelin, M., Montonen, L. and Salminen, S. 1998. Increased fecal frequency and gastrointestinal symptoms following ingestion of galacto-oligosaccharide-containing yoghurt. *J. Nutr. Sci. Vitaminology.* 44: 465-471.
- Timmermans, E. 1994. Lactose: its manufacture and physicochemical properties. In *Carbohydrates as Organic Raw Materials III*. van Bekkum, H., Roper, H. and Voragen, A.G.J. (eds). pp. 93-113. VCH-Weinheim, London.
- Tissier, H. 1900. *Etat Normal et Pathologique*. Ph.D Thesis. University of Paris. Cited in: Mitsuoka, 1977; *Am. J. Clin. Nutr.* 30: 1799.
- Todesco, T., Rao, V.A., Bosello, O. and Jenkins, D.J.A. 1991. Propionate lowers blood glucose and alters lipid metabolism in healthy subjects. *Am. J. Clin. Nutr.* 54: 860-865.
- Topping, D.L. and Clifton, P.M. 2001. Short-chain fatty acids and human colonic function: roles of resistant starch and nonstarch polysaccharides. *Physio. Rev.* 81(3): 1031-1064.
- Topping, D.L., Fukushima, M. and Bird, A.R. 2003. Resistant starch as a prebiotic and synbiotic: state of the art. *Proc. Nutr. Soc.* 62: 171-176.
- Tulea, C., Andrieux, C., Cherbuy, C., Darcy-Vrillon, B., Duee, P.H. and Chaumiel, J.C. 2001. Colonic delivery of sodium butyrate by an oral route: acrylic coating design of pellets and *in vivo* evaluation in rats. *Meth. Find. Exp. Clin. Pharmacol.* 3: 245-253.
- Tuohy, K.M., Ziemer, C.J. and Gibson, G.R. 2000. A human volunteer study to determine the prebiotic effects of lactulose powder on human colonic bacteria. *Gastroenterol.* 10(1): 10-15.

- Tuohy, K.M., Finlay, R.K., Wynne, A.G. and Gibson, G.R. 2001. A human volunteer study on the prebiotic effects of HP-inulin-faecal bacteria enumerated using fluorescent *in situ* hybridisation (FISH). *Anaerobe*. 7: 113-118.
- Tzortzis, G., Baillon, M.L.A., Gibson, G.R. and Rastall, R.A. 2004. Modulation of anti-pathogenic activity in canine-derived *Lactobacillus* species by carbohydrate growth substrate. *J. Appl. Microbiol.* 96: 552-559.
- Valette, P., Pelenc, V., Djouzi, Z., Andrieux, C., Paul, F., Monsan, P. and Szytli, O. 1993. Bioavailability of new synthesised glucooligosaccharides in the intestinal tract of gnotobiotic rats. *J. Sci. Food Agric.* 62: 121-127.
- Voragen, A.G.J. 1998. Technological aspects of functional food-related carbohydrates. *Trends Food Sci. & Technol.* 9: 328-335.
- Vulevic, J., Rastall, R.A. and Gibson, G.R. 2004. Developing a quantitative approach for determining the *in vitro* prebiotic potential of dietary oligosaccharides. *FEMS Microbiol. Lett.* 236: 153-159.
- Wachtershauser, A. and Stein, J. 2000. Rationale for the luminal provision of butyrate in intestinal disease. *Eur. J. Nutr.* 39: 164-171.
- Wada, K., Watabe, J., Mizutani, J., Tomoda, M., Suzuki, H. and Saitoh, Y. 1992. Effects of soybean oligosaccharides in a beverage on human fecal flora and metabolites. *J. Agric. Chem. Societ. Japan.* 66: 127-135.
- Wang, X. and Gibson, G. R. 1993. Effects of the *in vitro* fermentation of oligofructose and inulin by bacteria growing in the human large intestine. *J. Appl. Bacteriol.* 75: 373-380.
- Wang, X., Brown, I.L., Khaled, D., Mahoney, M.C., Evans, A.J., Conway, P.L. 2002. Manipulation of colonic bacteria and volatile fatty acid production by dietary high amylose maize (amylomaize) starch granules. *J. Appl. Microbiol.* 93: 390-397.
- Wheatley, M.A. and Moo-Young, M. 1977. Degradation of polysaccharides by endo and exo enzymes: dextran-dextranase model systems. *Biotechnol. Bioeng.* 19: 219-233.
- Wiele, T.V., Boon, N., Possemiers, S., Jacobs, H. and Verstraete, W. 2004. Prebiotic effects of chicory inulin in the simulator of the human intestinal microbial ecosystem. *FEMS Microbiol. Ecol.* 51: 143-153.

- Willems, A.M., Amat-Marco, A.M. and Collins, M.D. 1996. Phylogenetic analysis of *Butyrivibrio* strains reveals three distinct groups of species within the *Clostridium* subphylum of the gram-positive bacteria. *Int. Syst. Bacteriol.* 46: 195-199.
- Woese, C.R., Kandler, O., Wheelis, M.L. 1990. Towards a natural system of organisms: proposal for the domains *Archaea*, *Bacteria* and *Eucary*. *Proc. Natl Acad. Sci. USA.* 87: 4576-4579.
- Wolin, M.J. and Miller, T.L. 1983. Carbohydrate fermentation. In *Human Intestinal Microflora in Health and Disease*. Hentges, D.J. (ed). Academic Press, New York.
- Wollowski, I., Rechkemmer, G. and Pool-Zobel, B.L. 2001. Protective role of probiotics and prebiotics in colon cancer. *Am. J. Clin. Nutr.* 73(Suppl.): 451S-455S.
- Wong, C.H., Halcomb, R.L., Ichikawa, Y. and Kajimoto, T. 1995. Enzymes in organic synthesis: application to the problem of carbohydrate recognition. *Angew. Chem. Int. Ed.* 34: part 1: 412-432; part 2: 521-546.
- Yamada, H., Itoh, K., Morishita, Y. and Taniguchi, H. 1993. Structure and properties of oligosaccharides from wheat bran. *Cereal Foods World.* 38: 490-492.
- Yamamoto, K., Yoshikawa, K., Kitahata, S. and Okada, S. 1992. Purification and some properties of dextrin dextranase from *Acetobacter capsulatus* ATCC 11894. *Biosci. Biotechnol. Biochem.* 56(2): 169-173.
- Yamamoto, K., Yoshikawa, K. and Okada, S. 1993a. Detailed action mechanism of dextrin dextranase from *Acetobacter capsulatus* ATCC 11894. *Biosci. Biotechnol. Biochem.* 58: 330-333.
- Yamamoto, K., Yoshikawa, K. and Okada, S. 1993b. Dextran synthesis from reduced maltooligosaccharides by dextrin dextranase from *Acetobacter capsulatus* ATCC 11894. *Biosci. Biotechnol. Biochem.* 57: 136-137.
- Yamamoto, K., Yoshikawa, K. and Okada, S. 1993c. Effective dextran production from starch by dextrin dextranase with debranching enzyme. *Biosci. Biotechnol. Biochem.* 76(5): 411-3.

- Yamamoto, K., Yoshikawa, K. and Okada, S. 1993d. Structure of dextran synthesized by dextrin dextranase from *Acetobacter capsulatus* ACTT 11894. *Biosci. Biotechnol. Biochem.* 57: 1450-1453.
- Yamamoto, K., Yoshikawa, K. and Okada, S. 1994. Substrate specification of dextrin dextranase from *Acetobacter capsulatus* ATCC 11894. *Biosci. Biotechnol. Biochem.* 57(1): 47-50.
- Yatake, T. 1993. Anomalously linked oligosaccharides. In *Oligosaccharide: Production, Properties and Applications*. Japanese Technology Reviews. 3(2): 79-89.
- Yazawa, K and Tamura, Z. 1982. Search for sugar sources for selective increase of bifidobacteria. *Bifidobacteria Microflora.* 1: 39-44.
- Yoon, J.H. and Ajsaka, K. 1996. The synthesis of galactopyranosyl derivatives with β -galactosidases of different origins. *Carbohydr. Res.* 292: 153-163.
- Yun, J. 1996. Fructooligosaccharides-occurrence, preparation and application. *Enz. Microb. & Technol.* 19: 107-117.
- Zeman, L.J. 1983. Adsorption effects in rejection of macromolecules by ultrafiltration membranes. *J. Membrane Sci.* 15: 213-230.