

References

- Abdel-Fattah, A.F., Ismail, A.S. and Saleh, S.A. 1993. Purification and properties of two fibrinolytic enzymes from *Fusarium oxysporum* N.R.C.1. Zentralblatt Fur Mikrobiologie. 148: 123-128.
- Abdel-Rahman, T.M., Salama, A.A.M., Ali, M.I.A. and Tharwat, N.A.H. 1990. Fibrinolytic activity of some fungi isolated from self-heated composted fertilizer. Bot. Mag. Tokyo. 103: 313-321.
- Alexopoulos, C.J. and Blackwell, M. 1996. Phylum Basidiomycota. In Introductory Mycology. p.585-586. John Wiley & Son, Inc. U.S.A.
- Astrup, T. and Mullertz, S. 1952. The fibrin plate method for estimating fibrinolytic activity. Arch. Biochem. Biophys. 40: 346-351.
- Berry, D.R. 1975. The environmental control of the physiology of filamentous fungi. In The Filamentous Fungi Volumn I Industrial Mycology. (Smith, J.E. and Berry, D.R., eds.). p. 16-31. Edward Arnold Ltd. London.
- Bono, F., Savi, P., Tuong, A., Maftouh, M., Pereillo, J.M., Capdevielle, J., Guillemot, J.C., Maffrand, J.P. and Herbert, J.M. 1996. Purification and characterization of novel protease from culture filtrates of a *Streptomyces* sp. FEMS. Microbiol. Lett. 141: 213-220.
- Bradford, M.M. 1976. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal. Biochem. 72: 248-254.
- Chang, C.T, Fan, M.H., Kuo, F.C. and Sung, H.Y. 2000. Potent fibrinolytic enzyme from a mutant of *Bacillus subtilis* IMR-NK1. J. Agri. Food. Chem. 48: 3210-3216.
- Chitte, R.R. and Dey, S. 2000. Potent fibrinolytic enzyme from a thermophilic *Streptomyces megasporus* strain SD5. Lett. Appl. Microbiol. 31: 405-410.

- Cho, S.Y., Hahn, B.S., Yang, K.Y. and Kim, Y.S. 2001. Purification and characterization of cabolin II, a second type of thrombin-like enzyme from *Agistrodon caliginosus* (Korean viper). *Toxicon*. 39: 499-506.
- Choi, H.S., Shin, H.H. 1998. Purification and partial characterization of fibrinolytic protease in *Pleurotus ostreatus*. *Mycologia*. 90: 674-679.
- Choi, N.K. and Kim, S.H. 2001. The effect of sodium chloride on the serine-type fibrinolytic enzymes and the thermostability of extracellular protease from *Bacillus amyloliquefaciens* DJ-4. *J. Biochem. Mol. Bio.* 34: 137-138.
- Crueger, W. and Crueger, A. 1990. Substrates for industrial fermentation. *In* *Biotechnology: A textbook of industrial microbiology*. p. 59-63. Sinauer Associates, Inc. Sunderland, U.S.A.
- Deutscher, M.P. 1990. *Guide to Protein Purification*. Academic Press, Inc. California.
- Dissara, Y. and Pandee, P. 2000. Fibrinolytic enzymes from filamentous fungi. Poster presented in "British Mycological Society Millennium Meeting: Tropical Mycology", 23 April-1 May 2000, Liverpool, United Kingdom.
- El-Aassar, S.A. 1995. Production and properties of fibrinolytic enzyme in solid state cultures of *Fusarium pallidoroseum*. *Biotechnol. Lett.* 17: 943-948.
- El-Aassar, S.A., El-Badry, H.M., and Abdel-Fattah, A.F. 1990. The biosynthesis of proteases with fibrinolytic activity in immobilized cultures of *Penicillium chrysogenum* H9. *Appl. Microbiol. Biotechnol.* 33: 26-30.
- Fang, J., Huang, F. and Gao, P. 1999. Optimization of cellulose dehydrogenase production by *Schizophyllum commune* and effect of the enzyme on kraft pulp bleaching by ligninases. *Process Biochem.* 34: 957-961.

- Fencyl, Z. 1978. Cell ageing and autolysis. *In* The Filamentous Fungi Volume III Developmental Mycology (Smith, J.E. and Berry, D.R., eds.) p. 389-402. Edward Arnold Ltd. London.
- Guan, A.L., Retzios, A.D., Henderson, G.N., and Markland, F.S.J. 1991. Purification and characterization of a fibrinolytic enzyme from venom of the southern copperhead snake (*Akistrodon contortrix contortrix*). *Arch. Biochem. Biophys.* 289: 197-207.
- Haltrich, D., Preiss, M. and Steiner, W. 1993. Optimization of a culture medium for increased xylanase production by a wild strain of *Schizophyllum commune*. *Enzyme Microb. Technol.* 15: 854-860.
- Hirasawa, R., Goto, I., Okamura, T., Horie, N., Kiyohara, T. and Ohsugi, M. 1997a. Cultivation condition for production of fibrinolytic active substance by Basidiomycetes. *Bull. Mukogawa Women' s Univ. Nat. Sci.* 45: 21-24. (Reprint in Japanese Journal).
- Hirasawa, R., Goto, I., Okamura, T., Horie, N., Kiyohara, T. and Osugi, M. 1997b. Screening of fibrinolytic enzyme derived from Basidiomycetes. 5: 13-17. (Reprint in Japanese Journal).
- Hirata, A., Itoh, W., Tabata, K., Kajima, T., Itoyama, S. and Sagawara, I. 1994. Anticoagulant activity of sulfated schizophyllan. *Biosci. Biotech. Biochem.* 58: 406-407.
- Iakovlev, A. and Serebryakova, T.N. 1994. Fibrinolytic properties of Basidiomycetes *Flammulina velutipes*. Update in Thrombolysis. 1994. September 16-17, Vienna, Austria.
- Ismail, A.M.S., Saleh, S.A. and Abdel, F.F.A. 1990. Production of proteases by fungi. *Microbios. Letters.* 43: 170, 81-85; 13 ref.
- Ito, W., Sugawara, I., Kimura, S., Tabata, K. Hirata, A., Kojima, J. and Shimada, K. 1990. Immunopharmacological study of sulfated Schizophyllan (SPG) I. Its action as a mitogen and anti-HIV agent. *Intern. J. Immunopharmacol.* 12: 225-233.

- Johnston, J.M., Ramos, E.R., Bilbrey, R.E., Gathman, A.C. and Lilly, W.W. 2000. Characterization of ScPrI, a small serine protease, from mycelia of *Schizophyllum commune*. *Mycological-Research*. 104: 726-731.
- Kim, H.K., Kim, G.T., Kim, D.K., Choi, W.A., Park, S.H., Jeong, Y.K. and Kong, I.S. 1997. Purification and characterization of a novel fibrinolytic enzymes from *Bacillus* sp. KA38 originated from fermented fish. *J. Ferment. Bioeng.* 84: 307-312.
- Kim, S.H. and Choi, N.S. 2000. Purification and characterization of Subtilisin DJ-4 secreted by *Bacillus* sp. DJ-4 screened from Doen-Jang. *Biosci. Biotech. Biochem.* 64: 1722-1725.
- Kim, W., Choi, K., Kim, Y., Park, H., Choi, J., Lee, Y., Oh, H., Kwon, I. and Lee, S. 1996. Purification and characterization of a fibrinolytic enzymes produced from *Bacillus* sp. strain CK 11-4 screened from Chungkook-Jang. *Appl. Environ. Microbiol.* 62: 2482-2488.
- Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of Bacteriophage T4. *Nature*. 227: 680-686.
- Landau, N.S., Andreenko, G.V., Lutova, L.V., Karabasova, M.A. and Egorov, N.S. 1990. Fibrinolytic properties of the protease complex isolated from the *Nocardia minima* culture liquid. *Prikl. Biokhim. Mikrobiol.* 26: 468-473.
- Loffler, A. 1986. Proteolytic enzymes: source and applications. *Food Technology*. 40(1-4): 63-70.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the Folin Phenol Reagent. *J. Biol. Chem.* 193: 265-275.
- Lyapina L.A., Pastorova V. E., Uspenskaya, M.S. and Novikov, V.S. 1995. The anticoagulant-fibrinolytic component in peony root extracts. *Moscow University Biological Sciences Bulletin*. 50: 25-28.

- Mackenzie, C.R. and Bilous, D. 1988. Ferulic acid esterase activity from *Schizophyllum commune*. Appl. Environ. Microbiol. 54: 1170-1173.
- Matsubara, K., Hori, K., Matsuura, Y and Miyazawa, K. 1999. A fibrinolytic enzyme from a marine green alga, *Codium latum*. Phytochemistry. 52: 993-999.
- Matsubara, K., Hori, K., Matsuura, Y. and Miyazawa, K. 2000. Purification and characterization of fibrinolytic enzyme and identification of fibrinogen clotting enzyme in a marine green alga, *Codium divaricatum*. Comp. Biochem. Physiol. 125B: 177-181.
- Matsubara, K., Sumi, H., Hori, K. and Miyazawa, K. 1998. Purification and characterization of two fibrinolytic enzymes from a marine green algae, *Codium intricatum*. Comp. Biochem. Physiol. 119B: 177-181.
- Mihara, H., Sumi, H., Yoneto, T., Mizumoto, H., Ikeda, R., Seiki, M. and Maruyama, M. 1991. A novel fibrinolytic enzyme extracted from the earthworm, *Lumbricus rubellus*. Jpn. J. Physiol. 41: 461-472.
- Moore, D. and Chiu, S.W. 2001. Fungal products as food. In: Bio-Exploitation of Filamentous Fungi. (Pointing, S.B. and Hyde, K.D., eds). p. 223-251. Fungal Diversity Press. Hong Kong.
- Peng, Y., Huang, Q., Zhang, R.H. and Zhang, Y.Z. 2003. Purification and characterization of a fibrinolytic enzyme produced by *Bacillus amyloliquefaciens* DC-4 screened from douchi, a traditional Chinese soybean food. Comp. Biochem. Physiol. Part B 134: 45-52.
- Petcharat, V. 1995. Cultivation of wild mushroom: IV Hed Khlung (*Schizophyllum commune* Fr.). Songklanakarin J. Sci. Technol. 17: 261-269.
- Pilsum, J.F.V. 1992. Metabolism of individual tissues. In Textbook of Biochemistry with Clinical Correlations. (Devlin, T.M., ed.). p. 807-854. John Wiley & Sons. New York.

- Prokop, A., Rapp, P. and Wagner, F. 1994. Production, purification, and characterization of an extracellular endo- β -1,3-glucanase from a monokaryon of *Schizophyllum commune* ATCC 38548 defective in exo- β -1,3-glucanase formation. *Can. J. Microbiol.* 40: 18-23.
- Psurtseva, N.V. and Mnoukhina, A.Y. 1996. Cultural character and exoproteinase activity in the genus *Flammulina velutipes* (Basidiomycetes). II. A submerged cultivation. *Mikol. Fitopatol.* 30: 39-42.
- Qian, X. and Ma, L. 1991. Fibrinolytic enzyme from *Agistrodon halys brevicaudus* (Korean mamushi) snake venom. *Toxicon.* 29: 1381-1386.
- Rojo, H.P., Vattuone, M.A. and Sampietro, A.R. 1994. Invertase from *Schizophyllum commune*. *Phytochemistry.* 37: 119-123.
- Scopes, R. K. 1978. Techniques of protein purification. *In* Techniques in the Life Sciences: Techniques and Enzymes. Biochemistry. (Kornberg, H.L., Metcalfe, J.C., Northcote, D.H., Pogson, C.I. and Tipton, K.F., eds.) p.1-42, Amsterdam, Elsevier, North-Holland Biochemical Press, New York.
- Siigur, J., Tonismaegi, K., TU, A.T. and Siigur, E. 1996. Cross-reactivities of polyclonal antibodies against lebetase, fibrinolytic enzyme of levantine viper (*Vipera lebetina*) venom. *Toxicon.* 34: 608-613.
- Singh, K. and Vezina, C. 1971. An extracellular proteolytic enzyme from *Scopulariopsis brevicaulis*. *Can. J. Microbiol.* 17: 1029-1041.
- Smith, T.E. 1992. Molecular Cell Biology. *In* Textbook of Biochemistry with Clinical Correlations. (Devlin, T.M., ed.). p. 974. John Wiley & Sons. New York.
- Sumi, H., Hamada, H., Nakanishi, K. and Hiratani, H. 1990. Enhancement of the fibrinolytic activity in plasma by oral administration of Nattokinase 1. *Acta Haematol.* 84: 139-143.

- Steiner, W. and Lafferty, R.M. 1987. Studies on a wild strain of *Schizophyllum commune*: cellulase and xylanase production and formation of the extracellular polysaccharide schizophyllan. *Biotechnol. Bioeng.* 30: 169-178.
- Takeo, T., Okamura, T., Sera, M., Takana, M., Fukuda, S. and Ohsugi, M. 1999. Screening of fibrinolytic enzymes of microorganisms. *Bull. Mukogawa's Univ. Nat. Sci.* 47: 67-72.
- Tao, S., Beihui, L., Peng, L., Deming, L. and Zuohu, L. 1998. New solid-state fermentation process for repeated batch production of fibrinolytic enzyme by *Fusarium oxysporum*. *Process Biochem.* 33: 479-422.
- Tao, S., Peng, L., Beihui, L., Deming, L. and Zuohu, L. 1997. Solid state fermentation of rice chaff for fibrinolytic enzyme production by *Fusarium oxysporum*. *Biotechnol. Lett.* 19: 465-467.
- Tenkanen, M. and Siika-aho. 2000. An α -glucuronidase of *Schizophyllum commune* acting on polymeric xylan. *J. Biotechnol.* 78: 149-161.
- Torchilin, V.P., Maksimenko, A.V. and Mazaev, A.V. 1988. Immobilized enzymes for thrombolytic therapy. *In Methods in Enzymology.* (Mosbach, K., ed.). p.552-556. Academic Press, Inc. California.
- Voet, D. and Voet, J.G. Molecular physiology. 1990. *In Biochemistry.* p. 1087-1095. John & Sons. New York.
- Wang, J., Wang, M. and Wang, Y. 1999. Purification and characterization of a novel fibrinolytic enzyme from *Streptomyces* spp. *Chinese J. Biotechnol.* 15: 83-89.
- Wang, M., Wang, J., Shag, M., Wang, M. and Wang, Y. 1998. Fibrinolytic properties and thrombolytic effect of a novel fibrinolytic enzyme from *Streptomyces* sp. Y405. *Yao Xue Xue Bao = Acta Pharmaceutical Sinica* 33: 481-485.

- Ward, O. P. 1983. Proteinases. *In* Microbial enzymes and biotechnology. (Fogarty, W.M., ed.). p. 251-317. Applied Science Publishers. New York.
- Wasser, S.P. and Weis, A.L. 1999. Therapeutic effects of substances occurring in higher basidiomycetes mushroom: A modern perspective. *Crit. Rev. Immune.* 19: 65-69.
- Yang, J.S., and Ru, B.G. 1997. Purification and characterization of an SDS-activated fibrinolytic enzyme from *Eisenia fetida*. *Comp. Biochem. Physiol. Part B: Biochemistry and Molecular Biochemistry.* 118: 623-631.