

References

- Aakra, A., Utaker, J. B., Nes, I. F. and Bakken, L. R. 1999. An evaluated improvement of the extinction dilution method for isolation of ammonia-oxidizing bacteria. *J Microbiol Methods*. 39(1): 23-31.
- Alcaraz, G., Espinoza, V., Vanegas, C. and Carrara, X. C. 1999. Acute effect of ammonia and nitrite on respiration of *Penaeus setiferus* postlarvae under different oxygen levels. *J. World Aquacult Soc.* 30(1): 98-106.
- Alexander, M. and Clark, F. E. 1965. *Methods of Soil Analysis*. USA: Madison, Wis.
- Allison, S. M. and Prosser, J. I. 1992. Isolation and Identification of Autotrophic Nitrifying Bacteria. *In Identification Methods in Applied and Environmental Microbiology* (ed. R. G. Board, D. Jones and F. A. Skinner) pp. 87-102. London: Blackwell Scientific Publications Ltd.
- Altschul, S. F., Gish, W., Miller, W., Myers, E. W. and Lipman, D. J. 1990. Basic local alignment search tool. *J. Mol. Biol.* 215: 403-410.
- Amann, R., Snaidr, J., Wagner, M., Ludwig, W. and Schleifer, K. H. 1996. *In situ* visualization of high genetic diversity in a natural microbial community. *J. Bacteriol.* 178(12): 3496-3500.
- Amann, R. I., Binder, B. J., Olson, R. J., Chisholm, S. W., Deverlux, R. and Stahl, D. A. 1990. Combination of 16s rRNA -targeted oligonucleotide probes with flow cytometry for analyzing mixed microbial populations. *Appl. Environ. Microbiol.* 56(6): 1919-1925.
- Amann, R. I., Ludwig, W. and Schleifer, K. H. 1995. Phylogenetic identification and *in-situ* detection of individual microbial-cells without cultivation. *Microbiol. Rev.* 59(1): 143-169.
- Anthonisen, A. C., Loewenthal, R. E., Prakasam, T. B. S. and Srinath, E. D. 1976. Inhibition of nitrification by ammonia and nitrous acid. *J. Water. Pollut. Control. Fed.* 48: 835-852.
- APHA. 1992. *Standard Methods for the Examination of Water and Wastewater*. Washington, D C: American Public Health Association.

- Araki, N., Ohashi, A., Harada, H. and Machdar, I. 1999. Direct cell counting and observation of spatial distribution of nitrifiers in aerobic biofilms by FISH (fluorescent *in situ* hybridization). *J. Jap. Soc. Wat. Environ.* 22(2): 152–159.
- Asher, B., Chozick, R. and Irvine, R. L. 1992. Treatment of a high-strength, mixed phenolic waste in an SBR. *Wat. Environ. Research.* 64: 128–133.
- Atlas, R. M. and Bartha, R. 1993. *Microbial Ecology: Fundamentals and Applications*. Redwood city: The Benjamin/Cummings Pub. Co., Inc.
- Belia, E. and Smith, P. G. 1997. The bioaugmentation of sequencing batch reactor sludges for biological phosphorus removal. *Wat. Sci. Technol.* 35(1): 19-26.
- Belser, L. W. and Schmidt, E. L. 1978. Serological diversity within a terrestrial ammonia-oxidising population. *Appl. Environ. Microbiol.* 36: 584–588.
- Bitton, G. 1994. *Wastewater Microbiology*. New York: A John Wiley & Sons, Inc.
- Blackall, L. L. 2000. A summary of recent microbial discoveries in biological nutrient removal from wastewater. *Australas. Biotechnol.* 10(3): 29-31.
- Bock, E. and Heinrich, G. 1969. Morphological and physiological studies of *Nitrobacter winogradsi* Buch. *Arch. Mikrobiol.* 69(2): 19-59.
- Bond, P. L., Keller, J. and Blackall, L. L. 1998. Characterisation of enhanced biological phosphorus removal activated sludges with dissimilar phosphorus removal performances. *Wat. Sci. Technol.* 37(4-5): 567-571.
- Boon, N., Top, E. M., Verstraete, W. and Siciliano, S. D. 2003. Bioaugmentation as a tool to protect the structure and function of an activated sludge microbial community against a 3-chloroaniline shock load. *Appl. Environ. Microbiol.* 69(3): 1511-1520.
- Bouvier, T. and del Giorgio, P. A. 2003. Factors influencing the detection of bacterial cells using fluorescence in situ hybridization (FISH): A quantitative review of published reports. *FEMS Microbiol. Ecol.* 44(1): 3-15.

- Bovendeur, J., Eding, E. H. and Henken, A. M. 1987. Design and performance of a water recirculation system for high-density culture of the African catfish. *Aquacult.* 63: 329.
- Boyd, C. E. (1989). Water quality management and aeration farming, American Soybean Association: 4-39.
- Boyd, C. E. and Fast, A. W. 1992. Pond Monitoring and Management. *In* Marine Shrimp Culture-Principles and Practices (A. W. Fast and J. L. Lester) pp. 497-513. Amsterdam: Elsevier Science Publishers.
- Braaten, R. O. and Flaherty, M. 2001. Salt balances of inland shrimp ponds in Thailand: implications for land and water salinization. *Environ. Conserv.* 28(4): 357-367.
- Brown, J. J. 1999. Halophytes for the treatment of saline aquaculture effluent. *Sci. Eng.* 59(8): 3789.
- Brown, J. J. and Glenn, E. P. 1999. Reuse of highly saline aquaculture effluent to irrigate a potential forage halophyte, *Suaeda estora*. *Aquac. Eng.* 20: 91-111.
- Bruns, A. and Berthe-Corti, L. 1999. *Fundibacter jadensis* gen. nov., sp. nov., a new slightly halophilic bacterium, isolated from intertidal sediment. *Int J Syst Bacteriol.* 49: 441-448.
- Bruns, M. A., Stephen, J. R., Kowalchuk, G. A., Prosser, J. I. and Paul, E. A. 1999. Comparative diversity of ammonia oxidizer 16S rRNA gene sequences in native, tilled, and successional soils. *Appl Environ Microbiol.* 65(7): 2994-3000.
- Burford, M. A., Thompson, P. J., McIntosh, R. P., Bauman, R. H. and Pearson, D. C. 2003. Nutrient and microbial dynamics in high-intensity, zero-exchange shrimp ponds in Belize. *Aquaculture.* 219(1-4): 393-411.
- Burford, M. A. and Williams, K. C. 2001. The fate of nitrogenous waste from shrimp feeding. *Aquaculture.* 198(1-2): 79-93.
- Burrell, C. P. 1998. The Identification of Autotrophic Nitrite Oxidising Bacteria in Nitrifying Activated Sludges. Ph.D. Dissertation, The University of Queensland.

- Burrell, P., Keller, J. and Blackall, L. L. 1999. Characterisation of the bacterial consortium involved in nitrite oxidation in activated sludge. *Wat. Sci. Technol.* 39(6): 45-52.
- Burrell, P. C., Keller, J. and Blackall, L. L. 1998. Microbiology of a nitrite-oxidizing bioreactor. *Appl. Environ. Microbiol.* 64(5): 1878-1883.
- Callado, N. H. and Foresti, E. 2001. Removal of organic carbon, nitrogen and phosphorus in sequential batch reactors integrating the aerobic/anaerobic processes. *Wat. Sci. Technol.* 44(4): 263-270.
- Carucci, A., Majone, M., Ramadori, R. and Rossetti, S. 1994. Dynamics of phosphorus and organic substrates in anaerobic and aerobic phases of a sequencing batch reactor. *Wat. Sci. Technol.* 30(6): 237-246.
- Carucci, A., Majone, M., Ramadori, R. and Rossetti, S. 1997. Biological phosphorus removal with different organic substrates in an anaerobic/aerobic sequencing batch reactor. *Wat. Sci. Technol.* 35(1): 161-168.
- Chaiyakam, K. 1991. Coastal Aquaculture and the Environmental Impacts. National Institute of Coastal Aquaculture Department of Fisheries, Thailand, pp.16.
- Chaiyakam, K. and Songsangjinda, P. 1992. Qualitative and quantitative properties of wastewater discharged from intensive shrimp ponds at amphoe Ranod, Songkhla Province. National Institute of Coastal Aquaculture Department of Fisheries, Thailand, pp. 26.
- Chen, J. C. and Cheng, S. Y. 1995. Changes of oxyhemocyanin and protein levels in the hemolymph of *Penaeus japonicus* exposed to ambient nitrite. *Aquat. Toxicol.* 33: 215-226.
- Chen, J. C. and Cheng, S. Y. 1996. Hemolymph osmolarity, acid-base balance, and ammonia excretion of *Penaeus japonicus* exposed to ambient nitrite. *Arch. Environ. Contam. Toxicol.* 30: 151-155.
- Cheng, S. Y. and Chen, J. C. 1998. Effects of nitrite exposure on the hemolymph electrolyte, respiratory protein and free amino acid levels and water content of *Penaeus japonicus*. *Aquat. Toxicol.* 44: 129-139.

- Cheng, W., Chen, S.M., Wang, F.I., Pei, I. H., Liu, C.H. and Chen, J.C. 2003. Effects of temperature, pH, salinity and ammonia on the phagocytic activity and clearance efficiency of giant freshwater prawn *Macrobrachium rosenbergii* to *Lactococcus garvieae*. *Aquaculture*. 219: 111– 121.
- Chiayvareesajja, A. and Boyd, C. E. 1993. Effects of zeolite, formalin, bacterial suspension and aeration on total ammonia nitrogen concentration. *Aquaculture*. 116: 33-45.
- Crocetti, G. R., Banfield, J. F., Keller, J., Bond, P. L. and Blackall, L. L. 2002. Glycogen-accumulating organisms in laboratory-scale and full-scale wastewater treatment processes. *Microbiology*. 148(11): 3353-3364.
- Crocetti, G. R., Hugenholtz, P., Bond, P. L., Schuler, A., Keller, J., Jenkins, D. and Blackall, L. L. 2000. Identification of polyphosphate-accumulating organisms and design of 16S rRNA-directed probes for their detection and quantitation. *Appl. Environ. Microbiol.* 66(3): 1175-1182.
- Daims, H., Bruhl, A., Amann, R., Schleifer, K. H. and Wagner, M. 1999. The domain-specific probe EUB338 is insufficient for the detection of all Bacteria: Development and evaluation of a more comprehensive probe set. *Syst. Appl. Microbiol.* 22(3): 434-444.
- Daims, H., Nielsen, J. L., Nielsen, P. H., Schleifer, K. H. and Wagner, M. 2001. *In situ* characterization of Nitrospira-like nitrite oxidizing bacteria active in wastewater treatment plants. *Appl. Environ. Microbiol.* 67(11): 5273-5284.
- Daims, H., Nielsen, P. H., Nielsen, J. L., Juretschko, S. and Wagner, M. 2000. Novel Nitrospira-like bacteria as dominant nitrite-oxidizers in biofilms from wastewater treatment plants: diversity and *in situ* physiology. *Wat. Sci. Technol.* 41(4-5): 85-90.
- Daims, H., Ramsing, N. B., Schleifer, K. H. and Wagner, M. 2001. Cultivation-independent, semiautomatic determination of absolute bacterial cell numbers in environmental samples by fluorescence *in situ* hybridization. *Appl. Environ. Microbiol.* 67(12): 5810-5818.

- Dall, W. 1975. The role of ninhydrin-positive substances in osmoregulation in the western rock lobster, *Panulirus longipes* (Milne Edwards). J. Exper. Mar. Biol. Ecol. 19: 43–58.
- Degrange, V. and Bardin, R. 1995. Detection and counting of *Nitrobacter* populations in soil by PCR. Appl Environ Microbiol. 61(6): 2093-8.
- Deni, J. and Penninckx, M. J. 1999. Nitrification and autotrophic nitrifying bacteria in a hydrocarbon- Polluted soil. App. Environ. Microbiol. 65(9): 4008-4013.
- Devaraja, T. N., Yusoff, F. M. and Shariff, M. 2002. Changes in bacterial populations and shrimp production in ponds treated with commercial microbial products. Aquaculture. 206(3-4): 245-256.
- Dierberg, F. E. and Kiattisimkul, W. 1996. Issues, impacts, and implications of shrimp aquaculture in Thailand. Environ. Manage. 20(5): 649-666.
- Duraiappah, A. K. and Israngkura, A. 2000. Farm permits and optimal shrimp management in Thailand: an integrated inter-temporal and spatial planning model. Working paper No. 35, International Institute for Environment and Development, London, and Institute for Environmental Studies, Amsterdam, October 2000 pp.32.
- Ebeling, J. M. 2000. Engineering aspects of recirculating aquaculture systems. Mar. Technol. Soc. J. 34(1): 68-78.
- Ellner, S., Neori, A., Krom, M. D., Tsai, K. and Easterling, M. R. 1996. Simulation model of recirculating mariculture with seaweed biofilter: development and experimental tests of the model. Aquaculture. 143: 167-184.
- Embley, T. and Finlay, B. 1994. The use of small subunit rRNA sequences to unravel the relationships between anaerobic ciliates and their methanogen endosymbionts. Microbiology. 140(2): 225-2965.
- Eng, C. T., Paw, J. N. and Guarin, F. Y. 1989. The environmental impact of aquaculture and the effects of pollution on coastal aquaculture development in southeast Asia. Mar. Pollut. Bull. 20: 335– 343.

- Felske, A., Wolterink, A., van Lis, R., de Vos, W. M. and Akkermans, A. D. L. 1999. Searching for predominant soil bacteria: 16S rDNA cloning versus strain cultivation. *FEBS Microb. Ecol.* 30: 137-145.
- Feray, C., Volat, B., Degrange, V. V., Clays-Josserand, A. and Montuelle, B. 1999. Assessment of three methods for detection and quantification of nitrite-oxidizing bacteria and *Nitrobacter* in freshwater sediments (MPN-PCR, MPN-Griess, immunofluorescence). *Microb Ecol.* 37(3): 208-217.
- Flaherty, M. and Karnjanakesorn, C. 1994. Marine shrimp aquaculture and natural resource degradation in Thailand. *Environ. Manage.* 19: 27-37.
- Fouratt, M. A., Rhodes, J. S., Smithers, C. M., Love, N. G. and Stevens, A. M. 2003. Application of temperature gradient gel electrophoresis to the characterization of a nitrifying bioaugmentation product. *FEMS Microbiol. Ecol.* 43(2): 277-286.
- Frigon, D., Arnaiz, E., D.B. Oerther, D. B. and Raskin, L. 2002. Who eats what? Classifying microbial populations based on diurnal profiles of rRNA levels. *Wat. Sci. Tech.* 46(1-2): 1-9.
- Funge-Smith, S. and Howthorn, S. 1996. The Effect of Bioremedial Products on Water Quality in the Presence of Shrimp Pond Sediments. *In World Aquaculture Products Abstracts* pp. 133.
- Funge-Smith, S. J. and Briggs, M. R. P. 1998. Nutrient budgets in intensive shrimp ponds: implications for sustainability. *Aquaculture.* 164(1-4): 117-133.
- Gerhardt, P. 1981. Methodology for General Bacteriology. *In Manual of Methods for General Bacteriology* (ed. P. Gerhardt) Washington DC, United States of America: American Society for Microbiology.
- Giuliano, L., De Domenico, M., De Domenico, E., Hofle, M. G. and Yakimov, M. M. 1999. Identification of culturable oligotrophic bacteria within naturally occurring bacterioplankton communities of the Ligurian Sea by 16S rRNA sequencing and probing. *Microb. Ecol.* 37: 77-85.

- Glockner, F. O., Fuchs, B. M. and Amann, R. 1999. Bacterioplankton compositions of lakes and oceans: a first comparison based on fluorescence *in situ* hybridization. *Appl. Environ. Microbiol.* 65(8): 3721-3554.
- Gorshkova, N. M., Ivanova, E. P., Sergeev, A. F., Zhukova, N. V., Alexeeva, Y. A., Wright, J. P., Nicolau, D. V., Mikhailov, V. V. and Christen, R. in press_ published online 17 October 2003. *Marinobacter excellens* sp.nov., isolated from sediments of the Sea of Japan. *Int. J. Syst. Evol. Microbiol.*
- Graslund, S. and Bengtsson, B. E. 2001. Chemicals and biological products used in south-east Asian shrimp farming, and their potential impact on the environment - a review. *Sci. Total Environ.* 280(1-3): 93-131.
- Standard Coastal Water Quality Group. 1991. The regulation of standard sea water quality, Thailand Environment Institution (TEI) pp. 41.
- Hall, G. H. 1986. Nitrification in Lakes. *In* Nitrification (ed. J. I. Prosser) pp. 99. Oxford, England: IRL Press.
- Hargreaves, J. A. 1998. Nitrogen biogeochemistry of aquaculture ponds. *Aquaculture.* 166(3-4): 181-212.
- Hastings, R. C., Saunders, J. R., Hall, G. H., Pickup, R. W. and McCarthy, A. J. 1998. Application of molecular biological techniques to a seasonal study of ammonia oxidation in a eutrophic freshwater lake. *Appl. Environ. Microbiol.* 64(10): 3674-82.
- Head, I. M., Saunders, J. R. and Pickup, R. W. 1998. Microbial evolution, diversity, and ecology: A decade of ribosomal RNA analysis of uncultivated microorganisms. *Microb. Ecol.* 35: 1-21.
- Hill, M. J. 1991. Nitrates and nitrite in food and water. New York: Ellis Horwood.
- Hopkins, S. J., Sandifer, P. A. and Browdy, C. L. 1995. A review of water management regimes which abate the environmental impacts of shrimp. In: farming swimming throught troubled water. Proceeding of the

- Special Session on Shrimp Farming, Aquaculture 1995. World Aquaculture Society, Baton Rouge pp. 157-166.
- Hovanec, T. A. and DeLong, E. F. 1996. Comparative analysis of nitrifying bacteria associated with freshwater and marine aquaria. *Appl. Environ. Microbiol.* 62(8): 2888-2896.
- Hugenholtz, P. 2002. Exploring prokaryotic diversity in the genomic era. *Genome Biol.* 3(2): Reviews0003.1-0003.8.
- Hugenholtz, P., Goebel, B. M. and Pace, N. R. 1998. Impact of culture-independent studies on the emerging phylogenetic view of bacterial diversity. *J. Bacteriol.* 180(18): 4765-4774.
- Hugenholtz, P. and Pace, N. R. 1996. Identifying microbial diversity in the natural environment: a molecular phylogenetic approach. *Trends in Biotechnol.* 14: 190-197.
- Hugenholtz, P., Tyson, G. W. and Blackall, L. L. 2002. Design and Evaluation of 16S rRNA-Targeted Oligonucleotide Probes for Fluorescence *In Situ* Hybridization. *In Methods in Molecular Biology* (ed. B. A. Lieberman) Vol. 176, pp. 29-42. Totowa, NJ: Human Press Inc.
- Intrasungka, N., Keller, J. and Blackall, L. 1999. Biological nutrient removal efficiency in treatment of saline wastewater. *Wat. Sci. Technol.* 39(6): 183-190.
- Jang, A., Bishop, P. L., Okabe, S., Lee, S. G. and Kim, I. S. 2003. Effect of dissolved oxygen concentration on the biofilm and in situ analysis by fluorescence *in situ* hybridization (FISH) and microelectrodes. *Wat. Sci. Technol.* 47(1): 49-57.
- Johnson, P. W. and Sieburth, J. M. 1976. In situ morphology of nitrifying like bacteria in aquaculture systems. *Appl. Environ. Microbiol.* 31: 423-432.
- Jones, A. B. and Preston, N. P. 1999. Sydney rock oyster, *Saccostrea commercialis* (Iredale and Roughley), filtration of shrimp farm effluent: the effects on water quality. *Aquacul. Res.* 30: 51-57.

- Jones, R. D. and Hood, M. A. 1980. Effects of temperature, pH, salinity, and inorganic nitrogen on the rate of ammonia oxidation by nitrifiers isolated from wetland environments. *Microb. Ecol.* 6: 339-347.
- Jun, B.H., Tanji, Y. and Unno, H. 2000. Stimulating accumulation of nitrifying bacteria in porous carrier by adding of inorganic carbon in a continuous-flow fluidized bed wastewater treatment reactor. *J. Biosci. Bioeng.* 89(4): 334-339.
- Juretschko, S., Timmermann, G., Schmid, M., Schleifer, K. H., Pommerening-Roser, A., Koops, H. P. and Wagner, M. 1998. Combined molecular and conventional analyses of nitrifying bacterium diversity in activated sludge: *Nitrosococcus mobilis* and *Nitrospira*-like bacteria as dominant populations. *Appl Environ Microbiol.* 64(8): 3042-51.
- Katsongiannis, A. N., Kornaros, M. E. and Lyberatos, G. K. 1999. Adaptive optimization of a nitrifying sequencing batch reactor. *Wat. Res.* 33(17): 3569-3576.
- Kawabata, Z., Yoshida, T. and Nakagawa, H. 1997. Effect of ammonia on the survival of *Zacco platypus* (Temminck and Schlegel) at each developmental stage. *Environ. Poll.* 95(2): 213-218.
- Keen, G. A. and Prosser, J. I. 1987. Interrelationship between pH and surface growth of *Nitrobacter*. *Soil Biol. Biochem.* 19(6): 665-672.
- Keen, G. A. and Prosser, J. I. 1987. Steady state and transient growth of autotrophic nitrifying bacteria. *Arch. Microbiology.* 147: 73-79.
- Kim, S. K., Kong, I., Lee, B. H., Kang, L., Lee, M. G. and Suh, K. H. 2000. Removal of ammonium-N from a recirculation aquacultural system using an immobilized nitrifier. *Aquacul. Eng.* 21(3): 139-150.
- Kolarski, R. 1996. The use of sequencing batch reactor to achieve total nitrogen and biological phosphorus removal in a single stage activated sludge system. First IAWQ Specialized Conference on: Sequencing Batch Reactor Technology, Munich, Germany, 18-20 March 1996 pp. 481-491.

- Kongkeo, H. 1997. Comparison of intensive shrimp farming systems in Indonesia, Philippines, Taiwan and Thailand. *Aquacul. Res.* 28(10): 789-796.
- Konuma, S., Satoh, H., Mino, T. and Matsuo, T. 2001. Comparison of enumeration methods for ammonia-oxidizing bacteria. *Wat. Sci. Technol.* 43(1): 107-114.
- Kuba, T., Smolders, G., van Loosdrecht, M. C. M. and Heijnen, J. J. 1993. Biological phosphorus from wastewater by anaerobic-anoxic sequencing batch reactor. *Wat. Sci. Tech.* 27(5-6): 241-252.
- Kumar, M. S. and Sierp, M. 2003. Integrated wastewater treatment and aquaculture production. RIRDC Publication No 03/026, RIRDC Project No SAR-16A Rural Industries Research and Development Corporation, Australia, March 2003 pp. 62.
- Kurusu, F., Satoh, H., Mino, T. and Matsuo, T. 2000. Microbial Community analysis of thermophilic contact oxidation process by using PCR-DGGE method. The International Symposium of the COE., The University of Tokyo, Japan, 6-8 March 2000 pp. 60-69.
- Lane, D. J. 1991. 16S/23S rRNA Sequencing. *In* *Nucleic Acid Techniques in Bacterial Systematics* (ed. E. Stackebrandt and M. Goodfellow) pp. 115-175. Chichester: Academic.
- Lawrence, A. L. and Lee, P. G. 1997. Research in the Americas. Crustacean Nutrition, *Advances in World Aquaculture*, World Aquaculture Society, Baton Rouge, 1997, pp. 566-587.
- Lee, A. H. 1991. Fatty acid wastewater treatment by sequencing batch reactor process. INTL Conference on Appropriate Waste Management Technology, pp. 147-157.
- Lee, N., Nielsen, P. H., Andreasen, K. H., Juretschko, S., Nielsen, J. L., Schleifer, K. H. and Wagner, M. 1999. Combination of fluorescent in situ hybridization and microautoradiography - a new tool for structure-function analyses in microbial ecology. *Appl. Environ. Microbiol.* 65(3): 1289-1297.

- Lin, S. H. and Wu, C. L. 1996. Electrochemical removal of nitrite and ammonia for aquaculture. *Water Res.* 30(3): 715-721.
- Liu, C., Honda, H., Ohshima, A., Shinkai, M. and Kobayashi, T. 2000. Development of chitosan-magnetite aggregates containing *Nitrosomonas europaea* cells for nitrification enhancement. *J. Biosci. Bioeng.* 89(5): 420-425.
- Lorenzen, K. 1999. Nitrogen recovery from shrimp pond effluent: dissolved nitrogen removal has greater overall potential than particulate nitrogen removal, but requires higher rates of water exchange than presently used. *Aquac. Res.* 30(11-12): 923-927.
- Madigan, M. T., Martinko, J., M. and Parker, J. 2000. *Brock Biology of Microorganisms*. Ninth edition. New Jersey: Prentice Hall International, Inc.
- Majerus, M., Amus, W. and Hurst, G. 1996. *Evolutions: The Four Billion Year War*. England: Addison Wesley Longman Limited.
- Manz, W., Amann, R., Ludwig, W., Vancanneyt, M. and Schleifer, K. H. 1996. Application of a suite of 16S rRNA-specific oligonucleotide probes designed to investigate bacteria of the phylum cytophaga-flavobacter-bacteroides in the natural environment. *Microbiology-Uk.* 142: 1097-1106.
- Manz, W., Amann, R., Ludwig, W., Wagner, M. and Schleifer, K. H. 1992. Phylogenetic oligodeoxynucleotide probes for the major subclasses of *Proteobacteria*: problems and solutions. *System. Appl. Microbiol.* 15(4): 593-600.
- Marazza, D., Bornens, P. and Le-Gal, Y. 1996. Effect of ammonia on survival and adenylate energy charge in the shrimp *Palaemonetes varians*. *Ecotoxicol. Environ. Saf.* 34(2): 103-108.
- Matulevich, V. A., Strom, P. F. and Finstein, M. S. 1975. Length of incubation for enumerating nitrifying bacteria present in various environments. *Appl. Microbiol.* 29: 265-268.

- McCaig, A. E., Glover, L. A. and Prosser, J. I. 1999. Molecular analysis of bacterial community structure and diversity in unimproved and improved upland grass pastures. *Appl. Environ. Microbiol.* 65(4): 1721-1730.
- McCaig, A. E., Phillips, C. J., Stephen, J. R., Kowalchuk, G. A., Harvey, S. M., Herbert, R. A., Embley, T. M. and Prosser, J. I. 1999. Nitrogen cycling and community structure of proteobacterial beta-subgroup ammonia-oxidizing bacteria within polluted marine fish farm sediments. *Appl. Environ. Microbiol.* 65(1): 213-20.
- Meier, H., Amann, R., Ludwig, W. and Schleifer, K. H. 1999. Specific oligonucleotide probes for in situ detection of a major group of Gram-positive bacteria with low DNA G+C content. *System. Appl. Microbiol.* 22(2): 186-196.
- Miller, G. E. and Libey, G. S. 1985. Evaluation of three biological filters suitable for aquacultural applications. *J. World Maricult. Soc.* 16: 158-168.
- Mino, T., Satoh, H., Onuki, M., Akiyama, T., Nomura, T. and Matsuo, T. 2000. Strategic approach for characterization of bacterial community in enhanced biological phosphate removal (EBPR) process. The International Symposium of the COE., The University of Tokyo, Japan, 6-8 March 2000, pp. 29-39.
- Miranda-Filho, K. C., Wasielesky, W., Jr. and Macada, A. P. 1995. The effect of ammonia and nitrite in the growth of mullet, *Mugil platanus* (Pisces, Mugilidae). *Rev. Bras. Biol.* 55(suppl. 1): 45-50.
- Mobarry, B. K., Wagner, M., Urbain, V., Rittmann, B. E. and Stahl, D. A. 1996. Phylogenetic probes for analyzing abundance and spatial organization of nitrifying bacteria. *Appl. Environ. Microbiol.* 62(6): 2156-2162.
- Moter, A. and Gobel, U. B. 2000. Fluorescence *in situ* hybridization (FISH) for direct visualization of microorganisms. *J. Microbiol. Methods.* 41: 85-112.

- Moter, A., Leist, G., Rudolph, R., Schrank, K., Choi, B. K., Wagner, M. and Gobel, U. B. 1998. Fluorescence *in situ* hybridization shows spatial distribution of as yet uncultured treponemes in biopsies from digital dermatitis lesions. *Microbiology-Uk*. 144: 2459-2467.
- Mudaly, D. D., Atkinson, B. W. and Bux, F. 2001. 16S rRNA *in situ* probing for the determination of the family level community structure implicated in enhanced biological nutrient removal. *Wat. Sci. Technol.* 43(1): 91–98.
- Naylor, R. L., Goldberg, R. J., Mooney, H., Beveridge, M., Clay, J., Folke, C., Kautsky, N., Lubchenco, J., Primavera, J. and Williams, M. 1998. Nature's subsidies to shrimp and salmon farming. *Science*. 282: 883–884.
- Neef, A. 1997. Anwendung der *in situ* Einzelzell-Identifizierung von Bakterien zur Populationsanalyse in komplexen mikrobiellen Biozonosen. Ph.D. Dissertation, Technische Universität.
- Nielsen, P. H., Andreasen, K., Lee, N. and Wagner, M. 1999. Use of microautoradiography and fluorescent *in situ* hybridization for characterization of microbial activity in activated sludge. *Wat. Sci. Technol.* 39(1): 1-9.
- Nogueira, R., Melo, L. F., Purkhold, U., Wuertz, S. and Wagner, M. 2002. Nitrifying and heterotrophic population dynamics in biofilm reactors: effects of hydraulic retention time and the presence of organic carbon. *Water Res.* 36(2): 469-481.
- Okabe, S., Naitoh, H., Satoh, H. and Watanabe, Y. 2002. Structure and function of nitrifying biofilms as determined by molecular techniques and the use of microelectrodes. *Wat. Sci. Technol.* 46(1–2): 233–241.
- Okabe, S., Satoh, H. and Watanabe, Y. 1999. *In situ* analysis of nitrifying biofilms as determined by *in situ* hybridization and the use of microelectrodes. *Appl. Environ. Microbiol.* 65(7): 3182-91.

- Okabe, S. and Watanabe, Y. 2000. Structure and function of nitrifying biofilms as determined by *in situ* hybridization and the use of microelectrodes. *Wat. Sci. Technol.* 42(12): 21-32.
- Pace, N. R. 1996. New perspective on the natural microbial world: molecular microbial ecology. *ASM News.* 62: 463-470.
- Pace, N. R., Stahl, D. A., Lane, D. J. and Olson, G. J. 1986. The analysis of natural microbial populations by ribosomal RNA sequences. *Adv. Microb. Ecol.* 9: 1-55.
- Paez-Osuna, F., Guerrero-Galvan, S. R., Ruiz-Fernandez, A. C. and Espinoza-Angulo, R. 1997. Fluxes and mass balances of nutrients in a semi-intensive shrimp farm in north-western Mexico. *Mar. Pollut. Bull.* 34(5): 290-297.
- Painter, H. A. 1970. A review of literature on inorganic metabolism in microorganisms. *Water Res.* 4(3): 393-401.
- Painter, H. A. 1986. Nitrification in the Treatment of Sewage and Wastewater. *In Nitrification* (ed. J. I. Prosser) pp. 185-211. Aberdeen: IRL Press.
- Patmasiriwat, D., Kuik, O. and Pednekar, S. 1999. Shrimp aquaculture sector in Thailand: a review of economic, environmental and trade issues. Working Paper No 19. International Institute for Environment and Development (IIED), London, and Institute for Environmental Studies (IVM), Amsterdam.
- Patureau, D., Helloin, E., Rustrian, E., Bouchez, T., Delgenes, J. P. and Moletta, R. 2001. Combined phosphate and nitrogen removal in a sequencing batch reactor using the aerobic denitrifier, *Microvirgula aerodenitrificans*. *Water Res.* 35(1): 189-197.
- Pelczar, M. J., Chan, E. C. S. and Krieg, N. R. 1993. *Microbiology: Concepts and Applications*. New York: McGraw-Hill, Inc.
- Priest, F. and Austin, B. 1995. *Modern Bacterial Taxonomy*. London: Chapman & Hall.
- Princic, A., Mahne, I. I., Megusar, F., Paul, E. A. and Tiedje, J. M. 1998. Effects of pH and oxygen and ammonium concentrations on the

- community structure of nitrifying bacteria from wastewater. *Appl. Environ. Microbiol.* 64(10): 3584-90.
- Prosser, J. I. 1989. Autotrophic nitrification in bacteria. *Adv. Microbiol. physiol.* 30(1): 125-181.
- Prosser, J. I. and Embley, T. M. 2002. Cultivation-based and molecular approaches to characterisation of terrestrial and aquatic nitrifiers. *Antonie van Leeuwenhoek.* 81: 165–179.
- Purkhold, U., Pommerening-Roser, A., Juretschko, S., Schmid, M. C., Koops, H. P. and Wagner, M. 2000. Phylogeny of all recognized species of ammonia oxidizers based on comparative 16S rRNA and *amoA* sequence analysis: implications for molecular diversity surveys. *Appl. Environ. Microbiol.* 66(12): 5368-82.
- Ramsing, N. B., Kuhl, M., and Jorgensen, B. B. 1993. Distribution of Sulfate-Reducing Bacteria, O₂, and H₂S in Photosynthetic Biofilms Determined by Oligonucleotide Probes and Microelectrodes. *Appl. Environ. Microbiol.* 59(11): 3840-3849.
- Randall, C. W. 1992. Introduction and Principles of Biological Nutrient Removal. *In Design and Retrofit of Wastewater Treatment Plants for Biological Nutrient Removal* (ed. C. W. Randall, J. L. Barnard and H. D. Stensel) Vol. 5, pp. 1-24. Lancaster: Technomic Publishing Company Inc.
- Ranjard, L., Poly, F. and Nazaret, S. 2000. Monitoring complex bacterial communities using culture-independent molecular techniques: application to soil environment. *Res. Microbiol.* 151: 167-177.
- Ravenschlag, K., Sahm, K. and Amann, R. 2001. Quantitative molecular analysis of the microbial community in marine Arctic sediments (Svalbard). *Appl. Environ. Microbiol.* 67(1): 387-395.
- Regnault, M. 1987. N excretion in marine and fresh-water crustacea. *Biol. Rev.* 62: 1–24.
- Roller, C., Wagner, M., Amann, R., Ludwig, W. and Schleifer, K. H. 1994. *In situ* probing of Gram positive bacteria with high DNA G+C content

- using 23S rRNA targeted oligonucleotides. *Microbiology*. 10: 2849-2858.
- Rosas, C., Cuzon, G., Taboada, G., Pascual, C., Gaxiola, G. and Van Wormhoudt, A. 2001. Effect of dietary protein and energy levels (P/E) on growth, oxygen consumption, hemolymph and digestive gland carbohydrates, nitrogen excretion and osmotic pressure of *Litopenaeus vannamei* and *L. setiferus* juveniles (Crustacea, Decapoda; Penaeidae). *Aquac. Res.* 32: 1–20.
- Rowe, R., Todd, R. and Waide., J. 1977. Microtechnique for most-probable-number analysis. *Appl. Environ. Microbiol.* 33(3): 675-680.
- Sakairi, M. A. C., Yasuda, K. and Matsumura, M. 1996. Nitrogen removal in seawater using nitrifying and denitrifying bacteria immobilized in porous cellulose carrier. *Wat. Sci. Technol.* 34(7-8): 267-274.
- Sansanayuth, P., Phadungchep, A., Ngammontha, S., Ngdngam, S., Sukasem, P., Hoshino, H. and Ttabucanon, M. S. 1996. Shrimp pond effluent: Pollution problems and treatment by constructed wetlands. *Wat. Sci. Technol.* 34(11): 93-98.
- Schmid, M., Twachtmann, U., Klein, M., Strous, M., Juretschko, S., Jetten, M., Metzger, J. W., Schleifer, K. H. and Wagner, M. 2000. Molecular evidence for genus level diversity of bacteria capable of catalyzing anaerobic ammonium oxidation. *Syst Appl Microbiol.* 23(1): 93-106.
- Schramm, A., de Beer, D., van den Heuvel, J. C., Ottengraf, S. and Amann, R. 1999. Microscale distribution of populations and activities of *Nitrosospira* and *Nitrospira* spp. along a macroscale gradient in a nitrifying bioreactor: quantification by in situ hybridization and the use of microsensors. *Appl. Environ. Microbiol.* 65(8): 3690-6.
- Schramm, A., de Beer, D., Wagner, M. and Amann, R. 1998. Identification and activities in situ of *Nitrosospira* and *Nitrospira* spp. as dominant populations in a nitrifying fluidized bed reactor. *Appl. Environ. Microbiol.* 64(9): 3480-3485.

- Schramm, A., Larsen, L. H., Revsbech, N. P., Ramsing, N. B., Amann, R. and Schleifer, K. H. 1996. Structure and function of a nitrifying biofilm as determined by in situ hybridization and the use of microelectrodes. *Appl. Environ. Microbiol.* 62(12): 4641-7.
- Shan, H. and Obbard, J. P. 2001. Ammonia removal from prawn aquaculture water using immobilized nitrifying bacteria. *Appl. Microbiol. Biotechnol.* 57(5-6): 791-798.
- Shankha, K. B. 1980. Rotating biological contactor for secondary treatment. First national symposium: workshop on RBC.
- Shariff, M., Yusoff, F. M., T N Devaraja, T. N. and Srinivasa Rao, P. S. 2001. The effectiveness of a commercial microbial product in poorly prepared tiger shrimp, *Penaeus monodon* (Fabricius), ponds. *Aquac. Res.* 32: 181-187.
- Shin, H. S., Jun, H. B. and Park, H. S. 1992. Simultaneous removal of phosphorus and nitrogen in sequencing batch reactor. *Biodegradation.* 3: 105-111.
- Siriraksophon, S., Wantawin, C. and Tanticharoen, M. 1999. Fixed film denitrification in saline wastewater. The 5th Asia Pacific Biochemical Engineering Conference: Phuket, Thailand, 15-18 November 1999.
- Snaidr, J., Amann, R., Huber, I., Ludwig, W. and Schleifer, K. H. 1997. Phylogenetic analysis and in situ identification of bacteria in activated sludge. *Appl. Environ. Microbiol.* 63(7): 2884-2896.
- Songsangjinda, P. 1994. Linear correlation of water quality and growout data of the Tiger shrimp intensive culture in Ranod District, Songkhla. Technical paper No. 10/1994, National Institute of Coastal Aquaculture Department of Fisheries, Thailand, pp. 11.
- Sorokin, D. Y., Muyzer, G., Brinkhoff, T., Kuenen, J. G. and Jetten, M. S. 1998. Isolation and characterization of a novel facultatively alkaliphilic *Nitrobacter* species, *N. alkalicus* sp. nov. *Arch Microbiol.* 170(5): 345-52.

- Sprague, J. B. 1971. Measurement of Pollutant Toxicity to fish-III, sublethal effects and "safe" concentrations. *Water Res.* 5: 245-255.
- Stahl, D. A., Flesher, B., Mansfield, H. R. and Montgomery, L. 1988. Use of a phylogenetically based hybridization probes for studies of ruminal microbial ecology. *Appl. Environ. Microbiol.* 54(5): 1079-1084.
- Staley, J. T. and Konopka, A. 1985. Measurement of in situ activities of non-photosynthetic microorganisms in aquatic and terrestrial habitats. *Annu Rev Microbiol.* 39: 321-346.
- Stephen, J. R., McCaig, A. E., Smith, Z., Prosser, J. I. and Embley, T. M. 1996. Molecular diversity of soil and marine 16S rRNA gene sequences related to beta-subgroup ammonia-oxidizing bacteria. *Appl. Environ. Microbiol.* 62(11): 4147-54.
- Strous, M., Heijnen, J. J., Kuenen, J. G. and Jetten, M. 1998. The sequencing batch reactor as a powerful tool for the study of lowly growing anaerobic ammonium-oxidizing microorganisms. *Appl. Microbiol. Biotechnol.* 50: 589-596.
- Surmacz-Gorska, J., Cichon, A. and Miksch, K. 1997. Nitrogen removal from wastewater with high ammonia nitrogen concentration via shorter nitrification and denitrification. *Wat. Sci. Technol.* 36(10): 73-78.
- Syutsubo, K., Kishira, H. and Harayama, S. 2001. Development of specific oligonucleotide probes for the identification and in situ detection of hydrocarbondegrading *Alcanivorax* strains. *Environ. Microbiol.* 3(6): 371-379.
- Tacon, A. G. J. and Akiyama, D. M. 1997. Feed ingredients. Crustacean Nutrition, *Advances in World Aquaculture*. World Aquaculture Society. Baton Rouge Vol. 6, pp. 411-472.
- Takeo, K., Sasaki, K., Watanabe, M., Kaneyasu, T. and Nishio, N. 1999. Removal of phosphorus from oyster farm mud sediment using a photosynthetic bacterium, *Rhodobacter sphaeroides* IL 106. *J. Biosci. Bioeng.* 88(4): 410-415.

- Tam, N. F. Y., Wong, Y. S. and Leung, G. 1992. Significance of external carbon sources on simultaneous removal of nutrients from wastewater. *Wat. Sci. Technol.* 26(5-6): 1047-1055.
- Tchobanoglous, G. and Burton, F. L. 1991. Advanced Wastewater Treatment. *In Wastewater Engineering: Treatment Disposal and Reuse*, pp. 663-756. New York: McGraw-Hill, Inc.
- Third, K. A., Sliemers, A. O., Kuenen, J. G. and Jetten, M. S. 2001. The CANON system (Completely Autotrophic Nitrogen-removal Over Nitrite) under ammonium limitation: interaction and competition between three groups of bacteria. *Syst. Appl. Microbiol.* 24(4): 588-96.
- Thongrak, S., Prato, T., Chiayvareesajja, S. and Kurtz, W. 1997. Economic and water quality evaluation of intensive shrimp production systems in Thailand. *Agric. Syst.* 53: 121-141.
- Tookvins, S. 1995. Quality and quantity of discharge water from intensive marine shrimp farms at Khung Krabaen Bay, Chanthaburi Province, East Thailand. Proceedings of the NCRT-JSPS joint seminar on marine science. (ed. A. Snidvings, W. Utoomprukporn and M. Hungspreugs) Department of Marine Science, Chulalongkorn University.
- Vazquez-Rodriguez, G. A. and Rols, L. J. 1997. Study of the nitrification process with activated sludge: inhibiting effect of ammonia on nitrifying bacteria. *Rev. Sci. Eau.* 10(3): 359-375.
- Verhagen, F. J. M. and Lannbroek, H. J. 1991. Competition of ammonia between nitrifying and heterotrophic bacteria in dual energy-limited chemostats. *App. Environ. Microbiol.* 57(11): 3255-3263.
- Wagner, M., Amann, R., Lemmer, H. and Schleifer, K.-H. 1993. Probing activated sludge with oligonucleotides specific for Proteobacteria: inadequacy of culture-dependent methods for describing microbial community structure. *Appl. Environ. Microbiol.* 59(5): 1520-1525.
- Wagner, M., Rath, G., Amann, R., Koops, H. P. and Schleifer, K. H. 1995. *In situ* identification of ammonia-oxidizing bacteria. *Syst. Appl. Microbiol.* 18(2): 251-264.

- Wagner, M., Rath, G., Koops, H. P., Flood, J. and Amann, R. 1996. *In situ* analysis of nitrifying bacteria in sewage treatment plants. *Wat. Sci. Technol.* 34(1-2): 237-244.
- Watanabe, K. and Baker, P. W. 2000. Environmentally relevant microorganisms. *J. Biosci. Bioeng.* 89(1): 1-11.
- Watson, S. W., Bock, E., Harms, H., Koops, H. P. and Hooper, A. 1989. Nitrifying Bacteria. *In* Bergey's Manual of Systematic Bacteriology (ed. J. T. Staley, M. P. Bryant, N. Pfennig and J. G. Holt) Vol. 3, pp. 1808-1834. Baltimore, USA: Williams and Wilkins Co.
- Watson, S. W. and Waterbury, J. B. 1971. Characteristics of two marine nitrite oxidizing bacteria, *Nitrospina gracilis* nov. gen. nov. sp. and *Nitrococcus mobilis* gen. nov. sp. nov. *Arch. Mikrobiol.* 77: 203-230.
- Weller, R., Glockner, F. O. and Amann, R. 2000. 16S rRNA-targeted oligonucleotide probes for the *in situ* detection of members of the phylum *Cytophaga-Flavobacterim-Bacteroides*. *Syst. Appl. Microbiol.* 23(1): 107-114.
- Woese, C. R. 1987. Bacterial evolution. *Microbiol. Rev.* 51(2): 221-271.
- Woese, C. R., Kandler, O. and Wheelis, M. L. 1990. Towards a natural system of organisms; proposal for the domains Archaea, Bacteria, and Eukarya. *Proc Natl Acad Sci.* 87: 4576-4579.
- Woolard, C. R. and Irvine, R. L. 1994. Biological treatment of hypersaline wastewater by a biofilm of halophilic bacteria. *Wat. Environ. Res.* 66(3): 230-235.
- Woolard, C. R. and Irvine, R. L. 1995. Treatment of hypersaline wastewater in the sequencing batch reactor. *Wat. Res.* 29(4): 1159-1168.
- Yu, H. Q. and Gu, G. W. 1996. Treatment of phenolic wastewater by sequencing batch reactors with aerated and unaerated fills. *Waste Manage.* 16(7): 561-566.
- Yuan, Z. G. and Blackall, L. L. 2002. Sludge population optimisation: a new dimension for the control of biological wastewater treatment systems. *Water Research.* 36(2): 482-490.

Zengler, M., Toledo, G., Rappe, M., Elkins, J., Mathur, E. J., Short, J. M. and Keller, M. 2002. Cultivating the uncultured. PNAS. 99(24): 15681-15686.

[http://www/fishdoc.co.uk](http://www.fishdoc.co.uk)

<http://kungthai.com>