

CONTENTS

	Page
Contents	xi
List of Tables	xiii
List of Figures	xv
List of Abbreviations and Symbols	xix
Chapter 1. Introduction	1
Literature reviews	4
Objectives	22
Chapter 2. Materials and Methods	23
Study area and sampling sites	23
Climate and hydrology	24
Sampling methods and analysis	31
Statistical analysis	33
Chapter 3. Results	37
Environmental variables of Thale-Noi	37
Annual changes of zooplankton in Thale-Noi	49
Species composition and diversity of zooplankton	51
Occurrence of zooplankton genera	62
Temporal variations of microzooplankton community	72
Temporal variations of mesozooplankton community	76
Spatial variations of microzooplankton community	80
Spatial variations of mesozooplankton community	92

CONTENTS (Continued)

	Page
Canonical Correspondence Analysis (CCA)	106
Relationship between zooplankton and chlorophyll <i>a</i>	116
Chapter 4. Discussion	120
Chapter 5. Conclusions	143
References	148
Appendices	168
Vitae	176

LIST OF TABLES

Table	Page
1. The seven groups of zooplankton separated based on size	5
2. The studies of zooplankton communities in freshwater environments	16
3. Zooplankton groups or phyla reported as numerically dominant in the water body, Thailand	21
4. The periods of the monsoon system in Thale-Noi area	25
5. Taxonomic composition, density, peak and occurrence of microzooplankton community	53
6. Taxonomic composition, density, peak and occurrence of mesozooplankton community	59
7. Total density (ind.m ⁻³) and % abundance of major microzooplankton assemblages in each sampling period	73
8. Microzooplankton taxa abundance in each sampling period during July 2004 to April 2005	74
9. Total density (ind.m ⁻³) and % abundance of major mesozooplankton assemblages in each sampling period	77
10. Mesozooplankton taxa abundance in each sampling period during July 2004 to April 2005	78
11. Total density (ind.m ⁻³) and % abundance of major microzooplankton assemblages in each zone and during each sampling period	90
12. Microzooplankton taxa abundant in each zone during three periods of sampling in July 2004 to April 2005	91

LIST OF TABLES (Continued)

Table	Page
13. Total density (ind.m ⁻³) and % abundance of major mesozooplankton assemblages in each zone and during each sampling period	104
14. Mesozooplankton taxa abundant in each zone during three periods of sampling in July 2004 to April 2005	105
15-17. Canonical correspondence analysis for environmental data of microzooplankton community	108
18-20. Canonical correspondence analysis for environmental data of mesozooplankton	113
21. Pearson correlation between microzooplankton and two size fractions of chlorophyll <i>a</i>	118
22. Pearson correlation between mesozooplankton and two size fractions of chlorophyll <i>a</i>	119

LIST OF FIGURES

Figure	Page
1. General model of seasonal succession of zooplankton in typical thermally stratified eutrophic (left) and oligotrophic (right) lakes of the temperate region	9
2. Study area and sampling stations in Thale-Noi, Phatthalung Province	26
3. Sampling stations in Thale-Noi lake	29
4. Annual pattern of total precipitation (histogram) and average monthly precipitation (solid line) at Khuan-Khanun District during July 2004 to June 2005	38
5. Environmental variables in Thale- Noi during July 2004 to April 2005	44
6. Percentage of chlorophyll <i>a</i> concentrations both fraction of 20 μm and 20-200 μm during July 2004 to April 2005	48
7. (a) Annual pattern of abundance of total zooplankton (20-200 μm + > 200 μm). (b) Percentage (in abundance) of the zooplankton community represented by microzooplankton (20-200 μm). (c) Annual cycle in total abundance of mesozooplankton (>200 μm). July 2004 - April, 2005	50
8. Number of genera of microzooplankton in Thale-Noi, during July 2004 to April 2005	51
9. Percentage number of genera of microzooplankton in Thale-Noi, during July 2004 to April 2005	52
10. Comparing the number of genera of microzooplankton in each zone	52
11. Comparing the number of genera of microzooplankton in each period	52

LIST OF FIGURES (Continued)

Figure	Page
12. Number of genera of mesozooplankton in Thale-Noi, during July 2004 to April 2005	57
13. Percentage number of genera of mesozooplankton in Thale-Noi, during July 2004 to April 2005	57
14. Comparing the number of genera of mesozooplankton in each zone	58
15. Comparing the number of genera of mesozooplankton in each period	58
16. Occurrence of microzooplankton in three sampling period of Thale-Noi, (a) Protozoa, (b) Rotifer, (c) Cladocera and (d) Copepoda.	65-68
17. Occurrence of mesozooplankton in three sampling period of Thale-Noi, (a) Protozoa, (b) Rotifera, (c) Ostracoda, (d) Cladocera, (e) Copepoda and (f) Other groups.	69-71
18. Changes in absolute density and relative abundance of microzooplankton in Thale- Noi during July 2004 to April 2005	75
19. Changes in absolute density and relative abundance of mesozooplankton in Thale- Noi during July 2004 to April 2005	79
20. Changes in absolute density and relative abundance of microzooplankton in the peat swamp zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	83
21. Changes in absolute density and relative abundance of microzooplankton in the small inlet zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	85

LIST OF FIGURES (Continued)

Figure	Page
22. Changes in absolute density and relative abundance of microzooplankton in the resident zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	87
23. Changes in absolute density and relative abundance of microzooplankton in the peat swamp zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	89
24. Changes in absolute density and relative abundance of mesozooplankton in the peat swamp zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	95
25. Changes in absolute density and relative abundance of mesozooplankton in the small inlet zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	98
26. Changes in absolute density and relative abundance of mesozooplankton in the resident zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	100
27. Changes in absolute density and relative abundance of mesozooplankton in the pelagic zone, (a) light rainy, (b) rainy and (c) dry period, during July 2004 to April 2005	103
28. CCA ordination of samples and important variables of the three sampling periods (a) and four zones of Thale-Noi (b) (microzooplankton)	109
29. Canonical correspondence analysis (CCA) ordination diagram with 39 genera and 10 quantitative environmental variables (microzooplankton)	110

LIST OF FIGURES (Continued)

Figure	Page
30. CCA ordination of samples and important variables of the three sampling periods (a) and four zones of Thale-Noi (b) (mesozoplankton)	114
31. Canonical correspondence analysis (CCA) ordination diagram with 23 genera and 10 quantitative environmental variables (mesozoplankton)	115
32. Overview of average microzooplankton density in twelve stations of Thale-Noi in three sampling periods	146
33. Overview of average mesozoplankton density in twelve stations of Thale-Noi in three sampling periods	147

LIST OF ABBREVIATIONS AND SYMBOLS

<i>et al.</i>	=	Et. Ali (Latin), and others
fig.	=	Figure
° C	=	degree Celsius
DO	=	Dissolved Oxygen
TS	=	Total Solids
mg.l ⁻¹	=	milligram per liter
µs.cm ⁻¹	=	microsiemens per centrimeter
ppt.	=	part per thousand
chl <i>a</i>	=	Chlorophyll <i>a</i>
ind.	=	individual
St.	=	Station
CCA	=	Canonical Correspondence Analysis
ANOVA	=	Analysis of Variance
SPSS	=	Statistical Package for Social Science
µm	=	micrometer
nm	=	nanometer
mm	=	millimeter
m ²	=	square meter
m ³	=	cubic meter
ml	=	milliliter
mg	=	milligram
g	=	gram
L	=	liter