

REFERENCES

- Agusti, S. 1991. Light environment within dense algal populations: cell size influences on self-shading. *J. Plankton Res.* 13(4): 863-871.
- Akin-Oriola, G.A. 2003. On the phytoplankton of Awba reservoir, Ibadan, Nigeria. *Rev. Biol. Trop.* 51(1): 99-106.
- Aksorn, E. and Visoottiviseth, P. 2004. Selection of suitable emergent plants for removal of arsenic from arsenic contaminated water. *Science Asia.* 30: 105-113.
- Akunna, J.C., Bizeau, C. and Moletta, R. 1994. Nitrate reduction by anaerobic sludge using glucose at various nitrate concentrations; ammonification, denitrification and methanogenic activities. *Environ. Technol.* 15(1): 41-49.
- Alam, A.K.M.N., Mollah, M.F.A., Islam, M.A., Haq, M.S., Haque, M.M. 1987. Status of phytoplankton in newly constructed ponds and their relation to some meteorological and limnological factors. *Bangladesh J. Fisheries.* 10(1): 75-81.
- Alves-de-Souza, C, Menezes, M. and Huszar, V. 2006. Phytoplankton composition and functional groups in a tropical humic coastal lagoon, Brazil. *Acta Bot Bras.* 20(3): 701-708.
- American Public Health Association, American Water Works Association and Water Environment Federation (APHA, AWWA, and WEF). 1998. *Standard Methods for the Examination of Water and Wastewater.* American Public Health Association. Washington, DC.
- Anneville, O, Gammeter, S, and Straile, D. 2005. Phosphorus decrease and climate variability: mediators of synchrony in phytoplankton changes among European peri-alpine lakes. *Freshw. Biol.* 50: 1731-1746.
- Anneville, O., Ginot, V. and Angel, N. 2002. Restoration of lake Geneva: Expected versus observed responses of phytoplankton to decreases in phosphorus. *Lake Reserv. Res. Manag.* 7(2): 67-80.
- Ariyadej, C. 2005. *Physico-chemical factors controlling phytoplankton succession and biomass in Banglang dam reservoir, Yala province.* Ph.D. Dissertation, Faculty of Science, Prince of Songkla University, Thailand. (In Thai)
- Ariyadej, C., Tansakul, R., Tansakul, P. and Angsupanich, S. 2004a. Phytoplankton diversity and its

- Relationships to the physico-chemical environment in the Banglang Reservoir, Yala Province. *Songklanakarin J. Sci. Technol.* 26(5): 595-607.
- Ariyadej, C., Tansakul, R., Tansakul, P. and Angsupanich, S. 2004b. Phytoplankton Biomass and Water Quality in Banglang Reservoir. *Jurnal Biosains.* 15: 111-124.
- Arrykul, S., Maharatchapong, N., Kooptarnon, K., and Bunnau, P. 1996. Arsenic removal from potable water. Department of mining and material engineering. Prince of Songkla University. (In Thai)
- Aurillo, A., Mason, R. and Hemond, H. 1994. Speciation and fate of arsenic in three lakes of the Aberjona watershed. *Environ. Sci. Technol.* 28(4): 577-585.
- Azcue, J.M. and Nriagu, J.O. 1994. *Arsenic: historical perspectives.* In Nriagu, J.O. (eds.), *Arsenic in the environment : Part I cycling and characterization.* John Wiley. New York, pp: 1-15.
- Badmus, M.A.O., Audu, T.O.K. and Anyata, B.U. 2007. Removal of heavy metal from Industrial wastewater using hydrogen peroxide. *Afr. J. Biotechnol.* 6(3): 238-242.
- Banse, K. 1994. Grazing and zooplankton production as key controls of phytoplankton production in the open ocean. *Oceanogr.* 7(1): 13-20.
- Barbara, L. L. 1987. *Thailand: A country study.* GPO for the Library of Congress, Washington.
- Baudo, R. 2001. Biological Monitoring of Aquatic Ecosystems in Italy. *J. Limnol.* 60: 49-52.
- Beadle, L. C. 1974. *The inland waters of tropical Africa.* Longman Publisher, London.
- Beasley, V.R., Dahlem, A.M., Cook, W.O., Valentine, W.M., Lovell, R.A., Hooser, S.B., Harada, K.I., Suzuki, M. and Carmichael, W.W. 1989. Diagnostic and clinically important aspects of cyanobacterial (blue-green algae) toxicoses. *J.Vet. Diagn. Invest.* 1: 359-365.
- Belkin, S. and Boussiba, S. 1991. Resistance of Spirulina platensis to ammonia at high pH values. *Plant Cell Physiol.* 32(7): 953-958.
- Berman, T., Pollingher, U.T. and Yakobi, Y.Z. 1992. Lake Kinneret phytoplankton: stability and variability during 20 years (1970-1989). *Aquat. Sci.* 54(2): 104-127.
- Beyrult, Z. 2000. Periodic disturbances, trophic gradient and phytoplankton characteristics related to cyanobacterial growth in Guarapiranga reservoir, Sao Paulo state,Brazil. *Hydrobiologia.* 424: 51-65.
- Bhattacharya, D.N., Ghosh, R., Pal, S.C. and Sen, S.K. 1989. Accumulation of heavy metals by *Oscillatoria* sp. *Acta Biotechnol.* 10(5): 469-471.

- Biswas, S. 1992. Phytoplankton periodicity in Ogelube Lake, Anambra State, Nigeria during 1979-1980. *Hydrobiologia*. 246(2): 169-172.
- Bleiker, Willi. And Schanz, F. 1989. Influence of environmental factors on the phytoplankton spring bloom in lake Zurich. *Aquat. Sci.* 51(1): 47-58.
- Blomqvist, P., Petterson, A. and Hyenstrand, P. 1994. Ammonium-nitrogen: A key regulatory factor causing dominance of non nitrogen-fixing Cyanobacteria in aquatic systems. *Arch. Hydrobiol.* 132: 141-164.
- Boney, A. D. 1989. *Phytoplankton*. 118 pp. Whistable Litho Printers Ltd, Kent.
- Boonchalermkit, S., Wongsanoon, J. and Fukuda, M. 1996. A study of arsenic contamination in Pak Pa-Nang Bay Nakhon Sri-Tammaraj Province, Thailand. Proceeding of the ASEAN-Canada Technical. Conference on Marine Science, 24-28 June 1996, Penang, Malaysia.
- Borges, P.A.F., Rodrigues, L.C. and Train, T.A.P. 2003. Spatial variation of phytoplankton and some abiotic variables in the Pirapo river-PR (Brazil) in August 1999: a preliminary study. *Acta Sci. Biol. Sci.* 25(1): 1-8.
- Bottino, N.R., Newman, R.D., Cox, E.R., Stockton, R., Hoban, M., Zingaro, R.A., and Irgolic, K.J. 1978. The effects of arsenate and arsenite on the growth and morphology of the marine unicellular algae *Tetraselmis chui* (Chlorophyta) and *Hymenomonas carterae* (Chrysophyta). *J. Exp. Mar. Biol. Ecol.* 33(2): 153-168.
- Brook, A.J. 1965. Planktonic algae as indicators of lake types, with special reference to Desmidiaceae. *Limnol. Oceanogr.* 10(3): 403-411.
- Budd, K. and Craig, S.R. 1981. Resistance to arsenate toxicity in the blue-green alga *Synechococcus leopoliensis*. *Can. J. Bot.* 59: 1518-1521.
- Bunnag, P. 2000. *Removal of arsenic from water by freshwater algae*. Ms. Sci. Thesis. Faculty of Science, Mahidol University, Thailand.
- Bu-Olayan, A.H. and Thomas, B.V. 2001. Arsenic levels in the marine ecosystem of the Kuwait coast, Arabian Gulf. *The Environmentalist*. 21(1): 71-75.
- Burgess, V. and Shaw, G. 2001. Pectenotoxins—an issue for public health. A review of their comparative toxicology and metabolism. *Environ. Int.* 27: 275-283.

- Calzada, A.T.L., Beceiro-Gonzalez, E., Villa-Lojo, M.C., Alonso-Rodriguez, E. and Prada-Rodriquez, D. 1998. Accumulation of arsenic (III) by *Chlorella vulgaris*. *Appl. Organomet. Chem.* 13(3): 159-162.
- Canfield, D. E.Jr., Philips, E. and Duarte, C.M. 1989. Factors influencing the abundance of blue-green algae in Florida lakes. *Can. J. Fish. Aquat. Sci.* 46: 1232-1237.
- Chaffin, J. L. 2003. *The Influence of Elevated Arsenic Concentrations from an Abandoned Mine on Stream Biota and Leaf Breakdown in a Headwater Stream*. Ms. Sci. Thesis, Faculty of Science, The Virginia Polytechnic Institute and State University, USA.
- Chaibu, P. 2000. *Potential use of trichoptera as water pollution biomonitoring in Ping river, Chiangmai*. Ph.D. Dissertation, Faculty of Science, Chiangmai University, Thailand.
- Chankaew, W., Chankaew, S. and Sugsa, N. 2007. Diversity of phytoplankton in Sago palm forest in Ronphibun district, Nakhon Si Thammarat province. The 3rd national conference on algae and plankton, faculty of science, Chulalongkorn University 21-23 March 2007. (In abstract)
- Chantanachunlaka, S. 1990. *Removal of arsenic in water by coagulation process*. Ms. Sci. Thesis, Graduate School in Environmental Science, Chulalongkorn University, Bangkok, Thailand. (In Thai)
- Chatshawet, W. 2001. *A comparative study of urinary arsenic levels versus hair arsenic levels of schoolchildren in Tambon Ron Phibun Amphoe Ron Phibun Changwat Nakhon Si Thammarat*. Ms. Sci. Thesis, Faculty of Environmental Management, Prince of Songkla University, Thailand. (In Thai)
- Cheevaporn, V. and Menasvete, P. 2003. Water pollution and habitat degradation in the Gulf of Thailand. *Mar. Pollut. Bull.* 47: 43-51.
- Chen, C. Y., Stemberger, R.S., Klaue, B., Blum, J.D., Pickhardt, P.C. and Folt, C.L. 2000. Accumulation of heavy metals in food web components across of lakes. *Limno. Oceanogr.* 45: 1525-1536.
- Chittapun, S. 2003. Natural and anthropogenic fluctuations on rotifera communities of coastal Peat swamps in Phuket province, southern Thailand. Ph.D. dissertation, Faculty of Science, Prince of Songkla University, Thailand.

- Chorus, I. and Bartram, J. 1999. Toxic cyanobacteria in water: A guide to their public health consequences, monitoring and management. 400 pp. E&FN spon, and imprint of Routledge, London.
- Coesel, P. and Blokland, H. K.-V. 2006. Distribution and seasonality of desmids in the Maarsseveen lakes area. *Aquat. Ecol.* 28(1): 19-24.
- Coesel, P.F.M. 1983. The significance of desmids as indicators of the trophic status of freshwater. *Aquat. Sci.* 45(2): 388-393.
- Conte, F.S. and Cubbage, J.S. 2000. Phytoplankton and recreational ponds. 105 pp. Western Regional Aquaculture, Seattle.
- Cornett, J., Chant, L. and Risto, B. 2004. Arsenic transport between water and sediments. *Hydrobiologia.* 235-236(1): 533-544.
- Cotner, J.B., Johengen, T.H. and Biddanda, B. 2000. Intense winter heterotrophic production stimulated by benthic resuspension. *Limnol. Oceanogr.* 45: 1672-1676.
- Cowan, V.J., Lorenzen, K. and Funge-Smith, S.J. 1999. Impact of culture intensity and monsoon season on water quality in Thai commercial shrimp ponds. *Aquac. Res.* 30: 123-133.
- Craw, D. 2005. Potential anthropogenic mobilization of mercury and arsenic from soils on Mineralized rocks, Northland, New Zealand. *J. Environ. Manage.* 74: 283-292.
- Croasdale, H. and Flint, E.A. 1986a. *Flora of New Zealand Desmids Volume I.* Government Printer, Wellington, New Zealand.
- Croasdale, H. and Flint, E.A. 1986b. *Flora of New Zealand Desmids Volume II.* Government Printer, Wellington, New Zealand.
- Croasdale, H. and Flint, E.A. 1986c. *Flora of New Zealand Desmids Volume III.* Government Printer, Wellington, New Zealand.
- Csonto, J., Kadukova, J. and Polak, M. 2004. Artificial life simulation of living alga cells and its sorption mechanisms. *J. Med. Syst.* 25(3): 221-231.
- Cullen, W. R. and Reimer, K. J. 1989. Arsenic Speciation in the Environment. *Chem. Rev.* 89: 713-764.
- Declerck, S., Bie, T.D., Ercken, D., Hampel, H., Schrijvers, S., Wichelen, J.V., Gillard, V., Mandiki, R., Losson, B., Bauwens, D., Keijers, S., Vyverman, W., Goddeeris, B., De meester, L.,

- Brendonck, L., and Martens, K. 2006. Ecological characteristics of small farmland ponds: Associations with land use practices at multiple spatial scales. *Biol. Conserv.* 131: 523-532.
- De Philippis, R. and Vincenzini, M. 1998. Exocellular polysaccharides from cyanobacteria and their possible applications. *FEMS Microbiol. Rev.* 22(3): 151-175.
- Dodds, W. K., Gudder, D. A. and Mollenhauer, D. 1995. The Ecology of *Nostoc*. *J. Phycol.* 31: 2-18.
- Duker, A.A., Carranza, E.J.M., and Hale, M. 2005. Arsenic geochemistry and health. *Environ. Int.* 31: 631-641.
- Dummee, V. 2006. Diversity of benthic diatom and its relation to environmental variables in Ton Ngachang waterfall, Ton Ngachang Wildlife Sanctuary, Sonkhla province. M.Sc. Thesis, Faculty of Science, Prince of Songkla University, Thailand.
- Eamsakulrat, P., Patmasiriwat, D., Hudrobro, P. 1994. Hazardous Waste Management in Thailand. *TDRI Quarterly Review*. 9: 7-14.
- Egborge, A.B. 1974. and distribution of The seasonal variation phytoplankton in the river Oshun, Nigeria. *Freshwater. Biol.* 4(2): 177-191.
- Egborge, A.B.M. 1979. The seasonal distribution of phytoplankton of the lake Asejire-A new impoundment in Nigeria. Proceedings of International Conference on Kainji Lake and River Basins Development in Africa; 11-17 Dec 1977, Ibadan, Nigeria.
- Environmental Protection Agency (EPA). 1985. *Ambient water quality criteria for arsenic -1984*. U.S. Environmental Protection Agency. Rep. 440/5-84-033. 66 pp.
- Eisler, R. 1988. *Arsenic hazards to fish, wildlife, and invertebrates ; a synoptic review*. Contaminant Hazard Reviews. U.S. Fish and Wildlife Service, Washington, DC. Biological Report No 85(1.12). 92 pp.
- Evens, A. M., Tallman, M. S. and Gartenhaus, R. B. 2004. The potential of arsenic trioxide in the Treatment of malignant disease: past, present, and future. *Leukemia Res.* 28: 891-900.
- Evurunobi, N.O. 1984. The phytoplankton and some physicochemical aspects of Ogelube lake, Nigeria during May 1981-May 1982. M.Sc. Thesis, University of Nigeria, Nsukka.
- Fatoki, O and Awofolu, R. 2003. Levels of Cd, Hg and Zn in some surface waters from the Eastern Cape Province, South Africa. *Water SA*. 29: 375-380.
- Fenner, P.J., Lewis, R. J., Williamson, J.A. and William, M.L. 1997. A Queensland family with

- ciguatera after eating coral trout. *Med. J. Australia.* 166: 473-475.
- Findley, D.L., Findley, D.I. and Stein, J.R. 1973. Surface nitrogen and plankton in Skala lake, British Columbia (Canada). *Freshwater Biol.* 3(2): 111-122.
- Findley, D.L. and Kasian, S.E.M. 2004. Phytoplankton communities responses to acidification of lake 223, experimental lakes area, northwestern, Ontario. *Water Air Soil Pollut.* 30(3-4): 719-726.
- Fiore, M.F. and Trevors, J.T. 1994. Cell composition and metal tolerance in cyanobacteria. *Biometals.* 7: 83-103.
- Flora, S.J.S., Bhaduria, S., Kannan, G.M. and Singh, N. 2007. Arsenic induced oxidative stress and the role of antioxidant supplementation during chelation: A review. *J. Environ. Biol.* 28(2): 333-347.
- Francis-Floy, R. 2003. Dissolved oxygen for fish production. Fact Sheet FA-27.
- Frisk, T. 1982. An oxygen model for Lake Haukivesi. *Hydrobiologia.* 86(1-2): 133-139.
- Fujiwara, S., Kobayashi, I., Hoshino, S., Kaise, T., Shimogawara, K., Usuda, H. and Tsuzuki, M. 2000. Isolation and characterization of arsenate-sensitive and resistant mutants of *Chlamydomonas reinhardtii*. *Plant Cell Physiol.* 41: 77-83.
- Gaedke, U., Hochstadter, S., and Straile, D. 2002. Interplay between energy limitation and nutritional deficiency: empirical data and food web models. *Ecol. Monographs.* 72: 251-270.
- Geesey, G. and Jang, L. 1990. Extracellular polymers for metal binding. In Ehrlich, H.L. and Brierley, C.L. (eds.), *Microbial mineral recovery*. pp. 223-247. McGraw-Hill Publishing Company, New York.
- Ghavzan, N.J. and Gunale, V.R. 2007. Seasonal dynamics of phytoplankton and their relationship with the environment in the Pavana and Mutha rivers (Pune-India). *Int. J. Algae.* 9(1): 64-80.
- Gin, K.Y.-H., Lin, X. and Zhang, S. 2000. Dynamics and size structure of phytoplankton in the coastal waters of Singapore. *J. Plankton Res.* 22(8): 1465-1484.
- Gurung, T.B., Dhakal, R.P., and Bista, J.D. 2006. Phytoplankton primary production, chlorophyll *a* and nutrient concentrations in the water column of mountainous Lake Phewa, Nepal. *Lakes Reserv. Res. Manag.* 11: 141-148.

- Harrer, D. 1992. *Eutrophication of freshwater : Principles, problems and restoration.* Chapman&Hall, London.
- Hayashi, T., Hideshima, T., Akiyama, M., Richardson, P., Schlossman, R.L., Chauhan, D., Munchi, N.C., Waxman, S. and Anderson, K.C. 2002. Arsenic trioxide inhibits growth of Human multiple myeloma cells in the bone marrow microenvironment. *Mol. Cancer. Ther.* 1: 851-860.
- Hecky, R. and Kling, H.J. 1987. Phytoplankton ecology of the great lakes in the rift valleys of central Africa. *Arch. Hydrobiol.* 25: 197-228.
- Hejzlar, J., Dolejs, P., Komarkova, J., Seda, J., Simek, K., and Vyhalek, V. 1998. Effect of biomanipulation on the structuring of the planktonic food web and water treatability by coagulation. *Water Sci. Technol.* 37(2) : 105-111.
- Henrikson, L., Nyman, H.G., Oscarson, H.G. and Stenson, J.A.E. 1980. Trophic changes without changes in the external nutrient loading. *Hydrobiologia.* 68(3): 257-263.
- Holz, J.C., Hoagland, K.D., Spawn, R.L., Popp, A. and Anderson, J.L. 1997. Phytoplankton community response to reservoir aging, 1968-92. *Hydrobiologia.* 346 (1-3): 183-192.
- Hossain, M.F. 2006. Arsenic contamination in Bangladesh—An overview. *Agr. Ecosyst. Environ.* 113: 1-16.
- Howard, A. G., Comber, S. D. W., Kifle, D., Antai, E. E. and Purdie, D. A. 1995. Arsenic speciation and seasonal changes in nutrient availability and micro-plankton abundance in Southampton Water, U.K. *Estuar. Coast. Shelf. Sci.* 40: 435-450.
- Hsu, Y., Hwang, J. and Yeh, T. 2001. Inorganic elements determination for algae/*Spirulina* food marketed in Taiwan. *J. food drug anal.* 9(3): 178-182.
- Hunter, B.L. and Laws, E.A. 1981. ATP and chlorophyll *a* as estimators of phytoplankton carbon biomass. *Limnol. Oceanogr.* 26(5): 944-956.
- Huszar, V.L.M and Caraco, N. 1998. The relationship between phytoplankton composition and physical-chemical variables: a comparison of taxonomic and morphological-functional approaches in six temperate lakes. *Freshwat. Biol.* 40: 1-18.
- Huszar, V.L.M. and Reynolds, C.S. 1997. Phytoplankton periodicity and sequences of dominance in an sequences of dominance in an Amazonian flood-plain lake (Lago Botata, Para, Brazil): responses to gradual environmental change. *Hydrobiologia.* 346:

- 169-181.
- Intrakaroonvate, S. 1988. *Removal of arsenic in water by coagulation process for rural areas*. Ms. Env. Eng. Thesis, Faculty of engineering, Chulalongkorn University, Thailand. (In Thai)
- Ittisupornrat, S. 1999. *Removal of soluble by bacterial isolates*. Ms. Sci. Thesis, Faculty of Science, Chulalongkorn University, Thailand.
- Ishikawa, A. and Furuya, K. 2004. The role of diatom resting stages in the onset of the spring bloom in the East China sea. *Mar. Biol.* 145(3): 633-639.
- Jacquet, S., Briand, J.F., Leboulanger, C., Jacquet, C.A., Oberhaus, L., Tassin, B., Leite, B.V., Paolini, G., Druart, J.C., Anneville, O. and Humber, J.F. 2005. The proliferation of the toxic cyanobacterium *Planktothrix rubescens* following restoration of the largest natural French lake (Lac du Bourget). *Harmful Algae*. 4(4): 651-672.
- Jahan, K., Mosto, P., Mattson, C., Frey, E. and Derchak, L. 2006. Microbial removal of arsenic. *Water Air Soil Poll.* 6(1-2): 71-82.
- Japan International Cooperation Agency (JICA). 2000. The environmental management planning survey for arsenic contaminated area of the Nakhon Si Thammarat province in the Kingdom of Thailand: Final report. 156 pp.
- Jeppesen, E., Jensen, J.P. Sondergaard, M. and Lauridsen, T.L. 2005. Response of fish and plankton to nutrient loading reduction in eight shallow Danish lakes with special emphasis on seasonal dynamics. *Freshwat. Biol.* 50: 1616-1627.
- Jha, R., Ojha, C.S.P. and Bhatia, K.K.S. 2007. Development of refined BOD and DO models for highly polluted Kali river in India. *J. Envir. Engrg.* 133(8): 839-852.
- Jianjun, Z. 2000. *GIS application on arsenic considering toxicological aspect in an old tin mining Area, Thailand*. Ph.D. Dissertation, Graduate School in Technical Science, Asian Institute of Technology, Thailand.
- John, D.M., Whitton, B.A. and Brook, A.J. 2002. *The freshwater algal flora of the British Isles*. Cambridge University Press, Cambridge, England.
- Jones, R. I., Salonen, K., and De Haan, H. 1988. Phosphorus transformations in the epilimnion of humic lakes; abiotic interactions between dissolved humic materials and phosphate. *Freshwat. Biol.* 19: 357-369.
- Kalin, M., Cao, Y., Smith, M. and Olaveson, M.M. 2001. Development of the phytoplankton

- community in a pit-lake in relation to water quality changes. *Water Res.* 35(13): 3215-3225.
- Kamal, A. S. M. K. and Parkpian, P. 2002. Arsenic contamination in Hizla, Bangladesh : sources, effects and remedies. *Science Asia.* 28: 181-189.
- Karnasuta, Y. 1985. Effects of suspended sediment from mining activities on microphytoplankton and physicochemical properties of coastal seawater at Khlong Ngao, Ranong Province. M.Sc. Thesis, Graduate School, Mahidol University, Thailand.
- Katsoyiannis, I. A. And Zouboulis, A. I. 2004. Application of biological processes for the removal of arsenic from groundwaters. *Water Res.* 38: 17-26.
- Kemka, N., Njine, T., Togouet, S.H.Z., Menbohan, S.F., Nola, M., Monkiedje, A., Niyitegeka, D. and Compere, P. 2006. Eutrophication of lakes in urbanized areas: The case of Yaounde Municipal lake in Cameron, Central Africa. *Lakes Reserv. Res. Manag.* 11: 47-55.
- Kietpawpan, M. 2002. Ecological risk associated with eutrophication and contamination of lead In Pattani dam reservoir. M.Sc. Thesis, Faculty of Environmental Management, Prince of Songkla University, Thailand.
- Knaeber, K. and Hemond, H. 1999. Accumulation and reduction of arsenate by the freshwater green alga *Chlorella* sp. (chlorophyta). *J. Phycol.* 36(3): 506-509.
- Knaeber, K. and Hemond, H. 2000. Accumulation and reduction of arsenate by the freshwater green alga *Chlorella* sp. (Chlorophyta). *J. Phycol.* 36: 506-509.
- Komarek, J. and Anagnostidis, K. 1999. *Cyanoprokaryota 1. Teil: Chroococcales.* Gustav Fischer, Germany.
- Koopetngarm, J. 1978. *Analysis of arsenic in various vegetables by differential pulse polarography.* Ms. Sci. Thesis, Faculty of Science, Chulalongkorn University, Thailand.
- Kovach, W. 1998. *Multi-Variate Statistical Package. Version 3.0 for Windows 95/98/NT.* Kovach computing services. Pentraeth, Wales.
- Koyama, M., Kawashima, M., Takamatsu, T., Glasby, G.P. and Stoffers, P. 1989. Mineralogy and geochemistry of sediments from Lakes Taupo and Waikaremoana, New Zealand. *New Zealand J. Mar. Freshw. Res.* 23: 121-130.
- Kumawat, D.A. and Jawale, A.K. 2004. An ecological study of Chlorococcales in the inland

- Fishery. *J. Phytol. Res.* 17(1): 43-46.
- Kwang-Guk, A. and Jones, J.R. 2000. Temporal and spatial patterns in salinity and suspended solids in a reservoir influenced by the Asian monsoon. *Hydrobiologia*. 436: 179-189.
- Lamai, C., Kruatrachue, M., Pokethitiyook, P., Upatham, E. S. and Soonthornsarathool, V. 2005. Toxicity and accumulation of lead and cadmium in the filamentous green alga *Cladophora fracta* (O.F. Muller ex Vahl) Kutzing : A laboratory study. *Science Asia*. 31: 121-127.
- Lange-Bertalot, H. and Metzeltin, D. 1996. Indicators of oligotrophy. *Iconogr. Diatomol.* 2: 1-390.
- Latorre, C., Lee, J. H., Spiller, H., Shanmugarn, K. T. 1986. Ammonium ion-excreting cyanobacterial mutant as a source of nitrogen for growth of rice : a Feasibility study. *Biotechnol Lett.* 8: 507-512.
- Ledin, M. 2000. Accumulation of metals by microorganisms-processes and importance for soil systems. *Earth-Sci. Rev.* 51: 1-31.
- Lee, G.F. and Jones-Lee, A. 2003. Update on the understanding of the low DO problem San Joaquin river's deep water ship channel. *IEP Newsletter*. 16(4): 1-15.
- Lehtimaki, J., Moisander, P., Sivonen, K. and Kononen, K. 1997. Growth, nitrogen fixation, and nodularin Production by two Baltic sea cyanobacteria. *Appl. Environ. Microb.* 63: 1647-1656.
- Lemmel, G. and Cape, J.N. 1996. Nitrous acid and nitrite in the atmosphere. *Chem. Soc. Rev.* 25: 361-369.
- Levkov, Z. 2005. Taxonomy and ecology of diatoms from lake Prespa and St. Naum Springs. Ph.D. dissertation, Faculty of Natural Sciences, Institute of Biology, St. Cyril and Methodius University, Macedonia.
- Li, D., Morimoto, K., Takeshita, T. and Lu, Y. 2001. Arsenic induced DNA damage via reactive oxygen species in human cells. *EHPM*. 6: 27-32.
- Li, M. and Lee, S.H. 2004. Determination of As(III) and As(V) ions by chemiluminescence method. *Microchemical J.* 80(2): 237-240.
- Liebmann, H. 1962. *Handbuch der Frischwasser und Abwasserbiologie*. Bd. I, 2nd ed. 588 pp. Gustav Fisher Verlag, Jena.

- Linge, K.L. and Oldham, C.E. 2002. Arsenic remobilization in a shallow lake: The role of sediment resuspension. *J. Environ. Qual.* 31: 822-828.
- Louise, S.C., Cattaneo, A., Chasse, R. and Fraikin, C.G.J. 1997. *Technical evaluation of monitoring methods using macrophytes, phytoplankton and periphyton to assess the impacts of mine effluents on the aquatic environment.* Canada centre for mineral and energy technology. Ontario.
- Magalef, R. 1972. Homage to Evelyn Hutchison, or why is there an upper limit to diversity. *Trans. Connect. Acad. Arts. Sci.* 44: 211-235.
- Magurran, A.E. 1987. *Ecological diversity and its measurement.* 179 pp. Chapman and Hall, London.
- Marneffe, Y., Descy, J. P. and Thome, J. P. 1996. The zooplankton of the lower River Meuse, Belgium: Seasonal Changes and Impact of Industrial and Municipal Discharges. *Hydrobiologia.* 319: 1-13.
- McEachern, P. 1996. Regional and seasonal characteristics of water chemistry, algal biomass and nutrient limitation in lakes of Nepal. M.Sc. Thesis, University of Missouri-Columbia, Missouri, USA.
- McFall, L. 2003. Williams Ditch (Lake country) low dissolved oxygen and impaired biotic community source identification study. IDEM 032/02/069.
- Meihong, Z. 1995. *Arsenic pollution of Dianchi lake in the people's Republic of China.* Ms. Sci. Thesis, Graduate School in Environment, Resource and Development, Asian Institute of Technology, Thailand.
- Melo, S.D. and M.Huszar, V.L. 2000. Phytoplankton in an Amazonian flood-plain lake (Lago Batata, Brasil): diel variation and species strategie. *J. Plankton. Res.* 22(1): 63-76.
- Michel, P., Boutier, B., Herblard, A., Averyt, B., Felipe, A., Auger, D. and Chartier, E. 1998. Behaviour of arsenic on the continental shelf off the Gironde estuary: Role of phytoplankton in vertical fluxes during spring bloom conditions. *Oceanol. Acta.* 21(2): 325-333.
- Michiyasu, M. 1954. Studies on the distribution of the desmids in the ponds of the plain of Takamatsu, Shikoku. *Bull. Soc. Plant Ecol.* 3(4): 211-218.

- Mitrovic, S.M., Bowling, L.C. and Buckney, R.T. 2001. Vertical dissentrainment of *Anabaena circinalis* in the turbid, freshwater Darling river, Australia: quantifying potential benefits from buoyancy. *J. Plankton Res.* 23(1): 47-55.
- Miyazaki, T., Togashi, T., Suzuki, T., Hashimoto, T., Tainaka, K. and Yoshimura, J. 2004. The Coexistence of plankton species with various nutrient conditions: A lattice stimulation model. In Pahl, C., Schmidt, S. and Jakeman, T. (eds.), *Complexity and integrated Resources management*. Proceedings of iEMSS, June, Osna brueck, Germany.
- Nair, M., Joseph, T., Balachandran, K.K. Nair, K.K.C. and Paimpillil. 2003. Arsenic Enrichment in Estuarine Sediments – Impact of Iron and Manganese Mining. International symposium on fate of arsenic in the environment, Bangladesh University of Engineering and Technology (BUET), Dhaka, Bangladesh. pp. 57-68.
- National Academy of Science (NAS). 1977. *Arsenic*. 332 pp. National Academy Press, Washington,D.C.
- National Institute of Oceanography (NIO). 2004. *Phytoplankton Identification Manual*. Goa-403004, Dona Paula.
- National Research Council of Canada (NRCC). 1978. Effects of arsenic in the Canadian environment. Ottawa, Canada. Natl. Res. Coun. Canada Publ. No. NRCC 15391. 349 pp.
- Needoba, J.A. and Harrison, P.J. 2004. Influence of low light and a light: Dark cycle on NO_3^- uptake, intracellular NO_3^- and nitrogen isotope fractionation by marine phytoplankton. *J. Phycol.* 40(3): 505-516.
- Netvichain, R. 2000. *Removal of arsenic (V) from synthetic wastewater using chitosan beads*. Ms. Sci. Thesis, Graduate School in Environmental Science, Chulalongkorn University, Thailand. (In Thai)
- Niesel, V., Hoehn, E., Sudbrack, R., Willmitzer, H. and Chorus, I. 2007. The occurrence of the dinophyte species *Gymnodinium uberrimum* and *Peridinium willei* in German reservoirs. *J. Plankton Res.* 29(4): 347-357.
- Nikolaidis, N.P., Dobbs, G.M., Chen, J., and Lackovic, J.A. 2004. Arsenic mobility in contaminated lake sediments. *Environ. Pollut.* 129(3): 479-487.
- Novales-Flamarique, I., Griesbach, S., Parent, M., Cattaneo, A. and Peters, R.H. 1993. Fish foraging Behavior Changes Plankton-Nutrient Relations in Laboratory Microcosms.

- Limnol. Oceanogr.* 38(2): 290-298.
- Nriagu, J.O. 2006. *Kathy Pond, Water recreation and disease: plausibility of associated infections, acute effects, sequelae and mortality.* 215 pp. IWA Press. Michigan.
- Ntengwe, F.W. 2005. Designing a domestic water supply system—The engineer's perspective and considerations as a challenge to consumers. *Phys. Chem. Earth.* 30: 850-858.
- Nweze, N. O. 2006. Seasonal variations in phytoplankton populations in Ogelube lake, a small natural West African Lake. *Lakes Reserv. Res. Manag.* 11, 63-72.
- Nygaard, G. 1991. Seasonal periodicity of planktonic desmids in oligotrophic lake Grane Lang Sø, Denmark. *Hydrobiologia.* 211(3): 195-226.
- Olguin, H.F., Pulg, A., Loez, C.R., Salibian, A., Topalian, M.L., Castane, P.M. and Rovedatti, M.G. 2004. An integration of water physicochemistry, algal bioassays, phytoplankton, and zooplankton for ecotoxicological assessment in a highly polluted lowland river. *Water Air Soil Pollut.* 155: 355-381.
- Olias, M., Ceron, J.C., Moral, F and Ruiz, F. 2006. Water quality of the Guadiamar River after the Aznalcollar spill (SW spain). *Chemosphere.* 62: 213-225.
- Oliveira, V., Sarmiento, A.M., Gomez-Ariza, J.L., Nieto, J.M., and Sanchez-Rodas, S. 2006. *New preservation method for inorganic arsenic speciation in acid mine drainage samples.* *Talanta.* 69(5): 1182-1189.
- Opute, F.I. 2000. Contribution to the knowledge of algae of Nigeria. I. Desmids from Warri/Forcados estuaries. Part II. The elongate baculiform desmids. *J. Limnol.* 59(2): 131-155.
- Oremland, R.S. and Stolz, J.F. 2003. The ecology of arsenic. *Science.* 300: 939-944.
- Oremland, R.S., Stolz, J.F. and Hollibaugh, J.T. 2004. The microbial arsenic cycle in Mono lake, California. *FEMS Microbiol. Ecol.* 48: 15-27.
- Padisák, J. and Reynolds, C.S. 1998. Selection of phytoplankton associations in Lake Balaton, Hungary, in response to eutrophication and restoration measures, with special reference to the cyanoprokaryotes. *Hydrobiologia.* 384: 41-53.
- Paerl, H.W. 1988. Growth and reproductive strategies of freshwater blue-green algae (Cyanobacteria). In Sandgren, C.D. (ed.), *Growth and reproductive strategies of freshwater phytoplankton.* Cambridge University Press, Cambridge: 261-315.

- Palmer, M. A., 1993. Putting things in even better order: the advantage of Canonical Correspondence Analysis. *Ecology*. 74: 2215-2230.
- Parr, L.B. and Mason, C.F. 2003. Causes of low oxygen in a lowland, regulated eutrophic river in Eastern England. *Sci. Total Environ.* 321(1-3): 273-286.
- Peerapornpisal, Y., Chaiubol, C., Pekkoh, J., Kraibut, H., Chorum, M., Wannathong, P., Ngearnpat, N., Jusakul, K., Thammathiwat, A., Chuanuntha, J. and Inthasonti, T. 2004. Monitoring of water quality in Ang Keaw Reservoir of Chiang Mai University using phytoplankton as bioindicator from 1995-2002. *Chiang Mai J. Sci.* 31: 85-94.
- Peerapornpisal, Y. 2005. *Freshwater Algae in Northern Thailand*. Chotana Print Co. Ltd. Chiang Mai.
- Pereira, M. M., Azeiteiro, U.M.M., Goncalves, F. and Soares, A.M.V.M. 2003. Inorganic composition of the envelopes of *Trachelomonas* Her.(Euglenophyta). *Acta oecol.* 24: 317-324.
- Perkin Elmer Instruments (PEI). 1999. *The THGA Graphite Furnace Techniques and Recommended Conditions*. PerkinElmer LLC. Ueberlingen.
- Perez, M.C., Bonilla, S. and Martinez, G. 1999. Phytoplankton community of a polymictic reservoir, La Plata river basin, Uruguay. *Rev. Brasil. Biol.* 59(4): 535-541.
- Perez, T.R. and Sumugat, A.M. 2001. Microalgal heavy metal indicators in freshwater systems of Nonoc and Dinagat islands, Surigao Del Norte, Philippines. *LSR-SSE*. 1: 30-42.
- Pinto, E., Sigaud-Kutner, T.C.S., Leitao, M.A.S., Okamoto, O.K., Morse, D. and Colepicolo, P. 2003. Heavy metal-induced oxidative stress in algae. *J. Phycol.* 39: 1008-1018.
- Planas, D. and Healey, F.P. 1978. Effect of arsenate on growth and phosphorus metabolism of phytoplankton. *J. Phycol.* 14: 337-341.
- Pollution Control Department (PCD). 1998. *Arsenic*. 52 pp. Integrated Promotion Technology Ltd., Bangkok. (In Thai)
- Pongswat, S., Thammathaworn, S., Peerapornpisal., Y., Thanee, N., and Somsiri, C. 2004. Diversity of phytoplankton in the Rama IX Lake, A Man-Made Lake, Pathumthani Province, Thailand. *Science Asia*. 30: 261-267.

- Price, R.E. and Pichler, T. 2005. Distribution, speciation and bioavailability of arsenic in a shallow-water submarine hydrothermal system, Tutum Bay, Ambitle Island, PNG. *Chem. Geol.* 224: 122-135.
- Prince of Songkla University network. 2006.
- Prince of Songkla University network (Online).
- Available: <http://2the4.net/redox.htm>.
- Prince of Songkla University network. 2006.
- Prince of Songkla University network (Online).
- Available: <http://www.nakhonsithammarat.go.th/air.php>
- Prommana, R. 2006. Correlations between some parameters of cyanobacterial growth, microcystin quantity, water and sediment qualities in some Thai water resources. Ph.D. dissertation, Faculty of Science, Chiang Mai University.
- Raab, A., Fecher, P. and Feldmann, J. 2005. Determination of arsenic in algae-results of an interlaboratory trial : Determination of arsenic species in the water soluble fraction. *Mikrochim. Acta.* 151(3-4): 153-166.
- Rahman, M. and Parkpian, P. 2004. Distribution of Arsenic in Kangkong (*Ipomoea reptans*). *Science Asia.* 30: 255-259.
- Rakwong, K. 1999. *Risk behaviors and sources of exposure to arsenic in school children at Tambon Ron Phibun Amphoe Ron Phibun Changwat Nakhon Si Thammarat.* Ms. Sci. Thesis, Faculty of Environmental Management, Prince of Songkla University, Thailand. (In Thai)
- Rattanachongkiat, S., Millward, G.E. and Foulkes, M.E. 2004. Determination of arsenic species in fish, crustacean and sediment samples from Thailand using high performance liquid chromatography (HPLC) coupled with inductively coupled plasma mass spectrometry (ICP-MS). *J. Environ. Monit.* 6: 254-261.
- Redman, A.D., Macalady, D.L. and Ahmann, D. 2002. Natural organic matter affects arsenic speciation and sorption onto hematite. *Environmental Science and Technology.* 36(13): 2889-2896.
- Reynolds, C.S. 1984. Phytoplankton periodicity: the interactions of form, function and environmental variability. *Freshwater Biol.* 14: 111-142.

- Reynolds, C.S. 1994. The long, the short and the stalled: on the attributes of phytoplankton selected by physical mixing in lakes and rivers. *Hydrobiologia*. 289: 9-21.
- Reynolds, C.S., Descy, J.-P. and Padisak, J. 1994. Are phytoplankton dynamics in rivers so different from those in shallow lakes? *Hydrobiologia*. 289: 1-7.
- Reynolds, C.S., and Lund, J.W.G. 1988. The phytoplankton of an enriched, soft-water lake subject to intermittent hydraulic flushing (Grasmere, English lake district). *Freshwater. Biol.* 19: 379-404.
- Riedel, G. F. 1993. The annual cycle of arsenic in a temperate estuary. *Estuaries*. 16: 533-540.
- Rosenstrom, U. and Lepisto, L. 1996. Phytoplankton indicator species in different types of boreal lakes. *Algol. Stud.* 82: 131-140.
- Round, F. E. 1977. *The biology of the algae*, 2nd edn. Edward Arnold, London.
- Round, F.E. 1984. *The ecology of algae*. Cambridge University Press, Cambridge.
- Ruangsomboon, S., Chidthaisong, A., Bunnag, B., Inthorn, D. and Harvey, N.W. 2006. Lead (Pb2+) removal from wastewater by the cyanobacterium *Calothrix marchica*. *Kasetsart J. (Nat.Sci.)*. 40: 784-794.
- Ruangsomboon, S., Chidthaisong, A., Bunnag, B., Inthorn, D. and Harvey, N.W. 2007. Lead (Pb2+) adsorption characteristics and sugar composition of capsular polysaccharides of cyanobacterium *Calothrix marchica*. *Songklanakarin J. Sci. Technol.* 29(2): 529-541.
- Ruhland, K. M., Smol, J. P., Wang, X., and Muir, D.C.G. 2003. Limnological characteristics of 56 lakes in the Central Canadian Arctic Treeline Region. *J. Limnol.* 62(1): 9-27.
- Ryding, S. O. and Rast, W. 1989. *The control of eutrophication of lakes and reservoirs*. 314 pp. The Parthenon Publishing Group, France.
- Salomons, W. 1995. Environmental impact of metals derived from mining activities: Processes, predictions, prevention. *J. Geochem. Explor.* 52: 5-23.
- Sanders, J.G. 1979. Effects of arsenic speciation and phosphate concentration on arsenic inhibition of *Skeletonema costatum* (Bacillariophyceae). *J. Phycol.* 15: 424-428.
- Sanders, J.G. 1980. Arsenic cycling in marine systems. *Mar. Environ.Res.* 3: 257-266.
- Sanders, J.G. 1986. Direct and indirect effects of arsenic on the survival and fecundity of estuarine zooplankton. *Can. J. Fish. Aquat. Sci.* 43: 694-699.

- Sanders, J.G. and Cibik, S.J. 1985. Adaptive behavior of euryhaline phytoplankton communities to arsenic stress. *Mar. Ecol. Prog. Ser.* 22: 199-205.
- Sanders, J.G. and Riedel, G. F. 1993. Trace element transformation during the development of an estuarine algal bloom. *Estuaries*. 16: 521-532.
- Sanders, J.G. and Vermersch, P.S. 1982. Response of marine phytoplankton to low levels of arsenate. *J. Plankton Res.* 4(4): 881-893.
- Sanders, J.G. and Windom, H. L. 1980. The Uptake and Reduction of Arsenic Species by Marine Algae. *Estuar. Coast. Mar. Sci.* 10: 555-567.
- Sarnelle, O. and Wilson, A.E. 2005. Local adaptation of Daphnia pulicaria to toxic cyanobacteria. *Limnol. Oceanogr.* 50(5): 1565-1570.
- Schaeffer, R., Francesconi, K.A., Kienzl, N., Soeroes, C., Fodor, P., Varadi, L., Raml, R., Goessler, W. and Kuehnelt, D. 2005. Arsenic speciation in freshwater organisms from the river Danube in Hungary. *Talanta*. 69(4): 856-865.
- Schallenberg, M. and Burns, C.W. 2004. Effects of sediment resuspension on phytoplankton production: teasing apart the influences of light, nutrients and algal entrainment. *Freshw. biol.* 49: 143-159.
- Schwartzkopf, S.H. and Hergenrader, G.L. 1978. A comparative analysis of the relationship between phytoplankton standing crops and environmental parameters in four eutrophic Prairie reservoirs. *Hydrobiologia*. 59(3): 261-273.
- Seppala, J., Tamminen, T. and Kaitala, S. 1999. Experimental evaluation of nutrient of phytoplankton communities in the Gulf of Riga. *J. marine systems*. 23:107-126.
- Smith, V.H. 1990. Nitrogen, phosphorus and nitrogen fixation in lacustrine and estuarine ecosystems. *Limnol. Oceanogr.* 35: 1852-1859.
- Sohrin, Y. and Matsui, M. 1997. Arsenic Biogeochemistry affected by eutrophication in lake Biwa, Japan. *Environ. Sci. Technol.* 31: 2712-2720.
- Sohrin, Y., Matsui, M., Kawashima, M., Hojo, M., and Hasegawa, H. 1997. Arsenic Biogeochemistry affected by eutrophication in lake Biwa, Japan. *ICR Annual Report*. 4: 14-15.
- Sophary, P. 2003. *Evaluation of arsenic field test kits in Cambodia through confirmatory laboratory testing*. Ms. Sci. Thesis, Graduate School in Environment, Resource and Development,

- Asian Institute of Technology, Pathumthani, Thailand.
- South, G.R., and Whittick, A. 1987. *Introduction to phycology*. Blackwell Scientific Publication Inc, California.
- Spiller, H., Latorre, C., Hassan, M.E. and Shanmugam, K.T. 1986. Isolation and characterization of Nitrogenase-derepressed mutant strains of cyanobacterium *Anabaena variabilis*. *J. Bacteriol.* 165: 412-419.
- Steinberg, C. and Hartmann, H. 1988. Planktonic bloom forming cyanobacteria and the eutrophication of lakes and rivers. *Freshw. biol.* 20: 279-287.
- Stoner, J.C., Whanger, P.D. and Weswig, P.H. 1977. Arsenic levels in Oregon waters. *Environ Health Perspect.* 19: 139-143.
- Sultan, K. and Dowling , K. 2006. Seasonal changes in arsenic concentrations and hydrogeochemistry of Canadian creek, Ballarat (Victoria, Australia). *Water Air Soil Pollut.* 169: 355-374.
- Suwanmanee, A. 1991. *Distribution of Arsenic in the Environment of Amphoe Ronphibul Changwat Nakhon Si Thammarat*. Ms. Sci. Thesis, Faculty of Environmental Management, Prince of Songkla University, Thailand. (In Thai)
- Takamatsu, T., Kawashima, M. and Koyama M. 1985. The role of Mn²⁺ rich hydrous manganese oxide in the accumulation of arsenic in lake sediment. *Wat Res.* 19:1029-1032.
- Tallman, D.E. and Shaikh, A.U. 1980. Redox stability of inorganic arsenic (III) and arsenic (V) in Aqueous solution. *Anal Chem.* 52: 199-201.
- Tallberg, P. and Heiskanen, A.-S. 1998. Species-specific phytoplankton sedimentation in relation to primary production along an inshore-offshore gradient in the Benthic sea. *J. Plankton Res.* 20(11): 2053-2070.
- Thirunavukkarasu, O, Viraraghavan, T and Subramanian, K. 2003. Arsenic removal from drinking water using granular ferric hydroxide. *Water SA.* 29(2): 161-170.
- Thongra-ar, W. and Parkpian, P. 2002. Total mercury concentrations in coastal area of Thailand: A review. *Science Asia.* 28: 301-312.
- Tilman, D., Kulham, S.S. and Kilham, P. 1982. Phytoplankton community ecology. *Annu. Rev. Ecol. Syst.* 13: 349-372.

- Tilman, D., Kiesling, R., Sterner, R., Kilham, S.S. and Johnson, F.A. 1986. Green, blue green and diatom algae: Taxonomic differences in competitive ability for phosphorus, silicon and nitrogen. *Arch. Hydrobiol.* 106: 473-485.
- Tongboriboon, T. 1997. *Arsenic contamination in aquatic organisms from Tambon Ronphibul to Pak Phanang River Basin, Changwat Nakhon Si Thammarat*. Ms. Sci. Thesis, Faculty of Environmental Management, Prince of Songkla University, Songkla, Thailand. (In Thai)
- Trifonova, I.S. 1998. Phytoplankton composition and biomass structure in relation to trophic gradient in some temperate and subarctic lakes of north-western Russia and the Prebaltic. *Hydrobiologia*. 369/370: 99-108.
- Trimbee, A.M. and Prepas, E.E. 1987. Evaluation of total phosphorus as a predictor of the relative Biomass of blue-green algae with emphasis on Alberta lakes. *Can. J. Fish. Aquat. Sci.* 44: 1337-1342.
- United Nations Educational, Scientific and Cultural Organization (UNESCO). 1978. Plankton manual. Paris: Page Brothers (Norwich) Ltd. 337 pp.
- United Nations Environment Programme (UNEP). 1999. *Development and harmonization of environmental laws*. Kenya: UNEP/UNDP/Dutch Project. 212 pp.
- Valecha, V., Valecha, R. and Bhatnagar, G.P. 1990. Limnology of a sewage polluted lake: The lower lake (Bhopal, India). Internationale Revue der Gesamten Hydrobiologie und Hydrographie. 76(1): 137-147.
- Varathorn, P. 1997. Heavy metal in Pattani basin. Department of Health. Ministry of Public Health. Fact sheet-Environmental Health. 1 pp.
- Visoottiviseth, P., Sridokchan, W., Francesconi, K. 2002. The potential of Thai indigenous plant species for phytoremediation of arsenic contaminated land. *Environ. Pollut.* 118: 453-461.
- Vitayavirasak, B., Rakwong, K. and Chatshawej, W. 2005. Environmental arsenic exposure of schoolchildren in a former tin mining and smelting community of southern Thailand. *Environ. Sci.* 12(4): 195-205.
- Walsby, A.E., Hayes, P.K., Boje, R. and Stad, L.J. 1997. The selective advantage of buoyancy provided by gas vesicles for planktonic cyanobacteria in the Baltic sea. *New. Phytol.* 136: 407-417.

- Wang, T.C., Weissman, J.C., Ramesh, G., Varadarajan, R., Benemann, J.R. 1988. Heavy metal binding and removal by *Phormidium*. *Bull. Environ. Contam. Toxicol.* 60(5): 739-744.
- Wangberg, S.-A. 1995. Effects of arsenate and copper on the algal communities in polluted lakes in the northern parts of Sweden assayed by PICT (Pollution-Induced Community Tolerance). *Hydrobiologia*. 306: 109-124.
- Watananugulkit, R., Intim, C., Patnukao, P. and Tansathit, P. 2003. Assessment of impact on water quality of leachate at On-nuch disposal site center in Bangkok. *J. Sci. Res. Chula. Univ.* 28(Special Issue): 97-110.
- Watson, S.B., McCauley, E. and Downing, J.A. 1997. Patterns in phytoplankton taxonomic composition across temperate lakes of differing nutrient status. *Limnol. Oceanogr.* 42: 487-495.
- Wattanasen, K., Elming, S., Lohawijarn, W. and Bhongsuwan, T. 2006. An integrated geophysical study of arsenic contaminated area in the peninsular Thailand. *Environ. Geol.* 51(4): 595-608.
- Wetzel, R.G. 2001. *Limnology*. 3nd ed. Academic Press, California.
- Whitford, L.A. and Schumacher, G.J. 1973. *A manual of freshwater algae*. Sparks Press, Raleigh, N. C.
- Williams, M., Fordyce, F., Paijitrabapon, A., and Charoenchaisri, P. 1996. Arsenic contamination in surface drainage and groundwater in part of the southeast Asian tin belt, Nakhon Si Thammarat Province, southern Thailand. *Environ. Geol.* 27: 16-33.
- Wittayawarawat, W. 1994. Contamination of arsenic, cadmium and lead in Pak Phanang River Basin, Changwat Nakhon Si Thammarat. Ms. Sci. Thesis, Faculty of Environmental Management, Prince of Songkla University, Thailand. (In Thai)
- Wongrat, L. 2001. *Phytoplankton*. Kasetsart University Press, Bangkok.
- World Health Organization (WHO). 1981. *Arsenic*. 173 pp. World Health Organization, Geneva.
- Yan, N.D. 1979. Phytoplankton community of an acidified, heavy metal-contaminated lake near Sudbury, Ontario. *Water Air Soil Pollut.* 11: 43-55.
- Zhang, Z., Qu, W., Jiang, S. and Zhu, H. 2006. Blue-green algae is predominant in Dianshan Lake. *Aquat. Ecosyst. Health Manag.* 9(1): 55-58.