

## REFERENCES

- Al-Hassan, M. A. & Hweidi, I. (2004). The perceived needs of Jordanian families of hospitalized, critically ill patients. *International Journal of Nursing Practice*, *10*, 64-71.
- Annual Report B. P. S. (2000). Badan Statistik republik Indonesia. Jakarta.
- Aquilera, D. C. (1994). *Crisis intervention: Theory and methodology*. (7th ed.). St. Louis: Mosby.
- Azoulay, E., Pochard, F., Chevert, S., Lemaire, F., Mokhtari, M., Gall, J. R. L., Dhainaut, J. F., & Schlemmer, B. (2001). Meeting the needs of intensive care unit patient families. *American Journal Respiratory Critical Care Medicine*, *163*, 135-139.
- Azoulay, E., & Sprung, C. (2004). Family-physician interactions in the intensive care unit. *Critical Care Medicine*, *32*, 2323-2328.
- Barry, P. D. (1996). *Psychosocial nursing: Care of physically ill patients and their families*. (3rd ed.). Philadelphia: Lippincott.
- Beare, P. G., & Myers, J. L. (1994). *Adult health nursing*. (2nd ed.). St. Louis: Mosby.
- Beeby, K. (2004). *Organ donation: The impact on the family*. Unpublished Investigative Report Master.
- Bijttebier, P., Delva, D., Vanoost, S., Bobbaers, H., Lauwers, P., & Vertommen, H. (2000). Reliability and validity of the Critical Care Family Needs Inventory in a Dutch-speaking Belgian sample. *Heart & Lung*, *29*, 278-286.

- Bond, A. E., Draeger, C. R. L., Mandeleco, B., & Donnelly, M. (2003). Needs of family members of patients with severe traumatic brain injury: Implication for evidence-based practice, *Critical Care Nurse*, 23, 63-74.
- Boonbarwornrattanakul, A. (1998). *Anxiety, need and receipt of needs' response of critically ill families*. Unpublished Master Thesis, Mahidol University, Bangkok, Thailand.
- Brickhill, C. E. (1995). ICU for the '90s. *Nursing Management*, 26, 44-48.
- Bucher, L. & Melander, S. (1999). Critical care nursing. In M. R. McKinley (Ed.), *Professional role of the critical care nurse* (pp. 39-43). Philadelphia: W.B. Saunders Company.
- Burns, N., & Grove, S. K. (2001). *Understanding nursing research*. (9th ed.). Philadelphia: W.B. Saunders Company.
- Burr, G. (1998). Contextualizing critical care family needs through triangulation: An Australian study. *Intensive and Critical Care Nursing*, 14, 161-169.
- Chesla, C. A. (1996). Reconciling technologic and family care in critical-care nursing. *Image: Journal of Nursing Scholarship*, 28, 199-203.
- Chesla, C. A., & Stannard, D. (1997). Breakdown in the nursing care of families in the ICU. *American Journal of Critical Care*, 6, 64-71.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences*. (2nd ed.). New Jersey: Lawrence Erlbaum Associates.
- Corley, M. J. (1998). Ethical dimensions of nurse-physician relations in critical care. *Nursing Clinics of North America*, 33, 325-337.

- Cullen, L., Titler, M., & Drahozal, R. (2003). Family and pet visitation in the critical care unit. *Critical Care Nurse*, 23, 62-66.
- Curry, S. (1995). Identifying family needs and stresses in the intensive care unit. *British Journal of Nursing*, 4, 15-19.
- Daley, L. (1984). The perceived immediate needs of families in the intensive care setting. *Heart & Lung*, 13, 231-237.
- Department of surgery. Retrieved November 12, 2004 from <http://www.umm.edu/sug-critical/>.
- Desai, P. P., Jodie, B. N., & Bryant, S. G. (2002). Care of children and families in the CICU: A focus on their developmental, psychosocial, and spiritual needs. *Critical Care Nursing Quarterly*, 25, 88-98.
- Dixon, D. (1996). Unifying concepts in parents' experiences with health care providers. *Journal of Family Nursing*, 2, 111-132
- Dolan, J. T. (1991). *Critical care nursing: Clinical management through the nursing process*. Philadelphia: F.A. Davis Company.
- Ferguson, J. R. (2002). The feelind of leadership in contemporary Asia: The nexus of politicus, culture, and social performance. *Bulletin of the Center for East-West Cultural and Economic Studies*, 5, 1-7.
- Fleury, J. & Moore, S. (1999). Family-centered care after acute myocardial infarction. *Journal of Cardiovascular Nursing*, 13, 73-82.
- Friedman, M. M. (1998). *Family nursing: Research, theory, and practice* (4th ed.). Connecticut: Appleton & Lange.

- Gannotti, M., Kaplan, L., Handwerker, W. P., & Groce, N. E. (2004). Cultural influences on health care use: Differences in perceived unmet needs and expectations of providers by Latino and Euro-American parents of children with special health care needs. *Journal of Developmental and Behavioral Pediatrics, 25*, 156-165.
- Gavaghan, S. R., & Carroll, D. L. (2002). Families of critically ill patients and the effect of nursing interventions. *Dimensions of Critical Care Nursing, 21*, 64-51.
- Gelling, L. (1999). The role of hope for relatives of critically ill patients: A review of the literature. *Nursing Standard, 22*, 33-38.
- Giuliano, K. K., Giuliano, A. J., Bloniasz, E., Quirk, P. A., & Wood, J. (2000). A quality-improvement approach to meeting the needs of critically ill patients and their families. *Dimension of Critical Care Nursing, 19*, 30-34.
- Greipp, M. E. (1995). Culture and ethics: A tool for analyzing the effects of biases on the nurse-patient relationship. *Nursing Ethics, 2*, 211-221.
- Grunstein-Amadore, R. (1992). Differences in ethical decision making processes among nurses and doctors. *Journal of Advanced Nursing, 17*, 129-137.
- Halm, M. A., Titler, M. G., Kleiber, C., Johnson, S. K., Montgomery, L. A., Craft, M. J., Buckwalter, K., Nicholson, A., & Megivern, K. (1993). Behavioral responses of family members during critical illness. *Clinical Nursing Research, 2*, 414-437.
- Hampe, S. D. (1975). Needs of the grieving spouse in a hospital setting. *Nursing Research, 24*, 113-120.

- Hardicre, J. (2003). Meeting the needs of families of patients in intensive care units. *Nursing Times*, 99, 26-27.
- Hartshorn, J., Lamborn, M., & Noll, M. L. (1993). *Introduction to critical care nursing*. Philadelphia: W.B. Saunders Company.
- Henneman, E., & Cardin, S. (2002). Family-centered critical care: A practical approach to making it happen. *Critical Care Nurse*, 22, 12-19.
- Hildingh, C., Fridlund, B., & Segesten, K. (1994). Cardiac nurses' preparedness to use self-help groups as a support strategy. *Journal of Advanced Nursing*, 22, 921-928.
- Holden, J., Harrison, L., & Johnson, M., (2002). Families, nurses, and intensive care patients: A review of the literature. *Journal of Clinical Nursing*, 11, 140-148
- Horn, E. V., & Tesh, A. (2000). The effect of critical care hospitalization on family members: Stress and responses. *Dimensions of Critical Care Nursing*, 19, 40-49.
- Horn, E. V., Fleury, J., & Moore, S. (2002). Family interventions during the trajectory of recovery from cardiac event: An integrative literature review. *Heart & lung*, 31, 186-198.
- Hoyt, J. W., Tonnesen, A. S., Allen, S. J., & Safar, P. (1991). *Critical care practice*. Philadelphia: W.B. Saunders Company.
- Huda (2004). *Health care for the Muslims' patients: Health and Illness in Islam*. Retrieved September 10, 2004 from <http://islam.about.com/blhealth4.htm>.
- Hudak, C. M., Gallo, B. M., & Morton, P. G. (1998). *Critical care nursing* (5th ed.). Philadelphia: Lippincott.

- Hupcey, J. E., & Penrod, J. (2000). Going it alone: The experiences of spouses of critically ill patients. *Dimensions of Critical Care Nursing, 19*, 44-49.
- Hussein, R. G. (2000). The crescent and Islam: Healing, nursing and the spiritual dimension. Some considerations towards an understanding of the Islamic perspectives on caring. *Journal of Advanced Nursing, 32*, 1476-1484.
- Ibrahim, K. (2004). *Coping and quality of life among patients with chronic renal failure undergoing hemodialysis and their spouses*. Unpublished Master Thesis, Prince of Songkla University, Songkla, Thailand.
- Jamerson, P. A., Scheibmeir, M., Bott, M. J., Crighton, F., Hinton, R. H., & Cobb, A. K. (1996). The experiences of families with a relative in the intensive care unit. *Heart & Lung, 25*, 467-474.
- Johnson, S. K., Craft, M., Titler, M., Halm, M., Kleiber, C., Montgomery, L. A., Megivern, K., Nicholson, A., & Buckwalter, K. (1995). Perceived changes in adult family members' roles and responsibilities during critical illness. *IMAGE: Journal of Nursing Scholarship, 27*, 238-243.
- Kettunen, S., Solovieva, S., Laamanen, R., & Santavirta, N. (1999). Myocardial infarction, spouses' reactions and their need of support. *Journal of Advanced Nursing, 30*, 479-488.
- Kinney, M. R., Pecka, D. R., & Dunbar, S. B. (1993). *AACN's clinical reference for critical-care nursing*. (3rd ed.). St. Louis: Mosby.
- Kinney, M. R., Dunbar, S. B., Brooks-Brunn, J.A., Molter, N., & Vitello-Cicciu, J. M. (1998). *AACN's clinical reference for critical-care nursing*. (4th ed.). St. Louis: Mosby.

- Kleiber, C., Halm, M., Titler, M., Montgomery, L. A., Johnson, S. K., Nicholson, A., Craft, M., Buckwalter, K., & Megivern, K. (1994). Emotional responses of family members during a critical care hospitalization. *American Journal of Critical Care, 3*, 70-76.
- Kleinpell, R. M., & Powers, M. J. (1992). Needs of family members of intensive care unit patients. *Applied Nursing Research, 5*, 2-8.
- Kloosterhouse, V., & Ames, B. (2002). Families' use of religion/spirituality as a psychosocial resources. *Holistic Nursing Practice, 17*, 61-76.
- Koentjaraningrat (1985). *The Javanese Family*. Retrieved January 16, 2004 from <http://www.unv.edu/unupress/unupbooks/uu13se/uu13seog.htm>.
- Kolcaba, K. Y. (1994). A theory of holistic comfort for nursing. *Journal of Advanced Nursing, 19*, 1174-1184.
- Kosco, M., & Warren, N. A. (2000). Critical care nurses' perceptions of family needs as met. *Critical Care Nursing Quarterly, 23*, 60-73.
- Lee, I. Y. M., Chien, W. T, & Mackenzie, A. E. (2000). Needs of families with a relative in a critical care unit in Hong Kong. *Journal of Critical Nursing, 9*, 46-54.
- Lee, L. Y. K., & Lau, Y. L. (2003). Immediate needs of adult family members of adult intensive care patients in Hong Kong. *Journal of Clinical Nursing, 12*, 490-500.
- Leith, B. E. (1998). Transfer anxiety in critical care patients and their family members. *Critical Care Nurse, 18*, 24-32.

- Leske, J. S. (1986). Needs of relatives of critically ill patients: a follow up. *Heart & Lung, 15*, 189-193.
- Leske, J. S. (1991). Internal psychometric properties of the critical care family needs inventory. *Heart & Lung, 20*, 236-244.
- Leske, J. S. (2002). Intervention to decrease family anxiety. *Critical Care Nurse, 22*, 61-65.
- Leung, K., Chien, W., & Mackenzie, A. E. (2000). Needs of Chinese families of critically ill patients. *Western Journal of Nursing Research, 22*, 826-840.
- Lindsay, P., Sherraard, H., Bickerton, L., Doucette, P., Harkness, C., Morin, J. (1997). Educational and support needs of patients and their families awaiting cardiac surgery. *Heart and Lung, 26*, 458-465.
- Medical Record Division of RSUP. Dr. Kariadi Semarang (2003). *Annual data report*. Semarang: Author.
- Medical Record Division of RSU. Kota Semarang (2003). *Annual data report*. Semarang: Author.
- Medical Record Division of RSU. Prof. Dr. Margono Soekarjo (2003). *Annual data report*. Purwokerto: Author.
- Medical Record Division of RSU. Purwodadi (2003). *Annual data report*. Purwodadi: Author.
- Medical Record Division of RSU. Tugurejo (2003). *Annual data report*. Ungaran: Author.
- Mendonca, D., & Warren, N. A. (1998). Perceived and unmet needs of critical care family members. *Critical Care Nursing Quarterly, 21*, 58-68.



- Meyer, C. (1992). Making a critical difference. *American Journal Nursing*, 7, 61-68.
- Mi-Kuen, T., French, P., & Kai-Kwong, L. (1999). The needs of the family of critically ill neurosurgical patients: A comparison of nurses' and family members' perceptions. *Journal of Neuroscience Nursing*, 31, 348-357.
- Millar, B. (1991). Caring the family in the critical care unit. *Surgical Nurse*, 4, 4-9.
- Mills, R. (1996). *The pleasure of health, the joys of illness, and the delights of longing to meet my maker - The Islamic Perspective on Life and Death*. Retrieved November 11, 2004 from [http://muslim-canada.org/health\\_sickness.html](http://muslim-canada.org/health_sickness.html).
- Mitchell, M., Courtney, M., & Coyer, F. (2003). Understanding uncertainty and minimizing families' anxiety at the time of transfer from intensive care. *Nursing Health and Science*, 5, 207-217.
- Molter, N. C. (1979). Needs of relatives of critically ill patients: A descriptive study. *Heart & Lung*, 8, 332-339.
- Narayanasamy, A. (1999). A review of spirituality as applied to nursing. *International Journal of Nursing Studies*, 36, 117-125.
- Narayanasamy, A., Clissett, P., Parumal, L., Thompson, D., Annasamy, S., Edge, R. (2004). Response to the spiritual needs of older people. *Journal of Advanced Nursing*, 48, 6-16.
- Noris, L., & Grove, S. (1986). Investigation of selected psychosocial needs of family members of critically adult patients. *Heart & Lung*, 15, 194-199.
- Nursing (2004). Retrieved December 26, 2004 from [http://www.wetfeet.com/asp/careerprofiles\\_overview.asp?careerpk=25](http://www.wetfeet.com/asp/careerprofiles_overview.asp?careerpk=25).

- O'Malley, P., Favalaro, R., Anderson, B., Anderson, M. L., Siewe, S., Benson-Landau, M., Deane, D., Feeny, J., Gmeiner, J., Keefer, N., Mains, J., & Riddle, K. (1991). Critical care nurse perceptions of family needs. *Heart & Lung*, 20, 2189-2201.
- Patitas, M. (1999). *Needs and response to needs of family members of critically ill patients*. Unpublished Master Thesis, Mahidol University, Bangkok, Thailand.
- Ploufield, L. A. (1999). Living a nightmare: Family experiences of waiting following neurological crisis. *Journal of Neuroscience Nursing*, 31, 231-238.
- Plowright, C. I. (1998). Intensive therapy unit nurses' beliefs about and attitudes towards visiting in three district general hospitals. *Intensive and Critical Nursing*, 14, 262-270.
- Pochard, F., Azoulay, E., Chevret, S., Lemaire, F., Hubert, P., Canoui, P., Grassin, M., Zittoun, R., Gall, J. R., Dhanaut, J. F., & Schlemmer, B. (2001). Symptoms of anxiety and depression in family members of intensive care unit patients: Ethical hypothesis regarding decision-making capacity. *Critical Care Medicine*, 29, 1893-1897.
- Polit, D. F., & Hungler, B. P. (1999). *Nursing Research: Principles and methods*. (6th ed.). Philadelphia: Lippincott.
- Population Sources (2000). Badan Pusat Statistik republik Indonesia. Jakarta.
- Potter, P. A., & Perry, A. G. (2001). *Fundamental of Nursing*. (5th ed.). Philadelphia: Mosby.

- Price, D. M., Forrester, D. A., Murphy, P. A., & Monaghan, J. F. (1991). Critical family needs in an urban teaching medical center. *Heart and Lung, 20*, 183-188.
- Quinn, S., Redmond, K., & Begley, C. (1996). The needs of relatives visiting adult critical care units as perceived by relatives and nurses. *Nursing Review, 15*, 9-14.
- Redley, B., Beanland, C., & Botti, M. (2003). Accompanying critically ill relatives in emergency departments. *Journal of Advanced Nursing, 44*, 88-98.
- Reider, J. A. (1994). Anxiety during critical illness of family member. *Dimensions of Critical Care Nursing, 13*, 272-279.
- Rukholm, E., Bailey, P. H., & Coutu-Wakulezyk, G. (1991). Family needs and anxiety in ICU: Cultural differences in Northeastern Ontario. *Canadian Journal of Nursing Research, 23*, 67-81.
- Rukholm, E., Bailey, P., Coutu-Wakulczyk, G., & Bailey, W. B. (1991). Needs and anxiety levels in relatives of intensive care patients. *Journal of Advanced Nursing, 16*, 920-928.
- Sawatzky, J. A. (1996). Stress in critical care nurses: Actual and perceived. *Heart and Lung, 25*, 409-417.
- Scholz, J. (1990). Cultural expressions affecting patient care. *Dimensions of Oncology Nursing, 4*, 16-25.
- Shields, L., & Hartati, L. E. Y. K. (2003). Nursing and health care in Indonesia. *Journal of Advance Nursing, 44*, 209-216.

- Suza, D. E. (2003). *Pain experiences between Javanese and Batak patients with major surgery in Medan, Indonesia*. Unpublished Master Thesis, Prince of Songkla University, Songkla, Thailand.
- Taylor, E. J. (2003). Spiritual needs of patients with cancer and family caregivers. *Cancer Nursing, 26*, 260–266.
- Thaipak, T. (2001). *Psychosocial needs and received responses among mothers of critically ill children: A case study at ST. Louis hospital*. Unpublished Master Thesis, Mahidol University, Thailand.
- Thompson, D., Ersser, S., & Webster, R. (1995). The experience of patients and their partners 1 month after heart attack. *Journal of Advanced Nursing, 22*, 707-714.
- Titler, M. G., Cohen, M. Z., & Craft, M. J. (1991). Impact of adult critical care hospitalization: Perception of patients, spouses, children, and nurses. *Heart & Lung, 20*, 174-182.
- Tracy, M. F., & Ceronsky, C. (2001). Creating a collaborative environment to care for complex patients and families. *AACNN Clinical Issues, 12*, 383-400.
- Twibell, R. S. (1998). Family coping during critical illness. *Dimensions of Critical Care Nursing, 17*, 100-112.
- Urban, N. (1998). Patient and family responses to the critical care environment. In Marguerite, R.K., Sandra, B.D., Jo Ann, B., Nancy, M, & Joan, M.V. (Eds.), *AACN: Clinical reference for critical care nursing*. St. Louis: Mosby.

- Vaicheeta, S., Kongsuktrakul, C., & Vrolan, V. (1999). Needs and needs' response of critically ill families in ICU of Ramathibodi Hospital. *Rama Nursing Journal*, 5, 186-200.
- Vataneeyavate, T. (1998). Needs of family members of critically ill patients as perceived by themselves and by nurses. *Nursing Newsletter*, 25, 30-40.
- Walters, A. J. (1995). A hermeneutic study of the experiences of relatives of critically ill patients. *Journal of Advanced Nursing*, 22, 998-1005.
- Wardhono, P. (1992). *Nursing profession*. Unpublished Nursing Seminar, AKPERNES and PPNI, Semarang, Indonesia.
- Warren, N. (1993). Perceived needs of the family members in the critical care waiting room. *Critical Care Nursing*, 16, 56-63.
- Watters, C. M. (1999). Professional nursing support for culturally diverse family members of critically ill adults. *Research in Nursing and Health*, 22, 107-117.
- Wenru, W. (1996). *Family needs of acute myocardial infarction patients during critical phase*. Unpublished Master Thesis, Chiang Mai University, Chiang Mai, Thailand.
- Wilson, S. M., & Miles, M. S. (2001). Spirituality in African-American mother coping with a seriously infant. *Journal of the Society of Pediatric Nurses*, 6, 116-123.
- Wong, C. A. (1995). Uncertainty and anxiety after mastectomy for breast cancer. *Cancer Nursing*, 15, 363-371.
- Wooley, N. (1990). Crisis theory: A paradigm of effective intervention with families of critically ill people. *Journal of Advanced Nursing*, 15, 1402-1408.