

REFERENCES

- Abate, N., & Chandalia, M. (2003). The impact of ethnicity on type 2 diabetes. *Journal of Diabetes and Its Complications*, 17, 39–58.
- Aguilar-Salinas, C.A., Monroy, O.V., Gomez-Perez, F., Chavez, A.G., Esqueda, A.L., et al. (2003). Characteristics of patients with type 2 diabetes in Mexico: Results from a large population-based nationwide survey. *Diabetes Care*, 26: 2021-2026.
- Albarran, N.B., Ballesteros, M.N., Morales, G.G., & Ortega, M.I. (2005). Dietary behavior and type 2 diabetes care. *Patient Education and Counseling*, xxx, 1-9.
- Aljasem, L.I., Peyrot, M., Wissow, L., & Rubin, R. (2001). The impact of barriers and self-efficacy on self-care behaviors in type 2 diabetes. *The Diabetes Educator*, 27(3): 393-404.
- Alters, S., & Schiff, W. (2001). *Essential concepts for healthy living*. (2nd ed.). Massachusetts: Jones and Bartlett Publishers.
- American Diabetes Association (ADA). (1998). *Medical management of type 2 diabetes*. (4th ed). Clinical Education Series.
- American Diabetes Association (2001). *Diabetes diet*. Retrieved September 2006, from: <http://www.diabetes.org/>
- American Diabetes Association. (2007). Nutrition recommendations and interventions for diabetes. *Diabetes Care*, 30 (S1): S48-S65.
- American Psychological Association. (1994). *Publication manual of the American Psychological Association*. (4th ed.). Washington DC: American Psychological Association.
- Anderson, J., Kendall, P., & Perryman, S. (2006). Diet and diabetes. Retrieved August 19, 2006, from: <http://www.ext.colostate.edu/Pubs/foodnut/09334.html>
- Brown, T.T. (2002). *Diabetes-diet*. Retrieved August 13, 2006, from: <http://www.shands.org/health/information/article/002440.htm>
- Bullock, B.A., & Henze, R.L. (1999). *Focus on pathophysiology*. Philadelphia: Lippincott.
- Burns, N., & Grove, S.K. (1997). *The practice of nursing research: Conduct, critique, and utilization*. (3rd ed.). Philadelphia: W.B. Saunders.
- Caliskan, D., Ozdemir, O., Ocaktan, E., & Idil, A. (2005). Evaluation of awareness of diabetes mellitus and associated factors in four health center areas. *Patient Education and Counseling*.

- Cavallo-Perin, P., Bodoni, P., & Marena, S. (1997). Diet therapy in non-insulin dependent diabetes mellitus (NIDDM). *Minerva Gastroenterol Dietol*, 43(4), 175-181.
- Chang, C., Lu, F., Yang, Y., Wu, J., Wu, T., Chen, M., et al. (2000). Epidemiologic study of type 2 diabetes in taiwan. *Diabetes Research and Clinical Practice*, 50 (S2): S49-S59.
- Chansawang, W., & Petchratchart, U. (2002). Factors influencing health practices of diabetes patients in Namom Ditriect, Songkhla Province. *Journal of Health Science*, 11: 510-517.
- Chitwarin, N. (2001). Improving the self-practice of the patients with poorly blood glucose controlling at the diabetes clinic, sabayoi hospital. Unpublished master's thesis, Prince of Songkla University, Thailand.
- Choate, C. (n.d.). Type 2 diabetes diet. Retrieved August 13, 2006, from: <http://chinese-school.netfirms.com/diabetes-complications.html>
- Connolly, V., Unwin, N., sheriff, P., Bilous, R. & Kelly, W. (2000). Diabetes prevalence and socioeconomic status: a population based study showing increased prevalence of type 2 diabetes mellitus in deprived areas. *J Epidemiol Community Health*, 54: 173-177.
- Culture Grams World Edition. (2005). Republic of Indonesia. Retrieved December 12, 2005, from: www.prorequestKIZ.com/downloads/Indonesia.pdf
- Davis, J., & Sherer, K. (1994). Applied nutrition and diet therapy for nurses. (2nd ed.). Philadelphia: WB. Saunders.
- DeSouza, M., & Nairy, K.S. (2004). An interventional study on the health promoting behaviours of adults with diabetes. *Clinical Effectiveness in Nursing*, 8(2), 68-80.
- Diabetes.co.uk. (2006). Food and diabetes. Retrieved August 12, 2006, from: [http://www.diabetes.co.uk/diet/food and diabetes HEALTHY MEAL PLAN PLATE METHOD.htm](http://www.diabetes.co.uk/diet/food%20and%20diabetes%20HEALTHY%20MEAL%20PLAN%20PLATE%20METHOD.htm)
- Dyson, P. (2004). Diet and diabetes-the new recommendations. *Journal of Diabetes Nursing*, 8(4), 127-131.
- Endocrin Web's Diabetes Center. (2007). Type 2 diabetes: Symptoms, diagnosis, & treatments of type 2 diabetes. Retrieved July, 2007, from: <http://www.endocrineweb.com/diabetes/diagnosis.html>
- Estruch, R, Martínez-González, M.A., Corella, D., Salas-Salvadó, J., Ruiz-Gutiérrez, V., Covas, M.I. (2006). Effects of a mediterranean-style diet on cardiovascular risk factors: A randomized trial. *Annals of Internal Medicine*, 145 (1), 1-11.

- Fertig, B.J., Simmon, D.A., & Martin, D.B. (n.d.). Therapy for diabetes. Chapter 25. Retrieved Jan 22, 2006, from: <http://diabetes.niddk.nih.gov/dm/pubs/america/pdf/chapter25.pdf>
- Franz, M.J. (1997). Protein: Metabolism and affect on blood glucose level. *Diabetes Educator*, 23 (6): 643-646.
- Franz, M.J., Bantle, J.P., Beebe, C.A, Brunzell, J.D., Chiasson, J., Garg, A., Holzmeister, L.A., Hoogwerf, B., Mayer-Davis, E., Mooradian, A.D., Purnell, J.Q., & Wheeler, M. (2002). Evidence-based nutrition principles and recommendations for the treatment and prevention of diabetes and related complications. *Diabetes Care*, 25(1), 148-178.
- Gallant, M.P. (2003). The influence of social support on chronic illness self-management: A review and directions for research. *Health Education & Behavior*, 30(2), 170-195.
- Gannon, M.C., Nuttal, F.Q., Saeed, A., Jordan, K., & Hoover, H. (2003). An increase in dietary protein improves the blood glucose response in persons with type 2 diabetes. *American Journal of Clinical Nutrition*, 78 (4): 734-741.
- Garay-Sevilla, M.E., Nava, L.E., Malacara, J.M., Huerta, R., Leon J.D., Mena, A., & Fajardo, M.E. (1995). Adherence to treatment and social support in patients with non insulin dependent diabetes mellitus. *Journal of Diabetes and Its Complications*, 9, 81-86.
- Glasgow, R.E., Toobert, D.J., & Gillette, C.D. (2001). Psychosocial barriers to diabetes self management and quality of life. *Diabetes Spectrum*, 14(1), 33-41.
- Gleeson-Kreig, J.A., Bernal, H., & Wooley, S. (2002). The role of social support in the self-management of diabetes mellitus among a Hispanic population. *Public Health Nursing*, 19(3), 215-222.
- Heins, J.M., Beebe, C.A. (1996). Nutritional management of diabetes mellitus. In H. Debra (Ed.), *Management of diabetes mellitus: perspectives of care across the life span* (pp. 75-91). St Louis, Mosby-Year Book, Inc.
- Hillier, T.A., & Pedula, K.L. (2001). Characteristics of an adult population with newly diagnosed type 2 diabetes: the relation of obesity and age of onset. *Diabetes Care*, 24 (9):1522-1527.
- Holgado, B., de Irala-Estévez, J., Martínez-González., MA, Gibney M, Kearney J, Martínez J.A. (2000). Barriers and benefits of a healthy diet in Spain: Comparison with other European member states. *Eur J Clin Nutr*, 54 (6): 453-459.

- Hunt, L.M., Pugh, J., & Valenzuela, M. (1998). How patients adapt diabetes self-care recommendations in everyday life. *Journal of Family Practice*, March.
- Inglis, V., Ball, K., & Crawford, D. (2005). Why do women of low socioeconomic status have poorer dietary behaviours than women of higher socioeconomic status? a qualitative exploration. *Appetite*, 45, 334-343.
- Jefferson, V.W., Melkus, G.D., & Spollett, G.R. (2000). Health-promotion practices of young black women at risk for diabetes. *The Diabetes Educator*, 26(2), 295-302.
- Jimenez-Cruz, A., Bacardi-Gascon, M., Turnbull, W.H., Rosales-Garay, P., & Severino-Lugo, I. (2003). A flexible, low-glycemic index mexican-style diet in overweight and obese subjects with type 2 diabetes improves metabolic parameters during a 6-week treatment period. *Diabetes Care*, 26, 1967-1970.
- Johnson, R. L. (2005). Gender differences in health-promoting lifestyles of African Americans. *Public Health Nursing*, 22(2), 130-137.
- Kabir, M., Oppert, J.M., Vidal, H., Bruzzo, F., Fiquet, C., Wursch, P., Slama, G. & Rizkalla, S.W. (2002). Four-week low-glycemic index breakfast with a modest amount of soluble fibers in type 2 diabetic men. *Metabolism*, 51(7), 819-826.
- Keeratiyuwong, P., Hanucharurnkul, S., Boonchaay, W., Phumleng, B., & Muangkae, W. (2005). Effectiveness of a supportive-educative program on diabetic control, perceived self-care efficacy, and body mass index in persons with type 2 diabetes mellitus. *Thai Journal Nursing Research*, 9 (1): 1-12.
- Kelsey, K.S., Kirkley, B.G., DeVellis, R.F., Earp, J.A., Ammerman, A.S., Keyserling, T.C., et al. (1996). Social support as a predictor of dietary change in a low-income population. *Health Education Research*, 11 (3): 383-395.
- La Greca, A.M., & Bearman, K.J. (2002). The diabetes social support questionnaire-family version: Evaluating adolescents' diabetes-specific support from family members. *Journal of Pediatric Psychology*, 27(8), 665-676.
- Lappalainen, R., Saba, A., Holm, L., Mykkanen, H., Gibney, M.J., & Moles, A. (1997). Difficulties in trying to eat healthier: Descriptive analysis of perceived barriers for healthy eating. *European Journal Clinical Nutrition*, 51(2), S36-40.
- Lasky, D., Becerra, E., Boto, W., Otim, M., & Ntambi, J. (2002). Obesity and gender differences in the risk of type 2 diabetes mellitus in uganda. *Nutrition*, 18(5), 417-421.

- Legato, M.J., Gelzer, A., Goland, R., Ebner, S.A., Rajan, S., & Villagra, V. (2006). Gender-specific care of the patient with diabetes: Review and recommendations. *Gender Medicine, 3*(2), 131-158.
- López-Azpiazu, I., Martínez-González, M.A., Kearney, J., Gibney, M., & Martínez, J.A. (1999). Perceived barriers of, and benefits to, healthy eating reported by a Spanish national sample. *Public Health Nutrition, 2* (2): 209-215.
- Lutz, C., & Przytulski, K. (2001). *Nutrition and Diet Therapy*. (3rd ed.) F.A. Davis Company.
- Madhu, K., & Sridhar, GR. (2005). Stress management in diabetes mellitus. *Int J Diab Dev Ctries, 25*:7-11.
- Marzilli, G. (n.d.). The effects of social support on eating behavior in patients with diabetes. Retrieved February 20, 2005, from : <http://insulin-pumpers.org/textlib/psyc353.pdf>
- MayoClinic.com. (2005). Your diabetes diet: Stay motivated by breaking down the barriers. Retrieved August 12, 2006, from: <http://www.mayoclinic.com>
- MayoClinic.com. (2006). Diabetes diet: create your healthy-eating plan. Retrieved August 12, 2006, from: <http://www.mayoclinic.com>
- McDowell, J.R.S., & Gordon, D. (1996). *Diabetes: Caring for patients in the community*. New York: Churchill Livingstone.
- MedlinePlus Medical Encyclopedia (2006). Type 2 diabetes. Retrieved November 8, 2006, from <http://www.nlm.nih.gov/medlineplus/ency/article/000313.htm#Treatment>
- Munro, B.H. (2001). *Statistical methods for health care research*. (4th ed.). Philadelphia: Lippincott.
- Murakami, K., Sasaki, S., Takahashi, Y., Okubo, H., Hosoi, Y., Horiguchi, H., Oguma, E., & Kayama, F. (2006). Dietary glycemic index and load in relation to metabolic risk factors in Japanese female farmers with traditional dietary habits. *The American Journal of Clinical Nutrition, 83*, 1161-1169.
- Nagelkerk, J., Reick, K., & Meengs, L. (2006). Perceived barriers and effective strategies to diabetes self-management. *Journal of Advanced Nursing, 54*(2), 151-158.

- Nthangeni, G., Steyn, N.P., Alberts, M., Steyn, K., Levitt, N.S., Laubscher, R., Bourne, L., Dick, J., & Temple, N. (2002). Dietary intake and barriers to dietary compliance in black type 2 diabetic patients attending primary health-care services. *Public Health Nutrition*, 5(2), 329-338.
- Norris, J.M. (1996). Epidemiology of non-insulin-dependent diabetes mellitus. In H. Debra (Ed.), *Management of diabetes mellitus: perspectives of care across the life span* (pp. 75-91). St Louis, Mosby-Year Book, Inc.
- Nothwehr, F., & Stump, T. (2000). Health-promoting behaviors among adults with type 2 diabetes: Findings from the health and retirement study. *Preventive Medicine*, 30, 407-414.
- Patlak, K. (2002). Factors predicting health promoting behaviors of HIV infected patients attending the immuni deficiency clinic at trat hospital, trat province. Unpublished master's thesis, Mahidol University, Thailand.
- PdPersi. (2005, June). Indonesia urutan ke-4 penderita kencing manis terbanyak di dunia. [Indonesia is the forth rank of diabetes sufferers in worldwide]. *Health*. Retrieved April 4, 2006, from:
<http://cybermed.cbn.net.id/detil.asp?kategori=Health&newsno=3105>
- Pender, N.J. (1996). *Health promotion in nursing practice*. (3rd ed.). Connecticut: Appleton & Lange.
- Pender, N.J., Murdaugh, C., & Parsons, M.A. (2002). *Health promotion in nursing practice*. (4th ed.). Upper Saddle River, NJ: Prentice-Hall Health, Inc.
- Pikiran-rakyat.com. (2006). Ekonomi Indonesia tumbuh 4.97%. [Economic growth of Indonesia is 4.97%]. Retrieved August, 2007, from: <http://www.pikiran-rakyat.com/cetak/2006/082006/15/0601.htm>
- Polit, D.F., Beck, C.T., & Hungler, B.P. (2001). *Nursing research: Methods, appraisal, and utilization*.(5th ed.). Philadelphia: Lippincott.
- Powers, M. (2003). *American dietetic association guide to eating right when you have diabetes*. New Jersey: John Wiley & Sons, Inc.
- Rizkalla, S.W., Taghrid, L., Pharmd, M.L., Huet, D., Boillot, J., Rigoir, A., Elgrably, F., & Slama, G. (2004). Improved plasma glucose control, whole-body glucose utilization, and

- lipid profile on a low-glycemic index diet in type 2 diabetic men. *Diabetes Care*, 27(8), 1866-1872.
- Rubin, R.P.H. & Peyrot, M. (1998). Men and diabetes: psychosocial and behavioral issues. *Diabetes Spectrum*, 11 (11).
- Shultz, J.A., Sprague, M.A., Branen, L.J., & Lambeth S. (2001). A comparison of views of individuals with type 2 diabetes mellitus and diabetes educators about barriers to diet and exercise. *Journal of Health Communication*, 6 (2), 99-115.
- Singh R., Wiegers, S.E., & Goldstein, B.J. (2001). Impact of gender on diabetes mellitus and its association cardiovascular risk factors. *The Journal of Gender-Specific Medicine*, 4(3), 28-36.
- Smeltzer, S.C., & Bare, B.G. (2004). Brunner & Suddarth's textbook of medical surgical nursing. (10th ed., Vol.2). Philadelphia: Lippincott Williams & Wilkins.
- Smith, A. M., Baghurst, K., & Owen, N. (1995). Socioeconomic status and personal characteristics as predictors of dietary change. *Society for Nutrition Education*, 27, 173-181.
- Son, L.N, Hanh, T.T.M., Kusama, K., Kunii, D., Sakai, T., Hung, N.T.K., & Yamamoto, S. (2005). Anthropometric characteristics, dietary patterns and risk of type 2 diabetes mellitus in vietnam. *Journal of the American College of Nutrition*, 24 (4): 229-234.
- Sutanegara, D., Darmono, & Budhiarta, A.A.G. (2000). The epidemiology and management of diabetes mellitus in Indonesia. *Diabetes Research and Clinical Practice*, 50(2), S9-S16.
- Surwit, R.S., Tilburg, M.A.L., McCaskill, C.C., Parekh, P., Feinglos, M.N., Edwards, C.L, et al. (2002). Stress management improves long-term glycemic control in type 2 diabetes. *Diabetes Care*, 25: 30-34.
- Suwonnaroop, N., & Zauszniewski, J. (2002). The effects of social support, perceived health status, and personal factors on health-promoting behaviors among American older adults. *Thai Journal Nursing Research*, 6(2): 41-55.
- Tamparo, C.D., & Lewis, M.A. (2005). Disease of the human body. (4th ed.). F.A. Davis Company.
- Tjokropawiro, A. (2006). Hidup sehat dan bahagia bersama diabetes mellitus. [Healthy and well being life with diabetes mellitus]. (New edition). Jakarta: Gramedia Pustaka Utama.

- Travis T. (1997). Patient perceptions of factors that affect adherence to dietary regimens for diabetes mellitus. *Diabetes Educator*, 23: 152–156.
- Vallis, M., Ruggiero, L., Greene, G., Jones, H., Zinman, B., Rossi, S., Edwards, L., Rossi, J.S., & Proschaska, J.O. (2003). Stages of change for healthy eating in diabetes relation to demographic, eating-related, health care utilization, and psychosocial factors. *Diabetes Care*, 26, 1468-1474.
- Votey, S.R., & Peters, A.L. (2006.). Diabetes mellitus, type 2 – a review. Retrieved February 12, 2006, from: <http://www.eMedicine.com>
- Wahyuni, T. (2006). Waspada! tiga gejala awal diabetes mellitus [Aware with three early symptoms of diabetes mellitus]. Retrieved July 22, 2007, from: <http://www.suarakarya-online.com/news.html?id=159719>
- Walker, S.N., Pullen, C.H., Hertzog, M., Boeckner, L., & Hageman, P.A. (2006). Determinants of older rural women's activity and eating. *Western Journal of Nursing Research*, 28 (4): 449-469.
- Wang, H. (1999). Predictors of health promotion lifestyle among three ethnic groups of elderly rural women in taiwan. *Public Health Nursing*, 16(5), 321-328.
- Wen, L.K., Parchman, M.L., & Shepherd, M.D. (2004). Family support and diet barriers among older hispanic adults with type 2 diabetes. *Family Medicine*, 36(6), 423-430.
- Wen, L.K., Shepherd, M.D., & Parchman, M.L. (2004). Family support, diet, and exercise among older mexican americans with type 2 diabetes. *The Diabetes Educator*, 30(6), 980-993.
- Whitney, E.N., Cataldo, C.B., DeBruyne, L.K., & Rolfes, S.R. (2001). Nutrition for health and health care. (2nd ed.). Belmont: Wadsworth/Thomson learning, Inc.
- Whittemore, R. (2000). Strategies to facilitate lifestyle change associated with diabetes mellitus. *Journal of Nursing Scholarship*, 32(3), 225-232.
- Wikipedia, The Free Encyclopedia. (2006). Social support. Retrieved September 23, 2006, from: http://en.wikipedia.org/wiki/Social_support
- Wiriyawattana, P. (2002). Health promoting behavior of pregnant thalassemia carriers: a study of perceived benefits, perceived barriers, and spouse support. Unpublished master's thesis, Mahidol University, Thailand.
- Wonodirekso, S. (2002). Let diabetic patients adjust their own diet to meet their calorie needs. *Asia Pacific Family Medicine*, 1, 53.

- World Health Organization (WHO). (1999). Definition, diagnosis and classification of diabetes mellitus and its complications. Report of a WHO Consultation. Retrieved August 21, 2006, from: <http://www.who.org>
- World Health Organization (WHO). (2005). Fact sheet – diabetes. Retrieved September 23, 2006, from: <http://www.who.int/hpr/ga/fs.diabetes.shtml>
- World Health Organization (WHO). (2006). Diabetes: the global burden of diabetes. Retrieved July 7, 2007, from : http://www.who.int/diabetes/facts/world_figures/en/index5.html
- Yannakoulia, M. (2006). Eating behavior among type 2 diabetic patients: A poorly recognized aspect in a poorly controlled disease. *Rev Diabetic Stud*, 3(1), 11-16.
- Zunft, H.J., Friebe, D., Seppelt, B., de Graaf, C., Margetts, B., Schmitt, A., Gibney, M.J. (1997). Perceived benefits of healthy eating among a nationally-representative sample of adults in the European union. *Eur J Clin Nutr*, 51 (Suppl 2): S41-S46.