CONTENTS

| | Page |
|---|-------|
| CONTENTS | (vii) |
| LISTS OF TABLES | (x) |
| LIST OF FIGURES | (xii) |
| CHAPTER | |
| 1. INTRODUCTION | 1 |
| Background and Significance of the Problem | 1 |
| Objectives of the Study | 3 |
| Research Questions of the Study | 4 |
| Theoretical Framework of the Study | 4 |
| Hypothesis | 9 |
| Definition of Terms | 9 |
| Significance of the Study | 11 |
| 2. LITERATURE REVIEW | 12 |
| Perioperative Care | 12 |
| Information | 14 |
| Perspective of Information | 14 |
| Function of Information | 15 |
| Timing of Providing Information | 15 |
| Method of Providing Information | 15 |
| Outcomes of Providing Information | 17 |
| Patients' Information Needs in Perioperative Care | 18 |
| Three Perioperative Phases | 20 |
| Five Dimensions of Patients' Information | 21 |
| Integration Five Dimension of Patient' Information Needs at | |
| Three Phases of Perioperative Period | 22 |
| Measurement of Patients' Information Needs | 26 |

CONTENTS (Continued)

| Related Factors | |
|--|----------|
| Perception | ••••• |
| Patients' and Nurses' Perception of Patients' Information | Needs |
| Perceptions of Information Needs and Related Factors | |
| ummary | |
| SEARCH METHODOLOGY | |
| esearch Design | |
| opulation and Setting | |
| ample | |
| Sample Size | |
| Sampling Design | ***** |
| estrumentation | |
| Instruments | |
| Validity of Instruments | ••••• |
| Translation of Instruments | |
| Reliability of Instruments | |
| thical Considerations | |
| ata Collection Methods | |
| ata Analysis | |
| SULTS AND DISCUSSIONS | ••••• |
| esults | |
| Subject Characteristics | |
| Patients' Information Needs in Perioperative Care as Perce | eived by |
| Patients | |
| Patients' Information Needs in Perioperative Care as perce | |
| Nurses Caring for Patients | |

CONTENTS (Continued)

| The Differences of Perceptions Between Patients and Nurses |
|---|
| Caring for Patients Regarding Patients' Information Needs in |
| Perioperative Care |
| Discussions |
| Patients' Information Needs in Perioperative Care as Perceived by |
| Patients and Nurses |
| The Differences of Perceptions Between Patients and Nurses |
| Caring for Patients Regarding Patients' Information Needs in |
| Perioperative Care |
| 5. CONCLUSIONS AND RECOMMENDATIONS |
| Summary of the Study Findings |
| Strengths and Limitations |
| Implications and Recommendations |
| Nursing Practice |
| Nursing Education |
| Nursing Research |
| REFERENCES |
| APPENDIX |
| A: Informed Consent Form |
| B: Table |
| C: Patients' Information Needs in Perioperative Care (Form-1: for |
| patients) |
| D: Patients' Information Needs in Perioperative Care (Form-2: for |
| nurses) |
| E: List of Experts |
| F: List of Persons Involved in Translation |
| VITAE |
| |

LIST OF TABLES

| Tables | | Page |
|--------|--|------|
| 1 | Frequency and percentage of surgical patients and surgical nurses | 45 |
| 2 | Frequency and percentage of patients' demographic characteristics. | 46 |
| 3 | Frequency and percentage of health-related characteristics of | |
| | patients | 47 |
| 4 | Frequency and percentages of nurses' demographic characteristics | 49 |
| 5 | Min-max score of possible and actual score, mean, SD, | |
| | Skewness, Kurtosis of patients' information needs in perioperative | |
| | care as perceived by patients | 51 |
| 6 | Frequency and percentages level of patients' information needs in | |
| | perioperative care as perceived by patients | 52 |
| 7 | Mean, SD, and the three highest level of patients' information | |
| | needs at the preoperative phase as perceived by patients | 52 |
| 8 | Mean, SD, and the three highest level of patients' information | |
| | needs at the intraoperative phase as perceived by patients | 55 |
| 9 | Mean, SD, and the three highest level of patients' information | |
| | needs at the postoperative phase as perceived by patients | 56 |
| 10 | Min-max score of possible and actual score, mean, SD, | |
| | Skewness, Kurtosis of patients' information needs in perioperative | |
| | care as perceived by nurses | 60 |
| 11 | Frequency and percentages level of patients' information needs in | |
| | perioperative care as perceived by nurses | 61 |
| 12 | Mean, SD, and the three highest level of patients' information | |
| | needs at the preoperative phase as perceived by nurses | 62 |
| 13 | Mean, SD, and the three highest level of patients' information | |
| | needs at the intraoperative phase as perceived by nurses | 64 |
| 14 | Mean, SD, and the three highest level of patients' information | |
| | needs at the postoperative phase as perceived by nurses | 66 |

LIST OF TABLES (Continued)

| | | Page |
|------------|---|------|
| 15 | Min-max, mean, SD , and t -value of patients' information needs | |
| | in perioperative care as perceived by patients and nurses | 69 |
| 16 | Mean, SD, and t-value of patients' information needs at three | |
| | phases of perioperative care as perceived by patients and nurses | 70 |
| B1 | A matrix of the questionnaire patients' and nurses' perception of | |
| | patients' information needs. Each cell presents item numbers in | |
| | relation to five dimensions of information and three phases of | |
| | perioperative period | 98 |
| B2 | Surgery schedule at the operation theatre HUSM | 99 |
| В3 | Mean, SD, and percentage of patients' information needs at | |
| | preoperative phase as perceived by patients | 100 |
| B4 | Mean, SD, and percentage of patients' information needs at | |
| | intraoperative phase as perceived by patients | 105 |
| B 5 | Mean, SD, and percentage of patients' information needs at | |
| | postoperative phase perceived by patients | 107 |
| B6 | Mean, SD, and percentage of patients' information needs at | |
| | preoperative phase as perceived by nurses | 108 |
| B7 | Mean, SD, and percentage of patients' information needs at | |
| | intraoperative phase as perceived by nurses | 114 |
| B8 | Mean, SD, and percentage of patients' information needs at | |
| | postoperative phase as perceived by nurses | 116 |
| B9 | Frequency and percentage of time information needed at | |
| | perioperative care as perceived by patients | 118 |
| B10 | Frequency and percentage of time information needed at | |
| | perioperative care as perceived by nurses | 120 |

LIST OF FIGURES

| Figure | | Page |
|--------|---|------|
| | Theoretical framework to study the difference between patients' | |
| | perception and nurses' perception of patients' information needs in | |
| | perioperative care | 10 |