

References

- Agency for Toxic Substances and Disease Registry (ATSDR). 2000. Toxicology Profile for Arsenic (draft) U. S. public health service, U. S. department health and human service, Atlanta, GA. Also available at <http://www.atsdr.cdc.gov/clist.html>.
- Aggett, J. and Aspell, A.C. 1976. The determination of arsenic(III) and total arsenic by atomic absorption spectrometry. *Analyst*. 101: 341-347.
- Arrykul, S., Kooptanon, K. and Witayarawat, W. 1996. "Contamination of Arsenic, Cadmium and Lead in Pakphanang River Basin, Nakhon Si Thammarat, Thailand". (31 Jan-2Feb). pp. 309-318. Changmai.
- Barra, M.A., Luisa Cervera, M. De la Guardia, M and Erthal Santelli, R. 2000. Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation. *Analytica Chimica Acta*. 407: 155-163.
- Boss, C.B. and Fredeen, K.J. 1997 (Copyright). "Concepts, instrumentation and techniques in inductively coupled plasma atomic emission spectrometry". 2nd Edition. The Perkin-Elmer Corporation.
- Carrero, P., Malave, A. and Burguera, J.L. 2001. Determination of various arsenic species by flow injection hydride generation atomic absorption spectrometry: different reaction media on the generation of arsines. *Analytica Chimica Acta*. 438: 195-204.
- Currie, L.A. 1999. Nomenclature in evaluation of analytical methods including determination and quantification capabilities (IUPAC Recommendation 1995). *Analytica Chimica Acta*. 391: 105-126.

- Davidowski, L. 1997. A simple continuous flow hydride generator for ICP-OES. *ICP Application Study*. 67: 1-6.
- Ding, W.W. and Sturgeon, R.E. 1997. Minimization of transition metal interferences with hydride generation techniques. *Anal Chem*. 69: 527-531.
- Do, B., Alet, P., Pradeau, D., Poupon, J., Guilley-Gaillot, M., and Guyon, F. 2000. On-line reversed-phase liquid chromatography hydride generation emission spectrometry: speciation of arsenic in urine of patients intravenously treated with As₂O₃. *Journal of Chromatography*. 740: 179-186.
- Freireira, M.A. and Barros, A.A. 2002. Determination of As(III) and As(V) in natural waters by cathodic stripping voltammetry at a hanging mercury drop electrode. *Analytica Chimica Acta*. 459: 151-159.
- Gettar, R.T., Garavaglia, R.N., Gautier, E.A., and Batistoni, D.A. 2000. Determination of inorganic and organic anionic arsenic species in water by ion chromatography coupled to hydride generation-inductively coupled plasma emission spectrometry. *Journal of Chromatography A*. 884: 211-221.
- Goessler, W. and Pavkov, M. 2003. Accuracy quantification and transformation of arsenic compounds during wet ashing with nitric acid and microwave assisted heating. *Analyst*. 128: 769-802.
- Gong, Z., Chan, W.F., Wang, X. and Lee, F.S.C. 2001. Determination of arsenic and antimony by microwave plasma atomic emission coupled with hydride generation and a PTFE membrane separator. *Analytica Chimica Acta*. 450: 207-214
- Ingle, J. and Crouch, S. 1988. "Spectrochemical analysis". Prentice-Hall International. London, UK.

- International Agency for Research on Cancer (IARC). 1987. *IARC Monograph on the Evaluation of Carcinogenic Risk of Chemical to Human. Suppl.7. Overall Evaluations of Carcinogenicity, Updating of IARC Monographs, Vol. 1-42.* World Health Organization, IARC, Lyon, France, pp.29-33, 57.
- Japan International Cooperation Agency (JICA), The Kingdom of Thailand, and The Ministry of Science, Technology and Environment, 2000. Final Report (Summary) on the Environmental Planning Survey for Arsenic Contaminated Area of the Nakhon Si Thammarat Province in the Kingdom of Thailand. Misui Mineral Development Engineering Co., Ltd. And Kokusai Kogyo Co., Ltd.
- Klaue, B. and Blum, J.D. 1999. Trace analysis of arsenic in drinking water by inductively coupled plasma mass spectrometry:high resolution versus hydride generation. *Anal. Chem.* 71:1408-1414.
- Muller, J. 1999. Determination of inorganic arsenic(III) in groundwater using hydride generation coupled to ICP-AES (HG-ICP-AES) under variable sodium boro hydride (NaBH₄) concentrations. *Fresenius J Anal Chem.* 363: 572-576.
- Nielsen, S. and Hansen, E.H. 1997. Determination of As(III) and As(V) by flow injection-hydride generation-atomic absorption spectrometry via on-line reduction of As(V) by KI. *Analytica Chimica Acta.* 343:5-7.
- Ng, J.C., Johnson, D., Imray, P., Chriswell, B. and Moore, M.R. 1998. Speciation of arsenic metabolites in the urine of occupational workers and experimental rats using an optimized hydride cold-trapping method. *Analyst.* 123: 929-933.
- Nriagu, J.O. 1994. "Arsenic in the environment. Part I: Cycling and Characterization". Wiley, New York.

- Semenova, N.V., Bauza de Mirabo, F.M., Forteza, R. and Cerda, V. 2000. Sequential injection analysis system for total inorganic arsenic determination by hydride generation-atomic fluorescence spectrometry. *Analytica Chimica Acta*. 412: 169-175
- Shraim, A., Chiswell, B., and Olszowy, H. 2000. Use of perchloric acid as a reaction medium for speciation of arsenic by hydride generation-atomic absorption spectrometry. *Analyst*. 125: 949-953.
- Shraim, A., Hirano, S., and Yamauchi, H. 2001. Extraction and speciation of arsenic in hair using HPLC-ICPMS. *Analytical Science*. 17: 729-732.
- Sigrist, M.E. and Beldomenico, H.R. 2004. Determination of inorganic arsenic species by flow injection hydride generation atomic absorption spectrometry with variable sodium tetrahydroborate concentrations. *Spectrochimica Acta Part B*. 9: 1041-1045.
- Smedley, P.L. and Kinniburgh, D.G., 2001. Source and behaviour of arsenic in natural waters. United Nations Synthesis Report on Arsenic in Drinking Water., Available http://www.who.int/water_sanitation_health/ArsenicUNRep1.html.
- Taylor, J.K. 1987. "Quality assurance of chemical measurements". Lewis Publishers, Inc. Michigan, USA.
- Thompson, M., Pahlavanpour, B., Walton, S.J., and Kirkbright, G.F. 1978. Simultaneous determination of trace concentrations of arsenic, antimony, bismuth, selenium and tellurium in aqueous solution by introduction of gaseous hydride into an inductively coupled plasma source for emission spectrometry. *Analyst*. 103: 703.
- Tian, D.X., Zhuang, Z.X., Chen, B and Wang, X.R. 1998. Movable reduction bed hydride generator coupled with inductively coupled plasma optical emission

spectrometry for the determination of some hydride forming element. *Analyst*. 123: 627-632.

Villa-Lojo, M.C., Alonson-Rodriquez, E. Lopez-Mahia, O., Muniategui-Lorenzo, S and Prada-Rodriquez, D. 2002. Couple high performance liquid chromatography-microwave digestion-hydride generation-atomic absorption spectrometry for inorganic and organic arsenic speciation in fish tissue. *Talanta*. 57: 741-750.

Varma, A. 1991. "CRC Handbook of inductively coupled plasma optical emission spectrometry". Boca Raton, Fl: CRC Press.

William, M., Fordyce, F., Paijitprapapon, A., and Charoenchaisre, P. 1996. Arsenic contamination in surface drainage and groundwater in part of the southeast Asian tin belt, Nakhon Si Thammarat Province, Southern Thailand. *Environmental Geology*. 27: 16-33. <http://www.psu.ac.th/epidemiology>.

Wolnik, M.A. and Fricke, F.L. 1981. Sample introduction system for simultaneous determination volatile elemental hydrides and other elements in foods by inductively coupled argon plasma emission spectrometry. *Analtical Chemisrty*. 53: 1030-1035.

World Health Organization. 2003. Guideline for Drinking Water Quality 2nd ed. WHO, Geneva.

Wrobel, K., Wrobel, K., Parker, B., Kannamkumarath, S.S., and Caruso, J.A. 2002. Determination of As(III), As(V), monomethylarsonic acid, dimethylarsinic acid and arsenobetaine by HPLC-ICP-MS: analysis of reference materials, fish tissues and urine. *Talanta*. 58: 899-907.

USEPA, 2001-a. Arsenic in Drinking water, Analytical Methods, Available at <http://www.epa.gov/safewater/ars/ars7.html>.

USNRC (United State National Research Council), 1999. Arsenic in Drinking Water. National Academy Press. Also available at <http://www.nap.edu>.