

Contents

	Page
Contents	vi
List of Tables	ix
List of Figures	xiii
Chapter	
1 Introduction	1
1.1 Introduction	1
1.2 Background	3
1.2.1 Name, synonym and chemical structure	3
1.2.2 Physical properties	4
1.2.3 Uses	6
1.2.4 Toxicological data and the need of analysis	6
1.3 Review of literature	9
1.3.1 Sample preparation	9
1.3.2 Analysis method	11
1.4 Objectives	17
2 Experimental	18
2.1 Chemicals and materials	18
2.1.1 Standard chemicals	18
2.1.2 General chemicals and solvents	18
2.1.3 Samples	18
2.2 Instruments and apparatus	18
2.2.1 High performance liquid chromatography (HPLC) system	18
2.2.2 Spectrophotometer system	19
2.2.3 General apparatus	19
2.3 Methodology	20
2.3.1 Standard stock solutions of nitrofurans	20
2.3.2 Working standard solutions of nitrofurans	20

Contents (Continued)

	Page
2.3.3 Determination of nitrofurans by HPLC technique	20
2.3.3.1 Degassing systems	20
2.3.3.2 Optimization of the HPLC-UV conditions for nitrofuran analysis	21
2.3.3.3 Method validation for HPLC method	22
2.3.4 Determination of nitrofurans by UV-Vis spectrophotometric technique	23
2.3.4.1 Optimization of the UV-Vis spectrophotometry conditions	23
2.3.4.2 Method validation for UV-Vis spectrophotometry method	24
2.4 Sample preparation	25
2.4.1 Extraction time	26
2.4.2 Type of extraction solvent	26
2.4.3 Extraction (shaking) time	27
2.4.4 Type of washing solvent	27
2.4.5 Recovery	27
2.4.6 Matrix interference	27
2.5 Qualitative and quantitative analysis of animal feed sample	28
2.5.1 Sampling	28
2.5.2 Qualitative analysis	28
2.5.2.1 UV-Vis spectrophotometric technique	28
2.5.2.2 HPLC-UV technique	28
2.5.3 Quantitative analysis	28
3 Results and discussion	30
3.1 Nitrofurans determination by HPLC technique	30
3.1.1 Optimization of the HPLC-UV analysis conditions	30
3.1.2 HPLC method validation	39

Contents (Continued)

	Page
3.2 Nitrofurantoin determination by UV-Vis spectrophotometric technique	46
3.2.1 Optimization of the UV-Vis spectrophotometric conditions	46
3.2.2 UV-Vis spectrophotometric method validation	66
3.3 Sample preparation	83
3.3.1 Extraction time	83
3.3.2 Type of solvent	85
3.3.3 Shaking time	86
3.3.4 Type of washing solvent	88
3.3.5 Recovery	90
3.3.6 Matrix interference	92
3.4 Qualitative and quantitative analysis of animal feed sample	102
3.4.1 Qualitative analysis	102
3.4.1.1 Qualitative analysis of the UV-Vis spectrophotometric technique for nitrofurantoin analysis	102
3.4.1.2 Qualitative analysis of the HPLC-UV technique for nitrofurantoin analysis	102
3.4.2 Quantitative analysis	102
4 Conclusions	107
References	109
Vitae	116

List of Tables

Table		Page
1	Physical properties of the studied nitrofurans	5
2	Identification of nitrofurans by screening method.	14
3	Determination of nitrofurans by UV-Visible spectrophotometry	14
4	Nitrofurans analysis by HPLC	15
5	Preliminary HPLC-UV conditions	21
6	Preliminary conditions of UV-Vis spectrophotometry	23
7	Response of 10 $\mu\text{g mL}^{-1}$, 10 μL nitrofurans at various wavelengths	30
8	Responses of nitrofurans 10 $\mu\text{g mL}^{-1}$, 10 μL at different percentage of acetonitrile in water	33
9	Capacity factor of nitrofurans (10 μL , 10 $\mu\text{g mL}^{-1}$) at different percentage of acetonitrile in water	34
10	Retention time of nitrofurans (10 μL , 10 $\mu\text{g mL}^{-1}$) at different percentage of acetonitrile in water	35
11	The high equivalent to a theoretical plates, HETP, at various flow rate of mobile phase (35% acetonitrile in water)	38
12	Optimum conditions of HPLC-UV detection with C-18 column	39
13	Response of nitrofurazone (NZ) of various concentrations	40
14	Response of nitrofurantoin (NF) of various concentrations	42
15	Response of furazolidone (FZ) of various concentrations	44
16	Summary of linear dynamic range and coefficient of determination (R^2) of nitrofurans	46
17	Absorbance of 5 $\mu\text{g mL}^{-1}$, Nitrofurazone (NZ) at various wavelengths	49
18	Absorbance of 5 $\mu\text{g mL}^{-1}$, Nitrofurantoin (NF) at various wavelengths	50
19	Absorbance of 5 $\mu\text{g mL}^{-1}$, Furazolidone (FZ) at various wavelengths	51

List of Tables (Continued)

Table		Page
20	Absorbance of $5 \mu\text{g mL}^{-1}$, Nitrofurazone – Nitrofurantoin (NZ-NF) at various wavelengths	52
21	Absorbance of $5 \mu\text{g mL}^{-1}$, Nitrofurazone-Furazolidone (NZ-FZ) at various wavelengths	53
22	Absorbance of $5 \mu\text{g mL}^{-1}$, Nitrofurantoin-Furazolidone (NF-FZ) at various wavelengths	54
23	Absorbance of $5 \mu\text{g mL}^{-1}$, Nitrofurazone-Nitrofurantoin-Furazolidone (NZ-NF-FZ) at various wavelengths	55
24	Summary the maximum absorption wavelength of nitrofurans	56
25	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurazone (NZ) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 530 \text{ nm}$	57
26	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurantoin (NF) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 430 \text{ nm}$	58
27	Absorbance of $3 \mu\text{g mL}^{-1}$, Furazolidone (FZ) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 560 \text{ nm}$	59
28	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurazone- Nitrofurantoin (NZ-NF) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 520 \text{ nm}$	60
29	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurazone-Furazolidone (NZ-FZ) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 535 \text{ nm}$	61
30	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurantoin-Furazolidone (NF-FZ) at various potassium hydroxide concentrations, $\lambda_{\text{max}} = 515 \text{ nm}$	62
31	Absorbance of $3 \mu\text{g mL}^{-1}$, Nitrofurazone-Nitrofurantoin-Furazolidone (NZ-NF-FZ) at various potassium hydroxide $\lambda_{\text{max}} = 525 \text{ nm}$	63
32	The optimum conditions of UV-Vis spectrophotometric analysis	64
33	Detection limit of nitrofurans ($S/N>3$)	67
34	Comparison of LOD of furazolidone	67

List of Tables (Continued)

Table	Page
35 The absorbance of nitrofurazone (NZ) at various concentrations, $\lambda_{\max} = 530 \text{ nm}$	69
36 The absorbance of nitrofurantoin (NF) at various concentrations, $\lambda_{\max} = 430 \text{ nm}$	71
37 The absorbance of furazolidone (FZ) at various concentrations, $\lambda_{\max} = 560 \text{ nm}$	73
38 The absorbance of nitrofurazone-nitrofurantoin (NZ-NF) at various concentrations, $\lambda_{\max} = 520 \text{ nm}$	75
39 The absorbance of nitrofurazone-furazolidone (NZ-FZ) at various concentrations, $\lambda_{\max} = 535 \text{ nm}$	77
40 The Absorbance of nitrofurantoin-furazolidone (NF-FZ) at various concentrations, $\lambda_{\max} = 515 \text{ nm}$	79
41 The Absorbance of nitrofurazone-nitrofurantoin-furazolidone (NZ-NF-FZ) at various concentrations, $\lambda_{\max} = 525 \text{ nm}$	81
42 Summary the range of nitrofurans linearity that obeyed Beer's law	83
43 Responses of nitrofurans at various extraction times	84
44 Response of nitrofurans at various solvent extraction	85
45 Response at various shaking time of nitrofurans extraction	87
46 Comparison of response between washed and unwashed method	88
47 Response of nitrofurans using two washing solvents	89
48 Percentage of recoveries of the nitrofurans in sample	90
49 Summary of the optimum conditions of sample preparation	91
50 Comparison between nitrofurazone (NZ) standard and standard addition curves in animal feed samples by HPLC-UV	94
51 Comparison between nitrofurantoin (NF) standard and standard addition curves in animal feed samples by HPLC-UV	95

List of Tables (Continued)

Table		Page
52	Comparison between furazolidone (FZ) standard and standard addition curves in animal feed samples by HPLC-UV	96
53	Comparison between NZ-NF-FZ standard and standard addition curves in animal feed samples by spectrophotometric technique	97
54	Comparison between nitrofurazone (NZ) standard and standard addition curves in animal feed samples by HPLC-UV	98
55	Comparison between nitrofurantoin (NF) standard and standard addition curves in animal feed samples by HPLC-UV	99
56	Comparison between furazolidone (FZ) standard and standard addition curves in animal feed samples by HPLC-UV	100
57	Comparison between nitrofurazone-nitrofurantoin-furazolidone (NZ-NF-FZ) standard and standard addition curves in animal feed samples by UV-Vis spectrophotometry	101
58	The results of standard addition method of nitrofurazone (NZ) in each animal feed samples by HPLC-UV	103
59	The results of standard addition method of nitrofurantoin (NF) in each animal feed samples by HPLC-UV	104
60	The results of standard addition method of furazolidone (FZ) in each animal feed samples by HPLC-UV	105
61	The results of standard addition method of NZ-NF-FZ in each animal feed samples by spectrophotometric technique	106

List of Figures

Figure	Page
1 Structure of furazolidone	3
2 Structure of nitrofurantoin	4
3 Structure of Nitrofurazone	4
4 Chemical structures of 3 nitrofurans and their correspond metabolites	8
5 Glass column packed with Alumina used for sample clean up	26
6 Response of $10 \mu\text{g mL}^{-1}$, $10 \mu\text{L}$ nitrofurans at various wavelengths	31
7 Responses of $10 \mu\text{g mL}^{-1}$, $10 \mu\text{L}$ nitrofurans at different acetonitrile concentration in water (%)	33
8 Capacity factor (k') of $10 \mu\text{g mL}^{-1}$, $10 \mu\text{L}$ nitrofurans at different acetonitrile concentration in water (%)	34
9 Retention time (t_R) of $10 \mu\text{g mL}^{-1}$, $10 \mu\text{L}$ nitrofurans at different acetonitrile concentration in water (%)	35
10 Measurement used in calculating total theoretical plate	36
11 Van Deemter plot for HPLC	37
12 The Van Deemter plot of nitrofurans	38
13 Relationship between response and concentration of nitrofurazone (NZ)	41
14 Linear dynamic range of nitrofurazone (NZ)	41
15 Relationship between response and concentration of nitrofurantoin (NF)	43
16 Linear dynamic range of nitrofurantoin (NF)	43
17 Relationship between response and concentration of furazolidone (FZ)	45
18 Linear dynamic range of furazolidone (FZ)	45
19 Evolution of the absorption spectrum of a $10 \mu\text{g mL}^{-1}$ nitrofuran solution at various periods of time	47

List of Figures (Continued)

Figure	Page
20 Nitrofurantoin solution, $10 \mu\text{g mL}^{-1}$, contacted with chemical reagent at 0, 0.25, 1.0, 2.0, 3.0 and 5.0 min	48
21 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurazone (NZ) at various wavelengths	49
22 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurantoin (NF) at various wavelengths	50
23 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Furazolidone (FZ) at various wavelengths	51
24 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurazone- Nitrofurantoin (NZ-NF) at various wavelengths	52
25 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurazone - Furazolidone (NZ-FZ) at various wavelengths	53
26 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurantoin- Furazolidone (NF-FZ) at various wavelengths	54
27 UV-Vis spectrum of $5 \mu\text{g mL}^{-1}$, Nitrofurazone-Nitrofurantoin-Furazolidone (NZ-NF-FZ) at various wavelengths	55
28 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurazone (NZ) at $\lambda_{\text{max}} = 530 \text{ nm}$	57
29 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurantoin (NF) at $\lambda_{\text{max}} = 430 \text{ nm}$	58
30 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Furazolidone (FZ) at $\lambda_{\text{max}} = 560 \text{ nm}$	59
31 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurazone- Nitrofurantoin (NZ-NF) at $\lambda_{\text{max}} = 520 \text{ nm}$	60
32 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurazone-Furazolidone (NZ-FZ) at $\lambda_{\text{max}} = 535 \text{ nm}$	61

List of Figures (Continued)

Figure	Page
33 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurantoin-Furazolidone (NF-FZ) at $\lambda_{\text{max}} = 515 \text{ nm}$	62
34 Effect of potassium hydroxide concentration for $3 \mu\text{g mL}^{-1}$ of Nitrofurazone-Nitrofurantoin-Furazolidone (NZ-NF-FZ) at $\lambda_{\text{max}} = 525 \text{ nm}$	63
35 The maximum wavelength at various concentration ratios of nitrofurazone (NZ) in the mixture (NZ : NF : FZ)	65
36 The maximum wavelength at various concentration ratios of nitrofurantoin (NF) in the mixture (NZ : NF : FZ)	65
37 The maximum wavelength at various concentration ratios of furazolidone (FZ) in the mixture (NZ : NF : FZ)	66
38 Plot of absorbance vs concentration	68
39 Relationship between absorbance and concentration of nitrofurazone (NZ), $\lambda_{\text{max}} = 530 \text{ nm}$	70
40 Linearity of nitrofurazone (NZ) ($\lambda_{\text{max}} = 530 \text{ nm}$) which obeyed Beer's law	70
41 Relationship between absorbance and concentration of nitrofurantoin (NF), $\lambda_{\text{max}} = 430 \text{ nm}$	72
42 Linearity of nitrofurantoin (NF) ($\lambda_{\text{max}} = 430 \text{ nm}$) which obeyed Beer's law	72
43 Relationship between absorbance and concentration of furazolidone (FZ), $\lambda_{\text{max}} = 560 \text{ nm}$	74
44 Linearity of Furazolidone (FZ) ($\lambda_{\text{max}} = 560 \text{ nm}$) which obeyed Beer's law	74
45 Relationship between absorbance and concentration of nitrofurazone-nitrofurantoin (NZ-NF), $\lambda_{\text{max}} = 520 \text{ nm}$	76

List of Figures (Continued)

Figure	Page
46 Linearity of nitrofurazone-nitrofurantoin (NZ-NF) ($\lambda_{\max} = 520$ nm) which obeyed Beer's law	76
47 Relationship between absorbance and concentration of nitrofurazone -furazolidone (NZ-FZ), $\lambda_{\max} = 535$ nm	78
48 Linearity of nitrofurazone-furazolidone (NZ-FZ) ($\lambda_{\max} = 535$ nm) which obeyed Beer's law	78
49 Relationship between absorbance and concentration of nitrofurantoin-furazolidone (NF-FZ), $\lambda_{\max} = 515$ nm	80
50 Linearity of nitrofurantoin-furazolidone (NF-FZ) ($\lambda_{\max} = 515$ nm) which obeyed Beer's law	80
51 Relationship between absorbance and concentration of nitrofurazone-nitrofurantoin-furazolidone (NZ-NF-FZ), $\lambda_{\max} = 525$ nm	82
52 Linearity of nitrofurazone-nitrofurantoin-furazolidone (NZ-NF-FZ) ($\lambda_{\max} = 525$ nm) which obeyed Beer's law	82
53 Responses of nitrofurans at various extraction times	84
54 Response of nitrofurans at various solvent extraction	85
55 Response using various shaking time of nitrofurans extraction	87
56 Comparison of response between washed and unwashed method	88
57 Response of nitrofurans using two washing solvents	89
58 Percentage of recoveries of the nitrofurans in sample	90
59 HPLC-UV Chromatograms of nitrofurans from chicken feed sample optimum conditions of sample preparation	91
60 Comparison between nitrofurazone (NZ) standard and standard addition curves in animal feed samples by HPLC-UV	94
61 Comparison between nitrofurantoin (NF) standard and standard addition curves in animal feed samples by HPLC-UV	95

List of Figures (Continued)

Figure		Page
62	Comparison between furazolidone (FZ) standard and standard addition curves in animal feed samples by HPLC-UV	96
63	Comparison between NZ-NF-FZ standard and standard addition curves in animal feed samples by spectrophotometric technique	97
64	The results of standard addition method of nitrofurazone (NZ) in each animal feed samples by HPLC-UV	103
65	The results of standard addition method of nitrofurantoin (NF) in each animal feed samples by HPLC-UV	104
66	The results of standard addition method of furazolidone (FZ) in each animal feed samples by HPLC-UV	105
67	The results of standard addition method of NZ-NF-FZ in each animal feed samples by spectrophotometric technique	106