

## REFERENCES

- Adinarayana, K., Bapi Raju, K. V. V. S. N. and Ellaiah, P. 2004. Investigations on alkaline protease production with *B. subtilis* PE-11 immobilized in calcium alginate gel beads. *Process Biochemistry* **39**: 1331-1339.
- Anh, T. M., Dzyadevych, S.V., Soldatkin, A. P., Duc Chien, N., Jaffrezic-Renault, N. and Chovelon, J. M. 2002. Development of tyrosinase biosensor based on pH-sensitive field-effect transistor for phenols determination in water solutions. *Talanta* **56**: 627-634.
- Annachhatre, A. P. and Gheewala, S. H. 1996. Biodegradation of chlorinated phenolic compounds. *Biotechnology Advances* **14**: 35-56.
- Antonopoulos, V. T., Rob, A., Ball, A. S. and Wilson, M. T. 2001. Dechlorination of chlorophenols using extracellular peroxidases produced by *Streptomyces albus* ATCC 3005. *Enzyme and Microbial Technology* **29**: 62-69.
- Armenante, P. M., Kafkewitz, D., Lewandowski, G. A. and Jou, C. 1999. Anaerobic-aerobic treatment of halogenated phenolic compounds. *Water Research* **33**: 681-692.
- Autenrieth, R. L., Bonner, J. S., Akgerman, A., Okaygun, M. and McCreary, E. M. 1991. Biodegradation of phenolic wastes. *Journal of Hazardous Materials* **28**: 29-53.
- Bagheri, H. and Saraji, M. 2001. New polymeric sorbent for the solid-phase extraction of chlorophenols from water samples followed by gas chromatography-electron-capture detection. *Journal of Chromatography A* **910**: 87-93.

- Bagheri, H. and Saraji, M. 2003. Conductive polymers as new media for solid-phase extraction: Isolation of chlorophenols from water sample. *Journal of Chromatography A* **986**: 111-119.
- Bagheri, H., Mohammadi, A. and Salemi, A. 2004. On-line trace enrichment of phenolic compounds from water using a pyrrole-based polymer as the solid-phase extraction sorbent coupled with high-performance liquid chromatography. *Analytica Chimica Acta* **513**: 445-449.
- Bitton, G. 1994. *Wastewater microbiology*. New York: Wiley-Liss, Inc.
- Björnsson, L., Murto, M., Jantsch, T. G. and Mattiasson, B. 2001. Evaluation of new method for the monitoring of alkalinity, dissolved hydrogen and the microbial community in anaerobic digestion. *Water Research* **35**: 2833-2840.
- Campuzano, S., Serra, B., Pedrero, M., Javier Manuel de Villena, F. and Pingarrón, J. M. 2003. Amperometric flow-injection determination of phenolic compounds at self-assembled monolayer-based tyrosinase biosensors. *Analytica Chimica Acta* **494**: 187-197.
- Carabias-Martínez, R., Rodríguez-Gonzalo, E., Moreno-Cordero, B., Pérez-Pavón, J. L., García-Pintp, C. and Fernández Laespada, E. 2000. Surfactant cloud point extraction and preconcentration of organic compounds prior to chromatography and capillary electrophoresis. *Journal of Chromatography A* **902**: 251-256.
- Castillo, J., Gáspár, S., Leth, S., Niculescu, M., Mortari, A., Bontidean, I., Soukharev, V., Dorneanu, S. A., Ryabov, A. D. and Csöregi, E. 2004. Biosensors for life quality design, development and applications. *Sensors and Actuators B* **102**: 179-194.

- Chang, S. C., Rawson, K. and McNeil, C. J. 2002. Disposable tyrosinase-peroxidase bi-enzyme sensor for amperometric detection of phenols. *Biosensors and Bioelectronics* 17: 1015-1023.
- Choi, S. H. and Gu, M. B. 2002. A portable toxicity biosensor using freezed-dried recombinant bioluminescent bacteria. *Biosensors and Bioelectronics* 17: 433-440.
- Correa, J., Domínguez, Martínez, M. and Vidal, G. 2003. Aerobic degradation of 2,4,6-TCP content in ECF bleached effluent. *Environmental International* 29: 459-465.
- Czaplicka, M. 2004. Sources and transformations of chlorophenols in the natural environment. *Science of The Total Environment* 322: 21-31.
- D'Souza, S. F. 2001. Microbial biosensor. *Biosensors and Bioelectronics* 16: 337-353.
- Durán, N., Rosa, M. A., D' Annibale, A. and Gianfreda, L. 2002. Applications of laccases and tyrosinases (phenoloxidases) immobilized on different supports: a review. *Enzyme and Microbial Technology* 31: 907-931.
- Dzyadevych, S. V., Anh, T. M., Soldatkin, A. P., Chien, N. D., Jaffrezic-Renault, N. and Chovelon, J. M. 2002. Development of enzyme biosensor based on pH-sensitive field-effect transistors for detection of phenolic compounds. *Bioelectrochemistry* 55: 79-81.
- Eggins, B. R. 1996. Biosensor: An introduction, pp. 2-3, 17-20. New York: Wiley and Teubner.

- Fan, Y., Feng, Y. and Da, S. 2003. On-line selective solid-phase extraction of 4-nitrophenol with  $\beta$ -cyclodextrin bonded silica. *Analytica Chimica Acta* **484**: 145-153.
- Fang, Z. 1993. Flow injection separation and preconcentration, pp. 6-9. New York: VCH Publishers, Inc.
- Faraji, H. 2005.  $\beta$ -Cyclodextrin-bonded silica particles as the solid-phase extraction medium for the determination of phenol compounds in water samples followed by gas chromatography with flame ionization and mass spectrometry detection. *Journal of Chromatography A* **1087**: 283-288.
- Farrell, A. and Quilty, B. 2002. The enhancement of 2-chlorophenol degradation by mixed microbial community when augmented with *Pseudomonas putida* CP1. *Water Research* **36**: 2443-2450.
- Freire, R. S., Duran, N. and Kubota, L. T. 2002. Development of a laccase-based flow injection electrochemical biosensor for the determination of phenolic compounds and its application for monitoring remediation of Kraft E1 paper mill effluent. *Analytica Chimica Acta* **463**: 229-238.
- González-Toledo, E., Prat, M. D. and Alpendurada, M. F. 2001. Solid-phase microextraction coupled to liquid chromatography for the analysis of phenolic compounds in water. *Journal of Chromatography A* **923**: 45-52.
- Guieysse, B., Cirne, M. d. D. T. G. and Mattiasson, B. 2001. Microbial degradation of phenanthrene and pyrene in a two-liquid phase-partitioning bioreactor. *Applied Microbiology and Biotechnology* **56**: 796-802.

- Han, T-S., Sasaki, S., Yano, K., Ikebukuro, K., Kitayama, A., Nagamune, T. and Karube, I. 2002. Flow injection microbial trichloroethylene sensor. *Talanta* **57**: 271-276.
- Hao, O. J., Kim, M. H., Seagren, E. A. and Kim, H. 2002. Kinetics of phenol and chlorophenol utilization by *Acinetobacter* species. *Chemosphere* **46**: 797-807.
- Hennion, M. C. 1991. Sample handling strategies for the analysis of non-volatile organic compounds from environmental water samples. *Trends in Analytical Chemistry* **10**: 317-323.
- Hollender, J., Hopp, J. and Dott, W. 1997. Degradation of 4-chlorophenol via the *meta* cleavage pathway by *Comamonas testosteroni* JH5. *Applied and Environmental Microbiology* **63**: 4567-4572.
- Jarosz-Wilkolazka, A., Ruzgas, T. and Gorton, L. 2005. Amperometric detection of mono- and diphenols at *Cerrena unicolor* laccase-modified graphite electrode: correlation between sensitivity and substrate structure. *Talanta* **66**: 1219-1224.
- Jianlong, W. and Yi, Q. 1999. Microbial degradation of 4-chlorophenol by microorganisms entrapped in carrageenan-chitosan gels. *Chemosphere* **38**: 3109-3117.
- Jurkiewicz, M., Alegret, S. and Fabregas, E. 1998. Comparison of flow injection analytical biosystems based on open-tube and packed-bed enzyme reactors. *Analytica Chimica Acta* **327**: 47-58.
- Karube, I. and Nakanishi, K. 1994. Immobilized cells used for detection and analysis. *Current Opinion in Biotechnology* **5**: 54-59.

- Khopde, S. M. and Priyadarsini, K. I. 2000. Application of Marcus theory of electron transfer for the reactions between HRP compounds I and II and 2,4-disubstituted phenols. *Biophysical Chemistry* **88**: 103-109.
- Kim, J., Oh, K., Lee, S., Kim, S. and Hong, S. 2002. Biodegradation of phenol and chlorophenols with defined mixed culture in shake-flasks and packed bed reactor. *Process Biochemistry* **37**: 1367-1373.
- Kirgöz, U. A., Odaci, D., Timur, S., Merkoçi, A., Pazarlıoğlu, N., Telefoncu, A. and Alegret, S. 2006. Graphitr epoxy composite electrodes modified with bacterial cells. *Bioelectrochemistry* **69**: 128-131.
- Kojima, M., Tsunoi, S. and Tanaka, M. 2004. High performance solid-phase analytical derivatization of phenols for gas chromatography-mass spectrometry. *Journal of Chromatography A* **1042**: 1-7.
- Lacorte, S., Fraisse, D. and Barceló, D. 1999. Efficient solid-phase extraction procedures for trace enrichment of priority phenols from industrial effluents with high total organic carbon content. *Journal of Chromatography A* **857**: 97-106.
- Li, J., Chia, L. S., Goh, N. K. and Tan, S. N. 1998. Silica sol-gel immobilized amperometric biosensor for the detection of phenolic compounds. *Analytica Chimica Acta* **362**: 203-211.
- Lindgren, A., Emnéus, J., Ruzgas, T., Gorton, L. and Marko-Varga, G. 1997. Amperometric detection of phenols using peroxidase-modified graphite electrodes. *Analytica Chimica Acta* **347**: 51-62.
- Liu, J. and Mattiasson, B. 2002. Microbial BOD sensors for wastewater analysis. *Water Research* **36**: 3786-3802.

- Liu, J., Björnsson, L. and Mattiasson, B. 2000. Immobilized activated sludge based biosensor for biochemical oxygen demand measurement. *Biosensors and Bioelectronics* 14: 883-893.
- Liu, J., Olsson, G. and Mattiasson, B. 2004. On-line monitoring of a two-stage anaerobic digestion process using a BOD analyzer. *Journal of Biotechnology* 109: 263-275.
- Liu, S., Yu, J. and Ju, H. 2003. Renewable phenol biosensor based on a tyrosinase-colloidal gold modified carbon paste electrode. *Journal Electroanalytical Chemistry* 540: 61-67.
- Martínez, D., Borrull, F. and Calull, M. 1997. Sample stracking using field-amplified sample injection in capillary zone electrophoresis in the analysis of phenolic compounds. *Journal of Chromatography A* 788:185-193.
- Martínez, D., Pocurull, E., Marcé, R. M., Borrull, F. and Calull, M. 1996. Separation of eleven priority phenols by capillary zone electrophoresis with ultraviolet detection. *Journal of Chromatography A* 734: 367-373.
- Miller, J. N. and Miller, J. C. 2000. Statistics and chemometrics for analytical chemistry (4<sup>th</sup> ed.), pp. 58-61. London: Pearson Education.
- Mitra, S. 2003. Sample preparation techniques in analytical chemistry, pp. 43-44. New York: John Wiley and Sons.
- Nistor, C. and Emnéus, J. 1999. Bioanalytical tools for monitoring polar pollutants. *Waste Management* 19: 147-170.
- Notification of the Ministry of Industry No. 2, B. E. 2539 (1996) issued under the Factory Act B. E. 2535(1992) Re: Industrial effluent guidelines for discharging from factory.

- Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R. M. 2002. Solid-phase microextraction coupled to high-performance liquid chromatography to determine phenolic compounds in water samples. *Journal of Chromatography A* **953**: 79-87.
- Perrin, D. D. and Dempsey, B. 1974. Buffers for pH and metal ion control. New York: Chapman and Hall.
- Pocurull, E., Calull, M., Marcé, R. M. and Borrull, M. 1996. Determination of phenolic compounds at low  $\mu\text{g l}^{-1}$  levels by various solid-phase extractions followed by liquid chromatography and diode-array detection. *Journal of Chromatography A* **719**: 105-112.
- Puhakka, J. A., Shieh, W. K., Järvinen, K. and Melin, E. 1992. Chlorophenol degradation under oxic and anoxic conditions. *Water Science and Technology* **25**: 147-152.
- Puig, D. and Barceló, D. 1996. Determination of phenolic compounds in water and waste water. *Trends in Analytical Chemistry* **15**: 362-375.
- Quan, X., Shi, H., Liu, H., Wang, J. and Qian, Y. 2004. Removal of 2,4-dichlorophenol in a conventional activated sludge system through bioaugmentation. *Process Biochemistry* **39**: 1701-1707.
- Rajesh, Pandey, S. S., Takashima, W. and Kaneto, K. 2004. Development of an amperometric biosensor based on a redox-mediator-doped polypyrrole film. *Journal of Applied Polymer Science* **93**: 927-933.
- Rajesh, Takashima, W. and Kaneto, K. 2004. Amperometric tyrosinase based biosensor using an electropolymerized PTS-doped polypyrrole film as an entrapment support. *Reactive & Functional Polymers* **59**: 163-169.

- Riedel, K., Hensel, J., Rothe, S., Neumann, B. and Scheller, F. 1993. Microbial sensors for determination of aromatics and their chloroderivatives. Part II: Determination of chlororinated phenols using a *Rhodococcus*-containing biosensor. *Applied Microbiology and Biotechnology* **38**: 556-559.
- Riva, S. 2006. Laccases: blue enzymes for green chemistry. *Trends in Biotechnology* **xx**: XXX-XXX.
- Rodríguez, I., Llompart, M. P. and Cela, R. 2000. Solid-phase extraction of phenols. *Journal of Chromatography A* **885**: 291-304.
- Rodríguez, I., Mejuto, M. C., Bollaín, M. H. and Cela, R. 1997. Evaluation of two solid-phase extraction procedures for the preconcentration of chlorophenols in drinking water. *Journal of Chromatography A* **786**: 285-292.
- Rosatto, S. S., Kubota, L. T. and Graciliano de Oliveira Neto. 1999. Biosensor for phenol based on the direct electron transfer blocking of peroxidase immobilizing on silica-titanium. *Analytica Chimica Acta* **390**: 65-72.
- Roy, J. J., Abraham, T. E., Abhijith, K. S., Kumar, P. V. S. and Thakur, M. S. 2005. Biosensor for the determination of phenols based on Cross-Linked Enzyme Crystals (CLEC) of laccase. *Biosensors and Bioelectronics* **21**: 206-211.
- Ruzgas, T., Gorton, L., Emnéus, J. and Marko-Varga, G. 1995. Kinetic models of horseradish peroxidase action on a graphite electrode. *Journal of Electroanalytical Chemistry* **391**: 41-45.

- Sahinkaya, E. and Dilek, F. B. 2006. Effect of biogenic substrate concentration on the performance of sequencing batch reactor treating 4-CP and 2,4-DCP mixtures. *Journal of Hazardous Materials* **128**: 258-264.
- Satienerakul, S., Sheikheldin, S. Y., Cardwell, T. J., Cattrall, R. W., Luque de Castro, McKelvie, I. D. and Kolev, S. D. 2003. Pervaporation-flow injection analysis of phenol after on-line derivatization to phenyl acetate. *Analytica Chimica Acta* **485**: 37-42.
- Serra, B., Jiménez, S., Mena, M. L., Reviejo, A. J. and Pingarrón, J. M. 2002. Composite electrochemical biosensor: a comparison of three different electrode matrices for the construction of amperometric tyrosinase biosensor. *Biosensors and Bioelectronics* **17**: 217-226.
- Sharma, S. K., Sehgal, N. and Kumar, A. 2003. Biomolecules for development of biosensor and their applications. *Current Applied Physics* **3**: 307-316.
- Sinclair, G. M., Paton, G. I., Meharg, A. A. and Killham, K. 1999. Lux-biosensor assessment of pH effects on microbial sorption and toxicity of chlorophenols. *FEMS Microbiology Letters* **174**: 273-278.
- Skládal, P., Morozova, N. O. and Reshetilov, A. N. 2002. Amperometric biosensor for detection of phenol using chemically modified electrodes containing immobilized bacteria. *Biosensors and Bioelectronics* **17**: 867-873.
- Snyder, L. R. and Kirkland, J. J. 1979. Introduction to modern liquid chromatography (2<sup>nd</sup> ed.), pp. 545. New York. John Wiley and Sons.
- Taseli, B. K. and Gokcay, C. F. 2005. Degradation of chlorinated compounds by *Penicillium camemberti* in batch and up-flow column reactors. *Process Biochemistry* **40**: 917-923.

- Taverniers, I., Marc de Loose and Bockstaele, E. V. 2004. Trends in quality in the analytical laboratory. II. Analytical method validation and quality assurance. *Trends in Analytical Chemistry* 23: 535-541.
- Thavarungkul, P., Håkanson, H. and Mattiasson, B. 1991. Comparative study of cell-based biosensor using *Pseudomonas cepacia* for monitoring aromatic compounds. *Analytica Chimica Acta* 249: 17-23.
- Timur, S., Pazarlioğlu, N., Pilloton, R. and Telefoncu, A. 2003. Detection of phenolic compounds by thick film sensors based on *Pseudomonas putida*. *Talanta* 61: 87-93.
- Timur, S., Pazarlioğlu, N., Pilloton, R. and Telefoncu, A. 2004. Thick film sensors based on laccases from different sources immobilized in polyaniline matrix. *Sensors and Actuators B* 97: 132-136.
- Wang, J. 2000. Fundamental concepts. In analytical electrochemistry (2<sup>nd</sup> ed.), pp. 3-4. New York: John Wiley and Sons.
- Yang, S., Li, Y., Jiang, X., Chen, Z. and Lin, X. 2006. Horseradish peroxidase biosensor based on layer-by-layer technique for the determination of phenolic compounds. *Sensors and Actuators B* 114: 774-780.
- Yee, D. C. and Wood, T. K. 1997. 2,4-Dichlorophenol degradation using *Streptomyces viridosporus* T7A lignin peroxidase. *Biotechnology Progress* 13: 53-59.
- Zilouei, H., Guieyse, B. and Mattiasson, B. 2006. Biological degradation of chlorophenols in packed-bed bioreactors using mixed bacteria consortia. *Process Biochemistry* 41: 1083-1089.