

Reference

Adam, R. C. 2000. Medical Plastics and Biomaterials: A Comparison of Plasticizers for Use in Flexible Vinyl Medical Products.

Agilent Technologies. 1995. 6890 Gas Chrmatography User's Manuanl.

Ahmed, F. E. 2001. Analyses of pesticides and their metabolites in foods and drinks.
TrAC Trends in Analytical Chemistry **20**(11): 649-661.

Albert, K. 1977. Review: Supercritical fluid chromatography-proton nuclear magnetic resonance spectroscopy coupling. *J. Chromatogr. A* **785**: 65-83.

Alpendurada, M. F. 2000. Solid-phase microextraction: a promising technique for sample preparation in environmental analysis. *J. Chromatogr. A* **889**(1-2): 3-14.

Altech. 2002. Introduction to Solid-Phase Extraction. Solid Phase Extraction Products. Data Sheet 205000U. Altech Associates, Inc.

ATSDR. 2002. Public Health Statement for Di (2-ethylhexyl) phthalate (DEHP). Agency for Toxic Substances and Disease Registry.

Aurela, B., Kulmala, H. and Soderhjelm, L. 1999. Phthalates in paper and board packaging and their migration into Tenax and sugar. *Food Addit. Contam* **16**(12): 571-577.

Babich, M. A., Chen, S-B., Greene, M. A., Kiss, C. T., Porter, W. K., Smith, T. P. Wind, M. L. and William W. Zamula, W. W. 2004. Risk assessment of oral exposure to diisononyl phthalate from children's products. *Regul. Toxicol. Pharmacol* **40**(2): 151-167.

Bangkok Post news paper. 2003. Spreading the good food news: The Thai government's approach to culinary exports could use improvement.

Balafas, D., Shaw, K. J. and Whitfield, F. B. 1999. Rapid communication: Phthalate and adipate esters in Australian packaging materials. *Food Chem* 65(3): 279-287.

Barbalace, K. L. 2004. Di-sec octyl Phthalate. Environmental, Chemistry & Hazardous Materials Information & Resources.

Bartolomé, L., Cortazar, E., Raposo, J.C., Usobiaga, A., Zuloaga, O., Etxebarria, N. and Fernández, L. A. 2005. Simultaneous microwave-assisted extraction of polycyclic aromatic hydrocarbons, polychlorinated biphenyls, phthalate esters and nonylphenols in sediments. *J. Chromatogr. A* 1068: 229-236.

Basheer, C. and Lee, H. K. 2002. Endocrine Disrupting Phthalates in the Singapore Environment. Bautista, J. M., González-Vila, F. J., Martín, F. and del Rio, J. C., Gutiérrez, A., Verdejo, T. and Gustavo-González, A. Short communication: Supercritical-carbon-dioxide extraction of lipids from a contaminated soil. *J. Chromatogr. A* 845: 365-371.

Baugh, P. J. 1993. Gas Chromatography: A Practical Approach. New York; Oxford University Press. 426 p.

Bautista, J.M., González-Vila, F.J., Martín, F., del Rio, J.C., Gutiérrez, A., Verdejo, T. and Gustavo-González, A. 1999. Supercritical-carbon-dioxide extraction of lipids from a contaminated soil. *J. Chromatogr. A* 845: 365-371.

Bay, K., Asklund, C., Skakkebaek, N. E. and Andersson, A-M. 2006. Endocrine Disrupter: Testicular dysgenesis syndrome: possible role of endocrine disrupters. Best Practice & Research Clinical Endocrinology & Metabolism. 20(1): 77-90.

- Beney, P. J., Breuer, G. M., Jacobs, G. H., Larabee-Zierath, D., Mollenhauer, P. J., Norton, K. K. and Wichman, M. D. 2004. Review, Evaluation, and Application of Solid Phase Extraction Methods. University Hygienic Laboratory, University of Iowa 35(6): 1-5.
- Berset, J. D. and Etter-Holzer, R. 2001. Determination of phthalates in crude extracts of sewage sludges by high-resolution capillary gas chromatography with mass spectrometric detection. *J. AOAC Int* 84(2): 383-391.
- Brossa, L., Marcé, R. M. Borrull, F. and Pocurull, E. 2003. Determination of endocrine-disrupting compounds in water samples by on-line solid-phase extraction-programmed-temperature vaporisation-gas chromatography-mass spectrometry. *J. Chromatogr. A* 998(1-2): 41-50.
- Buldini, P. L., Ricci, L. and Sharma, J. L. Review: Recent applications of sample preparation techniques in food analysis. 2002. *J. Chromatogr. A* 975(1): 47-70.
- Cai, Y., Jiang, G. and Liu, J. 2003. Solid-Phase Extraction of Several Phthalate Esters from Environmental Water Samples on a Column Packed with polyfluoro-ethylene turning. *Anal. Sci* 19(11): 1491-1944.
- Cai, Y., Jiang, G. Liu, J. and Zhou, Q. 2003. Multi-walled carbon nanotubes packed cartridge for the solid-phase extraction of several phthalate esters from water samples and their determination by high performance liquid chromatography. *Anal. Chim. Acta* 494(1-2): 149-156.
- Canadian Environmental Protection Act (CEPA). 1994. Priority Substances List Assessment Report: Bis (2-ethylhexyl) Phthalate.

- Cano, J. M., Marín, M. L., Sánchez, A. and Hernandis, V. 2002. Determination of adipate plasticizers in poly (vinyl chloride) by microwave-assisted extraction. 2002. *J. Chromatogr. A* **963**(1-2): 401-409.
- Casajuana, N and Lacorte, S. 2004. New methodology for the determination of phthalate esters, Bisphenol A, Bisphenol A diglycidyl ether, and Nonylphenol on Commercial whole milk samples. *J. Agric. Food Chem* **52**, 3702-3707.
- Castle, L., Mercer, AJ., Startin, JR and Gilbert, J. 1988. Migration from plasticized films into foods. 3. Migration of phthalate, sebacate, citrate and phosphate esters from films used for retail food packaging. *Food. Addit Contam* **5**(1): 9-20.
- Castillo, M. and Barceló, D. 1997. Analysis of industrial effluents to determine endocrine-disrupting chemicals. *TrAC Trends Anal. Chem* **16**(10): 574-583.
- Castillo, M. and Barceló, D. 2001. Characterisation of organic pollutants in textile wastewaters and landfill leachate by using toxicity-based fractionation methods followed by liquid and gas chromatography coupled to mass spectrometric detection. *Anal. Chim. Acta* **426**: 253-264.
- Chee, K. K., Wong M. K. and Lee, H. K. 1996. Microwave-assisted solvent elution technique for the extraction of organic pollutants in water. *Anal. Chim. Acta* **330**(2-3): 217-227.
- Chen, C. Y., Ghule, A. V., Chen, W. Y., Wang, C. C., Chiang, Y. S. and Ling, Y. C. 2004. Rapid identification of phthalates in blood bags and food packaging using ToF-SIMS. *Applied Surface Science* **231**-**232**: 447-451.

Criado, M. R., Fernández, D. H., Pereiro, I. R. and Torrijos, R. C. 2004. Application of matrix solid-phase dispersion to the determination of polychlorinated biphenyls in fat by gas chromatography with electron-capture and mass spectrometric detection. *J. Chromatogr. A* 1056(1-2): 187-194.

Christian, G. D. 1994. Analytical chemistry (5th ed.). John Wiley & Sons, Inc. 812 p.

Chung Chow, C. 2004. Analytical Method Validation and Instrument Performance Verification. N. J. John Wiley & Son, Inc. 292 p.

Corley, J. 2002. Best practices in establishing detection and quantification limits for pesticide residues in foods. Handbook of residue analytical methods for agrochemicals. John Wiley & Sons Ltd.

Cortazar, E., Bartolomé, L., Delgado, A., Etxebarria, N., Fernández, L.A., Usobiaga, A. and Zuloaga, O. 2002. Determination of adipate plasticizers in poly (vinyl chloride) by microwave-assisted extraction. *J. Chromotogr. A* 963(1): 401-409.

Cray, C. 1998. Soft PVC Toys, plastic food wrap & some medical devices. Dangerously Toxic. Rachels Environment & Health Weekly.

CSTEE, 2004. EU Scientific committee on toxicity, ecotoxicity and the environment- opinion on the results of a second risk assessment of: bis (2-ethylhexyl) phthalate (DEHP) expressed at the 41th CSTEE plenary meeting, Brussels.

Dalgaard, M., Hass, U., Vinggaard, A. M., Jarfelt, K., Lam H.R. Sørensen, K.I., Sommer, H.M. and Ladefoged, O. 2003. Di (2-ethylhexyl) adipate (DEHA) induced developmental toxicity but not antiandrogenic effects in pre- and postnatally exposed Wistar rats. *Reprod Toxicol* 17: 163-170.

Davi, M. L., Liboni, M. and Malfatto, M. G. 1999. Multiresidue analysis of organic pollutants in water by SPE with a C₈ and SDVB combined cartridge. *Int. J. Environ. Anal. Chem.* 74(1-4): 155-166.

Dean, J. R. 1998. Extraction Methods for Environmental Analysis. John Wiley & Sons, Ltd. 221 p.

Dielectric constant reference guide. 1998. Clipper Controls Inc. Control Solutions for Industry.

Dine, T., Khalfi, F., Gressier, B., Luyckx, M., Brunet, C., Ballester, L., Goudaliez, F., Kablan, J., Cazin, M. and Cazin, J. C. Stability study of fotemustine in PVC infusion bags and sets under various conditions using a stability-indicating high-performance liquid chromatographic assay. *J. Pharm. Biomed. Anal.* 18: 373-381.

Dopico-García, M. S., López-Vilariño, J. M. and González-Rodríguez, M. V. 2005. Short communication: Determination of antioxidants by solid-phase extraction method in aqueous food simulants. *Talanta* 66(5): 1103-1107.

Doull, J., Cattley, R., Elcombe, C., Lake, B. G. and Swenberg, J. 1999. A Cancer Risk Assessment of Di (2-ethylhexyl) phthalate: Application of the New U.S. EPA Risk Assessment Guidelines. *Regul Toxicol Pharmacol.* 29: 327-357.
Drug Watch International. 2002. Omaha, NE 68145-0218, USA.

EPA method 3620B. 1996. Florisil Cleanup. Revision 2: 1-25.

EPA method 3600C. 1996. Cleanup. Revision 3: 1-5.

EPA method 8061A. 1996. Phthalate esters by gas chromatography with electron capture detection (GC/ECD). Revision 1: 1-18.

Environmental, Health and Safety Issues. 2000. EU, US debate continues on phthalate exposure in children. Additives for Polymers. 9: 10-12.

Eurachem guide. 1998. The fitness for Purpose of Analytical Methods: A Laboratory Guide to Method Validation and Related Topics, update on December, 1998.

Eurachem. 2002. Guide to Quality in Analytical Chemistry. An Aid to Accreditation
CITAC (The Cooperation on International Traceability in Analytical Chemistry) and EURACHEM (A Focus for Analytical Chemistry in Europe).

European Commission. 1999. Opinion on the toxicological characteristics and risks of certain citrates and adipates used as a substitute for phthalates as plasticisers in certain soft PVC products. Scientific Committee on Toxicity, Ecotoxicity and the Environment (CSTEE). Directorate-General Health and Consumer Production.

European Commission (EC). 2002. Opinion on Medical Devices Containing DEHP Plasticised PVC; Neonates and Other Groups Possibly at Risk from DEHP Toxicity. Health & Consumer Protection Direction Directorate-General. The Scientific Committee on Medicinal Products and Medical Devices.

EU legislation. 2004. Food contact materials- EU legislation. Food and Feed Safety. DG Health and Consumer Protection. European Commission.

EU SCF. 2000. Opinion of the Scientific Committee on Food on a survey on dietary intake of the food contact material di-2-(ethylhexyl) adipate (DEHA). Management of scientific committees II; scientific co-operation and networks. Scientific Committee on Food. Health & Consumer Protection Directorate-General. SCF/CS/PM/3276 Final/31920.

FDA. 2000. Validation and Verification Guidance for Human Drug Analytical Methods. ORA Laboratory Procedure: Document No. ORA-LAB.5.4.5. Food and Drug Administration. Version No. 1.2: 13-14.

Fankhauser-Noti, A. and Grob, K. 2005. Migration of plasticizers from PVC gaskets of lids for glass jars into oily foods: Amount of gasket material in food contact, proportion of plasticizer migrating into food and compliance testing by simulation. *Trends in Food Sci. & Technol* 17(3): 105-112.

Fattore, E., Benfenati, E. and Fanelli, R. 1996. Analysis of chlorinated 1,3-butadienes by solid-phase microextraction and gas chromatography-mass spectrometry. *J. Chromatogr. A* 737: 85-91.

Feng, Y.-L., Zhu, J. and Sensenstein, R. 2005. Development of a headspace solid-phase microextraction method combined with gas chromatography mass spectrometry for the determination of phthalate esters in cow milk. *Anal. Chim. Acta* 538(2): 41-48.

Ferrer, C., Gómez, M. J., García-Reyes, J. F., Ferrer, I., Thurman, E. M. and Fernández-Alba, A. R. 2005. Determination of pesticide residues in olives and olive oil by matrix solid-phase dispersion followed by gas chromatography/mass spectrometry and liquid chromatography/tandem mass spectrometry. *J. Chromatogr. A* 1069(2): 183-194.

Fiala, F., Steiner, I. and Kubesch, K. 2000. Migration of di-(2-ethylhexyl) phthalate (DEHP) and diisononyl phthalate (DINP) from PVC articles. Institute of Food Chemistry and Food Technology, Vienna University of Technology A-1060 Vienna, Austria. 1-14.

Fifield, F. W. and Kealey, D. 2000. Principles and Practice of Analytical Chemistry. (5th ed.). Blackwell Science Ltd. 562 p.

Filgueiras, A. V., Capelo, J. L., Lavilla, I. and Bendicho, C. 2000. Comparison of ultrasound-assisted extraction and microwave-assisted digestion for determination of magnesium, manganese and zinc in plant samples by flame atomic absorption spectrometry. *Talanta* 52: 433-441.

Fromme, H., Kuchler, T., Otto, T., Pilz, K., Muller, J. and Wenzel, A. 2002. Occurrence of phthalates and bisphenol A and F in the environment, *Water. Res* 36(6): 1429-1438.

Gibson, R., Wang, M-J., Padgett, E. and Beck, A. 2005. Analysis of 4-nonylphenols, phthalates, and polychlorinated biphenyls in soils and biosolids. *Chemosphere* 61: 1336-1344.

Gómez-Hens, A and Aguilar-Caballos, M. P. Social and economic interest in the control of phthalic acid esters. *Trends Anal. Chem* 22(11): 847-857.

Goulas, AE., Anifantaki, KI., Kolioulis, DG., and Kontominas, MG. 2000. Migration of (2-ethylhexylexyl) adipate plasticizer from food-grade polyvinyl chloride film into hard and soft cheeses. *J Dairy Sci* 83(8): 1712-1718.

Grob, R. L. 2004. Modern practice of gas chromatography, (4th ed.). John Wiley & Sons. New York. 1045 p.

Gudzinowicz, B. J. 1967. Gas Chromatographic analysis of drugs and pesticides. Marcel Dekker, Inc. New York. 605 p.

Haishima, Y., Seshimo, F., Higuchi, T., Yamazaki, H., Hasegawa, C., Izumi, S-I., Makino, T., Nakahashi, K., Ito, R. and Inoue, K. 2005. Development of a simple method for predicting the levels of di (2-ethylhexyl) phthalate migrated from PVC medical devices into pharmaceutical solutions. *J. Chromatogr. A* 298(1): 126-142.

- Harris, D. C. 1948. Quantitative chemical analysis. (4th ed.). W. H. Freeman and Company. New York. 837 p.
- Harris, C. A., Henttu, P., Parker, M.G., Sumpter, J.P. 1997. The estrogenic activity of phthalate esters in vitro. *Environ. Health Perspect* **105**(8): 802-811.
- Harvey, D. 2000. Modern Analytical Chemistry. McGraw-Hill International edition: Chemistry series. McGraw-Hill Companies. 798 p.
- Hashimoto, Y., Kawaguchi, M., Miyazaki, K. and Nakamura, M. 2003. Estrogenic activity of tissue conditioners in vitro. *Dental Materials* **19**: 341-346.
- Heise and Litz. 20004. Deskstudy: Phthalates. German Federal Environmental Agency, Berlin. Germany. 2-41.
- Hercegová, A., Dömötörová, M., Matisová, E., Kirchner, M., Otrekal, R. and Štefuca, V. Fast gas chromatography with solid phase extraction clean-up for ultratrace analysis of pesticide residues in baby food. *J. Chromatogr. A* **1084**(2): 46-53.
- Hess, P., de Boer, J., Cofino, W. E., Leonards, P. E. G. and Wells, D. E. 1995. Review: Critical review of the analysis of non- and *mono-ortho*chlorobiphenyls. *J. Chromatogr. A* **703**: 417-465.
- Horn, O., Nalli, S., Cooper, D. and Nicell, J. 2004. Plasticizer metabolites in the environment. *Water Research* **38**(17): 3693-3698.
- IARC. 2000. Di (2-ethylhexyl) adipate. IARC Monographs on the evaluation of the carcinogenic risks to humans: some industrial chemicals. International Agency for Research on Cancer. World Health Organization. Lyon, France. 77: 149-175.

ICH Q2B. 1996. Guidance for Industry: Validation of Analytical Procedures:

Methodology. U.S. Department of Health and Human Services. Food and Drug Administration. Center for Drug Evaluation and Research (CDER). Center for Biologics Evaluation and Research (CBER).

ICH Q3B. 1997. Impurities: Guideline for Residual Solvents. ICH Harmonised Tripart Guideline. International Conference on Harmonisation of Technical Requirements for Human Use. 1-20.

Jackh, R., Rhodes, C., Grasso, P. and Carter, JT. 1984. Genotoxicity studies on di-(2-ethylhexyl) phthalate and adipate and toxicity studies on di-(2-ethylhexyl) phthalate in the rat and marmoset. *Food Chem Toxicol* 22(2): 151-155.

Jenke, D., Garber, M. J. and Zietlow, D. 2005. Validation of a Liquid Chromatographic Method for Quantitation of Organic Compounds Leached from a Plastic Container into a Pharmaceutical Formulation. *J. Liq. Chromatogr. Rel. Technol* 28: 199-222.

Jarfelt, K., Dalgaard, M., Hass, U., Borch, J., Jacobsen, H. and Ladefoged, O. 2005. Antiandrogenic effects in male rats perinatally exposed to a mixture of di(2-ethylhexyl) phthalate and di (2-ethylhexyl) adipate. *Reprod Toxicol* 19: 505-515.

Jara, S., Lysebo, C., Greibrokk, T., Lundanes, E. 2000. Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification. *Anal. Chim. Acta* 407: 165-171.

Jiménez, J. J., Bernal, J. L., del Nozal, M. J., Toribio, L. and Arias, E. 2001. Analysis of pesticide residues in wine by solid-phase extraction and gas chromatography with electron capture and nitrogen-phosphorus. *J. Chromatogr. A* 912(1): 147-156.

- John R. D. 1998. Solid Phase Extraction. Extraction Methods for Environment Analytical. Chechester. New York John Wiley & Sons, Ltd (UK). 221 p.
- Jonsson, S. and Borén, H. 2002. Analysis of mono- and diesters of *o*-phthalic acid by solid-phase extractions with polystyrene-divinylbenzene-based polymers. *J. Chromatogr. A* 963(1-2): 393-400.
- Kambia, K., Dine, T., Gressier, B., Germe, A-F., Luyckx, M., Brunet, C., Michaud, L. and Gottrand,F. 2001. High-performance liquid chromatographic method for the determination of di (2-ethylhexyl) phthalate in total parenteral nutrition and in plasma. *J. Chromatogr. B* 755: 297-303.
- Kang, J. S., Morimura, K., Toda, C., Wanibuchi, H., Wei. M. Kojima, Na. and Fukushima, S. 2006. Testicular toxicity of DEHP, but not DEHA, is elevated under conditions of thioacetamide-induced liver damage. *Reprod Toxicol* 11(23): 253-259.
- Kataoka, H., Lord, H. L. and Janusz Pawliszyn, J. 2000. Review: Applications of solid-phase microextraction in food analysis. *J. Chromatogr. A* 880(1-2): 35-62.
- Kavlock, R., Boekelheinde, K., Chapin, R., Cunningham, M., Faustman, E., Foste, P., Golub, M., Henderson, R., Hinberg, I., Little, R., Seed, J., Shea, K., Tabacova, S., Tyl, R., Williams, P. and Zacharewski, T. 2002. NTP Center for the Evaluation of Risks to Human Reproduction: phthalates expert panel report on the reproductive and developmental toxicity of di (2-ethylhexyl) phthalate. *Reprod Toxicol* 16(5): 529-653.

- Kayoko, K., Yoshihiro, Y., Hiroyuki, N., Yuko, I. and Hisao, O. 2002. Preparation of samples for gas chromatography/mass spectrometry analysis of phthalate and adipate esters in plasma and beverages by steam distillation and extraction. *J. AOAC Int* 85(3): 719-723.
- Ke, J. Yancy, M., Zhang, S. Lowes, S. and Henion, J. 2000. Quantitative liquid chromatographic-tandem mass spectrometric determination of reserpine in FVB/N mouse plasma using a "chelating" agent (disodium EDTA) for releasing protein-bound analytes during 96-well liquid-liquid extraction. *J. Chromatogr. B* 742: 369-380.
- Kelly, T. and Larroque, M. 1999. Trace determination of diethylphthalate in aqueous media by solid phase microextraction- liquid chromatography. *J. Chromatogr. A* 841: 177-185.
- Kim, J. H., Kim, S. H., Lee, C. H., Nah, J-W. and Airan Hahn, A. 2003. DEHP Migration Behavior from Excessively Plasticized PVC Sheets. *Bull. Korean Chem. Soc* 24: 345-349.
- Kim, Y-H., Lee, J. and Moon, S-H. 2003. Degradation of an endocrine disrupting chemical, DEHP [di-(2-ethylhexyl)-phthalate], by Fusarium oxysporum f. sp. pisi cutinase. *Applied Microbiology and Biotechnology*. 10.1007/s00253-003-1332-1335.
- Koch, H. M., Angerera, J., Drexler, H. and Ecksteinb, R. 2005. Di (2-ethylhexyl) phthalate (DEHP) exposure of voluntary plasma and platelet donors. *Int. J. Hyg. Environ.-Health* 208: 489-498.
- Koizumi, M., Ema, M., Hirose, A. Kurokawa, Y. and Hasegawa, R. 2001. No Observed Adverse Effect Levels (NOAEL) of Phthalate Esters on Reproductive and Developmental Toxicity, the Differences with Age and Species in Testicular Toxicity, and Tolerable Daily Intake of DEHP.

Kondro, W. 1998. News: Canada advises against use of phthalates in children's toys.
The Lancet 352(9142): 1764.

Lau, O-W. and Wong, S-K. 1996. Determination of plasticisers in food by gas chromatography-mass spectrometry with ion-trap mass detection.
J. Chromatogr. A 737(2): 338-342.

Leblanc, G. 2001. A Review of EPA Sample Preparation Techniques for Organic Compound Analysis of Liquid and Solid Samples. *Sample Prep Perspective*. LCGC 19(11): 1120-1130.

Lee, B. M. 2001. Preventive Strategies for Diethylhexyl phthalate (DEHP)-induced Endocrine Disruptions. Korea Food and Drug Administration (KFDA)/NITR Endocrine Disruptors International Symposium.

Lewis, R. J. 1993. Hawley's Condensed Chemical Dictionary (12th ed.) Van Nostrand Reinhold. 1275 p.

Li, X., Zeng, Z., Chen, Y. and Xu, Y. 2004. Determination of phthalate acid esters plasticizers in plastic by ultrasonic solvent extraction combined with solid-phase microextraction using calix[4]arene fiber. *Talanta* 3(4): 1013-1019.

Li, X., Zeng, Z., Gao, S. and Li, H. 2004. Preparation and characteristics of sol-gel-coated calix[4]arene fiber for solid-phase microextraction. *J. Chromatogr. A* 1023(1): 15-25.

Luks-Betlej, K., Popp, P., Janoszka, B. and Paschke, H. 2001. Solid-phase microextraction of phthalates from water. *J. Chromatogr. A* 938: 93-100.

Ma, L. L., Chu, S. G. and Xu, X. B. 2003. Phthalate Residues in Greenhouse Soil from Beijing Suburbs, People's Republic of China. *Bull. Environ. Contam. Toxicol.* 71: 393-399.

Mackintosh, C. E., Maldonado, J., Hongwu, J., Hoover, N., Chong, A. Ikonomou, M. G. and Cobas, F. A. P. C. 2004. Distribution of Phthalate Esters in a Marine Aquatic Food Web: Comparison to Polychlorinated Biphenyls. *Environ. Sci. Technol.* 38(7): 2011-2020.

Marcus, Y. 1998. The properties of solvents. Wiley series in solution chemistry (v. 4) John Wiley & Sons. 239 p.

Marín, M. L., Jimenez, A., Lopez, J. and Vilaplana, J. 1996. Analysis of poly (vinyl chloride) additives by supercritical fluid extraction and gas chromatography. *J. Chromatogr. A* 750(1): 183-190.

Material Safety Data Sheet. 2004. Florisil 60-100 Mesh. Chem-Supply PTY Ltd. (ABN 19 008 264 211). Australia.

Marttinen, S. K., Kettunen, R. H. and J. A. Rintala. 2003. Occurrence and removal of organic pollutants in sewages and landfill leachates. *Sci. Total Environ.* 301(1): 1-12.

Melecchi, M. I. S., Péres, V. F., Dariva, C., Zini, C. A., Abad, F. C., Martinez, M. M. and Caramão, E. B. 2006. Optimization of the sonication extraction method of *Hibiscus tiliaceus* L. flowers. *Ultrasonics Sonochemistry* 13(3): 242-250.

Meloan, C. E. 1999. Chemical separations : principles, techniques, and experiments.: Wiley-Interscience. New York. 752 p.

Mendham, J., Denney, R. C., Barnes, J. D. and Thomas, M. 2000. Vogel's textbook of Quantitative Chemical Analysis (6th ed.). Pearson Education. 806 p.

- Messer, D.C. and Taylor, L.T. 1996. Recovery of fortified (2 ppb) EPA method 525.1 analytes from Chesapeake Bay water via solid phase deposition followed by supercritical fluid elution. *J. High Resolut. Chromatogr* 19(7): 397-402.
- Meyer, V.R. 1997. Example of gradient elution in normal-phase liquid chromatograph. *J. Chromatogr. A* 768: 315-319.
- Michèle, L. 2003. Food Authenticity and Traceability. Woodhead Publishing in Food Science and Technology. Oxford. 594 p.
- Miller, J. N. and Miller, J. C. 2000. Staistics and Chemometrics for Analytical Chemistry (4th ed.). Pearson Education.Limited. England. 271 p.
- Mitra, S. 2003. Sample preparation techniques in analytical chemistry. John Wiley & Sons, Inc., USA., 464 p. 1-25.
- Murahashi, T., Sasaki, S. and Nakajima, T. 2003. Determination of Endocrine Disruptors in Automobile Exhaust Particulate Matter. *J. Health Science* 49(1): 72-75.
- Niino, T., Ishibashi, T., Itho, T., Sakai, S., Ishiwata, H., Yamada, T., Onodera, S. 2002. Simultaneous determination of phthalate di- and monoesters in poly (vinylchloride) products and human saliva by gas chromatography-mass spectrometry. *J. Chromatogr. B* 780(1): 35-44.
- Niino, T., Ishibashi, T., Ishiwata, H., Takeda, K. and Onodera, S. 2003. Characterization of Human Salivary Esterase in Enzymatic Hydrolysis of Phthalate Esters. *J. Health Science* 49(1): 76-81.
- NTP. 1982. Carcinogenesis bioassay of di (2-ethylhexyl) adipate. National Toxicology Program Technical Report, Series No. 212.

OEHHA. 2001. No significant risk level (NSRL) for the Proposition 65 carcinogen di (2-ethylhexyl) phthalate. Office of Environmental Health Hazard Assessment, California Environmental Protection Agency, Oakland, CA.

Page, BD, Lacroix, GM. 1992. Studies into the transfer and migration of phthalate esters from aluminium foil-paper laminates to butter and margarine. *Food Addit Contam* 9(3):197-212.

Page, BD and Lacroix, GM. 1995. The occurrence of phthalate ester and di-2-ethylhexyl adipate plasticizers in Canadian packaging and food sampled in 1985-1989: a survey. *Food Addit Contam* 12(1): 129-151.

Pawliszyn, J. 1999. Applications of solid phase microextraction. The Royal Society of Chemistry, UK. 655 p.

Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R.M. 1999. *Chromatographia* 50(11): 685-688.

Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R. M. 2000. Determination of phthalate esters in water samples by solid-phase microextraction and gas chromatography with mass spectrometric detection. *J. Chromatogr. A* 872(1-2): 191-201.

Peñalver, A., Pocurull, E., Borrull, F. and Marcé, R. M. 2001. Comparison of different fibers for the solid-phase microextraction of phthalate esters from water. *J. Chromatogr. A* 922(2): 377-384

Petersen, JH. and Breindahl, T. 1998. Specific migration of di (2-ethylhexyl) adipate (DEHA) from plasticized PVC film: results from an enforcement campaign. *Food Addit. Contam* 15(5): 600-608.

- Petersen, JH. and Breindahl, T. 2000. Plasticizers in total diet samples, baby food and infant formulae. *Food Addit Contam* 17(2):133-141.
- Petersen, J. H. and Naamansen, E. T. 1998. DEHA-plasticized PVC for retail packaging of fresh meat. *Eur Food Res Technol* 206(3): 156-160.
- Petersen, JH. and Breindahl, T. 1998. Specific migration of di (2-ethylhexyl) adipate (DEHA) from plasticized PVC film: results from an enforcement campaign. *Food Addit Contam* 15(5): 600-608.
- Petrovic, M. and Barceló, D. 2000. Determination of Anionic and Nonionic Surfactants, Their Degradation Products, and Endocrine-Disrupting Compounds in Sewage Sludge by Liquid Chromatography/Mass Spectrometry. *Anal. Chem.* 72: 4560-4567.
- Poole, C. F. and Schuette, S. A. (1984), Contemporary practice of chromatography. Elsevier Science: Netherlands, 708 p.
- Priority Substances Assessment Report 1994. bis (2-ethylhexyl) phthalate. Ministry of Supply and Services Canada. Government of Canada. ISBN 0-662-22031-5.
- Prokápková, G., Holadová, K., Poustka, J. and Hajšlová, J. 2002. Development of a solid-phase microextraction method for then determination of phthalic acid esters in water. *Anal. Chim. Acta* 457(2): 211-223.
- R Development Core Team (2006). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0.
- Rastogi, S. C. 1998. Gas chromatographic analysis of phthalate esters in plastic toys *Chromatographia* 47(2): 724-726.

Reedy, V. 1997. Optimizing Split/Splitless Flows in Capillary Gas Chromatography. *36(1)*: 4-7.

Richard, J and Lewis, S. 1993. Condensed chemical dictionary (12th ed). Van Nostrand Reinhold company, New York. 1775 p.

Risk & Policy Analysts Limited. 2000. The Availability of Substitutes for Soft PVC Containing Phthalates in Certain Toys and Childcare Articles. Final Report: The Availability of Substitutes for Soft PVC Containing Phthalates in Certain Toys and Childcare Articles. Contract No: ETD/99/502498.

Roper, P., Bueke, S. and Lawn, R. 2001. Applications of Reference Materials in Analytical Chemistry. Laboratory of the Government Chemist, Teddington, UK. 147 p.

Rouessac, F and Rouessac, A. 2000. Chemical Analysis: Modern Instrumental Methods and Techniques. Chichester : John Willey & Sons, Ltd. 445 p.

Sablayrolles, C., Montréjaud-Vignoles, M., Benanou, D., Patria, L. and Treilhou, M. 2005. Development and validation of methods for the trace determination of phthalates in sludge and vegetables. *J. Chromatogr. A* 1027(2): 233-242.

Saito, Y., Nakao, Y., Imaizumi, M., Morishima, Y. Hiso, Y. and Jinno, K. 2002. Miniaturized solid-phase extraction as a sample preparation technique for the determination of phthalates in water. *Anal. Bioanal. Chem* 373(1): 81-86.

Sarbach, C., Yagoubi, N., Sauzieres, J., Renaux, C., Ferrier, D., Postaire, E. Migration of impurities from a multilayer plastics container into a parenteral infusion fluid. *Int J Pharm* 140(2): 169-174.

Scott, Raymond P. W. 1998. Introduction to Analytical Gas Chromatography (2nd ed.). Marcel Dekker. New York. 397 p.

Settle, F. K. 1997. *Handbook of Instrumental Techniques for Analytical Chemistry.* Upper Saddle River, N.J. Prentice Hall, Inc. 995 p.

SCF Report 36th serie. 1997. Opinions of the Scientific Committee for Food on: Bis (2-ethylhexyl) phthalate expressed. Directorate-General Industry. European Communities. 21-24.

Shea, K. M. and the Committee on Environmental Health. 2005. Pediatric Exposure and Potential Toxicity of Phthalate Plasticizers. American Acadamy of Pediatrics: Technical Report.

Sheftel, VO. 2000. Harmful Substances in Plastics. Indirect Food Additives and Polymers: Migration and Toxicology.

Shen, H-Y. 2005. Simultaneous screening and determination eight phthalates in plastic products for food use by sonication-assisted extraction/GC-MS methods. *Talanta* 66(3): 734-739.

Simonean, C. and Hannaert, P. 1999. Stability testing of selected plastics additives for food contact in EU aqueous, fatty and alternative simulants. *Food Addit. Contam* 16(5): 197-206.

Sigma-Aldrich. 2005. The Role of Flow Rate in Solid Phase Extraction. Performance Tip Featured in Issue 19.7.

Skoog, D. A., Holer, F. J. and Nieman, T. A. 1998. *Principles of Instrumental analysis* (5th ed). Thomson Learning, Inc. 769 p.

Song, Y. S., Park, H. J. and Komolprasert, V. 2000. Analytical Procedure for Quantifying Five Compounds Suspected as Possible Contaminants in Recycled Paper/Paperboard for Food Packaging. *J. Agric. Food Chem* 48(12): 5856-5859.

- Staples, C. A., Adams, W. J., Parkerton, T. F. and Gorsuch, J. W. 1997. Review: Aquatic toxicity of eighteen phthalate esters. *Environ Toxicol Chem* 16(5): 875-891.
- Steiner I., Scharf, L., Fiala, F. and Washutti, J. 1998. Migration of di-(2-ethylhexyl) phthalate from PVC child articles into saliva and saliva stimulant. *Food Addit. Contam* 15(7): 812-817.
- Stringer, R., Labunská, L, Santillo, D., Johnston, P., Siddorn, J. and Stephenson, A. 2000. Concentrations of Phthalate Esters and Identification of Other Additives in PVC Children's Toys. *Environ. Sci. & Pollut* 7: 1-10.
- Summerfield, W. and Cooper, L. 2001. Investigation of migration from paper and board into food-development of methods for rapid testing. *Food Addit. Contam.* 18(1): 77-88.
- Supelco. 1998. Guide to Solid Phase Extraction. Bulletin. 910: 1-12.
- Sverdrup, L. E., Kelley, A. E., Weideborg, M., Ødegård, K. E. and Vik, E. A. 2000. Leakage of Chemicals from Two Grouting Agents Used in Tunnel Construction in Norway: Monitoring Results from the Tunnel Romeriksporten. *Environ. Sci. Technol* 34: 1914-1918.
- Swartz, M. and Krull, I. 1997. Analytical method development and validation. Marcel Dekker, Inc. New York. 92 p.
- Teil, M. J., Blanchard, M. and Chevreuil, M. 2006. Atmospheric fate of phthalate esters in an Urban area (Paris-France). 354(2): 212-223.
- The European Council for Plasticisers and Intermediates (ECPI). 2001. Eco-profile of high volume commodity phthalate esters (DEHP/DINP/DIDP).

The European Council for Plasticisers and Intermediates (ECPI). 2005.

FOODPLAST: A Plasticiser Information Centre.

Theodoridis, G. Koster, E.H.M. and de Jong, G. J. 2000. Review: Solid-phase microextraction for the analysis of biological samples. *J. Chromatogr. B* 745 (1): 49-82.

Tibor, C. and Esther, F. 1999. Chromatography in Food Science and Technology. Lancaster, Pa. Technomic Publishing. 514 p.

Tienpont, B., David, F., Vanwalleghem F. and Sandra, P. 2001. Pyrolysis-capillary gas chromatography-mass spectrometry for the determination of polyvinyl chloride traces in solid environmental samples. *J. Chromatogr. A* 911: 235-247.

Toxic Air Contaminant Identification. 1997. List Summaries - ARB/SSD/SES

Tsumura, Y. 2001. Phthalates Analysis & TDI Value of DEHP. KFDA/NITR Endocrine Disruptors International Symposium. Korea Food and Drug Administration (KFDA).

Tsumura, Y., Ishimitsu, S., Saito, I., Sakai, H., Kobayashi, Y. and Tonogai, Y. 2001. Eleven phthalate esters and di (2-ethylhexyl) adipate in one-week duplicate diet. *Food Addit Contam* 18(5): 449-460.

Tsumura, Y., Ishimitsu, S., Kaihara, A., Yoshii, K. and Tonogai, Y. 2002. Phthalates, Adipates, Citrates, and Some of the Other Plasticizers Detected in Japanese Ratial Foods. *J. Health Sci* 48(6): 493-502.

U.S. EPA. 1999. Di (2-ethylhexyl) adipate. Integrated Risk Information System (IRIS). U.S. Environmental Protection Agency.

U.S. EPA. 1997. DRAFT for Public Health Goal for Di-(2-ethylhexyl) phthalate (DEHP) in Drinking Water. Pesticide and Environmental Toxicology Section. Office of Environmental Health Hazard Assessment. California Environmental Protection Agency.

U.S. EPA. 2002. DRAFT for Public Comment and Scientific Review. Health Goal for Di-(2-ethylhexyl) adipate in Drinking Water. Pesticide and Environmental Toxicology Section. Office of Environmental Health Hazard Assessment. California Environmental Protection Agency

U.S. EPA. 2003. Six-Year Review Chemical Contaminants Health Effects: Technical Support Document Office of Water. Office of Science and Technology. United States Environmental Protection Agency. EPA 822-R-03-008. Office of Science and Technology. Health and Ecological Criteria Division Washington, D. C.

U.S. EPA. 2005. Bis (2-ethylhexyl) phthalate (DEHP). Environmental Protection Agency. National Center for Environmental Assessment. Office of Research and Development. Washington, DC.

Vandenburg, H. J., Clifford, A. A., Bartel, K. D., Ian, J. C., Louise M., N., Dean, J. R. and Costly, C. T. 1997. Critical Review: Analytical Extraction of Additives From Polymers. *Analyst* 22: 101R-115R.

Vitali, M., Guidotti, M., Macilenti, G. and Cremisini, C. 1997. Phthalate esters in freshwaters as markers of contamination sources-a site study in Italy. *Environment International*. 23(3): 337-347.

Wahl, H. G., Hoffmann, A., Haring, H-U. and Liebich, H. M. 1999. Identification of plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry. *J. Chromatogr. A* 847: 1-7.

Wang, L. and Weller, C. L. 2006. Recent advances in extraction of nutraceuticals from plants. *Trends in Food Science & Technology. In Press.* 1-13.

Wang, Z. Y., Xiao, C. H., Wu, C. and Han, H. 2000. High-performance polyethylene glycol-coated solid-phase microextraction fibers using sol-gel technology. *J. Chromatogr. A* 893(1): 157-168.

Waters. 1997. Waters 515 HPLC Pump. Operator's Guide. Waters corporation. Milford, USA.

WHO. 1996. Di (2-ethylhexyl) adipate. Guidelines for drinking-water quality, (2nd ed.). plasticizers in medical products by a combined direct thermodesorption-cooled injection system and gas chromatography-mass spectrometry. 847: 1-7.

WHO. 2004. Di (2-ethylhexyl) adipate. Background document for development of WHO Guidelines for Drinking-water Quality. World Health Organization. WHO/SDE/WSH/03.04/68.

Yin, M-C. and Su, K-H. 1996. Investigation on Risk of Phthalate Esters in Drinking Water and Marketed Foods. *J. Food and Drug Analysis* 4(4): 313-318.

Zeng, Z.R., Qiu, W.L. and Huang, Z.F. 2001. Solid-Phase Microextraction Using Fused-Silica Fibers Coated with Sol-Gel-Derived Hydroxy-Crown Ether. *Anal. Chem* 73(16): 2429-2436.

Zellmer, D. L. 1998. Standard Addition. Department of Chemistry California State University, Fresno.

Zygoura, P. D., Paleologos, E. K., Riganakos, K. A. and Kontominas, M. G. 2005.

Determination of diethylhexyl adipate and acetyltri butylcitrate in aqueous extracts after cloud point extraction coupled with microwave assisted back extraction and gas chromatographic separation. *J. Chromatogr. A* 1093(2): 29-35.