

Contents

	Page
Contents	xi
List of Tables	xiii
List of Figures	xix
Chapter	
1 Introduction	1
1.1 Introduction	1
1.2 Background	3
1.2.1 Chemical identification	3
1.2.2 Physical and chemical properties	7
1.3 Toxicity	8
1.3.1 Di (2-ethylhexyl) phthalate (DEHP)	9
1.3.2 Di (2-ethylhexyl) adipate (DEHA)	12
1.4 Literature reviews	14
1.4.1 Occurrence in food	14
1.4.2 Occurrence in food packaging	16
1.4.3 Occurrence in childcare article and medical device	17
1.4.4 Occurrence in environment	18
1.4.5 Analysis method	19
1.4.6 Sample preparation	22
1.4.6.1 Liquid-liquid extraction (LLE)	22
1.4.6.2 Ultrasonic extraction	24
1.4.6.3 Solid Phase Extraction (SPE)	25
1.4.6.4 Solid phase microextraction (SPME)	27
1.4.6.5 Supercritical fluid extraction (SFE)	29
1.4.6.6 Microwave-assisted extraction (MAE)	30
1.5 Objectives	32
2 Experiment	33
2.1 Chemicals and materials	33

Contents (Continued)

	Page
2.1.1 Standard chemicals	33
2.1.2 General chemicals and solvents	33
2.1.3 Samples	34
2.2 Instruments and apparatus	34
2.2.1 Gas chromatography- Flame Ionization Detector	34
2.2.2 Apparatus	35
2.3 Analysis system	36
2.4 Standard solution	37
2.4.1 DEHP-DEHA standard stock solution	37
2.4.2 DEHP-DEHA working standard solution	38
2.5 Optimization of GC-FID conditions	38
2.5.1 Carrier gas (He) flow rate	39
2.5.2 Column temperature programming	40
2.5.3 Injector temperature	41
2.5.4 Detector temperature	41
2.5.5 Fuel (H ₂) flow rate	41
2.5.6 Oxidant (air) flow rate	41
2.6 Limit of detection (LOD)	42
2.7 Linear dynamic range (Linearity)	42
2.8 Sample preparation	42
2.8.1 Adsorbent conditioning	42
2.8.2 Preparation of Florisil [®] cartridges	44
2.8.3 Optimization of sample preparation procedure	44
2.8.3.1 Extraction time	48
2.8.3.2 Extraction solvent	48
2.8.3.3 Volume of extraction solvent	49
2.8.3.4 Sample flow rate	49
2.8.3.5 Drying time	49

Contents (Continued)

	Page
2.8.3.6 Type of eluting solvent	49
2.8.3.7 Volume of eluting solvent	50
2.8.3.8 Flow rate of eluting solvent	50
2.9 Sampling	51
2.10 Matrix Interference	52
2.11 Method validation	53
2.11.1 Recovery	53
2.11.1 Method detection limit (MDL)	54
2.11.2 Limit of quantitation (LOQ)	54
2.11.3 Precision	55
2.12 Qualitative and quantitative analysis of phthalate and adipate esters in packaged food	56
2.12.1 Qualitative analysis	56
2.12.2 Quantitative Analysis	56
2.12.2.1 Matrix match calibration curve	56
2.12.2.2 Standard addition method	57
2.13 Quality assurance and quality control	58
3 Results and discussions	60
3.1 Optimization of GC-FID conditions for phthalate and adipate esters	60
3.1.1 Carrier gas flow rate	60
3.1.2 Column temperature programming	67
3.1.3 Injector temperature	75
3.1.4 Detector temperature	78
3.1.5 Fuel (H ₂) flow rate	82
3.1.6 Oxidant (air) flow rate	84
3.1.7 Summary of GC-FID conditions	85
3.2 Limit of detection (LOD)	87

Contents (Continued)

	Page
3.3 Linear dynamic range (Linearity)	88
3.4 Sample preparation	90
3.4.1 Optimization of ultrasonic extraction	91
3.4.1.1 Extraction time	91
3.4.1.2 Extraction solvent	93
3.4.1.3 Volume of extraction solvent	95
3.4.2 Optimization of solid phase extraction	96
3.4.2.1 Sample flow rate	97
3.4.2.2 Drying time	99
3.4.2.3 Type of eluting solvent	100
3.4.2.4 Volume of eluting solvent	103
3.4.2.5 Flow rate of eluting solvent	104
3.5 Matrix Interference	107
3.6 Comparison between the slope of standard and matrix match calibration curve	111
3.7 Method validation	113
3.7.1 Recovery	114
3.7.2 Method detection limit (MDL)	115
3.7.3 Limit of quantitation (LOQ)	116
3.7.4 Precision	117
3.8 Qualitative and quantitative analysis of phthalate and adipate esters in food	119
3.8.1 Qualitative analysis	119
3.8.2 Quantitative analysis	119
3.9 The regulations of phthalate and adipate esters in packaged food	136
4 Conclusion	142
References	148
Vitae	173

List of Tables

Table	Page
1 Chemical identifications of DEHP and DEHA	5
2 Physical and chemical properties of DEHP and DEHA	8
3 Application of GC to the determination of phthalates and adipate ester	21
4 GC-FID starting operating conditions	39
5 Physical properties of Florisil [®] 60-100 mesh	43
6 The starting operating conditions for the optimization of sample preparation	48
7 Optimization of sample preparation	51
8 Curry paste samples for phthalate and adipate esters determination	52
9 The Height Equivalent to a Theoretical Plate (HETP) of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution at various carrier gas flow rates	66
10 Effect of initial temperature on the response and analysis time of 10 $\mu\text{g mL}^{-1}$ 1 μL DEHP-DEHA standard solution	69
11 Effect of hold time at the initial temperature on the response and analysis time of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	70
12 Effect of ramp rate on the response and analysis time of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	72
13 Effect of final temperature on the response and analysis time of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	73
14 Effect of injector temperature on the response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	77
15 Effect of detector temperature on the response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	81

List of Tables (Continued)

Table	Page
16 Effect of fuel gas flow rate on the responses of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	83
17 Effect of oxidant gas (air) flow rate on the responses of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution	84
18 Optimum conditions of GC-FID for phthalate and adipate esters analysis	86
19 Limit of detection of DEHP and DEHA with S/N > 3	87
20 LOD reported for the determination of DEHP	88
21 Response of DEHA and DEHP at various concentrations	89
22 Effect of extraction time on the response of DEHA and DEHP extraction	92
23 Effect of extraction solvent on the response of DEHA and DEHP	94
24 Polarity index, dipole moment and dielectric constant of solvents	95
25 Effect of extraction volume on the response of DEHA and DEHP extraction	96
26 Effect of sample flow rate on the response of DEHA and DEHP extraction	98
27 Effect of drying time on the response of DEHA and DEHP	99
28 Effect of eluting solvent on the response of DEHA and DEHP	102
29 Effect of volume of eluting solvent on the response of DEHP and DEHA	103
30 Effect of flow rate of eluting solvent on the response of DEHA and DEHP	105
31 Optimum conditions of sample preparation	106
32 Effect of matrix on the responses of DEHA in curry paste samples	109

List of Tables (Continued)

Table	Page
33 Effect of matrix on the responses of DEHA in curry paste samples	110
34 Statistic values for the comparison between the slope for DEHP standard curve and matrix match calibration curve of various curry paste samples using ANOVA by R software	112
35 Statistic values for the comparison between the slope for DEHA standard curve and matrix match calibration curve of various curry paste samples using ANOVA by R software	113
36 Level of significance (<i>P</i> value) from ANOVA for the comparison between the slope for standard curve and matrix match calibration curve of various curry paste samples	113
37 Percentage recovery of DEHP and DEHA of various curry paste samples at spiked concentration of 0.5 $\mu\text{g mL}^{-1}$	115
38 Percentage recovery of DEHP and DEHA of various curry paste samples at spiked concentration of 5.0 $\mu\text{g mL}^{-1}$	115
39 The method detection limit of DEHA and DEHP analysis using ultrasonic extraction follow by SPE sample preparation methods for various curry paste samples	116
40 Limit of quantitation (LOQ) of DEHA and DEHP at various curry paste samples with $S/N \geq 10$	117
41 Precision of curry paste samples analysis for DEHP at spiked concentration of 0.5 and 5.0 $\mu\text{g mL}^{-1}$	118
42 Precision of curry paste samples analysis for DEHA at spiked concentration of 0.5 and 5.0 $\mu\text{g mL}^{-1}$	119
43 The DEHP concentrations of each curry paste sample determined by matrix match calibration curves	123

List of Tables (Continued)

Table	Page
44 The results of standard addition calibration curves of DEHA in Sour yellow curry paste sample (sample No. 1) at various spiked concentration levels	124
45 The results of standard addition calibration curves of DEHA in Sour yellow curry paste sample (sample No. 2) at various spiked concentration levels	125
46 The results of standard addition calibration curves of DEHA in Red curry paste sample (sample No. 1) at various spiked concentration levels	126
47 The results of standard addition calibration curves of DEHA in Red curry paste sample (sample No. 2) at various spiked concentration levels	127
48 The results of standard addition calibration curves of DEHA in Green curry paste sample (sample No. 1) at various spiked concentration levels	128
49 The results of standard addition calibration curves of DEHA in Green curry paste sample (sample No. 2) at various spiked concentration level	129
50 The results of standard addition calibration curves of DEHA in Masman curry paste sample (sample No. 1) at various spiked concentration levels	130
51 The results of standard addition calibration curves of DEHA in Masman curry paste sample (sample No. 2) at various spiked concentration levels	131
52 The results of standard addition calibration curves of DEHA in Panang curry paste sample (sample No. 1) at various spiked concentration levels	132

List of Tables (Continued)

Table	Page
53 The results of standard addition calibration curves of DEHA in Panang curry paste sample (sample No. 2) at various spiked concentration levels	133
54 The DEHA concentrations of each curry paste sample determined by standard addition calibration curves	134
55 Intake of DEHP and DEHA from all curry paste samples when assumed that an adult (60 kg body weight) intakes each curry paste 5 g per day	138
56 Intake of DEHP and DEHA from all curry paste samples when assumed that a child (20 kg body weight) intakes each curry paste 1 g per day	139
57 LOD reported for the determination of DEHP	143
58 Comparison between proposed method and another sample preparation method for analysis of phthalate and adipate esters in food	146

List of Figures

Figure	Page
1 Chemical structure of di (2-ethylhexyl) phthalate (DEHP)	6
2 Production of di (2-ethylhexyl) phthalate	6
3 Chemical structure of di (2-ethylhexyl) adipate (DEHA)	6
4 The analysis system for DEHA and DEHP analysis	37
5 The chemical structure of Florisil	43
6 Packed Florisil [®] cartridge	44
7 Solid phase extraction of Florisil [®] cartridges	46
8 Analytical procedure of phthalate and adipate esters for curry paste samples	47
9 Standard addition method	58
10 The van Deemter plot	63
11 Measurement used in calculating total theoretical plates	65
12 The van Deemter plot of DEHA and DEHP	67
13 Response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution at various initial temperatures	69
14 Response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA stand solution at various initial temperature holding times	71
15 Response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution at various ramp rates	72
16 Response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution at various final temperatures	74
17 Optimun column temperature programming for DEHP and DEHA analysis	75
18 Diagram of splitless inlet	76
19 Response of 10 $\mu\text{g mL}^{-1}$, 1 μL DEHP-DEHA standard solution at various temperature	77
20 Schematic diagram of a flame ionization detector (FID)	79

List of Figures (Continued)

Figure	Page
21 Schematic diagram of flame process in the FID	80
22 Response of $10 \mu\text{g mL}^{-1}$, $1 \mu\text{L}$ DEHP-DEHA standard solution at various detector temperatures	82
23 Response of $10 \mu\text{g mL}^{-1}$, $1 \mu\text{L}$ DEHP-DEHA standard solution at various fuel gas flow rates	83
24 Response of $10 \mu\text{g mL}^{-1}$, $1 \mu\text{L}$ DEHP-DEHA standard solution at various oxidant gas flow rates	85
25 The chromatogram of di (2-ethylhexyl) phthalate (DEHP) and di (2-ethylhexyl) adipate (DEHA) at optimum GC-FID conditions	86
26 Linear dynamic range of DEHP and DEHA	90
27 Responses of DEHP and DEHA at various extraction times	92
28 Responses of DEHP and DEHA at various extraction solvents	94
29 Responses of DEHP and DEHA at various volumes of extraction solvent	96
30 Responses of DEHP and DEHA at various sample flow rate	98
31 Responses of DEHP and DEHA at various drying times	100
32 Responses of DEHP and DEHA at various eluting solvents	102
33 Responses of DEHP and DEHA at various volumes of eluting solvent	104
34 Responses of DEHP and DEHA at various eluting solvent flow rates	105
35 GC-FID Chromatograms of DEHA and DEHP from spiked curry paste sample at optimum conditions of sample preparation	107
36 GC-FID Chromatograms of DEHA and DEHP from spiked curry paste sample with some interference peaks (peak No. 1, 2, 3, 4 and 5)	108

List of Figures (Continued)

Figure	Page
37 Matrix match calibration curve of DEHA of curry paste Samples	109
38 Matrix match calibration curve of DEHP of curry paste samples	110
39 GC-FID Chromatogram of DEHP from Sour curry paste sample	120
40 GC-FID Chromatogram of DEHP from Red curry paste sample	121
41 GC-FID Chromatogram of DEHP from Green curry paste sample	121
42 GC-FID Chromatogram of DEHP from Masman curry paste sample	122
43 GC-FID Chromatogram of DEHP from Panang curry paste sample	122
44 The standard addition calibration curve of DEHA in Sour yellow curry paste sample (sample No. 1)	124
45 The standard addition calibration curve of DEHA in Sour yellow curry paste sample (sample No. 2)	125
46 The standard addition calibration curve of DEHA in Red curry paste sample (sample No. 1)	126
47 The standard addition calibration curve of DEHA in Sour yellow curry paste sample (sample No. 2)	127
48 The standard addition calibration curve of DEHA in Green curry paste sample (sample No. 1)	128
49 The standard addition calibration curve of DEHA in Green curry paste sample (sample No. 2)	129
50 The standard addition calibration curve of DEHA in Masman curry paste sample (sample No. 1)	130
51 The standard addition calibration curve of DEHA in Masman curry pastesample (sample No. 2)	131
52 The standard addition calibration curve of DEHA in Panang curry paste (sample No. 1)	132

List of Figures (Continued)

Figure	Page
53 The standard addition calibration curve of DEHA in Panang curry paste sample (sample No. 2)	133
54 DEHP and DEHA levels in each type of curry paste sample (sample No. 1 and 2)	135