

**BIBLIOGRAPHY**

- Agrawal, P.K., Jain, D.C., Gupta, R.K. and Thakur, R.S. 1985. Carbon-13 NMR spectroscopy of steroidal saponins and steroidal saponins. *Phytochem.* 24(11): 2479-2496.
- Ahmad, I., Mehmood, Z. and Mohammad, F. 1998. Screening of some Indian medicinal plants for their antimicrobial properties. *J. Ethnopharmacol.* 62: 183-193.
- Ali, M. and Bhutani, K.K. 1991. Occurrence of hexahydroxydiphenic acid ester in *Terminalia bellerica* fruits. *Indian J. Nat. Prod.* 7: 16-17.
- Ammon, H.P.T. and Wahl, M.A. 1991. Pharmacology of *Curcuma longa*. *Planta Med.* 57: 1-7.
- Anila, L. and Vijayalakshmi, N.R. 2003. Antioxidant action of flavonoids from *Mangifera indica* and *Emblica officinalis* in hypercholesterolemic rats. *Food Chem.* 83: 569-574.
- Anila, L. and Vijayalakshmi, N.R. 2002. Flavonoids from *Emblica officinalis* and *Mangifera indica*-effectiveness for dyslipidemia. *J. Ethnopharmacol.* 79: 81-87.
- Anilakumar, K.R., Nagaraj, N.S. and Santhanam, K. 2004. Protective effects of amla on oxidative stress and toxicity in rats challenged with dimethyl hydrazine. *Nutr. Res.* 24: 313-319.
- Arora, S., Kaur, K. and Kaur, S. 2003. Indian medicinal plants as a reservoir of protective phytochemicals. *Teratogenesis, Carcinogenesis and Mutagenesis Supplement.* 1: 295-300.
- Bajpai, M., Pande, A., Tewari, S.K. and Prakash, D. 2005. Phenolic contents and antioxidant activity of some food and medicinal plants. *Int J. Food Sci and Nutr.* 56(4): 287-291.
- Bandyopadhyay, S.K., Pakrashi, S.C. and Pakrashi, A. 2000. The role of antioxidant activity of *Phyllanthus emblica* fruits on prevention from indomethacin induced gastric ulcer. *J. Ethnopharmacol.* 70: 171-176.
- Banu, S.M., Selvendiran, K., Singh, J.P.V. and Sakthisekaran, D. 2004. Protective effect of *Emblica officinalis* ethanolic extract against 7,12-dimethylbenz(a)anthracene (DMBA) induced genotoxicity in Swiss albino mice. *Hum.Exp. Toxicol.* 23: 527-531.

- Benny, A., Kaimal, T.N.B., Merina, B. and Rao, S.B. 2008. Low molecular weight hydrolysable tannins of *Emblica officinalis* Gaertn. as antioxidative, hypolipidemic and anticancer agents. *Antioxidants Directory*. 2-7. (online). Available: [http://www.b5srl.com/php/downloadFile/downloadFile.php?mode=product&prod\\_down=0&product\\_code=0000000001&n=2&default\\_table=\\_product\\_pages](http://www.b5srl.com/php/downloadFile/downloadFile.php?mode=product&prod_down=0&product_code=0000000001&n=2&default_table=_product_pages) (2005, September 19)
- Benzie, I.F.F. 2000. Evolution of antioxidant defence mechanisms. *European J. Nutr.* 39: 53-61.
- Bhattacharya, S.K., Bhattacharya, A., Sairam, K. and Ghosal, S. 2002. Effect of bioactive tannoid *Phytomedicine*. 9: 171-174.
- Blois, M.S. 1958. Antioxidant determinations by the use of a stable free radical. *Nature*. 181: 1199-1200.
- Blonquist, A.T. and Wesserman, H. 1972. Carbon-13 NMR Spectroscopy. New York, Academic Press.
- Bonjar, G.H.S. 2004. Antibacterial screening of plants used in Iranian folkloric medicine. *Fitoterapia*. 75: 231-235.
- Bonjar, G.H.S. 2004(a). Inhibition of Clotrimazol-resistant *Candida albicans* by plants used in Iranian folkloric medicine. *Fitoterapia*. 75: 74-76.
- Boyd, M.R. 1997. The NCI in vitro. anticancer drug discovery screen. Anticancer drug development guide: preclinical screening, clinical trial, and approval. Humana Press: Totowa.
- Chase, C. 2002. Antioxidant ability of medicinal plants in the treatment of diabetes. HerbClip™ (online). Available: <http://www.herbalgram.org/herbclip/review.asp?i=43320> (2005, September 8).
- Chaudhuri, R.K. 2002. Emblica cascading antioxidant: a novel natural skin care ingredient. *Skin. Pharmacol. Appl. Skin. Physiol.* 15: 374-380.
- Cheng, H.Y., Lin, T.C., Yu, K.H., Yang, C.M. and Lin, C.C. 2003. Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biol. Pharm. Bull.* 26(9): 1331-1335.
- Das, U.N. 1990. Gamma-linoleic acid, arachidonic acid and eicosapentaenoic acid as potential anticancer drugs. *Nutrition*. 3(3): 211-214.

- Dhir, H., Agarwal, K., Sharma, A. and Talukder, G. 1991. Modifying role of *Phyllanthus emblica* and ascorbic acid against nickel clastogenicity in mice. *Cancer Lett.* 59: 9-18.
- Dreher, D. and Junod, A.F. 1996. Roles of oxygen free radicals in cancer development. *European J. Cancer.* 32(A): 30-38.
- Elizabeth, K.M. 2005. Antimicrobial activity of *Terminalia bellerica*. *Indian J. Clin. Biochem.* 20 (2): 150-153.
- El-Mekkawy, S., Meselhy, M.R., Kusumoto, I.T., Kadota, S., Hattori, M. and Namba, T. 1995. Inhibitory effects of Egyptian folk medicines on human immunodeficiency virus (HIV) reverse transcriptase. *Chem. Pharm. Bull.* 43(4): 641-648.
- Farnsworth, N.R. 1988. Screening plants for new medicines. In Biodiversity. Wilson EO. ed, National Academy Press: Washington DC.
- Fiuza, S.M., Gomes, C., Teixeira, L.J., Girão da Cruz, M.T., Cordeiro, M.N.D.S., Milhazes, N., Borges, F. and Marques, P.M. 2004. Phenolic acid derivatives with potential anticancer properties-a structure-activity relationship study. Part 1: Methyl, propyl and oyl esters of caffeic acid and gallic acids. *Bioorganic Med. Chem.* 12: 3581-3589.
- Folin, O. and Ciocalteu, V. 1927. On tyrosine and tryptophane determination in proteins. *J. Biol Chem.* 27 : 627-650.
- Freshney, R.I. 1994. Culture of Animal Cells. A Manual of Basic Technique. 3<sup>rd</sup> ed, New York. A John Wiley and Sons, Inc.
- Ghosal, S., Tripathi, V.K. and Chauhan, S. 1996. Active constituents of *Embllica officinalis*: Part1-The chemistry and antioxidant effects of two new hydrolysable tannins, Emblicanin A and B. *Indian J. Chem.* 35B: 941-948.
- Gordon, M.H. 1996. Dietary antioxidants in disease prevention. *Nat Prod Rep.* 13(4): 265-273.
- Halliwell, B. and Gutteridge, J.M.C. 1988. Free radicals in biology and medicine 2 edn. Oxford: Charendon Press.
- Halliwell, B. and Gutteridge, J.M.C. 1990. Role of free radicals and catalytic metal ions in human disease: an overview. In: Packer, L. and Glaze, A.N. eds. *Methods in Enzymology: Oxygen radicals in Biological systems.* San Diego: Academic Press.

- Halliwell, B. and Gutteridge, J.M.C. 1999. Free radicals in Biology and Medicine 3 edn. London: Oxford University Press.
- Hamada, S., Kataoka, T., Woo, J.T., Yamada, A., Yoshida, T., Nishimura, T., Otake, N. and Nagai, K. 1997. Immunosuppressive effects of gallic acid and chebulagic acid on CTL-mediated cytotoxicity. *Biol. Chem. Pharm. Bull.* 20(9): 1017-1019.
- Harman, D. 1982. Free radical in biology. Academic Press, New York. 255-275.
- Hifnaw, M.S., El-Fishawy, A.M., El-Sakhawy, F.S., Yousif, M.F. and Bakr, A. 1998. Phytochemical and biological study of certain *Terminalia* species growing in Egypt. *J. Dru. Res.* 22: 67-90.
- Itharat, A., Plubrukarn, A., Kongsaree, P., Bui, T., Keawpradub, N. and Houghton, P.J. 2003. Dioscorealides and dioscoreanone, novel cytotoxic naphthofuranox-epins, and 1,4-phenanthraquinone from *Dioscorea membranacea* Pierre. *Org Lett.* 5: 2879-2882.
- Itharat, A., Singchangchai, P. and Ratanasuwan, P. 1998. Wisdom of Southern Thai traditional doctors. Research Report of Prince of Songkla University, Songkhla.
- Jadon, A., Bhaduria, M. and Shukla, S. 2007. Protective effect of *Terminalia bellerica* Roxb. and gallic acid against carbon tetrachloride induced damage in albino rat. *J. Ethnopharmacol.* 109: 214-218.
- Jagetia, G.C., Rao, S.K., Baliga, M.S. and Babu, K.S. 2004. The evaluation of nitric oxide scavenging activity of certain herbal formulations *in vitro*: A preliminary study. *Phytother. Res.* 18: 561-565.
- Jagtap, A.G. and Karkera, S.G. 1999. Potential of the aqueous extract of *Terminalia chebula* as an anticaries agent. *J. Ethnopharmacol.* 68: 299-306.
- Jeena, K.J., Kutta, G. and Kuttan, R. 2001. Antitumour activity of *Emblica officinalis*. *J. Ethnopharmacol.* 75: 65-69.
- Jeena, K.J. and Kuttan, R. 2000. Hepatoprotective activity of *Emblica officinalis* and Chyavanaprash. *J. Ethnopharmacol.* 72: 135-140.
- Jeena, K. J., Joy, K. L. and Kuttan, R. 1999. Effect of *Emblica officinalis*, *Phyllanthus amarus* and *Picrorrhiza kurroa* on *N*-nitrosodiethylamine induced hepatocarcinogenesis. *Cancer Lett.* 136:11-16.

- Jin, Y.A., Li, G.H., Ahn, S.Y., Row, K.H. and Kim, E.K. 2006. Extraction and purification of depigmenting agents from Chinese plants. *Chem. Res. Chinese U.* 22(2):162-167.
- Jones, G.R. 1992. Cancer destruction in vivo through disrupted energy metabolism. Part II. Lipid peroxidation and cell death; drug resistance as a consequence of reversible cellular injury. *Physiol. Chem. Phy. Med. NMR.* 24(3): 181-194.
- Kamboj, V.P. 2000. Herbal medicine. *Curr. Sci.* 78(1): 35-39.
- Kaur, S., Michael, H., Arora, S., Härkönen, P.L. and Kumar, S. 2005. The in vitro cytotoxic and apoptotic activity of Triphala-an Indian herbal drug. *J. EthnoPharmacol.* 97(1): 15-20.
- Kaur, S., Grover, I.S., Singh, M. and Kaur, S. 1998. Antimutagenicity of hydrolysable tannins from *Terminalia chebula* in *Salmonella typhimurium*. *Mut. Res.* 419: 169-179.
- KC, S.K. and Müller, K. 1999. Medicinal plants from Nepal; II. Evaluation as inhibitors of lipid peroxidation in biological membranes. *J. Ethnopharmacol.* 64: 135-139.
- Keawpradub, N., Houghton, P.J., Amooguaye, E.E. and Burke, P.J. 1997. Activity of extracts and alkaloids of Thai *Alstonia* species against human lung cancer cell lines. *Planta Med.* 63: 97-101.
- Khan, M.T.H., Lampronti, I., Martello, D., Bianchi, N., Jabbar, S., Choudhuri, M.S.K., Datta, B.K and Gambari, R. 2002. *Inter J. Oncol.* 20: 187-192.
- Khopde, S.M., Priyadarsini, K.I., Mohan, H., Gawandi, V.B., Satav, J.G., Yakhmi, J.V., Banavaliker, M.M., Biyani, M.K. and Mittal, J.P. 2001. Characterizing the antioxidant activity of amla (*Phyllanthus emblica*) extract. *Curr. Sci.* 81(2): 185-190.
- Kumar, G.S., Nayaka, H., Dharmesh, S.M. and Salimath, P.V. 2006. Free and bound phenolic antioxidants in amla (*Embllica officinalis*) and tumeric (*Curcuma longa*). *J. Food Comp. Anal.* 19: 446-452.
- Kumaran, A. and Karunakaran, R.J. 2006. Nitric oxide radical scavenging activity components from *Phyllanthus emblica* L. *Plant Foods Hum Nutr.* 61(1): 1-5.

- Kurokawa, M., Nagasaka, K., Hirabayashi, T., Uyama, S., Sato, H., Kageyama, T., Kadota, S., Ohyama, H., Hozumi, T., Namba, T. and Shiraki, K. 1995. Efficacy of traditional herbal medicines in combination with acyclovir against herpes simplex virus type 1 infection in vitro and in vivo. *Antiviral Res.* 27: 19-37.
- Lee, H.S., Won, N.H., Kim, K.H., Lee, H., Jun, W. and Lee, K.W. 2005. Antioxidant effects of aqueous extract of *Terminalia chebula* in vivo and in vitro. *Biol. Pharm. Bull.* 28 (9): 1639-1644.
- Lee, S.H., Ryu, S.Y., Choi, S.U., Lee, C.O., Ahn, J.W. and Et, A.L. 1995. Hydrolyzable tannins and related compound having cytotoxic activity from the fruits of *Terminalia chebula*. *Arch. Pharmacol. Res.* 18(2): 118-120.
- Lu, Y. and Foo, L.Y. 1999. The polyphenol constituents of grape pomace. *Food Chem.* 65: 1-8.
- Malekzadeh, F., Ehsanifar, H., Shahamat, M., Levin, M. and Colwell, R.R. 2001. Antibacterial activity of black myrobalan (*Terminalia chebula* Retz.) against *Helicobacter pylori*. *Inter. J. Antimicrobial Agents.* 18: 85-88.
- Mates, J.M. and Sanchez-Jemenez, F.M. 2000. Role of reactive oxygen species in apoptosis: implications for cancer therapy. *Int. J. Biochem Cell Biol.* 32: 157-170.
- Mathers, C.D., Boschi-Pinto, C., Lopez, A.D. and Murray, C.J.L. 2001. Cancer incidence, mortality and survival by site for 14 regions of the world. World Health Organization.
- Mathur, R., Sharma, A., Dixit, V.P. and Varma, M. 1996. Hypolipidemic effect of fruit juice of *Emblica officinalis* in cholesterol-fed rabbits. *J. Ethnopharmacol.* 50: 61-68.
- Miliauskas, G., Venskutonis, P.R. and Beek, T.A. van. 2004. Screening of radical scavenging activity of some medicinal and aromatic plant extracts. *Food Chem.* 85: 231-237.
- Na, M.K., Bae, K.H., Kang, S.S., Min, B.S., Yoo, J.K., Kamiryo, Y., Senoo, Y., Yokoo, S. and Miwa, N. 2004. Cytoprotective Effect on oxidative stress and inhibitory effect on cellular aging of *Terminalia chebula* fruit. *Phytother Res.* 18: 737-741.
- Naik, G.H., Priyadarsini, K.I. and Mohan, H. 2005. Evaluating the antioxidant activity of different plant extracts and herbal formulations. *Res. Chem. Intermediates.* 31: 145-151.

- Naik, G.H., Priyadarsini, K.I., Bhagirathi, R.G., Mishra, B., Mishra, K.P., Banavalikar, M.M. and Mohan, H. 2005(a). In vitro antioxidant studies and free radical reactions of triphala, an ayurvedic formulation and its constituents. *Phytother. Res.* 19: 582-586.
- Naik, G.H., Priyadarsini, K.I., Naik, D.B., Gangabhairathi, R. and Mohan, H. 2004. Studies on the aqueous extract of *Terminalia chebula* as a potent antioxidant and a probable radioprotector. *Phytomedicine.* 11: 530-538.
- Naik, G.H., Priyadarsini, K.I., Satav, J.G., Banavalikar, M.M., Sohoni, D.P., Biyani, M.K. and Mohan, H. 2003. Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. *Phytochem.* 63: 97-104.
- Nancy, A.K., Chakraborty, A. and Podder, G. 1997. Antimicrobial activity of *Terminalia bellerica* triterpenoids. *Fitoterapia.* 68: 178-180.
- Nandi, P., Talukder, G. and Sharma, A. 1997. Dietary chemoprevention of clastogenic effects of 3,4-benzo(a)pyrene by *Emblica officinalis* Gaertn. *Br. J. Cancer.* 76: 1279-1283.
- Nandy, A.K., Podder, G., Sahu, N.P. and Mahato, S.B. 1989. Triterpenoids and their glucosides from *Terminalia bellerica*. *Phytochem.* 28(10): 2769-2772.
- Nosál'ová, G., Mokry and Hassan, T. 2003. Antitussive activity of the fruit extract of *Emblica officinalis* Gaertn. (Euphorbiaceae). *Phytomedicine.* 10: 583-589.
- Odeleye, O.E. 1992. Vitamin E inhibition of lipid peroxidation and ethanol-mediated promotion of esophageal tumorigenesis. *Nutr Cancer.* 17(3): 223-224.
- Pal, S., Choudhuri, T., Chattopadhyay, S., Bhattacharya, A., Datta, G.K., Das, T. and Sa, G. 2001. Mechanisms of curcumin-induced apoptosis of Ehrlich's ascites carcinoma cells. *Biochem. Biophys. Res. Commun.* 288: 658-665.
- Perianayagam, J.B., Sharma, S.K., Joseph, A. and Christina, A.J.M. 2004. Evaluation of anti-pyretic and analgesic activity of *Emblica officinalis* Gaertn. *J. Ethnopharmacol.* 95(1): 83-85.
- Perianayagam, J.B., Narayanan, S., Gnanasekar, G., Pandurangan, A., Raja, S., Rajagopal, K., Rajesh, R., Viyayarajkumar, P. and Viyayarajkumar, S.G. 2005. Evaluation of antidiarrheal potential of *Emblica officinalis*. *Pharma. Biol.* 43(4): 373-377.

- Pramyothin, P., Samosorn, R., Pongshompoo, S. and Chaichantipyuth. 2006. The protective effects of *Phyllanthus emblica* Linn. extract on ethanol induced rat hepatic injury. *J. Ethnopharmacol.* 107: 361-364.
- Prasad, L., Khan, T.H., Jahangir, T. and Sultana, S. 2006. Chemomodulatory effects of *Terminalia chebula* against nickel chloride induced oxidative stress and tumor promotion response in male Wistar rats. *J. Trace Elements. Med. Biol.* 20(4): 233-239.
- Ram, M.S., Neetu, D., Yogesh, B., Anju, B., Dipti, P., Pauline, T., Sharma, S.K., Sarada, S.K.S., Ilavazhagan, G., Kumar, D. and Selvamurthy, W. 2002. Cyto-protective and immunomodulating properties of Amla (*Emblica officinalis*) on lymphocytes: an in-vitro study. *J. Ethnopharmacol.* 81: 5-10.
- Sabu, M.C. and Kuttan, R. 2002. Anti-diabetic activity of medicinal plants and its relationship with their antioxidant property. *J. Ethnopharmacol.* 81: 155-160.
- Sairam, K., Rao, Ch.V., Babu, M. D., Kumar, K. V., Agrawal, V.K. and Goel, R. K. 2002. Antiulcerogenic effect of methanolic extract of *Emblica officinalis*: an experimental study. *J. Ethnopharmacol.* 82: 1-9.
- Saleem, A., Husheem, M., Härkönen, P. and Pihlaja, K. 2002. Inhibition of cancer cell growth by crude extract and the phenolics of *Terminalia chebula* retz. Fruit. *J. Ethnopharmacol.* 81: 327-336.
- Sancheti, G., Jindal, A., Kumari, R. and Goyal, P.K. 2005. Chemopreventive action of *Emblica officinalis* on skin carcinogenesis in Mice. *Asian Pacific J. Cancer Prev.* 6: 197-201.
- Sandhya, T. and Mishra, K.P. 2006. Cytotoxic response of breast cancer cell lines, MCF 7 and T 47D to triphala and its modification by antioxidants. *Cancer Lett.* 238: 304-313.
- Sandhya, T., Lathika, K.M., Pandey, B.N. and Mishra, K.P. 2006. Potential of traditional ayurvedic formulation, Triphala, as a novel anticancer drug. *Cancer Lett.* 231: 206-214.
- Scartezzini, P., Antognoni, F., Raggi, M.A., Poli, F. and Sabbioni, C. 2006. Vitamin C content and antioxidant activity of the fruit and of the Ayurvedic preparation of *Emblica officinalis* Gaertn. *J. Ethnopharmacol.* 104: 113-118.

- Scartezzini, P. and Speroni, E. 2000. Review on some plants of Indian traditional medicine with antioxidant activity. *J. Ethnopharmacol.* 71: 23-43.
- Shaila, H.P., Udupa, S.L. and Udupa, A.L. 1998. Hypolipidemic activity of three indigenous drugs in experimentally induced atherosclerosis. *Inter. J. Cardiol.* 67: 119-124.
- Shin, T.Y., Jeong, H.J., Kim, D.K., Kim, S.H., Lee, J.K., Kim, D.K., Chae, B.S., Kim, J.H., Kang, H.W., Lee, C.M., Lee, K.C., Park, S.T., Lee, E.J., Lim, J.P., Kim, H.M. and Lee, Y.M. 2001. Inhibitory action of water soluble fraction of *Terminalia chebula* on systemic and local anaphylaxis. *J. Ethnopharmacol.* 74: 133-140.
- Shujiro, S., Tomita, Y., Tori, K. and Yoshimura, Y. 1978. Determination of the absolute configuration of a secondary hydroxyl group in a chiral secondary alcohol using glycosidation shifts in Carbon-13 nuclear magnetic resonance spectroscopy. *J. Amer. Chem. Soc.* 100(11): 3331-3339.
- Singh, P. and Sharma, S. 1997. Triterpenoid constituents of the seeds of *Diospyros melanoxylon*, *Tecomella undulata* and *Terminalia bellirica*. *J. Indian Chem. Soc.* 74: 504-505.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. 1990. New colorimetric cytotoxicity assay for anticancer-drug screening. *J. Natl Cancer Inst.* 82: 1107-1112.
- Subcharoen, P. 1998. Anticancer: Thai traditional medicine as alternative self care for treated cancer patients. Bangkok: Thai Traditional Medicine Institute, Ministry of public Health.
- Suffness, M. and Pezzuto, J.M. 1991. Assays related to cancer drug discovery. Method in Plant Biochemistry. London: Academic Press.
- Suresh, K. and Vasudevan, D.M. 1994. Augmentation of murine natural killer cell and antibody dependent cellular cytotoxicity activities by *Phyllanthus emblica*, a new immunomodulator. *J. Ethnopharmacol.* 44(1): 55-60.
- Suryanarayana, P., Kumar, P.A., Saraswat, M., Petrash, J.M. and Reddy, G.B. 2004. Inhibition of aldose reductase by tannoid principles of *Embllica officinalis*: Implications for the prevention of sugar cataract. *Mol Vis.* 10: 148-154.

- Tasduq, S.A., Peerzada, K., Koul, S., Bhat, R. and Johri, R.K. 2006. Biochemical manifestations of anti-tuberculosis drugs induced hepatotoxicity and the effect of silymarin. *Hepatology Research*. 31(3): 132-135.
- Tasduq, S.A., Kaiser, P., Gupta, D.K., Kapahi, B.K., Jyotsna, S., Maheshwari, H.S. and Johri, R.K. 2005. Protective effect of a 50% hydroalcoholic fruit extract of *Embllica officinalis* against anti-tuberculosis drugs induced liver toxicity. *Phytother Res*. 19(3):193-197.
- Tierra, M. 1996. The wonders of Triphala: ayurvedic formula for internal purification. (online). Available: (<http://www.planetherbs.com/articles/triphala.html>) (2005, March 21)
- THP. 2000. Thai Herbal Pharmacopoeia volume II. Medical Sciences, Public Health, Nonthaburi, Thailand.
- Thurnham, D.I. 1993. Chemical aspects and biological mechanisms of anticancer nutrients in plant foods. Cambridge: Bookcraft.
- Uchiyama, M. and Mihara, M. 1978. Determination of malonaldehyde precursor in tissues by thiobarbutiric acid. *Anal. Biochem*. 86: 271-278.
- Valsara, J.R., Pushpangadan, P., Smitt, U.W., Adersen, A., Christensen, S.B., Sittie, A., Nyman, U., Nielsen, C. and Olsen, C.E. 1997. New anti-HIV-1, antimalarial, and antifungal compounds from *Terminalia bellerica*. *J. Nat. Prod*. 60: 739-742.
- Xie, P., Chen, S., Liang, Y.Z., Wang, X., Tian, R. and Upton, R. 2006. Chromatographic fingerprint analysis-a rational approach for quality assessment of traditional Chinese herbal medicine. *J. Chromatography A*. 1112: 171-180.
- Yadava, R.N. and Rathore, K. 2001. A new cardenolide from the seeds of *Terminalia bellerica*. *Fitoterapia*. 72: 310-312.
- Yadava, R.N. and Rathore, K. 2000. A new cardenolide from the seeds of *Terminalia bellerica* (Roxb.). *India J. Inst. Chem*. 72: 154-157.
- Yamasaki, K., Hashimoto, A., Kokusenya, Y., Miyamoto, T. and Sato, T. 1994. Electro chemical method for estimating the antioxidative effects of methanol extracts of crude drugs. *Chem. Pharm. Bull*. 42: 1663-1665.

- Yukaya, T.A., Kurokawa, M., Sato, H., Yoshida, Y., Kageyama, S., Hasegawa, T., Namba, T., Imakita, M., Hozumi, T. and Shiraki, K. 1996. Prophylactic treatment of cytomegalovirus infection with traditional herbs. *Antiviral Res.* 32: 63-70.
- Zhang, Y.J., Nagao, T., Tanaka, T., Yang, C.R., Okabe, H. and Kouno, I. 2004. Antiproliferation activity of the mainconstituents from *Phyllanthus emblica*. *Biol. Pharm. Bull.* 27 (2): 251-255.
- Zhang, L.Z., Zhao, W.H., Guo, Y.J., Tu, G.Z., Lin, S. and Xin, L.G. 2003. Studies on chemical constituents in fruits of Tibetan medicine *Phyllanthus emblica*. *Zhongguo Zhong Yao Za Zhi.* 28(10): 940-943.
- Zhang, Y.J., Tanaka, T., Yang, C.R. and Kouno, I. 2001. New phenolic constituents from the fruit juice of *Phyllanthus emblica*. *Chem. Pharm. Bull.* 49(5): 537-540.
- Zhang, Y.J., Abe, T., Tanaka, T., Yang, C.R. and Kouno, I. 2001(a). Phyllanemblinins A-F, new ellagitannins from *Phyllanthus emblica*. *J. Nat. Prod.* 64: 1527-1532.