

Bibliography

- Achararit, C., Panyayong, W. and Ruchatakomut, E. 1983. Inhibitory action of some Thai herbians (Medicinal Plants) to fungi. *Special Project for the degree of B.Sc.(Pharm)*. Faculty of Pharmacy. Mahidol University.
- Ames, B.N., Shigenaga, M.K. and Hagen, T.M. 1993. Oxidant, antioxidants and the degenerative disease of aging. *Proc. Natl. Acad. Sci. USA*. **90**: 7915-7922.
- Apisariyakul, A. and Anantasarn, V. 1984. A pharmacological study of the Thai medicinal plants used as cathartics and antispasmodics. Symposium on Science and Technology of Thailand 10th Chiang Mai. Thailand. Oct 25-27.
- Areekul, S., Sinchaisri, P. and Tigvatananon, S. 1987. Effect of Thai plant extracts on the oriental fruit fly I. Toxicity test. *Kasetsart J. (Nat. Sci.)*. **21**: 395-407.
- Aruoma, O.I. 1994. Nutrition and health aspects of free radicals and antioxidants. *Food. Chem. Toxicol.* **32**: 671-683.
- Aruoma, O.I., Spencer, J.P.E., Rossi, R., Aeschbach, A.K., Mahmood, N., Munoz, A., Murcia, A., Butler, J. and Halliwell, B. 1996. An evaluation of the antioxidant and antiviral action of extracts of rosemary and provencal herbs. *Food Chem. Toxicol.* **34**: 449-456.

- Azza M., Shafae E., Maher M. and Domiaty E. 2001 Improved LC methods for the determination of diosmin and/or hesperidin in plant extracts and pharmaceutical formulations. *J. Pharm. Biomed. Anal.* **26**: 539-545.
- Bauer R., and Tittel G. 1996. Quality assessment of herbal preparations as a precondition of pharmacological and clinical studies. *Phytomedicine*. **2**: 193-196.
- Bors, W., Heller, W. and Michel, C. 1998. The chemistry of flavonoids. In: *Flavonoids in health and disease*. pp. 111-122. Rice-Evans, A.C. Marcel dekker, Inc. USA.
- Brolis M., Gabetta B., Fuzzati N., Pace R., Panzeri P., Peterlongo F., 1998. Identification by HPLC-diode array detection mass spectrometry and quantification by high performance liquid chromatography UV absorbance detection of action constituents of *Hypericum perforatum*. *J. Chromatogr A*. **825**: 9-16
- Burke, B. and Nair, M. 1986. Phenylpropene, benzoic acid and flavonoid derivatives from fruits of Jamaican *Piper* species. *Phytochemistry*, **25**: 1427-1430.
- Cheah, P.B. and Gen, S.P. 2000. Antioxidative/antimicrobial effects of galangal and α -tocopherol in minced beef. *J. Food Protection*. **63**: 404-407.

- Chin, L. Lin, R.Y., Huang, Y.C. and Wen, C.K. 2000. Evaluation of quantitation analysis of flavonoid aglycones in *Ginkgo biloba* extract and its products. *J. Chromatogr. A*. **8**: 289-296.
- Chipault, J.R., Mizuno, G.R. and Lundberg, W.O. 1995. Antioxidant properties of spices in oil-in-water emulsions. *Food Res. Intern.* **20**: 443-448.
- Chu, Y.H., Chang, C.L. and Hsu, H.F. 2000. Flavonoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food and Agriculture*. **80**: 561-566.
- Cross, C.B., Halliwell, B., Borish, E.T., Pryor W.A., Ames, B.N., Saul, S.L. 1987. Oxygen radicals and human disease. *Ann. Intern. Med.* **107**: 526-545.
- Diplock, A.T. 1992. The role of antioxidant nutrients in disease: health and nutrition. *INFORM*. **3**: 1214-1217.
- Ediati, S. 1994. Faculty of Pharmaceutical. Gadjah Mada university. Yogyakarta. Indonesia. *Majalah Farmasi Indonesia*. **5**: 10-17.
- Farnsworth, N.R. and Bunyaphatsara, N. 1992. *Thai Medicinal Plants*. Prachachon Co., Ltd. Thailand.
- Fogliano, V., Verde, V., Randazzo, G. and Ritieni, A. 1999. Method for measuring antioxidant activity and its application to monitoring the antioxidant capacity of wines. *J. Agric. Food Chem.* **47**: 1035-1040.

- Gaulejac, N.S.C., Nicolas, V. and Borgeois, G. 1999. The influence of various phenolics compounds on scavenging activity assessed by an enzymatic method. *J. Sci. Food and Agric.* **79**: 1081-1090.
- Glowniak K., Zgorka G. and Kozyra M. 1996. Solid-phase extraction and reversed-phase HPLC of free phenolic acid in some *Echinacea* species. *J. Chromatogr. A.* **730**: 657.
- Halliwell, B. and Gutteridge, J.M.C. 1999. *Free radicals in biology and medicine*. Oxford university press. New York.
- Haslam, E. 1996. Natural polyphenols (vegetable tannins) as assays: possible modes of action. *J. Nat. Prod.* **59**: 205-215.
- Heinonen, M., Lehtonen, P.J. and Hopia, A. 1998. Antioxidative activity of berry and fruit wines and liquor. *J. Agric. Food Chem.* **46**: 25-31.
- Hirschhorn, HH. 1983. Botanical remedies of the former dutch east idies (Indonesia). I: Eumycetes, Pteridophyta, Gymnospermae, Angiospermae (Monocotylendons only). *J. Ethnopharmacol.* **72**: 123-156.
- Iamthammachard, S. 1982. Study on the effects of some medicinal plants in the family Zingiberaceae on the growth of some bacteria. *M.Sc. (Teaching Biology) Thesis*, Chiang Mai University.
- Ilham, M., Yaday, M. and Norhanom, AM. 1995. Tumour promoting activity of plants used in malaysian traditional medicine. *Nat. Prod. Sci.* **11**: 31-42.

- Itokawa, H., Morita, M. and Mihashi, S. 1981. Phenolic compounds from the rhizomes of *Alpinia speciosa*. *Phytochemistry*. **20**: 2503-2506.
- Jaipetch, T., Reutrakul, V., Tuntiwachwuttikul, P. and Santisuk, T. 1983. Flavonoids in the Black Rhizomes of *Boesenbergia pandurata*. *Phytochem*. **22**: 625-626.
- Jaipetch, T.; Kanghae, S.; Pancharoen, O.; Patrick, V. A.; Reutrakul, V.; Tuntiwachwuttikul, P. and White, A. 1982. Constitutes of *Boesenbergia pandurata* (syn. *Kaempferia pandurata*): Isolation, Crystal Structure and Synthesis of (+)-Boesenbergin A. *Aust.J.Chem* . **35**: 351-361.
- Kahkonen, M.P., Hopia, A.I. and Vuorela, H.J. 1999. Antioxidant activity of plant extracts containing phenolic compounds. *J. Agric. Food Chem*. **47**: 3954-3962.
- Keinanen M. and Julkunen T.R., 1998. HPLC determination of flavonoids in *Betula pendula* and *Betula pubescens* leaves. *J. Chromatogr. A*. **793**: 370-377.
- Kojima, H., Sato, N., Hatano, A. and Ogura, H. 1990. Sterol glucosides from *Prunella vulgaris*. *Phytochemistry*. **29**: 2351-2355.
- Krishna, B. M. and Chaganty, R. B. 1973. Cardamonin and alpinetin from the seeds of *Alpinia speciosa*. *Phytochemistry*. **12**: 238.
- Lagoui, V. and Boskou, D. 1996. Nutrient antioxidants in oregano. *Intern. J. Food Sci. Nutr*. **47**: 439-497.

- Lai, L.s., Chou, S.T. and Chao, W.W. 2001. Studies on the antioxidative activities of hsian-tsau (*Mesona procumbens* Hemsl) leaf gum. *J. Agric. Food Chem.* **49**: 963-968.
- Laorpaksa, A., Amnuoypol, S. and Jongbunprasert, V. 1988. Preliminary study on antibacterial action of Thai medicinal plants for respiratory tract infection (I). *Thai J. Pharm. Sci.* **13**: 23-36.
- Lee, Y.K., Weintraub, T.S., and Yu, P.B. 2000. Isolation and identification of a phenolic antioxidant from *Aloe barbadensis*. *Free Radical Biology and Medicine.* **28**: 261-265.
- Liu, Y. L., Ho, D. K. and Cassady, J. M. 1992. Isolation of potential cancer chemopreventive agents from *Eriodictyon californicum*. *J. Nat. Prod.* **55**: 357-363.
- Lu, Y. and Foo, Y.L. 2001. Antioxidant activities of polyphenols from sage (*Salvia officinalis*) *Food Chem.* **75**: 197-202.
- Macheix, J.J. and Fleuriet, A. 1998. Phenolic acids in fruits. In: Flavonoids in health and disease. 35-54. Rice-Evans, A.C. Marcel dekker, Inc. USA.
- Madsen, H.L. and Bertelsen, G. 1995. Spices as antioxidants. Trends in Food Science & Technology. **6**: 271-277.

- Mahidol, C., Tuntiwachwuttikul, P., Reutrakul, V. and Taylor, W.C. 1984. Constitutes of *Boesenbergia pandurata* (syn. *Kaempferia pandurata*). III Isolation and synthesis of (\pm)-boesenbergin B. *Aust. J. Chem.*, **37**: 1739-1745.
- Marken H.M., Beecher G.R., 2000. Liquid chromatography method for the separation and quantification of prominent flavonoid aglycones. *J. Chromatogr. A*. **897**: 177-184.
- Masaki, H., Sakaki, S., Atsumi, T. and Sukarai, H. 1995. Active-oxygen scavenging activity of plant extracts. *Biol. Pharm. Bull.* **18**: 162-166.
- Mongkolsuk, S., Dean, F. M. 1964. Pinostrobin and alpinetin from *Kaempferia pandurata*. *J. Chem. Soc.* 4654-4655.
- Mosca, L., Marco, C., Visioli, F. and Cannella, C. 2000. Enzymatic assay for the determination of olive oil polyphenol content: assay conditions and validation of the method. *J. Agric. Food Chem.* **48**: 297-301.
- Murakami, A., Jiwajinda, S., Koshimizu, K., Ohigashi, H. 1995. Screening for in vitro anti-tumor promoting activities of edible plants from Thailand. *Cancer Letters*. **95**: 139-146.
- Naomi, T., Yuki, S., Yoshihiro, Y. and Masako, N. 1997. Skin-lightening cosmetics containing *Boesenbergia pandurata* extracts. Japanese. JP 09030945. 04-02-1997.

- Outinen, K., Vuorela, H. and Hiltunen, R. 1996. Optimization of HPLC separation by computer assisted optimization methods. Comparison of three methods. *Eur. J. Pharm. Sci.* **4**: 199–210.
- Pancharoen, O., Patrick, V.A., Reutrakul, V., Tantiwachwuttikul, P. and White, A.H. 1984. Constituents of *Boesenbergia* sp. isolation and crystal structure of crotepoxide $\{[(1R-1\alpha,2\alpha,4\alpha,5\beta,6\alpha,7\alpha)-4-(benzoyloxy)methyl]-3,8-dioxatricyclo[5,1,0,0^{2,4}]octane-5,6-diyl\} diacetate$. *Aust. J. Chem.* **37**: 221-225.
- Pancharoen, O., Picker, K., Reutrakul, V., Taylor, W. and Tantiwachwuttikul, P. 1987. Constituents of the Zingiberaceae. X Diastereomers of [7-Hydroxy-5-methoxy-2-methyl-2-(4'-methylpent-3'-enyl)-2H-chromen-8-yl][3''-methyl-2''-(3'''-methylbut-2'''-enyl)-6''-phenylcyclo-hex-3''-enyl]methanone (Panduratin B), a Constituent of the Red Rhizomes of a Variety of *Boesenbergia pandurata*. *Aust. J. Chem* **40**: 455-459.
- Pandji, C., Grimm, C., Wray, V., Witte, L. and Proksch, P. 1993. Insecticidal Constituents from Four Species of The Zingiberaceae. *Phytochem.* **34**: 2. 415-419.
- Papas, A.M. 1998. *Antioxidant status, diet, nutrition and health*. CRC press. Washington, D.C. USA.

- Pathong, A., Tassaneeyakul, W., Kanjanapothi, D. and Tuntiwachwuttikul, P. 1989. Anti-inflammatory activity of 5,7-dimethoxyflavone. *Planta Med.* **55**: 133-136.
- Pietta P.G., Gardana C. and Mauri P.L. 1997. Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans. *J. Chromatogr. B.* **693**: 249.
- Rajalakshmi, D. and Narasimhan, S. 1996. Food Antioxidants: Sources and method of evaluation. In *Food Antioxidants*. (Madhavi, D.L., Despande, S.S. and Sulunkhe, D.K., eds.). p. 65-158. Marcel Dekker. New York.
- Reilly, R.M., Schiller, H.J. and Bulkley, G.B. 1991. Pharmacologic approach to tissue injury mediate by free radicals and other reactive oxygen metabolites. *Am. J. Surg.* **161**: 488-503.
- Retno A.B.M., Farida L.D., Johannes J.C.S. and Robert V. 2001. Assay of 2,3-dihydroxybenzoic acid and related compounds in plant materials by high performance liquid chromatography. *J. Chromatogr. A.* **927**: 39-45.
- Rice-Evans, C.A., Diplock, A.T. and Symons, M.C.R. 1998. *Laboratory techniques in biochemistry and molecular*. Elsevier Science publishers. Netherlands.
- Schofield, J.A., Hagerman, A.E. and Harold, A. 1998. Loss of tannins and other phenolics from willow leaf litter. *J. Chem. Ecol.* **24**: 1409-1421.

- Sekiwa, Y., Kubota, K. and Kobayashi, A. 2000. Isolation of novel glucosides related to gingerdiol from ginger and their antioxidative activities. *J. Agric. Food Chem.* **48**: 373-377.
- Tasneeyakul, W. 1984. A study on anti-inflammatory activity of 5,7-dimethoxyflavone isolated from *Boesenbergia pandurata* extract in albino rats. *M.Sc. Thesis*. Chiangmai University. Thailand.
- Thamaree, S., Pachotikarn, C., Tenkeyoon, M., Itthipanichpong, C., 1985. Effects on intestinal motility of thirty herbal medicines used in the treatment of diarrhoea and dysentery. *Chula Med J.* **29**: 39-51.
- The United States Pharmacopeia XXV and The National Formulary XX. Medison. United States Pharmacopeial Convention, Inc.
- Trakoontivakorn, G., Nakahara, K., Shinmoto, H., Takenaka, M., Onishi-Kameyama, M., Ono, H., Yoshida, M., Nagata, T. and Tsushida, T. 2001. Structure analysis of a novel antimutagenic compound, 4-hydroxy panduratin A, and the antimutagenic activity of flavonoids in Thai spice, fingerroot (*Boesenbergia pandurata*) against mutagenic heterocyclic amines. *J. Agric. Food Chem.* **49**: 3046-3050.
- Tuchinda, P., Reutrakul, V., Claeson, P., Pongprayoon, U., Sematong, T., Santisuk, T. and Taylor, W.C. 2002. Anti-inflammatory cyclohexenyl chalcone derivatives in *Boesenbergia pandurata*. *Phytochemistry.* **59**: 169-173.

Tuntiwachwuttikul, P., Pancharoen, O., Bubb, W.A., Hambley, T.W., Taylor, W.C., and Reutrakul, V. 1987. Constituents of the Zingiberaceae. XI Structures of (+) (1*R*,2*S*,3*R*,4*S*) – 2 - benzoyloxymethylcyclohex - 5-ene - 1,2,3,4 - tetrol 4-benzoate [(+)-zeylenol] and (+)-(1*R*,2*R*,4*R*,5*S*,6*R*,7*R*)-4-benzoyloxy-methyl 3,8-dioxatricyclo [5,1,0,0^{2,4}] octane-5,6-diol 5-acetate 6-benzoate (boesenboxide) isolated from a new *Boesenbergia* species. *Aust. J. Chem.* **40**: 2049-2061.

Tuntiwachwuttikul, P., Pancharoen, O., Reutrakul, V. and Byrne, L. T. 1984. (1'*RS*,2'*SR*,6'*RS*)-(2,6-dihydroxy-4-methoxy-phenyl)-[3'-methyl-2'-(3''-methylbut-2''-enyl)-6'-phenyl-cyclohex-3'-enyl]methanone (Panduratin A)- a constituent of the red rhizomes of a variety of *Boesenbergia pandurata*. *Aust. J. Chem.* **37**: 449-453.

Ungsurungsie, M. and Suthienkul, O. 1982. Mutagenicity Screening of Popular Thai Spices. *Food Cosmet Toxicol.* **20**: 527-530.

Waksmundzka-hajnos, M. 1998. Chromatographic separations of aromatic carboxylic acids. *J. Chromatogr. B.* **717**: 93-118.

White, A. H. 1982. Constituents of *Boesenbergia pandurata* (syn. *Kaempferia pandurata*). Isolation, crystal structure and synthesis of (±)-boesenbergin A. *Aust. J. Chem.* **35**: 351-361.

- Yamaguchi, T., Takamura, H., Matoba, T. and Terao, J. 1998. HPLC method for evaluation of the free radical-scavenging activity of food by using 1,1-diphenyl-2-picrylhydrazyl. *Biosci. Biotechnol. Biochem.* **62**: 1201-1204.
- Yen, G.C. and Chuang, D.Y. 2000. Antioxidant properties of water extracts from *Cassia tora* L. in relation to the degree of roasting. *J. Agric. Food Chem.* **48**: 2760-2765.