

BIBLIOGRAPHY

- Alvarez, O.M., Patel, M., Booker, J. and Markowitz, L. 2004. Effectiveness of a biocellulose wound dressing for the treatment of chronic venous leg ulcers: results of a single center randomized study involving 24 patients. *Wounds*, 16(7): 224-233.
- Atalla, R.H. and Vanderhart, D.L. 1984. Native cellulose: A composite of two distinct crystalline forms. *Science*, 223: 283-285.
- Barud, H.S., Ribeiro, C.A., Crespi, M.S., Martines, M.A.U., Dexpert-Ghys, J., Marques, R.F.C., Messaddeq, Y. and Ribeiro, S.J.L. 2007. Thermal characterization of bacterial cellulose-phosphate composite membranes. *Journal of Thermal Analysis and Calorimetry*, 87: 815-818.
- Bielecki, S., Krystynowicz, A., Turkiewicz, M. and Kalinowska, H. 2002. Bacterial cellulose. In: Steinbuchel A, editor. *Biopolymers: vol.5. Polysaccharides I*. Munster, Germany: Wiley-VCH, Verlag GmbH. p. 37-90.
- Bondar, V.M., Rago, C.B.S. and Cottone, F.J. 2000. Chlorhexidine lavage in the treatment of experimental intra-abdominal infection. *Arch. Surg.*, 135: 309-314.
- Brown, R.M. Jr. and Sexena, I.M. 2000. Cellulose biosynthesis: a model for understanding the assembly of biopolymers. *Plant. Physiol. Biochem.*, 38: 57-67.
- Brown, R.M. Jr., Willison, J.H.M. and Richardson, C.L. 1976. Cellulose biosynthesis in *A. xylinum*: visualization of the site of synthesis and direct measurement of the in vivo process. *Prog. Natl. Acad. Sci. USA.*, 73: 4565-4569.

- Cannon, R.E. and Anderson, S.M. 1991. Biogenesis of bacterial cellulose. Crit. Rev. Microbiol., 17: 435-439.
- Clarke, A.M., Solomon, J., Keogh, J., Nixon, M. and Burchett, J. 1971. Chlorhexidine with silver-sulphadiazine in the treatment of burns. Med. J. Aust., 2: 446.
- Clarke, A.M. 1975. Topical use of silver sulphadiazine and chlorhexidine in the prevention of infection in thermal injuries. Med. J. Aust., 1: 413-415.
- Colvin, J.R. 1957. Formation of cellulose microfibrils in a homogenate of *Acetobacter xylinum*. Arch. Biochem. Biophys., 70: 294-295.
- Costeron, J.W. 1999. The role of bacterial cellulose exopolysaccharides in nature and disease. J. Ind. Microbiol. Biotechnol., 22: 551-563.
- Cuperus, F.P., Bargeman, D. and Smolders, C.A. 1992. Critical points in the analysis of membrane pores structures by thermoporosimetry. J. Memb. Sci., 66: 45-53.
- Czaja, W., Kawecki, M., Krystynowicz, A., Wysota, K., Sakiel, S., Wroblewski, P., et al. 2004. Application of bacterial cellulose in treatment of second and third degree burns. In: The 27th ACS National Meeting, Anaheim, CA, USA, 28 March-1 April 2004.
- Czaja, W., Krystynowicz, A. and Bielecki, S. 2006. Microbial cellulose-the natural power to heal wounds. Biomaterials, 27: 145-151.
- Dammstrom, S., Salmen, L. and Gatenholm, P. 2005. The effect of moisture on the dynamical mechanical properties of bacterial cellulose/glucuronoxylan nanocomposites. Polymer, 46: 10364-10371.

- De Ley, J., Gillis, M. and Swings, J. 1984. Bergey's Manual of Systematic Bacteriology, I, family VI, *Acetobacteraceae*, ed. R. R. Krieg and J. G. Holt, Williams, London, p. 267.
- De Wulf, P., Joris, K. and Vandamme, E.J. 1996. Improved cellulose formation by *Acetobacter xylinum* mutant limited in (keto) gluconate synthesis. *J. Chem. Tech. Biotechnol.*, 67: 376-380.
- Dudman, W.F. 1960. Cellulose production by *Acetobacter* strains in submerged culture. *J. Gen. Microbiol.*, 22: 25-39.
- Embuscado, M.E., BeMiller, J.N. and Marks, J.S. 1994. Bacterial cellulose II. optimization of cellulose production by *Acetobacter xylinum* through response surface methodology. *Food Hydrocolloids*, 8: 419-430.
- Estrela, C., Ribeiro, R.G., Estrela, C.R.A., Pecora, J.D. and Sousa-Neto, M.D. 2003. Antimicrobial effect of 2% sodium hypochlorite and 2% chlorhexidine tested by different methods. *Braz. Dent. J.*, 14: 1.
- Fiedler, S., Fuessel, M. and Sattler, K. 1989. Production and application of bacterial cellulose. I. A survey on state of research and investigations concerning fermentation kinetics. *Zentralbl. Mikrobiol.*, 114: 473-484.
- Fontana, J.D., De-Souza, A.M, Fontana, A., Torriani, I.L., Moresci, J.C., Gallotti, B.J., De-Souza, S.J., Narcisco, G.P., Bichara, J.A. and Farah, L.F.X. 1990. *Acetobacter* cellulose pellicle as a temporary skin substitute. *Appl. Biochem. Biotechnol.*, 24-25: 253-264.
- Fox, CL. Jr. 1968. Silver sulfadiazine-a new topical therapy for *Pseudomonas* in burns. Therapy of *Pseudomonas* infection in burns. *Arch. Surg.*, 96(2): 184-188.

- Galas, E., Krystynowicz, A., Tarabasz-Szymanska, L., Pankiewicz, T. and Rzyska, M. 1999. Optimization of production of bacterial cellulose using multivariable linear regression analysis. *Acta. Biotechnol.*, 19: 251-260.
- George, N., Faoagali, J. and Muller, M. 1997. Silvazine (silver sulphadiazine and chlorhexidine) activity against 200 clinical isolates. *Burns*, 23: 493-495.
- Han, N.S. and Robyt, J.F. 1998. The mechanism of *Acetobacter xylinum* cellulose biosynthesis: direction of chain elongation and the role of lipid pyrophosphate intermediates in the cell membrane. *Carbohydr. Res.*, 313: 125-133.
- Hestrin, S., Aschner, M. and Magger, 1947. Synthesis of cellulose by rotating cells of *Acetobacter xylinum*. *Nature (London)*, 159: 64-65.
- Hestrin, S. and Schramm, M. 1954. Synthesis of cellulose by *Acetobacter xylinum*: preparation of freeze dried cells capable of polymerizing glucose to cellulose. *Biotechnol. J.*, 58: 345- 352.
- Hettich, R. 1986. Interactions between local and generalized burn edema. *Resuscitation*, 14: 105-112.
- Hikawu, S., Hiroshi, T., Takayasu, T. and Yoshinaga, F. 1996. Manufacture of bacterial cellulose by addition of cellulose formation stimulators. PN JK 96-316922.
- Ho, W.S.W. and Sirkar, K.K. 1992. Membrane hand-book. Chapman&Hall, New York.
- Hong, L., Wang, S.R.Jia., Huang, Y., Gao, C. and Wan, Y.Z. 2005. Hydroxyapatite/bacterial cellulose composites synthesized via a biomimetic route. *Materials Letters*, 60: 1710-1713.

- Iguchi, M., Yamanaka, S. and Budhioko, A. 2000. Bacterial cellulose-a masterpiece of nature's arts. *J. Mat. Sci.*, 35: 261-270.
- Ishikawa, A., Matsuoka, M., Tsuchida, T. and Yoshinaga, F. 1995. Increasing of bacterial cellulose production by sulfoguanidine-resistant mutants derivated from *Acetobacter xylinum* supsp. *sucrofermentans* BPR 2001. *Biosci. Biotech. Biochem.*, 59: 2259-2263.
- Ishikawa, A., Tonouchi, N., Tsuchida, T. and Yoshinaga, F. 1997. Breeding of a 5-fluorouridine-resistant mutant with increased cellulose production from *Acetobacter xylinum* subsp. *nonacetoxidans*. *Biosci. Biotech. Biochem.*, 62: 1388-1391.
- Isogai, A. and Atalla, R.H., 1992. Preparation of cellulose-chitosan polymer blends. *Carbohydrate polymers Carbohydrate polymers*, 19(11): 25-28.
- Jenelten, U. and Bungay, H.R. 1998. Selection of a rapidly growing strain of *Acetobacter xylinum*. *Adv. Environ. Res.*, 2: 291-295.
- Johnson, D.C. and Neogi, A.N. 1989. Sheeted products formed from reticulated microbial cellulose. PN US 4863565.
- Jonas, R. and Farah, L.F. 1998. Production and application microbial cellulose. *Polymer. Degrad. Stabil.*, 59: 101-106.
- Joris, K., Billiet, F., Drieghe, S., Brack, D. and Vandamme, E. 1990. Production and application of microbial cellulose. *Polymer. Degrad. Stabil.*, 59: 101-106.
- Kent, R.A., Stephens, R.S. and Westland, J.A. 1991. Bacterial cellulose fiber provides an alternative for thickening and coating. *Food Technol.*, 45:108.
- Keshk, S. and Sameshima, K. 2005. Evaluation of different carbon sources for bacterial cellulose production. *Egypt. J. Biotech.*, 4(6): 478-482.

- Klasen, H.J. A historical review of the use of silver in the treatment of burns. 2000. I. Early es. Burns, 26: 117-130.
- Klemm, D., Schumann, D., Udhardt, U. and Marsch, S. 2001. Bacterial synthesized cellulose artificial blood vessels for microsurgery. Prog. Polym. Sci., 26: 1561-1603.
- Koljalg, S., Naaber, P. and Mikelsaar, M. 2002. Antibiotic resistance as an indicator of bacterial chlorhexidine susceptibility. Journal of Hospital Infection, 51(2): 106-113.
- Koo, H.M., Sony, S.H., Pyun, Y.R. and Kim, Y.S. 1991. Evidence that a Beta-1,4-endoglucanase secreted by *Acetobacter xylinum* plays an essential role for the formation of cellulose fiber. Biosci. Biotech. Bioeng., 62: 2257-2259.
- Kouda, T., Naritomi, T., Yano, H. and Yoshinaka, F. 1998. Inhibitory effect of carbon dioxide on bacterial cellulose production by *Acetobacter* in agitated culture. J. Ferment. Bioeng., 84: 124-127.
- Krystynowicz, A., Czaja, W., Pomorski, L., Kolodziejczyk, M. and Bielecki, S. 2000. The evaluation of usufullness of microbial cellulose as a wound dressing material. 14th Forum of applied Biotechnology. Gent. Belgium. Meded. Fac. Landbouwet. Rijksuniv. Gent. Proceeding Part I, 213-220.
- Krystynowicz, A., Czaja, W., Wiktorowska-Jezierska, A., Goncalves-Miskiewicz, M., Turkiewicz, M. and Bielecki, S. 2002. Factors affecting the yield and properties of bacterial cellulose. J. Ind. Microbiol. Biotechnol., 29: 189-195.
- Krystynowicz, A., Galas, E. and Pawlak, E. 1997. Method of bacterial cellulose production. Polish. Patent. P-299907.

- Kudlicka, K. 1989. Terminal complexes in cellulose synthesis, Postpy biologii komorki., 16: 197-212.
- Kuiper, S., Van Rijin, C.J.M., Nidam, W. and Elwenspoek, M.C. 1998. Development and applications of very high flux microfiltration membranes. *J. Membr. Sci.*, 150: 1-8.
- Kuyyakanond, T. and Quesnel, L.B. 1992. The mechanism of action of chlorhexidine. *FEMS Microbiol. Lett.*, 100: 211-216.
- Lee, D.Y., Spangberg, L.S.W., Bok, Y.B., Lee, C.Y. and Kum, K.Y. 2005. The sustaining effect of three polymers on the release of chlorhexidine from a controlled release drug device for root canal and disinfection. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology*, 100: 105-111.
- Lin, F.C. and Brown, R.M.Jr. 1989. Purification of cellulose synthesis from *Acetobacter xylinum*, in: cellulose and wood-Chemistry and Technology, Schuerch, C., Ed., John Wiley & sons. New York. 473.
- Lowbury, E.J., Jackson, D.M., Ricketts, C.R. and Davis, B. 1971. Topical chemoprophylaxis for burns: trials of creams containing silver sulphadiazine and trimethoprim. *Injury*, 3(1): 18-24.
- Magne, F.C., Portas, H.J. and Wakeham, H. 1947. A calorimetric Investigation of Moisture in Textile Fibers. *J. Amer. Chem. Soc.*, 69: 1896.
- Masaoka, S., Ohe, T. and Sakota, N. 1993. Production of cellulose from glucose by *Acetobacter xylinum*. *J. Ferment. Bioeng.*, 75: 18-22.

- Matsuoka, M., Tsuchida, T., Matsuchita, K., Adachi, O. and Yoshinaka, F. 1996. A synthesis medium for bacterial cellulose production by *Acetobacter xylinum* subsp. *sucrofermentans*. *Biosci. Biotech. Biochem.*, 60: 575-579.
- Martindale. 1993. The Extra Pharmacopoeia, 30th Ed., Ed. Reynolds. J.E.F. (Pharmaceutical Press, 1993). p. 789-790.
- Mayer, R., Ross, P., Weinhouse, H., Amikam, D., Volman, G., Ohana, P. and Benziman, M. 1989. The polypeptide substructure of bacterial cellulose synthase and its occurrence in higher plants, in: Abstracts from 5th cell wall Meeting.
- McDonnell, G. and Russell, A.D. 1999. Antiseptics and disinfectant: Activity, Action, Resistance. *Clin. Microbiol. Rev.*, 12: 147-179.
- Nakamura, K., Hatakeyama, T. and Hatakeyama, H. 1981. Differential scanning calorimetric studies on the glass transition temperature of polyhydroxystyrene derivative containing sorbed water. *Text Res.*, 51: 51-607.
- Nakamura, K., Hatakeyama, T. and Hatakeyama, H. 1981. Studies on bound water of cellulose by differential scanning calorimetry. *Tex. Res. J.*, 51: 607-613.
- Novaes, Jr.A.B and Novaes, A.B. 1992. IMZ implants placed into extraction sockets in association with membrane therapy (Gengiflex) and porous hydroxyapatite: a case report. *Int. J. Oral. Maxillofac. Implants.*, 7(4): 536-540.
- Oikawa, T., Ohtori, T. and Ameyama, M. 1995. Production of cellulose from D-mannitol by *Acetobacter xylinum* KU-1. *Biosci. Biotech. Biochem.*, 59(2): 331-332.

- Okamoto, T., Yamano, S., Ikeaga, H. and Nakamura, K. 1994. Cloning of the *Acetobacter xylinum* cellulase gene and its expression in *E. coli* and *Zymomonas mobilis*. *Appl. Microbiol. Biotechnol.*, 42: 563-568.
- Ougiya, H., Watanabe, K., Morinaga, Y. and Yoshinaga, F. 1997. Emulsion-stabilizing effect of bacterial cellulose. *Biosci. Biotech. Biochem.*, 61: 1541-1545.
- Pruitt, B.A. Jr., Mcmanus, A.T., Kim, S.H. and Goodmin, C.W. 1998. Burn wound infections: current status. *World J. Surg.*, 22: 135-145.
- Pruitt, B.A. Jr., O'Neill, J.A. Jr., Moncrief, J.A. and Lindberg, R.B. 1968. Successful control of burn-wound sepsis. *Jama.*, 203: 1054-1060.
- Ramana, K., Tomar, A. and Singh, L. 2000. Effect of various carbon and nitrogen sources on cellulose synthesis by *Acetobacter xylinum*. *World. J. Microbiol. Biotechnol.*, 16: 245-248.
- Ring, D.F., Nashed, W. and Dow, T. 1986. Liquid loaded pad for medical application. US. Pat. 4588400.
- Rockland, L.B. 1960. Saturated salt solution for static control of relative humidity between 5C and 40C. *Analytical Chemistry*, 32(10): 1375-1376.
- Ross, P., Mayer, R. and Benziman, M. 1991. Cellulose biosynthesis and function in bacteria. *Microbiol. Rev.*, 55: 35-58.
- Sadr Ghayeni, S.B., Beatson, P.J., Fane, A.J. and Scheider, R.P. 1999. Bacterial passage through microfiltration membranes in wastewater applications. *J. Membr. Sci.*, 153: 71-82.

- Saibuatong O., Sangrungraungroj W., Sanchavanakit N., Phisalaphong M. 2007. Biosynthesis and characterization of bacterial cellulose. In 17th Chemical Engineering Conference in Thailand.
- Sattler, K. and Fiedler, S. 1990. Production and application of bacterial cellulose: II. Cultivation in a rotation drum fermentor. Zentralbl. Microbiol., 145: 247-252 (in German).
- Sawada, Y. 1985. Adverse reaction to sulphonamides in a burned patient: a case report. Burns. Incl. Therm. Inj., 12: 127-131.
- Saxena, I.M. and Brown, R.M.Jr. 1989. Cellulose biosynthesis in *Acetobacter xylinum*: a genetic approach, in Cellulose and Wood Chemistry and Technology, Schnerck, C., Ed. John Wiley and Sons, New York, 537.
- Schmitt, D.F., Frankos, V.H., Westland, J. and Zoetis, T. 1991. Toxicologic evaluation of cellulon fiber: Genotoxicity, pyrogenicity, acute and subchronic toxicity. J. Am. Coll. Toxicol., 10: 541-554.
- Schramm, M. and Hestrin, S. 1954. Factors affecting production of cellulose at the air/liquid interface of a culture of *Acetobacter xylinum*. J. Gen. Microbiol., 11: 123.
- Schreiber, R.E., Dunkeman, N.S., Naughton, G. and Ratcliffe, A. 1999. A methodfor tissue engineering of cartilage by cell seeding on bioresorbable scaffolds. In: Hunkler, D., Protop, A., Cherrington, A.D., Rajotte, R.V., Sefton, M., editors. Bioartificial organs II. Technology, mechdicine and materials. New York. Academy of Science; p. 398-404.
- Slezak, A., Kucharzewski, M. and Franek, A. 2004. Evaluation of the efficiency of venous leg treatment with membrane dressing. Med. Eng. Phys., 26: 53.

- Smith, R. 1990. Characterization of a plasmid of *Acetobacter xylinum* (ATCC 23769): cellulose producing Wild Type and Non-Cellulose Producing Mutant Strains, M.A. thesis, University of North Carolina at Greensboro, Greensboro.
- Smylie, H.G., Logie, J.R. and Smith, G. 1973. From Phisohex to Hibiscrub. Br. Med. J., 4: 586-589.
- Sugiyama, J., Okano, T., Yamamoto, H and Horri, F. 1990. Characterization of chemically treated bacterial (*Acetobacter xylinum*) biopolymer: Some thermo-mechanical properties Macromolecules, 23: 3196.
- Supaphol, P. and Spruviell, J.E. 2000. Characterization of chemically treated bacterial (*Acetobacter xylinum*) biopolymer: Some thermo-mechanical properties. J. Macromol. Sci., Phys., 39: 257.
- Sutherland, I.W. 1998. Novel and established applications of microbial polysaccharides. Tibtech., 16: 41-46.
- Tahara, N., Pabuchi, M., Watanabe, K., Yano, H., Morinaga, Y. and Yoshinaga, F. 1997. Degree of polymerization of cellulose from *Acetobacter xylinum* BPR 2001 decreased by cellulose producing strain. Biosci. Biotech. Biochem., 61: 1862-1865.
- Teeri, T.T. 1997. Crystallinity cellulose degradation: new insight into the function of cellulose biohydrolases. Tibtech., 15: 160-167.
- Tonouchi, N., Tsuchida, T., Yoshinaga, F., Beppu, T. and Horinouchi, S. 1996. Characterization of the biosynthetic pathway of cellulose from glucose and fructose in *Acetobacter xylinum*. Biosci. Biotech. Biochem., 60: 1377-1379.

- Toyosaki, H., Naritomi, T., Seto, A., Matsuoka, M., Tsuchida, T. and Yoshinaga, F. 1995. Screening of bacterial cellulose-producing *Acetobacter* strains suitable for agitated culture. *Biosci. Biotechnol. Biochem.*, 59: 1498-1502.
- Ulmer, A., Rietschel, E. Th., Zahringer, U. and Heine, H. 2002. Lipopolysaccharide: structure, bioactivity, receptors and signal transduction. *Trends. Glycosci. Glycotechnol.*, 14: 53.
- Valla, S., Coucheron, D.H., Fjaervik, E., Kjosbakken, J., Weinhouse, H., Ross, P., Amikam, D. and Benziman, M. 1989. Cloning of a gene involved in cellulose biosynthesis in *Acetobacter xylinum*: complementation of cellulose-negative mutants by UDPG pyrophosphorylase structural gene. *Mol. Gen. Genet.*, 217: 26-30.
- Valentine, L. 1958. Studies on sorption of moisture by polymers. I. effect of crystallinity. *J. Polym. Sci.*, 27: 313.
- Vandamme, E.J., De Beets, S., Vanbaelen, A., Joris, K. and De Wulf, P. 1998. Improved production of bacterial cellulose and its application potential. *Polymer. Degr. Stabil.*, 59: 93-99.
- Vera, L., Villaroel-Lopez, R., Delgade, S. and Elmaleh, S. 1997. Cross-flow microfiltration of biologically treated wastewater. *Desalination*, 114: 65-75.
- Wanichapichart, P., Kaewnopparat, Sanae., Buaking, K. and Puthai, W. 2003. Characterization of cellulose membranes produced by *Acetobacter xylinum*. *Songklanakarin J. Sci. Technol.*, 24: 855-862.
- Watanabe, K., Tabuchi, M., Morinaga, Y. and Yoshinaga, F. 1998. Structural features and properties of bacterial cellulose produced in agitated culture. *Cellulose*, 5: 187-200.

- White, D.G., and Brown, R.M. Jr. 1989. Prospects for the commercialization of the biosynthesis of microbial cellulose. In: Schuerch C, editor. Cellulose and wood-chemistry and technology. New York: Wiley, 32: 573-590.
- Wilkins, R.J., Browning, J.A. and Ellory, J.C. 2000. Surviving in a matrix: membrane transport in articular chondrocytes. *J. Membr. Biol.*, 177: 95-108.
- Williams, W.S. and Cannon, R.E. 1989. Alternative environmental roles for cellulose produced by *Acetobacter xylinum*. *Appl. Environ. Microbiol.*, 55: 2448-2452.
- Winkelman, J.W. and Clark, D.P. 1984. Proton suicide: general method for direct selection of sugar transport and fermentation defective mutants. *J. Bacteriol.*, 11: 687-690.
- Wu, Y.B., Yu, S.h., Mi, F.L., Wu, C.W., Shyu, S.S., Peng, C.K. and Chao, A.C. 2004. Preparation and characterization on mechanical and antibacterial properties of chitsoan/cellulose blends. *Cabohydrate Polymers*, 57(4): 435-440.
- Yamada, Y., Hoshino, K. and Ishikawa, T. 1998. *Gluconacetobacter corrig.* (*Gluconacetobacter* (sic)), in: Validation of new names and new combinations previously effectively published outside the IJBS, List no 64, *Int. J. Syst. Bacteriol.*, 48: 327-328.
- Yamada, Y. 2000. Transfer *Acetobacter oboedients* and *Acetobacter intermedius* to the genus *Gluconacetobacter* as *Gluconacetobacter* to the generic level. *Biosci. Biotechnol. Biochem.*, 50: 2225-2222.
- Yamamoto, H., Horri, F. and Odani, H. 1989. Characterization of chemically treated bacterial (*Acetobacter xylinum*) biopolymer: Some thermo-mechanical properties. *Macromolecules*, 22: 4130-4132.

- Yamanaka, S., Ishihara, M. and Sygiyama, J. 2000. Structural modification of bacterial cellulose. *Cellulose*, 7: 213-225.
- Yamanaka, S., Watanabe, K., Kitamura, N., Iguchi, M., Mitsuhashi, S., Nishi, Y. and Uryu, M. 1989. The structure and mechanical properties of sheets prepared from bacterial cellulose. *J. Mat. Sci.*, 24: 3141-3145.
- Yamanaka, S., Watanabe, K. and Suzuki, Y. 1990. Hollow microbial cellulose, process for preparation thereof and artificial blood vessel formed of said cellulose. EP 039344A2.
- Yang, Y.K., Park, S.H., Hwang, J.W., Pyun, Y.R. and Kim, Y.S. 1998. Cellulose production by *Acetobacter xylinum* RB C 5 under agitated condition. *J. Ferment. Bioeng.*, 85: 312-317.
- Yoshinaga, F., Tonouchi, N. and Watanabe, K. 1997. Research progress in production of bacterial cellulose by aeration and agitation culture and its application as a new industrial material. *Biosci. Biotechnol. Biochem.*, 61(2): 219-224.
- Yoshino, P., Asakura, P. and Toda, K. 1996. Cellulose production by *Acetobacter pasteurianus* on silicone membrane. *J. Ferment. Bioeng.*, 81: 32-36.
- Zarr, K. 1977. The biogenesis of cellulose by *Acetobacter xylinum*. *Cytobiologic*. Euro. J. Cell. Biol., 16: 1-15.
- Zhao, Y., Samal, E. and Srivastava, D. 2005. Serum response factor regulates a muscle-specific micro RNA that targets Hand 2 during cardiogenesis. *Nature*, 436: 214-220.
- Zuo, K., Cheng, H.P., Wu, S.C. and Wu, W.T. 2006. A hybrid model combining hydrodynamic and biological effects for production of bacterial cellulose with a pilot scale airlift reactor. *Biochem. Engineering*, 29: 81-91.